

DAFTAR PUSTAKA

- ASHBEE, H. (2006) Recent developments in the immunology and biology of *Malassezia* species. *FEMS Immunol Med Microbiol*, 47, 14-23.
- ASHBEE, H. (2007) Update on the genus *Malassezia*. *Med Mycol*, 45, 287-303.
- BONIFAZ, A., GOMEZ-DAZA, F., PAREDES, V. & PONCE, R. (2010) Tinea versicolor, tinea nigra, white piedra, and black piedra. *J Clin Dermatol*, 28, 140-5.
- CABANES, F., THEELAN, B. & CASTELLA, G. (2007) Two new lipid-dependent *Malassezia* species from domestic animals. *FEMS Yeast Res*, 7, 1064-76.
- CAFARCHIA, C., GASSER, R. & FIGUEREDO, L. (2011) Advances in the identification of *Malassezia*. *Molecul and Cell Probes*, 25, 1-7.
- CERMEÑO, J., HERNANDEZ, I. & GODOY, G. (2005) Mycoses at Hospital Universitario "Ruiz y Paez", Ciudad Bolivar, Venezuela 2002. *Invest Clin*, 46, 37-42.
- CHAUDHARY, R., SINGH, S., BANERJEE, T. & TILAK, R. (2010) Prevalence of different *Malassezia* species in pityriasis versicolor in central India. *Indian J Dermatol Venereol Leprol*, 76, 159-64.
- CHUA, K., CHUA, I., CHUA, I., CHONG, K. & CHUA, K. (2005) A modified mycological medium for isolation and culture of *Malassezia furfur*. *Malaysian J Pathol*, 27, 99-105.
- CRISSEY, J. T., LANG, H. & PARISH, L. C. (1995) *Manual of medical mycology*, Massachusetts, Blackwell science.
- DEL PALACIO, A., CUETARA, S., PEREZ, A., GARAU, M., CALVO, T. & ALOR, G. C. (1990) Topical treatment of dermatophytosis and cutaneous candidosis with flutrimazol 1% cream: double-blind, randomized comparative trial with ketokonazol 2% cream. *mycoses*, 42, 649-55.
- DIFONZO, E. M., MARTINI, P., MAZZATENTA, T., TOTTI, L. & ALVINO, S. (2008) Comparative efficacy and tolerability of ketomousse (ketokonazol foam 1%) and ketokonazol cream 2% in the treatment of pityriasis versicolor: result of a prospective, multicentre, randomised study. *Mycoses*, 51, 532-5.
- ELGART, M. L. & WARREN, N. G. (1992) The superficial and subcutaneous mycoses. IN MOSCHELLA, S. L. & HURLEY, H. J. (Eds.) *Dermatology*. Philadelphia, W.B. Saunders company.
- ERCHIGA, V. & HAY, R. (2010) Pityriasis versicolor and other *Malassezia* skin disease. IN BOEKHOUT, T., GUÉHO-KELLERMANN, E., MAYSER, P. & VELEGRAKI, A. (Eds.) *Malassezia and the skin*. Berlin, Springer-Verlag.
- ESPINEL, I. A. (2000) Clinical utility of in vitro antifungal susceptibility testing. *Rev Esp Quimioter*, 161-6.
- FELL, J., SCORZETTI, G. & CONNELL, L. (2006) Biodiversity of micro-eukaryotes in Antarctic Dry Valley soils with <5% soil moisture. *Soil Biol Biochem*, 38, 3107-19.
- FRAMIL, V., SZESZS, M. & ZAITZ, C. (2010) Pityriasis versicolor circinata: isolation of *Malassezia sympodialis*-case report. *An Bras Dermatol*, 85, 227-8.
- GANDRA, R., GAMBALE, W. & DE CÁSSIA GARCIA SIMÃO, R. (2008) *Malassezia* spp. in acoustic meatus of bats (*Molossus molossus*) of the Amazon Region, Brazil. *Mycopathol*, 165, 21-6.

- GERVEN FV & ODDS FC (1995) The anti-Malassezia furfur activity in vitro and in experimental dermatitis of six imidazol antifungal agent: bifonazole, clotrimazole, flutrimazole, ketoconazole, miconazole and sertaconazole. *Mycoses* 38, 389-93.
- GONZALES, A., SIERRA, R. & CARDENAS, M. (2009) Physiological and molecular characterization of atypical isolates of *Malassezia furfur*. *J of Clin Microbiol*, 47, 48-53.
- GUEHO-KELLERMANN, E., BOEKHOUT, T. & BEGEROW, D. (2010) Biodiversity, phylogeny, and ultrastructure. IN BOEKHOUT, T., GUEHO-KELLERMANN, E., MAYSER, P. & VELEGRAKI, A. (Eds.) *Malassezia and the skin*. Berlin, Springer-Verlag.
- GUÉHO, E., BATRA, R. & BOEKHOUT, T. (2010) The genus *Malassezia* Baillon. IN KURTZMAN, C., FELL, J. & BOEKHOUT, T. (Eds.) *The yeasts, a taxonomic study*. 5th ed. Amsterdam, Elsevier.
- GUPTA, A. K. & COOPER, E. A. (2008) Update in antifungal therapy of dermatophytosis. *Mycopathology*, 166, 353-67.
- GUPTA, A. K., KOHLI, Y., LI, A., FAERGEMANN, J. & SUMMERBELL, R. C. (2000) In vitro susceptibility of the seven *Malassezia* species to ketoconazole, voriconazole, itraconazole and terbinafine. *British Journal of Dermatology* 142, 758-65.
- HAY, R. & MIDGLEY, G. (2010) Introduction: *Malassezia* yeasts from a historical perspective. IN BOEKHOUT, T., GUEHO-KELLERMANN, E., MAYSER, P. & VELEGRAKI, A. (Eds.) *Malassezia and the skin*. Berlin, Springer-Verlag.
- HAZEN, K. (2000) Evaluation of in vitro susceptibility of dermatophytes to oral antifungal agents. *J Am Acad Dermatol*, 43, 125-9.
- HE, S., DU, W. & YANG, S. (2007) The genetic epidemiology of tinea versicolor in China. *Mycoses*, 51, 55-62.
- HECTOR, R. F. (2005) Overview of antifungal drugs and their use for treatment deep and superficial mycosis in animals. *Clin Tech Small Anim Pract*, 20, 240-9.
- HELMY, A. E., SAKR, F. M., BORG, T. M., ELHANBLY, S. & HASHIM, I. I. A. (2007) Comparison of different permeation enhancer on topical ketokonazol formulations. *Arzneimittel-Forsc*, 57, 47-50.
- HERMAN, M. J. (1996) Anti jamur sistemik. *Cermin dunia kedokteran*, 108, 37-44.
- JANIK MP & HEFFERNAN MP (2008) Yeast infection: candidiasis and tinea (pityriasis) versicolor. IN WOLF, K., KARTZ, S., GILCHREST, B., PALLER, A. & LEFFELL, D. (Eds.) *Fitzpatrick's Dermatology in General Medicine*. 7th ed. New York, Mc Graw Hill.
- KANEKO, T., MAKIMURA, K. & ABE, M. (2007) Revised culture-based system for identification of *Malassezia* species. *J of Clin Microbiol*, 45, 3737-42.
- KANEKO, T., MAKIMURA, K. & SUGITA, T. (2006) Tween 40-based precipitate production observed on modified chromogenic agar and development of biological identification kit for *Malassezia* species. *Med Mycol*, 44, 227-31.
- KHOSRAVI, A., EIDI, S. & KATIRAEI, F. (2009) Identification of different *Malassezia* species isolated from patients with *Malassezia* infections. *World J Zool*, 4, 85-9.
- KIM B.J., LEE E.C., LIM Y.Y., KIM D. & CHUN Y.J. (2009) Optimal culture condition for antifungal susceptibility test of *Malassezia globosa* *Kor J Med Mycol*, 14, 182-9.
- KIM BJ, LEE EC, LIM YY, KIM D & CHUN YJ (2009) Optimal culture condition for antifungal susceptibility test of *Malassezia globosa*. *Kor J Med Mycol* 14, 182-9.

- KOC, E. (2009) An open, randomized, prospective, comparative study of topical pimekrolimus 1% cream and topical ketokonazol 2% cream in the treatment of seborrheic dermatitis *J Dermatol Trea*, 20, 4-9.
- KRISANTY, R., BRAMONO, K. & WISNU, I. (2009) Identification of *Malassezia* species from pityriasis versicolor in Indonesia and its relationship with clinical characteristics. *Mycoses*, 52, 257-62.
- LEVIN, N. & DELANO, S. (2011) Evaluation and treatment of *Malassezia*-related skin disorders. *Cosmetic Dermatol*, 24, 137-45.
- MACHOWINSKI, A., KRAMER, H., HORT, W. & MAYSER, P. (2006) Pityriacitrin-a potent UV filter produced by *Malassezia furfur* and its effect on human skin microflora. *Mycoses*, 49, 388-92.
- MAERTENS JA (2004) History of the development of azole derivatives *Clin Microbiol Infect* 10, 1-10.
- MAYSER, P. & GAITANIS, G. (2010) Physiology and biochemistry. IN BOEKHOUT, T., GUÉHO-KELLERMANN, E., MAYSER, P. & VELEGRAKI, A. (Eds.) *Malassezia and the skin*. Berlin, Springer-Verlag.
- MENDEZ-TOWAR, L. (2010) Pathogenesis of dermatophytosis and tinea versicolor. *J Clin Dermatol*, 28, 185-9.
- MIRANDA, K. C., DE ARAUJO, C. R., COSTA, C. R., PASSOS, X. S., FERNANDES, O. F. L. & SILVA, M. R. R. (2007) Antifungal activities of azole agents against the *Malassezia* species. *International Journal of Antimicrobial Agents* 29, 281-4.
- MONIRI, R., NAZERI, M., AMIRI, S. & ASGHARI, B. (2009) Isolation and identification of *Malassezia spp.* in pityriasis versicolor in Kashan, Iran. *Pak J Med Sci*, 25, 837-40.
- MUHAMMAD, N., KAMAL, M., ISLAM, T., ISLAM, N. & SHAFIQUZZAMAN, M. (2009) A study to evaluate the efficacy and safety of oral fluconazole in the treatment of tinea versicolor. *Mymensingh Med J*, 18, 31-5.
- ONGLAY, R. C. (1988) Efficacy of topical miconazol treatment of tinea pedis. *Can med assoc J*, 119, 353-4.
- PARK, J. & HEXSEL, D. (2009) Disorders of hypopigmentation. IN KELLY, P. & TAYLOR, S. (Eds.) *Dermatology for Skin of Color*. New York, Mc Graw Hill.
- PFALLER, M., DIEKEMA, D. & MERZ, W. (2009) Infection caused by non-*Candida*, non-*Cryptococcus* yeasts. IN ANAISSIE, E., MCGINNIS, M. & PFALLER, M. (Eds.) *Clinical mycology*. 2nd ed. Churchill Livingstone, Elsevier.
- PHILIPS, R. M. (2001) Topical antifungal agent. IN WOLVERTON, S. E. (Ed.) *Comprehensive dermatologic drug therapy*. Philadelphia, W.B. Saunders company.
- PROHIC, A. & OZEGOVIC, L. (2006) *Malassezia* species isolated from lesional and non-lesional skin in patients with pityriasis versicolor. *Mycoses*, 52, 251-6.
- RASI, A., NADERI, R. & BEHZADI, A. (2009) *Malassezia* yeast species isolated from Iranian patients with pityriasis versicolor in a prospective study. *Mycoses*, 53, 350-5.
- REVANKAR, S. G. & GRAYBILL, J. R. (2003) Antifungal therapy. IN ANAISSIE, E. J., MCGINNIS, M. R. & PFALLER, M. A. (Eds.) *Clinical mycology*. New York, Churchill Livingstone.
- REX, J. H., PFALLER, M. A., WALSH, T. J., CHATURVEDI, V., INGROFF, A. E. & GHANNOUM, M. A. (2001) Antifungal susceptibility testing: Practical aspect and current challenges. *Clin Microbiol Rev*, 14, 643-58.

- RINCON, S., DE GARCIA, M. & ESPINEL-INGROFF, A. (2006) A modified christensen's urea and CSLI broth microdilution method for testing susceptibilities of six *Malassezia* species to voriconazole, itraconazole, and ketoconazole. *J of Clin Microbiol*, 44, 3429-31.
- SUGITA, T., TAJIMA, M. & ITO, T. (2005) Antifungal activities of tacrolimus and azole agents against the eleven currently accepted *Malassezia* species. *J Clin Dermatol*, 43, 2824-9.
- SWEETMAN, S. C. (2008) *Martindale The complete Drug Reference*, London, Pharmaceutical press.
- WHITE, T. C., MARR, K. A. & BOWDEN, R. A. (1998) Clinical, cellular, and molecular factors that contribute to antifungal drug resistance. *Clin Microbial Rev*, 11(2), 382-402.
- WINNINTON, P. (2008) Analysis of Dermatophyte Species Isolated in the British Isles between 1980 and 2005 and review of worldwide dermatophyte trends over the last three decades. *Med Mycol*, 12, 54-8.