

DAFTAR PUSTAKA

- Alasiry, E. (2014). Profil bayi rujukan saat masuk rawat ditinjau dari the STABLE program. *Sari Pediatri*, 13(4), 235–238. Retrieved from <https://www.saripediatri.org/index.php/sari-pediatri/article/download/420/352>
- American Academy of Pediatrics. (2015a). The Apgar Score. *Pediatrics*, 136(4). <https://doi.org/10.1542/peds.2015-2651>
- American Academy of Pediatrics. (2015b). The Apgar Score. *Pediatrics*, 136. <https://doi.org/10.1542/peds.2015-2651>
- American heart Association. (n.d.). International consensus on cardiopulmonary resuscitation and emergency cardiovascular care science with treatment recommendations. Retrieved March 15, 2020, from <https://www.ahajournals.org/doi/10.1161/CIR.0000000000000276>
- Asmarani, Saimin, J., Faisal, M., & Wicaksono, S. (2018). Peningkatan berat badan ibu hamil mempengaruhi berat badan lahir bayi di daerah pesisir. *Preventif Journal*, 70–74.
- Badan Pusat Statistik. (2018). *Profil Anak Indonesia*. KPPPA. Retrieved from https://www.kemenpppa.go.id/lib/uploads/list/15242-profil-anak-indonesia_-2019.pdf
- Bajaj, M., Natarajan, G., Shankaran, S., Wyckoff, M., Laptook, A. R., Bell, E. F., ... Wiggins, S. A. (2018). Delivery Room Resuscitation and Short-Term Outcomes in Moderately Preterm Infants. *Journal of Pediatrics*, 195, 33–38.e2. <https://doi.org/10.1016/j.jpeds.2017.11.039>
- Cnattingius, S., Norman, S. M., Granath, F., Petersson, S. G., & Stephansson, S. O. (2017). Komponen Apgar Score pada 5 Menit : Risiko dan Prediksi Kematian Neonatal, 1–10. <https://doi.org/10.1111/ppe.12360>
- Crump, C., Sundquist, J., Winkleby, M. A., & Sundquist, K. (2019). Articles Gestational age at birth and mortality from infancy into mid-adulthood : a national cohort study. *The Lancet Child and Adolescent Health*, 4642(19), 1–10. [https://doi.org/10.1016/S2352-4642\(19\)30108-7](https://doi.org/10.1016/S2352-4642(19)30108-7)
- Departemen Kesehatan Republik Indonesia. (2015). *Pelayanan obstetri dan neonatal emergensi komprehensif (PONEK), Protokol asuhan neonatal esensial*. Jakarta. Retrieved from <https://galihendradita.files.wordpress.com/2015/03/neonatal-esensial.pdf>
- Kesehatan Propinsi Sul-Sel. (2018). Profil Dinas Kesehatan Propinsi Sul-Sel 2018, 1–213. Retrieved from



<http://dinkes.sulselprov.go.id/assets/dokumen/informasi/05ae4d9b9299f08a5a50912efefca741.pdf>

Foster, J. P., Dawson, J. A., Davis, P. G., & Dahlen, H. G. (2017). Routine oro / nasopharyngeal suction versus no suction at birth (Review). *Cochrane Database of Systematic Reviews*, (4). <https://doi.org/10.1002/14651858.CD010332.pub2.www.cochranelibrary.com>

Galjaard, S., Ameye, L., Lees, C. C., Pexsters, A., Bourne, T., Timmerman, D., & Devlieger, R. (2019). Sex differences in fetal growth and immediate birth outcomes in a low-risk Caucasian population. *Biology of Sex Differences*, 10(1), 48. <https://doi.org/10.1186/s13293-019-0261-7>

Grace, L., Greer, R. M., & Kumar, S. (2015). Perinatal consequences of a category 1 caesarean section at term. *BMJ Open*, 5(7). <https://doi.org/10.1136/bmjopen-2014-007248>

Griffin, J. B., Jobe, A. H., Rouse, D., McClure, E. M., & Goldenberg, R. L. (2015). Evaluating WHO-recommended interventions for preterm birth: A mathematical model of the potential reduction of preterm mortality in Sub-Saharan Africa. *Global Health, Science and Practice*, 215–227. <https://doi.org/10.9745/GHSP-D-18-00402>

Gupta, N., Hirschhorn, L. R., Rwabukwisi, F. C., Drobac, P., Sayinzoga, F., Mugeni, C., ... Amoroso, C. (2018). Causes of death and predictors of childhood mortality in Rwanda: a matched case-control study using verbal social autopsy. *BMC Public Health*, 1–9. <https://doi.org/10.1186/s12889-018-6282-z>.

Harach, T. (2013). Room air resuscitation and targeted oxygenation for Infants at birth in the delivery room. *JOGNN*, 227–232. <https://doi.org/10.1111/1552-6909.12012>

Harbin, B. R., Adams, E. D., & O'Neal, P. V. (2018). Airway Clearance of the Term Newborn. *MCN The American Journal of Maternal/Child Nursing*, 43(6), 313–317. <https://doi.org/10.1097/NMC.0000000000000475>

Harris-haman, P. A., Zukowsky, K., Kayton, A., Timoney, P., Vargo, L., & Perez, J. A. (2017). A review of oxygen physiology and appropriate management of oxygen levels in premature neonates. *Clinical Issues in Neonatal Care*, 0(0), 1–7. <https://doi.org/10.1097/ANC.0000000000000434>

Herdman, T. H., & Shigemi Kamitsuru. (2018). *Nursing diagnoses: definitions classification 2018-2020*. (B. A. Keliat, H. S. Median, & T. Tahlil, Eds.) 8th ed.). Jakarta: EGC.

Ho, C. A., & Silver, R. M. (2016). *Perinatal asphyxia from the obstetric point of view: diagnosis and interventions*.



<https://doi.org/10.1016/j.clp.2016.04.003>

Kadir, M. R. (2018). Stabilisasi dan transportasi neonatus. *Sriwijaya Journal Of Medicine*, 1(1), 200–208. Retrieved from <https://www.jurnalkedokteranunsri.id/index.php/UnsriMedJ/article/view/36/28>

Limaso, A. A., Dangisso, M. H., & Hibstu, D. T. (2020). Neonatal survival and determinants of mortality in Aroresa district , Southern Ethiopia : a prospective cohort study. *BMC Pediatrics*, 1–8.

Maringga, E. G., Ike, N., & Sari, Y. (2017). Hubungan Usia Gestasi dan Kejadian Asfiksia Neonatorum di RSUD Kabupaten Kediri. *Midwifery*, (7). Retrieved from <http://ojs.umsida.ac.id/index.php/midwifery/article/view/1576/1141>

Marsaulina, D. C. F. L., Tamba, E., Pasaribu, D. M., Fakultas, M., Universitas, K., Krida, K., ... Korespondensi, A. (2016). Faktor-faktor yang berhubungan dengan nilai Apgar persalinan per vaginam di RS UKI 2016. *Jurnal Kedokteran MEDITEK*, 23(62), 63–70. <https://doi.org/https://doi.org/10.36452/jkdoktmeditek.v23i62.1555>

Marshall, S., Lang, A. M., Perez, M., & Saugstad, O. D. (2020). Delivery room handling of the newborn. *Perinatal Medicine*, 48(1), 1–10.

Maryanti, D. (2013). *Kelainan Bawaan*. Yogyakarta: Deepublish.

Meadow, R., & Newell, S. (2003). Asfiksia Perinatal & Pencegahanx. In *Lecture Notes on Pediatrics* (7th ed., pp. 61–63). Erlangga.

Mendri, N. K., & Prayogi, A. S. (2018). *Asuhan Keperawatan pada Anak sakit dan Bayi Resiko Tinggi* (1st ed.). Yogyakarta: pt. Pustaka Baru.

Morgan, M. C., Maina, B., Waiyego, M., Mutinda, C., Aluvaala, J., Maina, M., & English, M. (2017). Pulse oximetry values of neonates admitted for care and receiving routine oxygen therapy at a resource-limited hospital in Kenya. *Journal of Pediatrics and Child Health*, 1–7. <https://doi.org/10.1111/jpc.13742>

Moshiro, R., Mdoe, P., & Perlman, J. M. (2019). A Global View of Neonatal Asphyxia and Resuscitation. *Frontiers in Pediatrics*, 7(November), 1–6. <https://doi.org/10.3389/fped.2019.00489>

Noorbaya, S., & Johan, H. (2019). Adaptasi fisiologis pada masa neonatus. In *Asuhan Neonatus, Bayi, Balita dan Anak Pra Sekolah* (pp. 8–12). Yogyakarta: Gosyen Publishing.

e, J., Choukem, S. P., Langmia, R. ndasi, Barla, E., & Ndombo, P. K. (2016). Neonatal respiratory distress in a reference neonatal unit in Cameroon: an analysis of prevalence, predictors, etiologies and outcomes.



Pan African Medical Journal, 8688, 1–10.
<https://doi.org/10.11604/pamj.2016.24.152.7066>

- Nurarif, A. H., & Kusuma, H. (2015). *Aplikasi Asuhan Keperawatan berdasarkan Diagnosa medis & NANDA NIC NOC* (2nd ed.). Jogjakarta: Medi Action.
- Nurita, S. R. (2019). Pemberian kolostrum pertama pada bayi baru lahir dan faktor terkait. *Jurnal Akademika Baiturrahim*, 8(2), 165–174. Retrieved from <http://jab.stikba.ac.id/index.php/jab/article/view/165/87>
- Nursalam. (2017). *Metodologi penelitian ilmu keperawatan* (2nd ed.). Jakarta Selatan: Salemba Medika.
- Oktavianty, A., & Asthiningsih, N. W. W. (2020). Hubungan Usia Gestasi , Paritas dan Kehamilan Ganda dengan Kejadian Respiratory Distress Sindrome (RDS) pada Neonatus di RSUD Abdul Wahab Sjahranie. *Borneo Student Research*, 1(3), 1791–1798.
- Oygür, N., Önal, E. E., & Zenciroğlu, A. (2018). Turkish Neonatal Society national guideline for the delivery room management. *Turk Pediatri Arsivi*, 53, S3–S17. <https://doi.org/10.5152/TurkPediatriArs.2018.01803>
- Pratama, S. A., & Hanum, L. (2018). Angka kejadian asfiksia neonatorum pada bayi dengan berat badan lahir rendah di rsud goeteng taroenadibrata purbalingga 1. *Herb-Medicine Journal*, 1, 92–97.
- Purwaningsih, Y. (2018). *Analisis Faktor-Faktor yang Mempengaruhi Asfiksia Neonatorum di Ruang Perinatologi Rsud Dr. Harjono Ponorogo*. UNS. Retrieved from <https://digilib.uns.ac.id/dokumen/detail/62598/Analisis-Faktor-Faktor-yang-Mempengaruhi-Asfiksia-Neonatorum-di-Ruang-Perinatologi-Rsud-Dr-Harjono-Ponorogo>
- Rainaldi, M. A. (2016). Pathophysiology of birth asphyxia. *Clinics in Perinatology*, 43(3), 409–422. <https://doi.org/10.1016/j.clp.2016.04.002>
- Razaz, N., Cnattingius, S., & Joseph, K. S. (2019). Association between Apgar scores of 7 to 9 and neonatal mortality and morbidity: population based cohort study of term infants in Sweden, 1–7. <https://doi.org/10.1136/bmj.l1656>
- Rohsiswatmo, R., Oswari, H., Setyanto, D. B., & Tjiitra, T. (2013). Efektivitas T-Piece resuscitator sebagai pengganti continous positive airway pressure dini pada bayi prematur dengan distres pernafasan. *Sari Pediatri*, 14(6), 374–378. Retrieved from <https://www.saripediatri.org/index.php/sari-pediatri/article/download/335/275>
- noro, S., & Ismael, S. (2014a). *Dasar-dasar metodologi penelitian klinis* (ed.). Jakarta: Sagung Seto.



- Sastroasmoro, S., & Ismael, S. (2014b). *Dasar-Dasar Metodologi Penelitian Klinis*. (Siswanto, S. Sastroasmoro, & N. S. Maryam, Eds.) (5th ed.). Jakarta: Sagung Seto.
- Sembiring, J. B. (2019). Asuhan neonatus bayi. In *Buku Ajar Neonatus, Bayi, Balita, Anak Pra Sekolah* (1st ed., p. 320). Yogyakarta: Deepublish.
- Shi, Y., Muniraman, H., Biniwale, M., & Ramanathan, R. (2020). A Review on Non-invasive Respiratory Support for Management of Respiratory Distress in Extremely Preterm Infants, 8(May), 1–17. <https://doi.org/10.3389/fped.2020.00270>
- Siddiqui, A., Cuttini, S. M., Wood, R., Velebil, P., Delnord, M., Zile, S. I., ... Gissler, M. (2017). Can the Apgar Score be used for international comparisons of newborn health?, 338–345. <https://doi.org/10.1111/ppe.12368>
- Sones, J. L., & Davisson, R. L. (2016). Preeclampsia, of mice and women. *Physiological Genomics*, 48(8), 565–572. <https://doi.org/10.1152/physiolgenomics.00125.2015>
- Sulianty, A., & Faiqah, S. (2018). BERAT BADAN DAN KADAR Hb JANIN DENGAN NILAI APGAR BAYI BARU LAHIR YANG MENGALAMI ASFIKSIA DI RSUDP NTB TAHUN 2016. *Jurnal Kesehatan Prima*, I(V), 105–111.
- Surasmi, A., Handayani, S., & Kusuma, H. N. (2003). *Perawatan bayi resiko tinggi*. (M. Ester, Ed.). Jakarta: EGC.
- Swanson, J. R., & Sinkin, R. A. (2015). Transition from fetus to newborn. *Pediatric Clinics of NA*. <https://doi.org/10.1016/j.pcl.2014.11.002>
- Sweet, D. G., Greisen, G., & Halliday, H. L. (2019). European consensus guidelines on the management of respiratory distress syndrome – 2019 update, 432–450. <https://doi.org/10.1159/000499361>
- Tasew, H., Zemicheal, M., Teklay, G., Mariye, T., & Ayele, E. (2018). Risk factors of birth asphyxia among newborns in public hospitals of Central. *BMC Research Notes*, 1–7. <https://doi.org/10.1186/s13104-018-3611-3>
- Thavarajah, H., Flatley, C., & Kumar, S. (2017). The relationship between the five minute Apgar score , mode of birth and neonatal outcomes. *The Journal of Maternal-Fetal & Neonatal Medicine*, 7058(December). <https://doi.org/10.1080/14767058.2017.1315666>



- Wagiyo, & Putrono. (2016). Asuhan keperawatan pada ayi baru lahir normal. In *Asuhan Keperawatan Antenatal, Intranatal, & Bayi baru lahir Fisiologis dan Patologis* (1st ed., pp. 409–443). Yogyakarta: CV. Andi Offset.
- Wendri, N. K., & Prayogi, A. S. (2015). *Asuhan Keperawatan pada Anak Sakit & Bayi Resiko Tinggi* (1st ed.). Yogyakarta: Pustaka Baru Press.
- World Health Organization. (2016). Oxygen therapy for children. Retrieved August 25, 2020, from <http://apps.who.int/iris/bitstream/10665/204584/1/9789241549554.eng.pdf>
- World Health Organization. (2018). Monitoring health for SDG's, sustainable development goals. In *World Health Statistic* (p. 100). Geneva: WHO.
- Wosenu, L., Worku, A. G., Teshome, D. F., & Gelagay, A. A. (2018). Determinants of birth asphyxia among live birth newborns in University of Gondar referral hospital, northwest Ethiopia: A case-control study. *PLoS ONE*, 13(9), 1–12. <https://doi.org/10.1371/journal.pone.0203763>
- Yuliastati, & Arnis, A. (2016). *Modul Keperawatan Anak* (1st ed.). Jakarta Selatan: Pusdik SDM Kesehatan BPPSDMK KEMENKES RI.
- Zareen, Z., Hawkes, C. P., Krickan, E. R., Dempsey, E. M., & Ryan, C. A. (2013). In vitro comparison of neonatal suction catheters using simulated “pea soup” meconium. *Arch Dis Child Fetal Neonatal*. <https://doi.org/10.1136/archdischild-2012-302495>





LAMPIRAN

Lampiran 1. Lembar observasi

LEMBAR OBSERVASI

Judul Penelitian : Gambaran penatalaksanaan pada bayi baru lahir berdasarkan Apgar Score di RSUD Kota Makassar

Petunjuk :

1. Pengisian sesuai dengan isi rekam medik
2. Lembar observasi diisi oleh peneliti yang bertindak sebagai observer

Tanggal penelitian :

No. Rekam Medik :

Ruang rawat :

1. Data Demografi responden

a. Jenis kelamin : Laki-laki Perempuan

b. Usia gestasi :

c. Anak keberapa :

d. Berat badan lahir :

2. Jenis persalinan : Normal Sectio Caesarea

3. Penyakit penyerta ibu : Diabetes mellitus Preeklampsia

Anemia Asma

P. Jantung P. Infeksi

Hepatitis

4. Penyakit penyerta bayi (kelainan kongenital) Ya Tidak

5. Nilai Apgar Score : Menit 1 :

Menit ke 5 :



berian oksigenasi : Oksigen Nasal

BVM

- T-piece rescucitator
- Tanpa oksigen
7. Pengisapan lendir : Bulb Syringe/ De lee
8. Resusitasi : Kanul suction
9. Kondisi pulang :
Ya Tidak
Sembuh
Meninggal
Dirujuk



Lampiran 2. Output SPSS

Jenis Kelamin

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1,0	130	50,8	50,8	50,8
	2,0	126	49,2	49,2	100,0
Total		256	100,0	100,0	

Penyakit Penyerta Ibu

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	229	89,5	89,5	89,5
	DM	2	,8	,8	90,2
	preeklampsia	11	4,3	4,3	94,5
	Anemia	3	1,2	1,2	95,7
	penyakit infeksi	1	,4	,4	96,1
	Hepatitis	10	3,9	3,9	100,0
Total		256	100,0	100,0	

Jenis Persalinan

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	normal	215	84,0	84,0	84,0
	SC	41	16,0	16,0	100,0
	Total	256	100,0	100,0	

Jenis O2

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1,0	22	8,6	8,6	8,6
	2,0	8	3,1	3,1	11,7
	3,0	12	4,7	4,7	16,4
	4,0	214	83,6	83,6	100,0
	Total	256	100,0	100,0	



Pengisapan lendir

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Bulb Syringe	238	93,0	93,0	93,0
	Suction	18	7,0	7,0	100,0
	Total	256	100,0	100,0	

Resusitasi

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1,0	20	7,8	7,8	7,8
	2,0	236	92,2	92,2	100,0
	Total	256	100,0	100,0	

Usia gestasi

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	<37 minggu	26	10,2	10,2	10,2
	37-42 minggu	230	89,8	89,8	100,0
	Total	256	100,0	100,0	



Statistics

		Usia gestasi	Berat badan lahir	Paritas
N	Valid	256	256	256
	Missing	0	0	0
Mean		38,2891	3085,7422	2,3789
Std. Deviation		2,77708	1919,60521	1,19188
Skewness		-3,293	13,460	1,642
Std. Error of Skewness		,152	,152	,152
Minimum		22,00	650,00	1,00
Maximum		41,00	32000,00	8,00

Paritas

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1	47	18,4	18,4	18,4
2	125	48,8	48,8	67,2
3	52	20,3	20,3	87,5
4	14	5,5	5,5	93,0
5	12	4,7	4,7	97,7
6	4	1,6	1,6	99,2
8	2	,8	,8	100,0
Total	256	100,0	100,0	

APGAR MNT 1

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0	1	,4	,4	,4
7-10	2	,8	,8	1,2
0-3	5	2,0	2,0	3,1
	5	2,0	2,0	5,1
	8	3,1	3,1	8,2
	19	7,4	7,4	15,6



7	7	2,7	2,7	18,4
8	209	81,6	81,6	100,0
Total	256	100,0	100,0	

APGAR MNT 5

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0-3	3	1,2	1,2	1,2
	4	1	,4	,4	1,6
	5	5	2,0	2,0	3,5
	6	6	2,3	2,4	5,9
	7	8	3,1	3,1	9,0
	8	17	6,6	6,7	15,7
	9	9	3,5	3,5	19,2
	10	205	80,1	80,4	99,6
	18	1	,4	,4	100,0
	Total	255	99,6	100,0	
Missing	System	1	,4		
	Total	256	100,0		

Tests of Normality

	Kolmogorov-Smirnov ^a			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
Usia gestasi	,287	256	,000	,601	256	,000
Berat badan lahir	,296	256	,000	,245	256	,000
Paritas	,297	256	,000	,804	256	,000
Apgar Score menit 1	,468	256	,000	,477	256	,000
Apgar Score menit ke 5	,468	256	,000	,477	256	,000

Jumlah responden > 50, data tidak terdistribusi normal



Crosstab

Count

		Pengisapan lendir		Total
		Bulb Syringe	Suction	
APGAR MNT 1	0	1	0	1
	1	0	1	1
	3	1	5	6
	4	1	4	5
	5	4	4	8
	6	16	3	19
	7	6	1	7
	8	209	0	209
Total		238	18	256

Crosstab

Count

		Pengisapan lendir		Total
		Bulb Syringe	Suction	
APGAR MNT 5	3	1	2	3
	4	0	1	1
	5	1	4	5
	6	2	4	6
	7	7	1	8
	8	13	4	17
	9	7	2	9
	10	207	0	207
Total		238	18	256

Crosstab

Count

		Jenis O2				Total
		1,0	2,0	3,0	4,0	
APGAR MNT 1	0	0	1	0	0	1
	1	0	0	1	0	1
	3	0	2	4	0	6
	4	1	2	2	0	5



	5	5	0	3	0	8
	6	13	3	2	1	19
	7	3	0	0	4	7
	8	0	0	0	209	209
Total		22	8	12	214	256

Crosstab

Count

	Jenis O2				Total	
	1,0	2,0	3,0	4,0		
APGAR MNT 5	3	0	1	2	0	3
	4	0	0	1	0	1
	5	0	2	3	0	5
	6	2	1	3	0	6
	7	6	1	1	0	8
	8	11	1	2	3	17
	9	3	2	0	4	9
	10	0	0	0	207	207
Total		22	8	12	214	256

Crosstab

Count

	Resusitasi		Total
	1,0	2,0	
APGAR MNT 1	0	1	0
	1	1	0
	3	6	0
	4	4	1
	5	3	5
	6	5	14
	7	0	7
	8	0	209
	20	236	256



Crosstab

Count

		Resusitasi		Total
		1,0	2,0	
APGAR MNT 5	3	3	0	3
	4	1	0	1
	5	5	0	5
	6	4	2	6
	7	2	6	8
	8	3	14	17
	9	2	7	9
	10	0	207	207
Total		20	236	256

Crosstab Resusitasi dan Jenis pemberian oksigen

		Jenis O2				Total
		1,0	2,0	3,0	4,0	
Resusitasi	1,0	0	8	12	0	20
	2,0	22	0	0	214	236
Total		22	8	12	214	256

Berat Badan * APGAR MNT 1 Crosstabulation

Count

		APGAR MNT 1								Total
		0	1	3	4	5	6	7	8	
Berat	<2500 gram	1	0	2	3	4	8	4	19	41
Badan	2500-4000 gram	0	1	4	1	4	11	3	186	210
	>4000 gram	0	0	0	1	0	0	0	4	5
Total		1	1	6	5	8	19	7	209	256



Berat Badan * APGAR MNT 5 Crosstabulation

Count

		APGAR MNT 5								Total
		3	4	5	6	7	8	9	10	
Berat	<2500 gram	1	0	3	4	3	8	3	19	41
Badan	2500-4000 gram	2	1	2	2	5	8	6	184	210
	>4000 gram	0	0	0	0	0	1	0	4	5
Total		3	1	5	6	8	17	9	207	256

Jenis Kelamin * APGAR MNT 1 Crosstabulation

Count

		APGAR MNT 1								Total
		0	1	3	4	5	6	7	8	
Jenis Kelamin	1,0	1	1	3	2	3	10	5	105	130
	2,0	0	0	3	3	5	9	2	104	126
Total		1	1	6	5	8	19	7	209	256

Jenis Kelamin * APGAR MNT 5 Crosstabulation

Count

		APGAR MNT 5								Total
		3	4	5	6	7	8	9	10	
Jenis Kelamin	1,0	3	1	2	1	3	11	4	105	130
	2,0	0	0	3	5	5	6	5	102	126
Total		3	1	5	6	8	17	9	207	256

Penyakit Penyerta Bayi * APGAR MNT 1 Crosstabulation

Count

		APGAR MNT 1								Total
		0	1	3	4	5	6	7	8	
Penyerta Bayi	0	1	1	6	5	8	19	7	209	256
	1	1	6	5	8	19	7	209	256	



NO	Inisial Bayi	Jenis Kelamin	Usia gestasi	Berat Badan	Paritas	Penyakit Penyerta Ibu	Penyakit Penyerta Bayi	Jenis Persalinan	APGAR MNT 1	APGAR MNT 5	Jenis O2	Pengisapan lendir	Resusitasi
1	IN	2	2	2	3	7	0	1	8	10	4	1	2
2	IRD	2	2	2	2	0	0	1	8	10	4	1	2
3	IU	2	2	2	2	0	0	1	8	10	4	1	2
4	IY	2	2	2	2	0	0	1	8	10	4	1	2
5	HI	2	2	2	2	0	0	1	8	10	4	1	2
6	HSA	2	2	2	3	0	0	1	8	10	4	1	2
7	HTA	1	2	1	2	0	0	1	8	10	4	1	2
8	KI	2	2	1	2	0	0	1	8	10	4	1	2
9	KLT	2	2	1	2	0	0	2	6	8	3	2	1
10	KD	1	2	2	2	0	0	1	8	10	4	1	2
11	JY	1	2	2	4	0	0	1	8	10	4	1	2
12	JJ	1	2	2	2	0	0	1	8	10	4	1	2
13	LNI	2	2	2	2	0	0	1	8	10	4	1	2
14	GDA	2	2	2	5	0	0	1	8	10	4	1	2
15	...	1	2	2	3	0	0	1	8	10	4	1	2
		2	2	2	2	0	0	1	8	10	4	1	2



17	JIR	1	2	2	2	0	0	1	8	10	4	1	2
18	FRA	1	2	1	2	0	0	2	8	10	4	1	2
19	EW	1	2	1	2	2	0	1	7	8	4	1	2
20	KSA	1	2	2	2	0	0	1	8	10	4	1	2
21	DRI	1	2	2	2	0	0	1	8	10	4	1	2
22	JJU	2	2	1	3	0	0	2	8	10	4	1	2
23	JKA	2	2	2	2	0	0	2	7	9	4	1	2
24	JE	1	2	2	2	6	0	1	8	10	4	1	2
25	JK	1	2	2	8	0	0	1	8	10	4	1	2
26	ISD	1	2	1	2	0	0	1	8	10	4	1	2
27	IAE	1	2	3	2	0	0	1	8	10	4	1	2
28	FMU	1	2	2	2	0	0	1	8	10	4	1	2
29	BIR	2	2	2	2	0	0	2	8	10	4	1	2
30	JFI	1	2	2	2	0	0	1	8	10	4	1	2
31		2	2	2	2	2	0	1	8	10	4	1	2
		2	2	2	3	0	0	1	8	10	4	1	2



33	FMI	2	2	2	2	0	0	2	6	9	1	1	2
34	FNJ	1	2	1	5	7	0	1	8	10	4	1	2
35	EI	2	2	2	2	0	0	2	8	10	4	1	2
36	EAF	2	2	2	3	0	0	1	8	10	4	1	2
37	BU	2	2	2	2	0	0	1	5	8	1	2	2
38	KNNA	1	2	2	2	0	0	1	8	10	4	1	2
39	JS	2	2	1	2	2	0	2	3	5	3	2	1
40	EM	1	2	2	2	0	0	1	6	8	4	1	2
41	DNB	1	1	1	2	0	0	2	7	9	4	1	2
42	END	2	2	2	2	0	0	2	8	10	4	1	2
43	EHB	2	2	1	1	2	0	2	8	10	4	1	2
44	ESU	2	2	2	4	0	0	1	8	10	4	1	2
45	GR	2	2	2	2	0	0	1	8	10	4	1	2
46	ESN	2	1	1	2	0	0	1	5	7	1	2	2
47		2	2	2	2	0	0	2	8	10	4	1	2
		2	1	1	2	2	0	2	3	6	3	1	1



Optimization Software:
www.balesio.com

49	LHA	2	2	2	2	0	0	2	8	10	4	1	2
50	LL	2	2	2	2	0	0	1	8	10	4	1	2
51	LNI	1	2	1	2	0	0	1	8	10	4	1	2
52	KSN	1	2	2	3	0	0	1	8	10	4	1	2
53	KSU	1	2	2	3	0	0	1	8	10	4	1	2
54	HIV	1	2	1	1	0	0	1	8	10	4	1	2
55	ISY	1	2	2	2	0	0	2	8	10	4	1	2
56	HNU	1	2	2	2	0	0	1	8	10	4	1	2
57	GSA	2	1	2	1	0	0	1	8	10	4	1	2
58	FJ	1	2	2	1	0	0	1	8	10	4	1	2
59	DSM	2	2	2	3	0	0	1	8	10	4	1	2
60	CH	1	2	2	2	0	0	1	8	10	4	1	2
61	CR	1	2	2	5	0	0	1	8	10	4	1	2
62	GSU	1	2	2	3	2	0	2	8	10	4	1	2
63		1	2	2	6	0	0	1	8	10	4	1	2
		2	2	2	2	0	0	1	8	10	4	1	2



Optimization Software:
www.balesio.com

65	IRS	2	2	2	4	0	0	1	8	10	4	1	2
66	HJI	2	2	2	3	0	0	1	8	10	4	1	2
67	HH	2	1	1	2	0	0	1	5	6	3	1	1
68	GL	2	2	2	3	0	0	1	8	10	4	1	2
69	FEW	1	2	2	2	2	0	2	7	9	1	1	2
70	AIM	2	2	2	5	0	0	1	8	10	4	1	2
71	AMF	2	1	1	1	0	0	2	7	9	1	1	2
72	CMA	2	2	2	2	0	0	2	8	9	4	1	2
73	BSY	1	2	2	2	0	0	1	7	8	1	2	2
74	CHA	1	2	2	2	0	0	1	8	10	4	1	2
75	DNB	2	2	2	2	0	0	1	8	10	4	1	2
76	DF	1	2	2	3	0	0	2	8	10	4	1	2
77	DR	1	2	2	3	7	0	1	8	10	4	1	2
78	KSW	2	2	1	2	0	0	1	4	6	2	2	1
79	Z	1	2	2	2	0	0	1	6	9	2	2	1
		2	2	2	2	7	0	2	8	10	4	1	2



Optimization Software:
www.balesio.com

81	LK	1	2	1	2	0	0	2	6	9	2	2	1
82	KID	2	1	1	1	0	0	1	4	5	3	2	1
83	GMT	1	2	2	2	0	0	1	3	5	2	2	1
84	CJ	1	2	2	3	7	0	1	8	10	4	1	2
85	HA	2	2	2	2	0	0	1	8	10	4	1	2
86	FST	2	1	2	1	0	0	1	8	10	4	1	2
87	DNO	1	2	2	4	0	0	1	8	10	4	1	2
88	HT	2	2	2	3	0	0	1	8	10	4	1	2
89	ISA	2	2	2	3	0	0	1	8	10	4	1	2
90	JNH	2	2	1	3	0	0	1	5	6	3	2	1
91	ALM	2	2	2	2	0	0	1	8	10	4	1	2
92	EAP	1	2	2	2	0	0	1	8	10	4	1	2
93	GN	2	2	2	3	0	0	1	8	10	4	1	2
94	GRS	1	2	2	1	0	0	1	8	10	4	1	2
95		2	2	1	2	0	0	1	8	10	4	1	2
		1	2	2	2	0	0	1	3	4	3	2	1



Optimization Software:
www.balesio.com

97	DIM	2	2	2	2	0	0	1	8	10	4	1	2
98	EMI	2	2	2	5	2	0	1	8	10	4	1	2
99	CRA	1	2	2	2	0	0	1	6	8	1	1	2
100	CRI	2	2	2	3	0	0	1	8	10	4	1	2
101	CRV	1	2	2	2	3	0	1	8	10	4	1	2
102	CM	2	2	2	3	0	0	1	8	10	4	1	2
103	ALI	2	2	2	1	0	0	1	8	9	4	1	2
104	JSA	1	2	2	3	0	0	1	8	10	4	1	2
105	GHM	1	2	2	3	7	0	1	8	10	4	1	2
106	GNR	1	2	2	3	0	0	1	8	10	4	1	2
107	GF	1	2	2	2	0	0	1	8	10	4	1	2
108	GAN	1	1	1	3	0	0	1	7	8	4	1	2
109	GSE	1	2	2	3	0	0	1	8	10	4	1	2
110	UNU	2	2	2	1	0	0	1	8	10	4	1	2
		1	2	2	2	0	0	1	8	10	4	1	2



Optimization Software:
www.balesio.com

11 2	HKM	2	1	1	2	0	0	1	8	10	4	1	2
11 3	HS	2	2	2	3	0	0	1	8	10	4	1	2
11 4	IH	2	2	2	2	0	0	1	8	10	4	1	2
11 5	IJ	1	2	2	1	0	0	2	8	10	4	1	2
11 6	IE	1	2	2	3	0	0	1	8	10	4	1	2
11 7	IHY	1	2	2	2	0	0	1	8	10	4	1	2
11 8	IIF	1	2	2	3	0	0	1	8	10	4	1	2
11 9	ILN	1	2	2	2	0	0	1	8	10	4	1	2
12 0	KI	1	2	2	2	0	0	2	8	10	4	1	2
12 1	KNM	2	2	1	3	0	0	1	8	10	4	1	2
12 2	KME	2	2	2	2	0	0	1	8	10	4	1	2
12 3	KRD	1	1	1	1	0	0	2	6	8	1	1	2
12 4	LMA	2	2	2	3	0	0	1	6	8	1	1	2
12		2	1	1	1	0	0	1	6	8	1	1	2
		1	2	2	2	0	0	2	8	10	4	1	2



Optimization Software:
www.balesio.com

12 7	JHA	2	2	2	2	0	0	1	8	10	4	1	2
12 8	JKL	2	2	2	3	0	0	1	8	10	4	1	2
12 9	JNY	2	2	2	4	0	0	1	8	10	4	1	2
13 0	JID	1	2	2	2	0	0	2	8	10	4	1	2
13 1	JFT	1	2	2	3	0	0	1	8	10	4	1	2
13 2	DH	1	2	2	2	0	0	1	8	10	4	1	2
13 3	DL	2	2	2	2	0	0	1	8	10	4	1	2
13 4	CNM	1	2	2	2	0	0	1	8	10	4	1	2
13 5	FI	2	2	2	3	0	0	1	6	7	1	1	2
13 6	FMA	2	2	2	2	0	0	1	8	10	4	1	2
13 7	HC	1	2	2	2	0	0	1	8	10	4	1	2
13 8	IR	1	1	1	1	0	0	1	8	10	4	1	2
13 9	JNU	1	2	2	1	0	0	1	8	10	4	1	2
14		2	2	2	2	0	0	1	8	10	4	1	2
		2	2	2	2	0	0	1	8	10	4	1	2



Optimization Software:
www.balesio.com

14 2	AV	2	2	2	2	0	0	1	6	8	1	1	2
14 3	AFA	1	2	2	2	0	0	1	8	10	4	1	2
14 4	AH	1	2	2	2	1	0	2	8	10	4	1	2
14 5	AAS	2	2	2	1	0	0	1	6	8	1	1	2
14 6	AP	2	2	2	2	0	0	1	8	10	4	1	2
14 7	ARA	2	2	2	2	0	0	1	8	10	4	1	2
14 8	BM	2	2	2	1	0	0	1	8	10	4	1	2
14 9	BH	2	2	2	3	0	0	1	8	10	4	1	2
15 0	BN	2	2	2	2	0	0	1	8	10	4	1	2
15 1	BD	1	2	2	1	0	0	1	8	10	4	1	2
15 2	BNI	1	2	2	2	0	0	1	8	10	4	1	2
15 3	BMR	2	2	2	2	0	0	1	8	10	4	1	2
15 4	BNU	2	2	2	2	0	0	1	8	10	4	1	2
15		1	2	2	2	0	0	1	8	10	4	1	2
		2	2	2	3	0	0	1	8	10	4	1	2



Optimization Software:
www.balesio.com

15 7	CE	2	2	2	2	0	0	1	8	10	4	1	2
15 8	CAR	1	2	2	2	0	0	1	8	10	4	1	2
15 9	CRE	2	2	2	1	0	0	1	8	10	4	1	2
16 0	CD	1	2	2	2	0	0	1	8	10	4	1	2
16 1	DRA	2	2	2	1	0	0	1	8	10	4	1	2
16 2	DNU	1	2	2	1	7	0	1	8	10	4	1	2
16 3	DMU	1	2	2	2	7	0	1	8	10	4	1	2
16 4	ET	2	2	2	3	0	0	1	8	10	4	1	2
16 5	EY	1	2	2	1	0	0	1	8	10	4	1	2
16 6	EST	1	2	2	2	0	0	2	8	10	4	1	2
16 7	EIA	2	1	1	1	0	0	1	6	7	3	1	1
16 8	FN	1	2	2	2	0	0	1	8	10	4	1	2
16 9	FRH	1	2	2	1	0	0	1	8	10	4	1	2
17		2	2	2	2	0	0	1	8	10	4	1	2
		1	2	2	2	0	0	1	8	10	4	1	2



Optimization Software:
www.balesio.com

17 2	FH	2	2	2	2	0	0	1	8	10	4	1	2
17 3	FNO	1	2	2	1	0	0	1	6	7	2	1	1
17 4	FMT	1	2	2	3	0	0	2	0	3	3	2	1
17 5	FNZ	2	2	3	3	0	0	1	8	10	4	1	2
17 6	ESL	1	2	2	2	0	0	1	8	10	4	1	2
17 7	EWM	2	2	2	5	0	0	1	8	10	4	1	2
17 8	ANI	2	2	2	2	0	0	1	8	10	4	1	2
17 9	ES	2	2	2	2	2	0	1	8	10	4	1	2
18 0	IRI	1	2	2	2	0	0	1	8	10	4	1	2
18 1	LI	1	2	2	3	7	0	1	5	6	1	2	2
18 2	LIR	1	2	2	1	0	0	2	8	10	4	1	2
18 3	HJU	2	2	2	5	0	0	1	8	10	4	1	2
18 4	BF	2	2	2	2	2	0	1	8	10	4	1	2
18		2	2	2	5	0	0	1	8	10	4	1	2
		2	2	2	1	1	0	1	8	10	4	1	2



Optimization Software:
www.balesio.com

18 7	ASD	2	2	2	4	0	0	1	8	10	4	1	2
18 8	ANH	2	2	2	2	0	0	1	8	10	4	1	2
18 9	AME	2	2	2	2	0	0	1	8	10	4	1	2
19 0	AA	1	2	2	3	0	0	1	8	10	4	1	2
19 1	AR	2	1	2	4	3	0	1	8	10	4	1	2
19 2	AN	1	1	1	1	0	0	1	3	3	2	1	1
19 3	ASA	1	1	1	1	0	0	1	6	8	1	1	2
19 4	AD	2	2	2	3	0	0	1	8	10	4	1	2
19 5	AHI	2	2	2	5	0	0	1	8	10	4	1	2
19 6	BRR	2	2	2	2	0	0	1	8	10	4	1	2
19 7	BAR	2	2	2	2	0	0	1	8	10	4	1	2
19 8	BA	2	2	2	2	0	0	1	8	10	4	1	2
19 9	BSA	1	2	2	1	0	0	1	8	10	4	1	2
20		1	2	2	6	0	0	1	8	10	4	1	2
Y		1	2	2	2	0	0	2	8	10	4	1	2



Optimization Software:
www.balesio.com

20 2	BME	2	2	2	6	0	0	1	8	10	4	1	2
20 3	LHA	2	1	1	2	0	0	2	6	7	1	1	2
20 4	LAE	1	2	3	3	0	0	2	4	8	2	2	1
20 5	KN	2	2	3	5	0	0	1	8	10	4	1	2
20 6	HP	1	2	2	1	0	0	1	8	10	4	1	2
20 7	HNH	2	2	2	1	0	0	1	4	6	1	2	2
20 8	HJ	1	2	2	1	0	0	1	8	10	4	1	2
20 9	LM	2	2	2	2	0	0	1	5	7	1	1	2
21 0	KS	1	2	2	4	0	0	1	8	10	4	1	2
21 1	KL	1	2	2	8	0	0	1	8	10	4	1	2
21 2	KE	1	2	2	5	0	0	1	8	10	4	1	2
21 3	JF	2	2	2	2	0	0	1	8	10	4	1	2
21 4	JH	1	2	2	3	0	0	1	8	10	4	1	2
21		1	1	1	2	0	0	1	5	8	3	1	1
		1	2	2	2	0	0	1	8	10	4	1	2



Optimization Software:
www.balesio.com

21 7	JI	2	2	2	6	0	0	1	8	10	4	1	2
21 8	JN	1	2	2	3	0	0	1	6	7	1	1	2
21 9	IA	1	1	1	3	2	0	2	8	10	4	1	2
22 0	IS	1	2	2	4	0	0	1	8	10	4	1	2
22 1	IF	1	2	1	1	0	0	1	8	10	4	1	2
22 2	IAS	1	2	2	1	0	0	1	8	10	4	1	2
22 3	IRI	1	2	2	1	0	0	1	8	10	4	1	2
22 4	IRA	1	2	2	2	0	0	1	8	10	4	1	2
22 5	HE	2	2	2	2	0	0	1	8	10	4	1	2
22 6	GM	1	2	2	2	0	0	2	8	10	4	1	2
22 7	GY	1	1	1	2	0	0	1	8	10	4	1	2
22 8	GD	2	2	2	1	0	0	1	8	10	4	1	2
22 9	GSP	1	2	2	1	0	0	1	8	10	4	1	2
23		2	2	2	4	0	0	1	8	10	4	1	2
		1	2	3	4	3	0	1	8	10	4	1	2



Optimization Software:
www.balesio.com

23 2	FF	1	2	2	3	0	0	1	3	3	3	2	1
23 3	FM	1	2	2	1	0	0	2	6	8	1	1	2
23 4	FS	1	2	2	3	0	0	1	8	10	4	1	2
23 5	FR	2	2	2	3	0	0	1	8	10	4	1	2
23 6	FE	2	2	2	3	0	0	1	8	10	4	1	2
23 7	EF	1	2	2	3	0	0	1	8	10	4	1	2
23 8	EA	1	1	1	1	0	0	1	4	5	3	1	1
23 9	ER	2	2	2	1	0	0	1	8	10	4	1	2
24 0	EHU	1	2	2	2	0	0	1	8	10	4	1	2
24 1	EH	2	2	2	4	0	0	1	8	10	4	1	2
24 2	EN	2	1	1	1	0	0	1	8	10	4	1	2
24 3	DN	1	2	2	2	0	0	1	8	10	4	1	2
24 4	DSN	2	2	2	2	0	0	2	3	5	2	2	1
24		1	2	2	1	0	0	1	8	10	4	1	2
		1	2	1	2	7	0	2	8	10	4	1	2



Optimization Software:
www.balesio.com

24 7	DM	2	2	1	3	0	0	1	8	10	4	1	2
24 8	CNU	1	2	2	2	0	0	2	8	10	4	1	2
24 9	CS	2	2	2	5	0	0	1	8	10	4	1	2
25 0	CSI	1	2	2	4	0	0	1	8	10	4	1	2
25 1	BAS	1	2	2	1	0	0	1	8	10	4	1	2
25 2	BI	2	2	2	4	0	0	1	8	10	4	1	2
25 3	BRW	1	2	2	1	0	0	1	8	10	4	1	2
25 4	BSU	1	2	2	2	0	0	2	5	7	1	1	2
25 5	BEM	1	1	1	1	0	0	1	6	8	1	1	2
25 6	BDS	1	2	2	1	0	0	1	8	10	4	1	2

KET :

b.
Usia
gesta
si:
1)
ki-laki <37

c.
Berat
badan
lahir
:
1)
<

d.
Jenis
persalin
an:
1)
Normal

e.
Penyakit
penyerta
ibu:
1) DM

Pengisa
pan
lendir:
1) Bulb
syringe

		mingg u 2) 37-42	2500 gram 2) 2500- 4000 gram 3) > 42 minggu	2) Sectio Caesarea 3) > 4000 gram	2) kanul suction 3) Anemia 4) Asma 5) P.Jantung 6) P. Infeksi 7) Hepatitis
2)	Perempuan	Nilai Apgar Score 1) 7-10 2) 4-6 3) 0-3	Pemberian oksinigen 1) Oksigen nasal 2) BVM 3) T-Piece resuscitator 4) tanpa oksigen		

Lampiran 3. Master tabel

Lampiran 4. Rekomendasi persetujuan Etik



CS Dipindai dengan CamScanner

Lampiran 5. Ijin Penelitian di RSUD Kota Makassar



CS Dipindai dengan CamScanner



Optimization Software:
www.balesio.com