

DAFTAR PUSTAKA

- Arevalo, C. B. M., Drew, A. P., & Volk, T. A. (2005). The effect of common Dutch white clover (*Trifolium repens* L.), as a green manure, on biomass production, allometric growth and foliar nitrogen of two willow clones. *Biomass and Bioenergy*. <https://doi.org/10.1016/j.biombioe.2005.02.003>
- Barbieri, P., Pellerin, S., & Nesme, T. (2017). Comparing crop rotations between organic and conventional farming. *Scientific Reports*, 7(1), 1–10. <https://doi.org/10.1038/s41598-017-14271-6>
- Blake, G. R., & Hartge, K. H. (2018). Bulk density. In *Methods of Soil Analysis, Part 1: Physical and Mineralogical Methods*. <https://doi.org/10.2136/sssabookser5.1.2ed.c13>
- Buczko, U., Kuchenbuch, R. O., & Gerke, H. H. (2009). Evaluation of a core sampling scheme to characterize root length density of maize. *Plant and Soil*. <https://doi.org/10.1007/s11104-008-9771-5>
- Clemmensen, K. E., Finlay, R. D., Dahlberg, A., Stenlid, J., Wardle, D. A., & Lindahl, B. D. (2015). Carbon sequestration is related to mycorrhizal fungal community shifts during long-term succession in boreal forests. *New Phytologist*. <https://doi.org/10.1111/nph.13208>
- Craine, J. M., Fargione, J., & Sugita, S. (2005). Supply pre-emption, not concentration reduction, is the mechanism of competition for nutrients. *New Phytologist*, 166(3), 933–940. <https://doi.org/10.1111/j.1469-8137.2005.01386.x>
- de Oliveira Leite, J., & Valle, R. R. (1990). Nutrient cycling in the cacao ecosystem: rain and throughfall as nutrient sources for the soil and the cacao tree. *Agriculture, Ecosystems and Environment*. [https://doi.org/10.1016/0167-8809\(90\)90130-6](https://doi.org/10.1016/0167-8809(90)90130-6)
- Dhalimi, A. (2020). Pengaruh Dosis dan Cara Peletakan Pupuk terhadap Pertumbuhan Tanaman Kayu Manis (*Cinnamomum burmanii* ROBX). *Jurnal Penelitian Tanaman Industri*. <https://doi.org/10.21082/jlittri.v12n3.2006.98-102>
- Fageria, N. K., & Moreira, A. (2011). The Role of Mineral Nutrition on Root Growth of Crop Plants. In *Advances in Agronomy* (1st ed., Vol. 110, Issue C). Elsevier Inc. <https://doi.org/10.1016/B978-0-12-385531-2.00004-9>
- Famuwagun, I. B., & Agelem, S. O. (2010). International Journal of Agricultural Research. In *Effects of Sowing Methods and Plant Population Densities on Root Development of Cacao (*Theobroma cacao* L.) Seedlings in the Nursery* (Vol. 5, Issue 7, pp. 445–452).

- Gaiotti, F., Marcuzzo, P., Belfiore, N., Lovat, L., Fornasier, F., & Tomasi, D. (2017). Influence of compost addition on soil properties, root growth and vine performances of *Vitis vinifera* cv Cabernet sauvignon. *Scientia Horticulturae*. <https://doi.org/10.1016/j.scienta.2017.06.052>
- Gee, G. W., & Bauder, J. W. (1986). Particle Size Analysis. *Methods of Soil Analysis: Part 1—Physical and Mineralogical Methods*, 9(9), 901–926. <https://doi.org/10.2136/sssabookser5.1.2ed.c36>
- Gregory, P. J. (2007). Plant Roots: Growth, Activity and Interaction with Soils. In *Plant Roots: Growth, Activity and Interaction with Soils*. <https://doi.org/10.1002/9780470995563>
- Gusli, S. (2013). *Fertilizer formula for cocoa production in Sulawesi, a result from demoplot. Appendix 1*, 1–12.
- Hairiah, Suprayogo, Suhara, Mardiasuning, Widodo, Prayogo. *et al.* (2002). Alih Guna Lahan Hutan Menjadi Lahan Agroforestri Berbasis Kopi: Ketebalan Serasah, Populasi Cacing Tanah dan Makroporositas Tanah. *World Agroforestry Centre, ICRAF S.E. Asia*, 68–80.
- Hermans, C., Hammond, J. P., White, P. J., & Verbruggen, N. (2006). How do plants respond to nutrient shortage by biomass allocation? In *Trends in Plant Science*. <https://doi.org/10.1016/j.tplants.2006.10.007>
- Hernita, D., Poerwanto, R., Susila, A. D., & Anwar, S. (2016). Penetapan Rekomendasi Pemupukan N, P, dan K Tanaman Duku Berdasarkan Analisis Daun. *Jurnal Hortikultura*. <https://doi.org/10.21082/jhort.v22n4.2012.p376-384>
- Hodge, A., Robinson, D., Griffiths, B. S., & Fitter, A. H. (1999). Why plants bother: Root proliferation results in increased nitrogen capture from an organic patch when two grasses compete. *Plant, Cell and Environment*. <https://doi.org/10.1046/j.1365-3040.1999.00454.x>
- Ju, C., Buresh, R. J., Wang, Z., Zhang, H., Liu, L., Yang, J. *et al.* (2015). Root and shoot traits for rice varieties with higher grain yield and higher nitrogen use efficiency at lower nitrogen rates application. *Field Crops Research*. <https://doi.org/10.1016/j.fcr.2015.02.007>
- Kummerow, J., Kummerow, M., & Souza da Silva, W. (1982). Fine-root growth dynamics in cacao (*Theobroma cacao*). *Plant and Soil*. <https://doi.org/10.1007/BF02374650>
- Li, Y., & Shao, M. (2003). Responses of radial and axial hydraulic resistances in maize root to nitrogen availability. *Journal of Plant Nutrition*. <https://doi.org/10.1081/PLN-120018567>
- Liao, M., Fillery, I. R. P., & Palta, J. A. (2004). Early vigorous growth is a major factor influencing nitrogen uptake in wheat. *Functional Plant Biology*, 31(2), 121–129. <https://doi.org/10.1071/FP03060>

- Makkonen, K., & Helmisaari, H. S. (1999). Assessing fine-root biomass and production in a Scots pine stand - Comparison of soil core and root ingrowth core methods. *Plant and Soil*, 210(1), 43–50. <https://doi.org/10.1023/A:1004629212604>
- Matthews, J. A. (2014). cation exchange capacity (CEC). In *Encyclopedia of Environmental Change*. <https://doi.org/10.4135/9781446247501.n583>
- McMichael, B. L., & Quisenberry, J. E. (1993). The impact of the soil environment on the growth of root systems. *Environmental and Experimental Botany*. [https://doi.org/10.1016/0098-8472\(93\)90055-K](https://doi.org/10.1016/0098-8472(93)90055-K)
- Medina, S. M., Anase, M., & Narioka, H. (1994). The Use of Agroforestry as a Soil Conservation Strategy in the Philippines. *Journal of Irrigation Engineering and Rural Planning*, 1994(27), 49–64. https://doi.org/10.11408/jierp1982.1994.27_49
- Mommer, L. (1999). *The water relations in cacao (Theobroma cacao L.): Modelling root growth and evapotranspiration*. February, 1–122. http://www.worldcocoafoundation.org/wp-content/uploads/files_mf/mommer1999.pdf
- Nadelhoffer, K. J. (2000). The potential effects of nitrogen deposition on fine-root production in forest ecosystems. In *New Phytologist*. <https://doi.org/10.1046/j.1469-8137.2000.00677.x>
- Niether, W., Armengot, L., Andres, C., Schneider, M., & Gerold, G. (2018). Shade trees and tree pruning alter throughfall and microclimate in cocoa (*Theobroma cacao* L.) production systems. *Annals of Forest Science*. <https://doi.org/10.1007/s13595-018-0723-9>
- Niether, W., Schneidewind, U., Fuchs, M., Schneider, M., & Armengot, L. (2019). Science of the Total Environment Below- and aboveground production in cocoa monocultures and agroforestry systems. *Science of the Total Environment*, 657, 558–567. <https://doi.org/10.1016/j.scitotenv.2018.12.050>
- Nygren, P., Leblanc, H. A., Lu, M., & Gómez Luciano, C. A. (2012). Distribution of coarse and fine roots of *Theobroma cacao* and shade tree *Inga edulis* in a cocoa plantation. *Annals of Forest Science*, 70(3), 229–239. <https://doi.org/10.1007/s13595-012-0250-z>
- Ong, C. K., Corlett, J. E., Singh, R. P., & Black, C. R. (1991). Above and below ground interactions in agroforestry systems. *Forest Ecology and Management*. [https://doi.org/10.1016/0378-1127\(91\)90205-A](https://doi.org/10.1016/0378-1127(91)90205-A)
- Pagès, L., Pointurier, O., Moreau, D., Voisin, A. S., & Colbach, N. (2020). Metamodelling a 3D architectural root-system model to provide a simple model based on key processes and species functional groups. *Plant and Soil*. <https://doi.org/10.1007/s11104-019-04416-z>

- Prihastanti, E., S. Tjitrosemito, D. Sopandie, & I. Qoyim. (2015). *Pertumbuhan akar halus kakao (Theobroma cacao) pada cekaman kekeringan selama 13 bulan di kawasan agroforestri dengan pohon pelindung utama gamal (Gliricidia sepium)*. *I(Rao 2005)*, 1683–1688. <https://doi.org/10.13057/psnmbi/m010727>
- Prima, R., & Duha, M. (2020). Diversity Study of Fruit Producer Plant in Nias Islands. *Jurnal Inovasi Pertanian*, 14(6), 5–7.
- Rajab, Y. A., Leuschner, C., Barus, H., Tjoa, A., & Hertel, D. (2016). Cacao cultivation under diverse shade tree cover allows high carbon storage and sequestration without yield losses. *PLoS ONE*. <https://doi.org/10.1371/journal.pone.0149949>
- Riyami. (2018). *Cadangan karbon dan keterkaitannya dengan beberapa sifat tanah pada kebun kakao pola agroforestri sederhana*. 1–56.
- Rusdiana, O., Yahya, F., Cecep, K., & Yayat Hidayat. (2000). Respon Pertumbuhan Akar Tanaman Sengon (*Paraserianthes falcataria*) terhadap Kepadatan dan Kandungan Air Tanah Podsolik Merah Kuning. *Jurnal Manajemen Hutan Tropika*, 6(2), 43–53. <https://doi.org/10.7226/jmht.6.2>
- Schneider, C. A., Rasband, W. S., & Eliceiri, K. W. (2012). NIH Image to ImageJ: 25 years of image analysis. In *Nature Methods*. <https://doi.org/10.1038/nmeth.2089>
- Schroth, G., Lehmann, J., Rodrigues, M. R. L., Barros, E., & Macêdo, J. L. V. (2001). Plant-soil interactions in multistrata agroforestry in the humid tropics. *Agroforestry Systems*. <https://doi.org/10.1023/A:1013360000633>
- Song, X., Wan, F., Chang, X., Zhang, J., Sun, M., & Liu, Y. (2019). Effects of nutrient deficiency on root morphology and nutrient allocation in *Pistacia chinensis* Bunge seedlings. *Forests*, 10(11). <https://doi.org/10.3390/f10111035>
- Sugiharti, E. (2006). *Budidaya kakao*. Bandung: Nuansa.
- Susanto, F. X. (1994). *Tanaman kakao: Budidaya dan pengolahan hasil*. Yogyakarta: Kansius.
- Tennant, D. (1975). A Test of a Modified Line Intersect Method of Estimating Root Length. *The Journal of Ecology*. <https://doi.org/10.2307/2258617>
- Tobin, B., Čermák, J., Chiatante, D., Danjon, F., Iorio, A. Di, Dupuy, L. *et al.* (2007). Towards developmental modelling of tree root systems. In *Plant Biosystems*. <https://doi.org/10.1080/11263500701626283>
- Valmayor, R. V., Tabora, P. C., Ramirez, M. R., Herrera, W. A., & Asencion, A. B. (1984). *The natural distribution of the root systems of citrus, lanzones and cacao*. Phil. Agriculturerist.

- Wang, G., Liu, F., & Xue, S. (2017). Nitrogen addition enhanced water uptake by affecting fine root morphology and coarse root anatomy of Chinese pine seedlings. *Plant and Soil*. <https://doi.org/10.1007/s11104-017-3283-0>
- Wang, H., Inukai, Y., & Yamauchi, A. (2006). Root development and nutrient uptake. *Critical Reviews in Plant Sciences*, 25(3), 279–301. <https://doi.org/10.1080/07352680600709917>
- Xu, M. L., & Fan, X. H. (1997). Response of plant roots to nutrition stress and its rhizosheric effects. *Soils (in Chinese)*, 29 (3), 137–141.
- Yu, B., Xie, C., Cai, S., Chen, Y., Lv, Y., Mo, Z., Liu, T. *et al.* (2018). Effects of tree root density on soil total porosity and non-capillary porosity using a ground-penetrating Tree Radar Unit in Shanghai, China. *Sustainability (Switzerland)*, 10(12). <https://doi.org/10.3390/su10124640>
- Zhang, F., Máce, F., & Smith, D. L. (2000). Mineral nitrogen availability and isoflavonoid accumulation in the root systems of soybean (*Glycine max* (L.) Merr.). *Journal of Agronomy and Crop Science*. <https://doi.org/10.1046/j.1439-037X.2000.00372.x>
- Zuidema, P. A., Leffelaar, P. A., Gerritsma, W., Mommer, L., & Anten, N. P. R. (2005). A physiological production model for cocoa (*Theobroma cacao*): Model presentation, validation and application. *Agricultural Systems*, 84(2), 195–225. <https://doi.org/10.1016/j.agsy.2004.06.015>

LAMPIRAN



Lampiran 1. Posisi plot pengamatan pada penggunaan lahan kakao-langsar



Lampiran 2. Galian lubang plot pengamatan diameter 30 cm dan tinggi 40 cm dengan menggunakan bor tanah spesifik yang dibuat



Lampiran 3. Pemasangan keranjang *in-growth* pada plot pengamatan



(tanpa pupuk) (354 g Urea) (500 g Phonska) (500 g Phonska + 194 g Urea)


Lampiran 4. Kenampakan distribusi akar di dalam *in-growth media*




Lampiran 5. Pengambilan sampel akar setelah pemupukan pada pada *in-growth media*



Lampiran 6. Pembersihan sampel akar





Lampiran 7. Biomassa akar pada masing-masing *in-growth media*