

DAFTAR PUSTAKA

- Apfelbaum, J.L., Chen, C., Mehta, S.S. & Gan, T.J. 2003. Postoperatif pain experience: result from a national survey suggest postoperatif continues to be undermanage. *Anesth Analg*, 97,534-540.
- Ashburn, M.A., Caplan, R.A. & Carr, D.B. 2004. Practice guidelines for acute pain management in the perioperative setting: an updated reported by the American Society of Anesthesiologist task force on acute pain management. *Anesthesiology*,100,1573-81.
- Ashburn, M.A. & Ready, L.B. 2001. Postoperative pain. *In*: Loeser, J.D., Butler, S.H., Chapman, C.R. & Truck, D.C. (eds.) *Bonica's Management of pain*. 3rd ed. New York: Lippincot Williams & Wilkins.
- Beillin, Y., Hossain, S. & Bodian, C.A. 2003. Numeric rating scale and labor epidural analgesia. *Anesth Analg*,109, 943-950.
- Bell, R.F., Dahl, J.B.,Moore, R.A. & Kalso, E. 2006. Perioperative ketamin for acute postoperative pain. *Cochrane Database Syst Rev*.
- Blanshard, H. 2010. What is the evidence to support the use of IV paracetamol for the treatment of pain? Prepared by UK Medicines Information (UKMi) pharmacists for NHS healthcare professionals.
- Briggs, G., Freeman, R.K. & Yaffe, S.J. 1994. A reference guide to fetal and neonatal risk. *Drug in Pregnancy and Lactation*. 4th ed. Baltimore: Williams & Wilkins.
- Buvanendran, A. & Kroin, J.S. 2009. Multimodal analgesia for controlling acute postoperative pain. *Curr Opin Anaesthesiol*, 22, 588-593.
- Byers, M.R. & Bonica, J.J. 2001. Peripheral pain mechanism and nociceptor plasticity. *In*: Loeser, J.D., Butler, S.H., Caplan, R.A. & Truck, D.C. (eds.) *Bonica's management of pain*. 3rd ed. New York: Lippincot Williams & Wilkins.
- Christopher, S.T., Matt, B. & Hamilton, M.1997. A comparison of ibuprofen versus acetaminophen with codein in the young tonsillectomy patient. *Otolaryngol Head Neck Surg*,117, 76-82.
- Cousins, M.J. 2005. Acute pain management : scientific evidence. 2nd ed. Melbourne: Australian and New Zealand College of Anesthetics and Faculty of Pain Medicine.

- Craven, R. 2007. Ketamine: review. *Anaesthesia*, 62,48-53.
- Davis, S. & Graham, G. 2005. IV paracetamol- where does it sit in hospital practice?. NSW Therapeutic Advisory Group. *Curr Opin Anaesthesiol*, 1-6.
- Fletcher, D., Fermanian, C., Mardaye, A. & Aegerter, P. 2008. Patient-based national survey on postoperative pain management in France reveals significant achievements and persistent challenges. *Pain*,137,441-451.
- Freye, E. 2008. Opioid in medicines. A comprehensive review on the mode of action and the use of analgetics in different clinical pain stases. Netherland: Springer.
- Galinski, M., Dolveck, F., Combes, X. et al. 2007. Management of severe acute pain in emergency settings: ketamin reduces morphine consumption. *Am J Emerg Med*, 25, 385-390.
- Gurnani, A., Sharma, P.K., Routella, R.S. & Bhattacharya A. 1996. Analgesia for acute musculoskeletal trauma: low dose subcutaneous infusion of ketamin. *Anaes and intesive care*, 24, 32-36.
- Katz, J. & Clarke, H. 2008. Preventive analgesia and beyond: current status. evidence, and future directions. In: Rice, A.S., Justins, D., Newton, T., Howard, R.F. & Miaskowski, C.A. (eds.) *Clinical pain management*. 2nd ed. London: Hodder Arnold.
- Kleinman, W. & Mikhail, M. 2006. Regional anesthesia & pain management. In: Morgan, G.E., Mikhail, M.S. & Murray, M.J. (eds.) *Clinical anesthesiology*. 4th ed. New York: McGraw-Hill.
- Koppert, W., Katrin, F., Huzurudin, N. & Schmieder, R. 2006. The effects of paracetamol and parecoxib on kidney function inelderly patiens undergoing orthopedic surgery. *Anesth Analg*, 103,1170-1176.
- Kula, A., Durmus, N. & Altum, A. 2009. Analysis of the antinociceptive effect of pethidine combination with ketamine or paracetamol in tail-flick test in mice. *Cumhuriyet Med J*, 31, 1-7.
- Kulo, A., Peeters, M. & Allegaert, K. 2012. Pharmacokinetics of paracetamol and its metabolites in women at delivery and post partum (abstract). *Br J Clin Pharmacol*.

- Macintyre, P.E. 2010. Acute pain management : scientific evidence. 3th ed. Melbourne: Australian and New Zealand College of Anaesthetics and Faculty of Pain Medicine.
- Maund, E., Rice, S., Wright, K. & Woolacott, N. 2011. Paracetamol and selective and non-selective non steroidal anti-inflammatory drug for the reduction in morphine-related side-effects after major surgery: a systemic review. *Br J Anaesth*,106, 292-7.
- Michelet, P., Guervilly, C., Helaine, A., et al. 2007. Adding ketamin to morphine for patient-controlled analgesia after thoracic surgery: influenceon morphine consumption, respiratory function, and nocturnal desaturation. *Br J Anaesth*, 99, 396-403.
- Montgomery, A. & Hale, T.W. 2006. Analgesia and anesthesia for the breastfeeding mother. *Breastfeeding Med*,1, 271-277.
- Morgan, E.M., Mikhail, M.S. & Murray, M.J. 2006. Nonvolatille anesthetic agents. *Clinical anesthesiology*. 4th ed. New York: McGraw-Hill.
- Morgan, E.M., Mikhail, M.S. & Murray, M.J. 2006. Pain management. *Clinical anesthesiology*. 4th ed. New York: McGraw-Hill.
- Pai, A. & Heining, M. 2007. Ketamine. *Continuing Educationin Anesthesia, Critical Care & Pain*, 7, 59-63.
- Park, J.W., Kim, D.H. & Lee, W.K. 2007. The efficacy of low-dose ketamine added to postoperative patient-controlled analgesia. *Korean J Anesthesiol*, 83, 657-662.
- Peng, P. & Sandler, A. 1999. A review of the use of fentanyl analgesia in the management of acute pain in adults. *Anesthesiology*, 90, 576-599.
- Smith, H.S. 2009. Potential Analgesic Mechanism of Acetaminophen. *Pain Physician*, 12, 269-280.
- Sommers, M., Rijkea, J.M., Kleefa, M., Kesselsa, A.G.H., Petersa, M.L., Geurtsa, J. et al. 2008. The prevalence of postoperative pain in a sample of 1490 surgical inpatients. *Eur J Anaesthesiol*, 25, 267-74.
- Suzuki, M. 2009. Perioperative ketamine for better postoperative pain outcome. In: Sinatra, R., Oscar, A., Ginsberg, B. & Viscusi, E. (eds.) *Acute pain management*. New York: Cambridge University Press.

- Vadivelu, N., Whitney, C.J. & Sinatra, R.S. 2009. Pain pathway and acute pain processing. In: Sinatra, R.S., Leon-casasola, O., Ginsberg, B. & Viscusi, E.R. (eds.) *Acute pain management*. New York: Cambridge University Press.
- Varrassi, G., Marinangeli, F., Agro, F. & Luigi, A. 1999. A double-blinded evaluation of propacetamol versus ketorolac in combination with patient-control analgesia morphine: analgesic efficacy and tolerability after gynecologic surgery. *Anesth Analg*, 88, 611-616.
- Voscopoulos, C. & Lema, M. 2010. When does acute pain become chronic?. *Br J Anaesth*, 105, 169-185.
- Wee, M.Y.K., Brown, H. & Reynolds, F. 2005. The National Institute of Clinical Excellence (NICE) guidelines for caesarean sections: implications for the anaesthetist. *Int J Obstet Anesth*, 14, 147-158.

LAMPIRAN 1**PERSETUJUAN SEBELUM PERSIAPAN DIMULAI****EFEK KOMBINASI PARASETAMOL-KETAMIN VS PARASETAMOL PETIDIN
SEBAGAI BALANS ANALGESIA POST SEKSIO SESSARIA**

Yang bertandatangan dibawah ini :

Nama/Umur :

Ala m a t :

No. Rekam Medis :

MENYATAKAN DENGAN SESUNGGUHNYA BAHWA SAYA TELAH MENDAPATKAN PENJELASAN DAN KESEMPATAN BERTANYA HAL-HAL YANG BELUM SAYA MENGETI TENTANG PENELITIAN INI. PENJELASAN TERSEBUT MELIPUTI MANFAAT DAN KEUNTUNGAN SERTA EFEK SAMPING DARI KOMBINASI PARASETAMOL-KETAMIN ATAU PARASETAMOL-PETIDIN SERTA TEKNIK ANESTESI SPINAL YANG AKAN SAYA DAPATKAN SELAMA PENELITIAN INI.

Setelah mendapat penjelasan tersebut, dengan ini saya menyatakan secara sukarela ikut serta dalam penelitian ini dan saya berhak mengundurkan diri bila ada alasan sehubungan dengan kesehatan saya. Demikian pula jika terjadi perselisihan saya akan melakukan musyawarah dengan peneliti untuk mencari jalan keluar yang terbaik tentang perselisihan tersebut.

Demikian pernyataan ini saya buat dengan sebenarnya, dengan penuh kesadaran dan tanpa paksaan.

Makassar, November 2012

	Saksi,	<u>Tanda Tangan</u>	Yang Menyatakan,
1.	
2.	(.....)

**Penanggung Jawab Medik,
Prof. dr. A. Husni Tanra, PhD-SpAn**
Hertasning B3 no. 7 Makassar

**Penanggung Jawab Penelitian,
dr. Faisal**
Telp.081355771298/(0411) 5469447
Hartaco Indah 1Y no 7 Makassar

P								
NRSI								
NRS2								

ANALGETIK TAMBAHAN (RESCUE) FENTANIL 1 µgr/kgBB

JAM								

EFEK SAMPING

JAM								
MUAL								
MUNTAH								

Keterangan :

TDS : Tekanan darah Sistolik

TDD : Tekanan Darah Diastolik

N : Nadi

P : Pernafasan

NRSI : Numerical Rating Scale Istirahat.

NRS2 : Numerical Rating Scale Bergerak

LAMPIRAN 3. ADVERSE EVENT FORM**Identitas**

Nama (Inisial) / Umur :

No. MR :

Diagnosis :

Adverse event

No.	Gejala	Berat	Ringan	Tidak Ada
1	sedasi			
2	Halusinasi			
3	Mual			
4	Muntah			
5	pruritus			

Penanganan adverse event

No.	Gejala	Penanganan
1	Sedasi	Hentikan infus ketamin atau petidin
2	Halusinasi	Hentikan infus ketamin
3	Mual	Ondansetron 4 mg/iv
4	Muntah	Ondansetron 4mg.iv
5	Pruritus	Dexametason 4 mg iv

Peneliti,

dr. Faisal

LAMPIRAN 4. Contoh Surat

Kepada Yang Terhormat

Teman Sejawat Dokter Obstetri dan Gynecology

Di -

Tempat

Assalamu Alaikum Wr. Wb.

Sehubungan dengan akan dilakukan penelitian yang berjudul PERBANDINGAN EFEK KOMBINASI PARASETAMOL-KETAMIN DENGAN PARASETAMOL-PETIDIN SEBAGAI BALANS ANALGESIA POST SEKSIO SESSARIA. Penelitian ini bertujuan untuk Melihat perbandingan efek kombinasi parasetamol-ketamin dengan parasetamol-petidin sebagai balans analgesia post seksio sesaria. Tugas ini dijalankan sebagai salah satu syarat dalam menyelesaikan pendidikan di bagian Ilmu Anestesi, Perawatan Intensif dan Manajemen Nyeri Fakultas Kedokteran UNHAS.

Dengan ini kami meminta persetujuan untuk melakukan penelitian pada pasien yang dokter rawat.

Wassalamu Alaikum Wr. Wb.

Makassar, Juni 2011

Peneliti,

dr. Faisal