

DAFTAR PUSTAKA

1. García LF. Immune Response, Inflammation, and the Clinical Spectrum of COVID-19. *Front Immunol.* 2020;11(June):4–8.
2. Isbaniah F, Kusumowardhani D, Sitompul PA. Pedoman Pencegahan dan Pengendalian Coronavirus Disease (COVID-19). Revisi-4. Aziza L, Aqmarina A, Ihsan M, editors. Jakarta: Kementerian Kesehatan RI Direktorat Jenderal Pencegahan dan Pengendalian Penyakit (P2P); 2020. 1–137 p.
3. Wang B, Li R, Lu Z, Huang Y. Does comorbidity increase the risk of patients with covid-19: Evidence from meta-analysis. *Aging (Albany NY).* 2020;12(7):6049–57.
4. Zhao X, Li Y, Ge Y, Shi Y, Lv P, Zhang J, et al. Evaluation of Nutrition Risk and Its Association With Mortality Risk in Severely and Critically Ill COVID-19. 2021;45(1):32–42.
5. Guan WJ, Liang WH, Zhao Y, Liang HR, Chen ZS, Li YM, et al. Comorbidity and its impact on 1590 patients with Covid-19 in China: A Nationwide Analysis. *Eur Respir J.* 2020;(March 2020).
6. Thibault R, Coëffier M, Joly F, Bohé J, Schneider SM, Déchelotte P. How the Covid-19 epidemic is challenging our practice in clinical nutrition—feedback from the field. *Eur J Clin Nutr.* 2020;
7. Violi F, Cangemi R, Romiti GF, Ceccarelli G, Oliva A, Alessandri F, et al. Is Albumin Predictor of Mortality in COVID-19? *Antioxid Redox Signal.* 2021;35(2):139–42.
8. Nie D, Zhang L, Wang C, Guo Q, Mao X. GYNECOLOGIC ONCOLOGY A high Glasgow prognostic score (GPS) or modified Glasgow prognostic score (mGPS) predicts poor prognosis in gynecologic cancers : a systematic review and meta - analysis. *Arch Gynecol Obstet [Internet].* 2020;(0123456789). Available from: <https://doi.org/10.1007/s00404-020-05581-8>
9. Morais CM De. Nutritional Therapy in COVID-19 Management. 2021;10–2.
10. Barazzoni R, Bischoff SC, Breda J, Wickramasinghe K, Krznaric Z, Nitzan D, et al. ESPEN expert statements and practical guidance for nutritional management of individuals with SARS-CoV-2 infection. *Clin Nutr.* 2020;39(6):1631–8.
11. Gorbalenya AE, Baker SC, Baric RS, de Groot RJ, Drosten C, Gulyaeva AA, et al. The species Severe acute respiratory syndrome-related coronavirus:

- classifying 2019-nCoV and naming it SARS-CoV-2. *Nat Microbiol.* 2020;5(March).
12. Zhu N, Zhang D, Wang W, Li X, Yang B, Song J, et al. A novel coronavirus from patients with pneumonia in China, 2019. *N Engl J Med.* 2020;382(8):727–33.
 13. Zhou P, Yang X Lou, Wang XG, Hu B, Zhang L, Zhang W, et al. A pneumonia outbreak associated with a new coronavirus of probable bat origin. *Nature.* 2020;579(7798):270–3.
 14. Susilo A, Rumende CM, Pitoyo CW, Santoso WD, Yulianti M, Sinto R, et al. Coronavirus Disease 2019 : Tinjauan Literatur Terkini Coronavirus Disease 2019 : Review of Current Literatures. *J Penyakit Dalam Indones.* 2020;7(1):45–67.
 15. Indonesia PDSGK. Panduan Praktis Penatalaksanaan Nutrisi. 2020;
 16. De Wit E, Van Doremalen N, Falzarano D, Munster VJ. SARS and MERS: Recent insights into emerging coronaviruses. *Nat Rev Microbiol.* 2016;14(8):523–34.
 17. Li G, Fan Y, Lai Y, Han T, Li Z, Zhou P, et al. Coronavirus infections and immune responses. *J Med Virol.* 2020;92(4):424–32.
 18. Xu Z, Shi L, Wang Y, Zhang J, Huang L, Zhang C, et al. Pathological findings of COVID-19 associated with acute respiratory distress syndrome. *Lancet Respir Med* [Internet]. 2020;8(4):420–2. Available from: [http://dx.doi.org/10.1016/S2213-2600\(20\)30076-X](http://dx.doi.org/10.1016/S2213-2600(20)30076-X)
 19. Guo YR, Cao QD, Hong ZS, Tan YY, Chen SD, Jin HJ, et al. The origin, transmission and clinical therapies on coronavirus disease 2019 (COVID-19) outbreak - an update on the status. *Mil Med Res.* 2020;7(1):11.
 20. Xiao F, Tang M, Zheng X, Liu Y, Li X, Shan H. Evidence for gastrointestinal infection of SARS-CoV-2. *Gastroenterology.* 2020;
 21. Tian Y, Rong L, Nian W, He Y. Review article: gastrointestinal features in COVID-19 and the possibility of faecal transmission. *Aliment Pharmacol Ther.* 2020;(March):1–9.
 22. Wu C, Chen X, Cai Y, Xia J, Zhou X, Xu S, et al. Risk Factors Associated with Acute Respiratory Distress Syndrome and Death in Patients with Coronavirus Disease 2019 Pneumonia in Wuhan, China. *JAMA Intern Med.* 2020;1–10.
 23. WHO. Clinical management of severe acute respiratory infection when novel coronavirus (nCoV) infection is suspected. 2020;2019(March).
 24. goleman, daniel; boyatzis, Richard; Mckee A. 濟無No Title No Title. Vol. 53, *Journal of Chemical Information and Modeling.* 2019. 1689–1699 p.

25. Article O. Inflammatory and nutritional statuses of patients submitted to resection of gastrointestinal tumors. 2018;45(2):1–11.
26. Patients N. The C-Reactive Protein / Albumin Ratio is Useful for Predicting Short-Term Survival in Cancer. 2019;XX(Xx):1–6.
27. Wang X. An increased pretreatment C-reactive protein-to- albumin ratio predicts severe novel coronavirus- infected pneumonia. :1–12.
28. Pastore CA, Orlandi SP, Gonzalez MC. Índice Inflamatorio-Nutricional; Evaluación Del Estado Nutricional Y Pronóstico En Pacientes Con Cáncer De Tracto Gastrointestinal Y De Pulmón. *Nutr Hosp*. 2014;29(3):629–34.
29. Pastore CA, Orlandi SP, González MC. Association between an inflammatory-nutritional index and nutritional status in cancer patients. 2013;
30. Fernández-Quintela A, Milton-Laskibar I, Trepiana J, Gómez-Zorita S, Kajarabille N, Léniz A, et al. Key Aspects in Nutritional Management of COVID-19 Patients. *J Clin Med*. 2020;9(8):2589.
31. Cervantes-Pérez E, Cervantes-Guevara G, Martínez-Soto Holguín MC, Cervantes-Pérez LA, Cervantes-Pérez G, Cervantes-Cardona GA, et al. Medical Nutrition Therapy in Hospitalized Patients With SARS-CoV-2 (COVID-19) Infection in a Non-critical Care Setting: Knowledge in Progress. *Curr Nutr Rep*. 2020;9(4):309–15.
32. Astuti N, Primana DA, Wijayanto. Panduan Praktis Penatalaksanaan Nutrisi COVID-19. 1st ed. Astuti N, Primana DA, editors. Jakarta: Perhimpunan Dokter Spesialis Gizi Klinik Indonesia; 2020. 1–52 p.
33. Allard L, Ouedraogo E, Molleville J, Bihan H, Giroux-Leprieur B, Sutton A, et al. Malnutrition: Percentage and association with prognosis in patients hospitalized for coronavirus disease 2019. *Nutrients*. 2020;12(12):1–14.
34. Yu Y, Ye J, Chen M, Jiang C, Lin W, Lu Y, et al. Malnutrition Prolongs the Hospitalization of Patients with COVID-19 Infection: A Clinical Epidemiological Analysis. *J Nutr Heal Aging*. 2021;25(3):369–73.
35. World Health Organization. Criteria for releasing COVID-19 patients from isolation. *Sci Br* [Internet]. 2020;(17 June):1–5. Available from: <https://www.who.int/publications/i/item/criteria-for-releasing-covid-19-patients-from-isolation>
36. Leviano A. COVID-19 – Pakistan Socio-economic Impact Assessment & Response Plan (Version 1 May 2020). *Nutrition* [Internet]. 2020;01(May):113. Available from: <https://reliefweb.int/report/pakistan/covid-19-pakistan-socio-economic-impact-assessment-response-plan-version-1-may-2020>
37. Ahmad S. Informatics in Medicine Unlocked Potential of age distribution

- profiles for the prediction of COVID-19 infection origin in a patient group. *Informatics Med Unlocked* [Internet]. 2020;20:100364. Available from: <https://doi.org/10.1016/j.imu.2020.100364>
38. Lechien JR, Chiesa-Estomba CM, Place S, Van Laethem Y, Cabaraux P, Mat Q, et al. Clinical and epidemiological characteristics of 1420 European patients with mild-to-moderate coronavirus disease 2019. *J Intern Med*. 2020;288(3):335–44.
 39. Bwire GM. Coronavirus: Why Men are More Vulnerable to Covid-19 Than Women? *SN Compr Clin Med*. 2020;2(7):874–6.
 40. Bandyopadhyay AR. COVID 19: An Epidemiological and Host Genetics Appraisal. *Asian J Med Sci*. 2020;11(5):116–7.
 41. Liu H, Zhou L, Wang H, Wang X, Qu G, Cai J, et al. Malnutrition is associated with hyperinflammation and immunosuppression in COVID-19 patients: A prospective observational study. *Nutr Clin Pract*. 2021;1–9.
 42. Anker MS, Landmesser U, von Haehling S, Butler J, Coats AJS, Anker SD. Weight loss, malnutrition, and cachexia in COVID-19: facts and numbers. *J Cachexia Sarcopenia Muscle*. 2021;12(1):9–13.
 43. Bel P, Mathian A, Moreau P, Poitou-bernert C, Jeannin A, Couf J, et al. Clinical Nutrition ESPEN Prevalence and severity of malnutrition in hospitalized COVID-19 patients Doroth e. 2020;(xxxx).
 44. Li Y, Tong S, Hu X, Wang Y, Lv R, Ai S, et al. The relationship between nutritional status and the prognosis of COVID-19: A retrospective analysis of 63 patients. *Medicine (Baltimore)*. 2021;100(14):e25287.
 45. Hypoalbuminemia predicts the outcome of COVID-19.pdf.
 46. Pitre T, Jones A, Su J, Helmecci W, Xu G, Lee C, et al. Inflammatory biomarkers as independent prognosticators of 28-day mortality for COVID-19 patients admitted to general medicine or ICU wards: a retrospective cohort study. *Internal and Emergency Medicine*. 2021.
 47. Doganci S, Military G, Academy M, Ors N, Military G, Academy M. A new COVID-19 prediction scoring model for in-hospital mortality : experiences from Turkey , single center retrospective cohort analysis. 2020;(October).
 48. Karakoyun I, Colak A, Turken M, Altin Z, Arslan FD, Iyilikci V, et al. Diagnostic utility of C-reactive protein to albumin ratio as an early warning sign in hospitalized severe COVID-19 patients. *Int Immunopharmacol* [Internet]. 2021;91(December 2020):107285. Available from: <https://doi.org/10.1016/j.intimp.2020.107285>
 49. Chen N, Zhou M, Dong X, Qu J, Gong F, Han Y, et al. Epidemiological and clinical characteristics of 99 cases of 2019 novel coronavirus pneumonia in Wuhan, China: a descriptive study. *Lancet* [Internet]. 2020;395(10223):507–

13. Available from: [http://dx.doi.org/10.1016/S0140-6736\(20\)30211-7](http://dx.doi.org/10.1016/S0140-6736(20)30211-7)
50. Shi Y, Wang Y, Shao C, Huang J, Gan J, Huang X, et al. COVID-19 infection: the perspectives on immune responses. *Cell Death Differ* [Internet]. 2020;27(5):1451–4. Available from: <http://dx.doi.org/10.1038/s41418-020-0530-3>

LAMPIRAN

Tabel distribusi karakteristik berdasarkan nilai mean, SD, median, minimum, dan maksimum.

	Mean	SD	Median	Minimum	Maximum
Usia	38.91	13.50	36.00	1.00	79.00
IMT	21.33	0.78	21.34	18.90	24.93
LOS	10.51	6.74	9.00	2.00	43.00
Konversi	9.43	6.79	7.50	2.00	40.00
Energi	96.28	85.55	89.60	49.50	1220.00
Protein	82.37	19.99	82.00	15.10	142.00
KH	165.38	87.90	125.60	61.30	410.67
Lemak	57.18	44.83	51.00	12.50	545.00
CRP	8.61	26.30	0.20	0.00	187.80
Albumin	3.71	1.47	4.20	0.00	5.50

Tabel perbandingan rerata energi, protein, karbohidrat, lemak, LOS dan koversi berdasarkan kategori mGPS.

mGPS	0					1					2					Nilai p
	Mean	SD	Median	Minimum	Maximum	Mean	SD	Median	Minimum	Maximum	Mean	SD	Median	Minimum	Maximum	
Energi	97.70	93.85	89.30	49.50	1220.00	89.95	11.18	91.30	69.10	106.00	85.70	6.80	82.50	81.90	95.88	0.762**

Protein	82.33	21.01	81.60	15.10	142.00	84.57	13.34	85.00	54.70	115.80	69.20	14.02	71.55	52.00	81.70	0.358*
KH	170.63	90.65	128.50	61.30	410.67	134.48	66.27	117.00	70.80	359.00	174.40	83.57	163.80	98.00	272.00	0.204**
Lemak	54.70	27.77	51.25	12.50	153.00	72.21	96.41	50.80	22.00	545.00	50.03	11.43	50.70	36.20	62.50	0.817**
LOS	10.01	6.44	8.00	2.00	43.00	12.85	7.56	9.00	4.00	33.00	13.75	9.60	12.00	4.00	27.00	0.068**
Konversi	8.80	6.22	7.00	2.00	40.00	12.58	8.42	9.50	4.00	33.00	13.00	10.89	11.00	2.00	28.00	0.023**
* Uji Anova																
** Uji Kruskal Wallis																

Tabel perbandingan rerata energi, protein, karbohidrat, lemak, LOS dan koversi berdasarkan kategori mPINI.

mPINI	Tanpa risiko (0.4)					Rendah (0.4 – 1.2)					Moderate (1.2-2)					Tinggi (>2)					Nilai p
	Mean	SD	Median	Min	Max	Mean	SD	Median	Min	Max	Mean	SD	Median	Min	Max	Mean	SD	Median	Min	Max	
Energi	98.48	99.53	88.00	49.50	1220.00	90.75	14.41	92.55	60.08	118.00	105.60	6.22	105.60	101.20	110.00	88.85	11.20	89.75	69.10	106.00	0.449**
Protein	80.83	20.15	78.40	21.60	142.00	89.09	23.34	92.55	15.10	117.00	116.75	31.47	116.75	94.50	139.00	83.44	14.01	84.65	52.00	115.80	0.033*
KH	177.03	91.86	134.00	61.30	410.67	127.16	67.39	107.65	62.15	301.00	113.75	10.25	113.75	106.50	121.00	136.78	68.37	114.50	70.80	359.00	0.015**
Lemak	54.03	28.34	51.50	12.50	153.00	58.66	21.31	50.60	35.00	92.00	79.55	18.03	79.55	66.80	92.30	69.04	91.81	49.20	22.00	545.00	0.345**
LOS	9.76	6.56	8.00	2.00	43.00	12.06	5.13	11.00	7.00	26.00	19.50	12.02	19.50	11.00	28.00	12.47	7.34	9.50	4.00	33.00	0.005**
Konversi	8.56	6.33	7.00	2.00	40.00	10.56	4.84	10.50	4.00	22.00	20.50	12.02	20.50	12.00	29.00	12.10	8.21	10.00	2.00	33.00	0.002**

* Uji
Anova

** Uji
Kruskal
Wallis

Tabel perbandingan rerata energi, protein, karbohidrat, lemak, LOS dan koversi berdasarkan kategori INI.

INI	> 0.35					< 0.35					Nilai p
	Mean	SD	Median	Minimum	Maximum	Mean	SD	Median	Minimum	Maximum	
Energi	100.42	112.44	90.00	55.95	1220.00	90.81	17.55	89.05	49.50	134.00	0.777**
Protein	79.58	18.31	79.00	15.10	139.00	86.12	21.60	87.00	21.60	142.00	0.028*
KH	191.74	96.86	136.00	61.30	410.67	129.89	58.03	113.90	64.80	337.00	0.000**
Lemak	57.07	53.83	49.25	12.50	545.00	57.32	28.94	53.35	14.80	153.00	0.385**
LOS	10.13	5.44	9.00	2.00	29.00	11.03	8.17	8.00	2.00	43.00	0.588**
Konversi	8.41	5.39	7.00	2.00	29.00	10.78	8.14	9.00	2.00	40.00	0.079**
* Uji t Independen											
** Uji Mann Whitney											