

## DAFTAR PUSTAKA

- Álvares-Da-Silva, M. R. and Reverbel Da Silveira, T. (2005) ‘Comparison between handgrip strength, subjective global assessment, and prognostic nutritional index in assessing malnutrition and predicting clinical outcome in cirrhotic outpatients’, *Nutrition*, 21(2), pp. 113–117. doi: 10.1016/j.nut.2004.02.002.
- Anand, A. C. (2017) ‘Nutrition and Muscle in Cirrhosis’, *Journal of Clinical and Experimental Hepatology*, 7(4), pp. 340–357. doi: 10.1016/j.jceh.2017.11.001.
- Avula (2014) ‘基因的改变NIH Public Access’, *Bone*, 23(1), pp. 1–7. doi: 10.1097/JIM.000000000000106.Age.
- Bai, Z. *et al.* (2019) ‘Association of serum albumin level with incidence and mortality of overt hepatic encephalopathy in cirrhosis during hospitalization’, *Therapeutic Advances in Gastroenterology*, 12, pp. 1–14. doi: 10.1177/1756284819881302.
- Barcelos, S. T. A. *et al.* (2014) ‘Características clínicas y de laboratorio en pacientes cirróticos asociada con desnutrición moderada o severa, Clinical and laboratory characteristics of cirrhotic patients associated with moderate and severe malnutrition’, *Revista Chilena de Nutricion*, 41(2), pp. 139–148. doi: 10.4067/S0717-75182014000200003.
- Bharadwaj, S. *et al.* (2016) ‘Malnutrition : laboratory markers vs nutritional assessment’, 4(March), pp. 272–280. doi: 10.1093/gastro/gow013.
- Bunchorntavakul, C., Supanun, R. and Atsawarungruangkit, A. (2016) ‘Nutritional status and its impact on clinical outcomes for patients admitted to Hospital with Cirrhosis’, *Journal of the Medical Association of Thailand*, 99(January), pp. S47–S55.
- Carvalho, J. R. and Machado, M. V. (2018) ‘New insights about albumin and liver

disease’, *Annals of Hepatology*. Elsevier, 17(4), pp. 547–560. doi: 10.5604/01.3001.0012.0916.

Cederholm, T. et al. (2017) ‘ESPEN guidelines on definitions and terminology of clinical nutrition’, *Clinical Nutrition*, 36(1), pp. 49–64. doi: 10.1016/j.clnu.2016.09.004.

Ciocîrlan, Maria et al. (2017) ‘Subjective Global Assessment and Handgrip Strength as Predictive Factors in Patients with Liver Cirrhosis’, *Gastroenterology Research and Practice*, 2017. doi: 10.1155/2017/8348390.

Dirchwolf, M. and Ruf, A. E. (2015) ‘Role of systemic inflammation in cirrhosis: From pathogenesis to prognosis’, *World Journal of Hepatology*, 7(16), pp. 1974–1981. doi: 10.4254/wjh.v7.i16.1974.

Eghtesad, S., Poustchi, H. and Malekzadeh, R. (2013) ‘Malnutrition in liver cirrhosis:the influence of protein and sodium.’, *Middle East journal of digestive diseases*, 5(2), pp. 65–75. doi: 10.15171/middle.

García-Martínez, R., Simón-Talero, M. and Córdoba, J. (2011) ‘Prognostic assessment in patients with hepatic encephalopathy’, *Disease Markers*, 31(3), pp. 171–179. doi: 10.3233/DMA-2011-0840.

Girson Gunarsa, R. et al. (2011) ‘Total Lymphocyte Count as a Nutritional Parameter in Hospitalized Patients’, *The Indonesian Journal of Gastroenterology, Hepatology, and Digestive Endoscopy*, 12(2), pp. 89–94.

Huynh, D. K. et al. (2015) ‘Nutritional care in hospitalized patients with chronic liver disease’, *World Journal of Gastroenterology*, 21(45), pp. 12835–12842. doi: 10.3748/wjg.v21.i45.12835.

Laur, C., Davidson, B. and Keller, H. (2019) ‘Perceptions on Use of the Subjective Global Assessment Before and After It Became Part of Regular Practice’, *Nutrition in Clinical Practice*, 34(6), pp. 906–915. doi: 10.1002/ncp.10270.

Lovena, A., Miro, S. and Efida, E. (2017) ‘Karakteristik Pasien Sirosis Hepatis di

RSUP Dr. M. Djamil Padang', *Jurnal Kesehatan Andalas*, 6(1), p. 5. doi: 10.25077/jka.v6i1.636.

Magdy, S. A. E.-M. A. (2018) 'Subjective Global Assessment for Patients with Hepatic Cirrhosis, Egypt', *International Journal of Science and Research (IJSR)*, 7(6), pp. 1419–1425. doi: 10.21275/ART20183477.

Marcia Nelms and Sucher, K. P. (2019) *Nutrition Therapy and Pathophysiology*. 4th edn.

Marselina, N. and Purnomo, H. (2014) 'Gambaran Klinis Pasien Sirosis Hati: Studi Kasus Di Rsup Dr Kariadi Semarang Periode 2010-2012', *Jurnal Kedokteran Diponegoro*, 3(1), p. 109377.

Moctezuma-Velazquez, C. et al. (2019) 'Limited performance of subjective global assessment compared to computed tomography-determined sarcopenia in predicting adverse clinical outcomes in patients with cirrhosis', *Clinical Nutrition*. Elsevier Ltd, 38(6), pp. 2696–2703. doi: 10.1016/j.clnu.2018.11.024.

Molfino, A., Johnson, S. and Medici, V. (2017) 'The Challenges of Nutritional Assessment in Cirrhosis', *Current Nutrition Reports*, 6(3), pp. 274–280. doi: 10.1007/s13668-017-0216-8.

Mueller, C., Compher, C. and Ellen, D. M. (2011) 'A.S.P.E.N. clinical guidelines: Nutrition screening, assessment, and intervention in adults', *Journal of Parenteral and Enteral Nutrition*, 35(1), pp. 16–24. doi: 10.1177/0148607110389335.

Muir, A. J. (2015) 'Understanding the Complexities of Cirrhosis', *Clinical Therapeutics*. Elsevier, 37(8), pp. 1822–1836. doi: 10.1016/j.clinthera.2015.05.507.

Nishikawa, H. and Osaki, Y. (2015) 'Liver Cirrhosis: Evaluation, Nutritional Status, and Prognosis', *Mediators of Inflammation*. Hindawi Publishing Corporation, 2015. doi: 10.1155/2015/872152.

Nusrat, S. et al. (2014) 'Cirrhosis and its complications: Evidence based treatment',

*World Journal of Gastroenterology*, 20(18), pp. 5442–5460. doi: 10.3748/wjg.v20.i18.5442.

Panackel, C. et al. (2016) ‘Decompensated Liver Disease: Liver Transplantation is the Best Option, Not the Last Option’, *IMA Kerala Medical Journal*, (July). Available at: <http://keralamedicaljournal.com/2016/03/30/decompensated-liver-disease-liver-transplantation-is-the-best-option-not-the-last-option/>.

Peng, Y., Qi, X. and Guo, X. (2016) ‘Child-pugh versus MELD score for the assessment of prognosis in liver cirrhosis a systematic review and meta-analysis of observational studies’, *Medicine (United States)*, 95(8), pp. 1–29. doi: 10.1097/MD.0000000000002877.

Procopet, B. and Berzigotti, A. (2017) ‘Diagnosis of cirrhosis & portal hypertension: Imaging, non-invasive markers of fibrosis & liver biopsy’, *Gastroenterology Report*, 5(2), pp. 79–89. doi: 10.1093/gastro/gox012.

Saunders, J. et al. (2010) ‘Malnutrition and nutrition support in patients with liver disease’, *Frontline Gastroenterology*, 1(2), pp. 105–111. doi: 10.1136/fq.2009.000414.

Schuppan, D. and Afdhal, N. H. (2008) ‘Liver cirrhosis’, *The Lancet*, 371(9615), pp. 838–851. doi: 10.1016/S0140-6736(08)60383-9.

Sepanlou, S. G. et al. (2020) ‘The global, regional, and national burden of cirrhosis by cause in 195 countries and territories, 1990–2017: a systematic analysis for the Global Burden of Disease Study 2017’, *The Lancet Gastroenterology and Hepatology*, 5(3), pp. 245–266. doi: 10.1016/S2468-1253(19)30349-8.

Shergill, R. et al. (2018) ‘Nutritional support in chronic liver disease and cirrhotics’, *World Journal of Hepatology*, 27(10), pp. 685–694. doi: 10.4254/wjh.v10.i10.685.

Sidiq T, K. N. (2015) ‘Nutrition as a Part of Therapy in the Treatment of Liver Cirrhosis’, *Journal of Nutrition & Food Sciences*, 5(S11). doi: 10.4172/2155-9600.1000S11004.

- Silbernag, S. (2000) *Color Atlas of Pathophysiology*. New York: Thieme Stuttgart.
- Stirnimann, J. and Stirnimann, G. (2019) ‘Nutritional Challenges in Patients with Advanced Liver Cirrhosis’, *Journal of Clinical Medicine*, 8(11), p. 1926. doi: 10.3390/jcm8111926.
- Suva, M. (2018) ‘REVIEW ARTICLE A Brief Review on Liver Cirrhosis : Epidemiology, Etiology, Pathophysiology, Symptoms, Diagnosis and Its Management’, 2014(July), pp. 1–5.
- Tandon, P. *et al.* (2017) ‘A practical approach to nutritional screening and assessment in cirrhosis’, *Hepatology*, 65(3), pp. 1044–1057. doi: 10.1002/hep.29003.
- Victor, P. R. (2010) *Nutrition, Diet Therapy, and the Liver*. NU. USA: Taylor & Francis Group, LLC.
- Wang, Z., Wang, J. and Wang, P. (2018) ‘The prognostic value of prognostic nutritional index in hepatocellular carcinoma patients: A meta-analysis of observational studies’, *PLoS ONE*, 13(10), pp. 1–7. doi: 10.1371/journal.pone.0202987.
- Wulandari, T. W., Devianto, N. and Sihotang, F. A. (2020) ‘a Description of the Characteristics of Hepatic Cirrhosis Patient in Abdul Wahab Sjahranie Regional Public Hospital Samarinda’, *Jurnal Ilmu Kesehatan*, 8(1), pp. 1–5. doi: 10.30650/jik.v8i1.1256.