

DAFTAR PUSTAKA

- Ahmed, S. *et al.* (2021) 'Evaluation of serum ferritin for prediction of severity and mortality in COVID-19- A cross sectional study', *Annals of Medicine and Surgery*, 63(February), p. 102163. doi: 10.1016/j.amsu.2021.02.009.
- Barazzoni, R. *et al* (2020) 'ESPEN expert statements and practical guidance for nutritional management of individuals with SARS-CoV-2 infection', *clinical nutrition*, 39, pp. 1631–1638. doi: 10.1016/j.clnu.2020.03.022.
- Burhan, E. *et al* (2020) *PEDOMAN TATALAKSANA COVID-19*. Edisi 3. Jakarta.
- Bwire, G. M. (2020) 'Coronavirus: Why Men are More Vulnerable to Covid-19 Than Women?', *SN Comprehensive Clinical Medicine*, 2(7), pp. 874–876. doi: 10.1007/s42399-020-00341-w.
- Caccialanza, R. *et al.* (2020) 'Early nutritional supplementation in non-critically ill patients hospitalized for the 2019 novel coronavirus disease (COVID-19): Rationale and feasibility of a shared pragmatic protocol', *Nutrition*, 74(December 2019). doi: 10.1016/j.nut.2020.110835.
- Calder, P. C. *et al* (2020) 'Optimal Nutritional Status for a Well-Functioning Immune System Is an Important Factor to Protect against Viral Infections', *Nutrients*, 12, pp. 1–10. doi: 10.3390/nu12041181.
- Cederholm, T. *et al.* (2017) 'ESPEN guidelines on definitions and terminology of clinical nutrition', *Clinical Nutrition*, 36(1), pp. 49–64. doi: 10.1016/j.clnu.2016.09.004.
- Čepelak, I., Dodig, S. and Vučenik, I. (2020) 'Hyperferritinemia and COVID-19?', (December), pp. 17–25. doi: 10.21857/ygjwrcdv0y.
- Cervantes-pérez, E. *et al.* (2020) 'Medical Nutrition Therapy in Hospitalized Patients With SARS-CoV-2 (COVID-19) Infection in a Non-critical Care Setting : Knowledge in Progress', *Current Nutrition Reports*, 2, pp. 309–315. Available at: <https://doi.org/10.1007/s13668-020-00337-x>.
- Chen, N. *et al.* (2020) 'Epidemiological and clinical characteristics of 99 cases of 2019 novel coronavirus pneumonia in Wuhan, China: a descriptive study', *The Lancet*, 395(10223), pp. 507–513. doi: 10.1016/S0140-6736(20)30211-7.

- Cheng, L. *et al.* (2020) ‘Ferritin in the coronavirus disease 2019 (COVID-19): A systematic review and meta-analysis’, *J Clin Lab Anal*, (September), pp. 1–18. doi: 10.1002/jcla.23618.
- Childs, C. E. *et al.* (2019) ‘Diet and Immune Function’, *Nutrients*, pp. 1–9. doi: doi:10.3390/nu11081933.
- Chowdhury, M. A. *et al.* (2020) ‘Immune response in COVID-19: A review’, *Journal of Infection and Public Health*, pp. 1–11. doi: 10.1016/j.jiph.2020.07.001.
- Cronin, S. J. F. *et al.* (2019) ‘The Role of Iron Regulation in Immunometabolism and Immune-Related Disease’, *Frontiers in Molecular Biosciences*, 6(November). doi: 10.3389/fmolb.2019.00116.
- Dalamaga, M., Karampela, I. and Mantzoros, C. S. (2020) ‘Commentary : Could iron chelators prove to be useful as an adjunct to COVID-19 Treatment Regimens ?’, *Metabolism Clinical and Experimental*, 108, pp. 1–4. doi: 10.1016/j.metabol.2020.154260.
- Edeas, M., Saleh, J. and Peyssonnaud, C. (2020) ‘Iron: Innocent bystander or vicious culprit in COVID-19 pathogenesis?’, *International Journal of Infectious Diseases*, pp. 1–3. doi: 10.1016/j.ijid.2020.05.110.
- FAO and World Health Organization (1998) ‘Vitamin and mineral requirements in human nutrition Second edition’, *World Health Organization*, pp. 1–20. doi: 92 4 154612 3.
- Fernández-Quintela, A. *et al.* (2020) ‘Key Aspects in Nutritional Management of COVID-19 Patients’, *Journal of Clinical Medicine*, 9(8), p. 2589. doi: 10.3390/jcm9082589.
- Gomes, F. *et al.* (2017) ‘ESPEN guidelines on nutritional support for polymorbid internal medicine patients’, *Clinical Nutrition*, 30, pp. 1–18. doi: 10.1016/j.clnu.2017.06.025.
- Gómez-Pastoraa, J. *et al.* (2020) ‘Hyperferritinemia in critically ill COVID-19 patients – Is ferritin the product of inflammation or a pathogenic mediator?’, *Clinica Chimica Acta*, 509(Juni), pp. 249–251. doi: 10.1016/j.cca.2020.06.033.
- Grober, U. (2012) *Mikronutrient*. Bahasa Ind. Edited by J. I. Panggabean. Jakarta: EGC.

Gropper, S. S., Smith, J. L. and Carr, T. P. (2018) *ADVANCED NUTRITION AND HUMAN METABOLISM*. SEVENTH ED. United States of America: Cengage Learning. Available at: www.cengage.com.

Huang, I. et al (2020) ‘C-reactive protein, procalcitonin, D-dimer, and ferritin in severe coronavirus disease-2019 : a meta-analysis’, *Therapeutic Advances in Respiratory Disease*, 14, pp. 1–14. doi: 10.1177/https.

Iddir, M. et al. (2020) ‘Strengthening the immune system and reducing inflammation and oxidative stress through diet and nutrition: Considerations during the covid-19 crisis’, *Nutrients*, 12(6), pp. 1–39. doi: 10.3390/nu12061562.

Jayawardena, R. et al (2020) ‘Balanced diet is a major casualty in COVID-19’, *Diabetes & Metabolic Syndrome: Clinical Research & Reviews*, (January). doi: 10.1016/j.dsx.2020.07.001.

Jin, J. et al (2020) ‘Gender Differences in Patients With COVID-19 : Focus on Severity and Mortality’, 8(April), pp. 1–6. doi: 10.3389/fpubh.2020.00152.

Jothimani, D. et al. (2020) ‘COVID-19: Poor outcomes in patients with zinc deficiency’, *International Journal of Infectious Diseases*, 100, pp. 343–349. doi: 10.1016/j.ijid.2020.09.014.

Karacabey, K. (2012) ‘The Effect of Nutritional Elements on the Immune System’, *Journal of Obesity & Weight Loss Therapy*, 02(09). doi: 10.4172/2165-7904.1000152.

KEMENKES, R. (2020) ‘Nomor hk.01.07/menkes/413/2020 tentang pedoman pencegahan dan pengendalian’.

Khaled, M. B. and Benajiba, N. (2020) ‘The role of nutrition in strengthening immune system against newly emerging viral diseases: case of SARS-CoV-2’, *The North African Journal of Food and Nutrition Research*, 4(7), pp. 240–244. doi: 10.51745/najfnr.4.7.240-244.

KOMITE PENANGGULANGAN COVID-19 DAN PEMULIHAN EKONOMI NASIONAL (2021) *Satgas Penanganan Covid 19*. Available at: <https://covid19.go.id/peta-sebaran-covid19>.

Lee, S.-A. et al (2020) ‘The Association of Dietary Macronutrients with Lung Function in Healthy Adults Using the Ansan-Ansung Cohort Study’, *Nutrients*,

- pp. 1–13. doi: 10.3390/nu12092688.
- Li, G. *et al.* (2020) ‘Coronavirus infections and immune responses’, *Journal of Medical Virology*, 92(4), pp. 424–432. doi: 10.1002/jmv.25685.
- Li, G. *et al.* (2021) ‘Nutritional risk and therapy for severe and critical COVID-19 patients: A multicenter retrospective observational study’, *Clinical Nutrition*, 40(4), pp. 2154–2161. doi: 10.1016/j.clnu.2020.09.040.
- Lin, Z. *et al.* (2020) ‘Serum ferritin as an independent risk factor for severity in COVID-19 patients’, *Journal of Infection*, (January), pp. 670–673. Available at: <https://doi.org/10.1016/j.jinf.2020.06.053>.
- Liu, H. *et al.* (2021) ‘Malnutrition is associated with hyperinflammation and immunosuppression in COVID-19 patients: A prospective observational study’, *Nutrition in Clinical Practice*, pp. 1–9. doi: 10.1002/ncp.10679.
- Luo, X. *et al.* (2020) ‘Prognostic value of C-reactive protein in patients with COVID-19’, *Clin Infect Dis*. doi: 10.1093/cid/ciaa641.
- Maggini, S. *al.* (2018) ‘Immune Function and Micronutrient Requirements Change over the Life Course’, (Figure 1). doi: 10.3390/nu10101531.
- Mehta, P. *et al.* (2020) ‘COVID-19: consider cytokine storm syndromes and immunosuppression’, *The Lancet*, 395(10229), pp. 1033–1034. doi: 10.1016/S0140-6736(20)30628-0.
- Mehta, S. (2020) ‘Nutritional status and COVID-19 : an opportunity for lasting change ?’, pp. 19–22. doi: 10.7861/clinmed.2020-0187.
- Mentella, M. C. *et al.* (2021) ‘The role of nutrition in the covid-19 pandemic’, *Nutrients*, 13(4), pp. 1–13. doi: 10.3390/nu13041093.
- Merad, M. and Martin, J. C. (2020) ‘Pathological inflammation in patients with COVID-19: a key role for monocytes and macrophages’, *Nature Reviews Immunology*, 20(6), pp. 355–362. doi: 10.1038/s41577-020-0331-4.
- Nicolau, J. *et al.* (2021) ‘Clinical Nutrition ESPEN Influence of nutritional status on clinical outcomes among hospitalized patients with COVID-19’, *Elsevier*, 43, pp. 223–229. doi: 10.1016/j.clnesp.2021.04.013.
- Perricone, C. *et al.* (2020) ‘COVID-19 as part of the hyperferritinemic syndromes : the role of iron depletion therapy’, *Immunologic Research*, pp. 213–

224. Available at: <https://doi.org/10.1007/s12026-020-09145-5>.
- Pourbagheri-sigaroodi, A. *et al.* (2020) ‘Review Laboratory findings in COVID-19 diagnosis and prognosis’, *Clinica Chimica Acta journal*, 510(August), pp. 475–482. doi: 10.1016/j.cca.2020.08.019.
- Rasyid, H. *et al* (2021) ‘Impact of age to ferritin and neutrophil- - lymphocyte ratio as biomarkers for intensive care requirement and mortality risk in 19 patients in Makassar , Indonesia’, (December 2020), pp. 1–10. doi: 10.14814/phy2.14876.
- Rees, E. M. *et al* (2020) ‘COVID-19 length of hospital stay: A systematic review and data synthesis’, *BMC Medicine*, 18, pp. 1–20. doi: 10.1186/s12916-020-01726-3.
- Rosário, C. *et al.* (2013) ‘The Hyperferritinemic Syndrome : macrophage activation syndrome , Still ’ s disease , septic shock and catastrophic antiphospholipid syndrome’, *BMC Medicine*, pp. 1–11. Available at: <http://www.biomedcentral.com/1741-7015/11/185>.
- Rothan, H. A. and Byrareddy, S. N. (2020) ‘The epidemeology and pathogenesis of coronavirus (Covid-19) outbreak’, *Journal of Autoimmunity*, 109(January), pp. 1–4.
- Scoditti, E. *et al* (2019) ‘Role of Diet in Chronic Obstructive Pulmonary Disease Prevention and Treatment’, *Nutrients*, pp. 1–32.
- Skalny, A. V. *et al.* (2020) ‘Zinc and respiratory tract infections: Perspectives for CoviD’19 (Review)’, *International Journal of Molecular Medicine*, 46(1), pp. 17–26. doi: 10.3892/ijmm.2020.4575.
- Spagnolo, P. A. *et al* (2020) ‘IDEAS AND OPINIONS Sex and Gender Differences in Health : What the COVID-19 Pandemic’, (May), pp. 8–10. doi: 10.7326/M20-1941.
- Taneri, P. E. *et al.* (2020) ‘Anemia and iron metabolism in COVID-19: a systematic review and meta-analysis’, *European Journal of Epidemiology*, 35(8), pp. 763–773. doi: 10.1007/s10654-020-00678-5.
- Tang, W. *et al.* (2021) ‘Nutritional status of protein intake in severe pneumonia patients based on dietary nutrition information system’, *Journal of Infection and Public Health*, 14(1), pp. 66–70. doi: 10.1016/j.jiph.2019.07.016.

- Taslim, N. A. *et al.* (2020) 'Panduan Praktis Penatalaksanaan Nutrisi COVID-19', *Perhimpunan Dokter Spesial Gizi Klinik Indonesia*, 1, pp. 1–35.
- Tay, M. Z. *et al.* (2020) 'The trinity of COVID-19: immunity, inflammation and intervention', *Nature Reviews Immunology*, 20(6), pp. 363–374. doi: 10.1038/s41577-020-0311-8.
- Wang, D. *et al.* (2020) 'Clinical Characteristics of 138 Hospitalized Patients with 2019 Novel Coronavirus-Infected Pneumonia in Wuhan, China', *JAMA - Journal of the American Medical Association*, 323(11), pp. 1061–1069. doi: 10.1001/jama.2020.1585.
- WHO (2020) *Clinical management of COVID-19*. Available at: [https://www.who.int/publications/i/item/clinical-management-of-severe-acute-respiratory-infection-when-novel-coronavirus-\(ncov\)-infection-is-suspected](https://www.who.int/publications/i/item/clinical-management-of-severe-acute-respiratory-infection-when-novel-coronavirus-(ncov)-infection-is-suspected).
- Wiersinga, W. J. *et al.* (2020) 'Pathophysiology, Transmission, Diagnosis, and Treatment of Coronavirus Disease 2019 (COVID-19): A Review.', *Jama*, 2019, pp. 1–13. doi: 10.1001/jama.2020.12839.
- World Health Organization (WHO) (2021) *WHO CORONA VIRUS DISEASE (COVID-19) DASHBOARD*.
- Ye, K. *et al.* (2020) 'Does Serum Vitamin D Level Affect COVID-19 Infection and Its Severity?-A Case-Control Study', *Journal of the American College of Nutrition*, 0(0), pp. 1–8. doi: 10.1080/07315724.2020.1826005.
- Yuki, K. *et al.* (2020) 'Review Article COVID-19 pathophysiology: A review', *Clinical Immunology*, 215(January), pp. 1–8. Available at: <https://doi.org/10.1016/j.clim.2020.108427>.
- Zhao, K. *et al.* (2020) 'Serum Iron Level as a Potential Predictor of Coronavirus Disease 2019 Severity and Mortality : A Retrospective Study', *Open Forum Infection Diseases*, (3), pp. 1–8. doi: 10.1093/ofid/ofaa250.