

DAFTAR PUSTAKA

- Alam, S. *et al.* (2021) 'Prospects of nutritional interventions in the care of COVID-19 patients', *Heliyon*, 7(2), p. e06285. doi: 10.1016/j.heliyon.2021.e06285.
- Allard, L. *et al.* (2020) 'Malnutrition: Percentage and Association with Prognosis in Patients Hospitalized for Coronavirus Disease 2019', *Nutrients*, 12(12), p. 3679. doi: 10.3390/nu12123679.
- Barazzoni, R. *et al.* (2020) 'ESPEN expert statements and practical guidance for nutritional management of individuals with SARS-CoV-2 infection', *Clinical Nutrition*, 39(6), pp. 1631–1638. doi: 10.1016/j.clnu.2020.03.022.
- Bedock, D. *et al.* (2020) 'Prevalence and severity of malnutrition in hospitalized COVID-19 patients', *Clinical Nutrition ESPEN*, 40, pp. 214–219. doi: 10.1016/j.clnesp.2020.09.018.
- Bennasrallah, C. *et al.* (2021) 'Factors associated with a prolonged negative conversion of viral RNA in patients with COVID-19', *International Journal of Infectious Diseases*. International Society for Infectious Diseases, 105, pp. 463–469. doi: 10.1016/j.ijid.2021.02.089.
- Bhattacharya, A. *et al.* (2019) 'Assessment of nutritional status using anthropometric variables by multivariate analysis', *BMC Public Health*. BMC Public Health, 19(1), p. 1045. doi: 10.1186/s12889-019-7372-2.
- Burhan, E. *et al.* (2020) *PEDOMAN TATALAKSANA COVID-19 Edisi 3*. 3rd edn. Jakarta: PDPI, PAPDI, PERKI, PERDATIN, IDAI.
- Calder, P. C. *et al.* (2020) 'Reply to "Comment on: Optimal Nutritional Status for a Well-Functioning Immune System Is an Important Factor to Protect against Viral Infections. Nutrients 2020, 12, 1181"', *Nutrients*, 12(8), p. 2326. doi: 10.3390/nu12082326.
- Cervantes-Pérez, E. *et al.* (2020) 'Medical Nutrition Therapy in Hospitalized Patients With SARS-CoV-2 (COVID-19) Infection in a Non-critical Care Setting: Knowledge in Progress', *Current Nutrition Reports*. Current Nutrition Reports, 9(4), pp. 309–315. doi: 10.1007/s13668-020-00337-x.
- Chen, N. *et al.* (2020) 'Epidemiological and clinical characteristics of 99 cases of 2019 novel coronavirus pneumonia in Wuhan, China: a descriptive study', *The Lancet*. Elsevier Ltd, 395(10223), pp. 507–513. doi: 10.1016/S0140-6736(20)30211-7.
- Cheserek, M. *et al.* (2012) 'Anthropometric characteristics and nutritional status of

- older adults in the Lake Victoria Basin of East Africa: region, sex, and age differences', *South African Journal of Clinical Nutrition*, 25(2), pp. 67–72. doi: 10.1080/16070658.2012.11734408.
- Clemente-Suárez, V. J. *et al.* (2021) 'Nutrition in the Actual COVID-19 Pandemic. A Narrative Review', *Nutrients*, 13(6), p. 1924. doi: 10.3390/nu13061924.
- Collins, S., Duffield, A. and Myatt, M. (2000) *Assessment of nutritional status of adults in emergency-affected populations*, Secretariat of the UN ACC/Sub-Committee on Nutrition. SWITZERLAND. Available at: <http://acc.unsystem.org/scn/>.
- Das, P. *et al.* (2018) 'The validity of mid-upper arm circumference as an indicator of low BMI in population screening for undernutrition: a study among adult slum dwellers in eastern India', *Public Health Nutrition*, 21(14), pp. 2575–2583. doi: 10.1017/S1368980018001301.
- Davenport, L. and Nainggolan, L. (2020) 'Obesity link to severe COVID-19, especially in the under 60s'. Available at: <https://www.medscape.com/viewarticle/928836>.
- Duren, D. L. *et al.* (2008) 'Body Composition Methods: Comparisons and Interpretation', *Journal of Diabetes Science and Technology*, 2(6), pp. 1139–1146. doi: 10.1177/193229680800200623.
- Fernández-Quintela, A. *et al.* (2020) 'Key Aspects in Nutritional Management of COVID-19 Patients', *Journal of Clinical Medicine*, 9(8), p. 2589. doi: 10.3390/jcm9082589.
- Fiorindi, C. *et al.* (2021) 'Prevalence of nutritional risk and malnutrition during and after hospitalization for COVID-19 infection: Preliminary results of a single-centre experience', *Clinical Nutrition ESPEN*. Elsevier Ltd, 45, pp. 351–355. doi: 10.1016/j.clnesp.2021.07.020.
- Garnes, S. dos A. *et al.* (2021) 'Nutritional Management of Critically Ill Patients Infected with SARS-CoV-2', *International Journal of Nutrology*, 14(01), pp. 002–005. doi: 10.1055/s-0041-1726058.
- Huang, C. *et al.* (2020) 'Clinical features of patients infected with 2019 novel coronavirus in Wuhan, China', *The Lancet*, 395(10223), pp. 497–506. doi: 10.1016/S0140-6736(20)30183-5.
- Iddir, M. *et al.* (2020) 'Strengthening the Immune System and Reducing Inflammation and Oxidative Stress through Diet and Nutrition: Considerations during the COVID-19 Crisis', *Nutrients*, 12(6), p. 1562. doi: 10.3390/nu12061562.
- Im, J. H. *et al.* (2020) 'Nutritional status of patients with COVID-19', *International Journal of Infectious Diseases*. International Society for Infectious Diseases,

100, pp. 390–393. doi: 10.1016/j.ijid.2020.08.018.

Iovinelli, G. *et al.* (2007) ‘Parenteral nutrition in ventilated patients with chronic obstructive pulmonary disease: long chain medium chain triglycerides’, 73, pp. 65–76.

Ismail, M. and CL., T. (2000) *Prevalence of obesity in Malaysia. In: The Asia-Pacific perspective: redefining obesity and its treatment, Geneva, Switzerland: World Health Organization.* doi: 0-9577082-1-1.

James, P. T. *et al.* (2020) ‘Could nutrition modulate COVID-19 susceptibility and severity of disease? A systematic review’, *medRxiv*, pp. 1–13. doi: 10.1101/2020.10.19.20214395.

Jones, J. M. (2017) *Nutritional screening and assessment tools, ESPEN LLL Program.*

Kaegi-Braun, N. *et al.* (2021) ‘Evaluation of Nutritional Support and In-Hospital Mortality in Patients with Malnutrition’, *JAMA Network Open*, 4(1), p. e2033433. doi: 10.1001/jamanetworkopen.2020.33433.

Kang, S.-J. and Jung, S. I. (2020) ‘Age-Related Morbidity and Mortality among Patients with COVID-19’, *Infection & Chemotherapy*, 52(2), p. 154. doi: 10.3947/ic.2020.52.2.154.

KPC PEN (2021) *KOMITE PENANGGULANGAN COVID-19 DAN PEMULIHAN EKONOMI NASIONAL, SATGAS PENANGANAN COVID-19.* Available at: <https://covid19.go.id/peta-sebaran-covid19>.

Kuriyan, R. (2018) ‘Body composition techniques’, *Indian Journal of Medical Research*, 148(5), p. 648. doi: 10.4103/ijmr.IJMR_1777_18.

Lechien, J. R. *et al.* (2020) ‘Clinical and epidemiological characteristics of 1420 European patients with mild-to-moderate coronavirus disease 2019’, *Journal of Internal Medicine*, 288(3), pp. 335–344. doi: 10.1111/joim.13089.

Li, Geng *et al.* (2020) ‘Coronavirus infections and immune responses’, *Journal of Medical Virology*, 92(4), pp. 424–432. doi: 10.1002/jmv.25685.

Li, Gang *et al.* (2020) ‘Nutritional risk and therapy for severe and critical COVID-19 patients: A multicenter retrospective observational study’, *Clinical Nutrition.* Elsevier Ltd, (xxxx). doi: 10.1016/j.clnu.2020.09.040.

Li, T. *et al.* (2021) ‘Duration of SARS-CoV-2 RNA shedding and factors associated with prolonged viral shedding in patients with COVID-19’, *Journal of Medical Virology.* John Wiley & Sons, Ltd, 93(1), pp. 506–512. doi: 10.1002/jmv.26280.

Lim, J. U. *et al.* (2017) ‘COMPARISON OF WORLD HEALTH ORGANIZATION AND ASIA-PACIFIC BODY MASS INDEX

- CLASSIFICATIONS IN COPD PATIENT', *Respirology*, 22, pp. 4–4. doi: 10.1111/resp.13206.
- Lim, S. *et al.* (2021) 'COVID-19 and diabetes mellitus: from pathophysiology to clinical management', *Nature Reviews Endocrinology*. Springer US, 17(1), pp. 11–30. doi: 10.1038/s41574-020-00435-4.
- Liu, J. *et al.* (2020) 'Clinical outcomes of COVID-19 in Wuhan, China: a large cohort study', *Annals of Intensive Care*. Springer International Publishing, 10(1), p. 99. doi: 10.1186/s13613-020-00706-3.
- Ludwig, M. *et al.* (2021) 'Clinical outcomes and characteristics of patients hospitalized for Influenza or COVID-19 in Germany', *International Journal of Infectious Diseases*. International Society for Infectious Diseases, 103, pp. 316–322. doi: 10.1016/j.ijid.2020.11.204.
- Mahase, E. (2020) 'Covid-19: Why are age and obesity risk factors for serious disease?', *BMJ*, 371, p. m4130. doi: 10.1136/bmj.m4130.
- Mehta, P. *et al.* (2020) 'COVID-19: consider cytokine storm syndromes and immunosuppression', *The Lancet*. Elsevier Ltd, 395(10229), pp. 1033–1034. doi: 10.1016/S0140-6736(20)30628-0.
- Morais, A. H. de A. *et al.* (2020) 'Nutritional status, diet and viral respiratory infections: perspectives for severe acute respiratory syndrome coronavirus 2', *British Journal of Nutrition*, pp. 1–12. doi: 10.1017/S0007114520003311.
- Moriconi, D. *et al.* (2020) 'Obesity prolongs the hospital stay in patients affected by COVID-19, and may impact on SARS-COV-2 shedding', *Obesity Research & Clinical Practice*. Asia Oceania Assoc. for the Study of Obesity, 14(3), pp. 205–209. doi: 10.1016/j.orcp.2020.05.009.
- MOTULSKY, A. G. (1990) 'Diet and health: implications for reducing chronic disease risk', *Choice Reviews Online*. National Academy of Sciences, 27(06), pp. 27-3332-27–3332. doi: 10.5860/CHOICE.27-3332.
- Nicolau, J. *et al.* (2021) 'Influence of nutritional status on clinical outcomes among hospitalized patients with COVID-19', *Clinical Nutrition ESPEN*, 43(January), pp. 223–229. doi: 10.1016/j.clnesp.2021.04.013.
- PDGKI (2019) *PEDOMAN NASIONAL PELAYANAN KEDOKTERAN TATALAKSANA MALNUTRISI DEWASA*, Kementerian Kesehatan Republik Indonesia.
- Pekmezci, A. G. *et al.* (2018) 'Daily energy and protein intake in hospitalized patients in department of infectious diseases: A prospective observational study', *Progress in Nutrition*, 20(February 2020), pp. 98–105. doi: 10.23751/pn.v20i2-S.5448.

- Perhimpunan Dokter Paru Indonesia (PDPI) (2020) *PNEUMONIA COVID-19, DIAGNOSIS DAN PENATALAKSANAAN DI INDONESIA*. Edited by E. Burhan et al. Jakarta: Perhimpunan Dokter Paru Indonesia.
- Pugliese, G. *et al.* (2020) ‘Is diabetes mellitus a risk factor for COroNaVirus Disease 19 (COVID-19)?’, *Acta Diabetologica*. Springer Milan, 57(11), pp. 1275–1285. doi: 10.1007/s00592-020-01586-6.
- Rees, E. M. *et al.* (2020) ‘COVID-19 length of hospital stay: a systematic review and data synthesis’, *BMC Medicine*. BMC Medicine, 18(1), p. 270. doi: 10.1186/s12916-020-01726-3.
- Roth, G. A. *et al.* (2021) ‘Trends in Patient Characteristics and COVID-19 In-Hospital Mortality in the United States During the COVID-19 Pandemic’, *JAMA Network Open*, 4(5), p. e218828. doi: 10.1001/jamanetworkopen.2021.8828.
- Rothan, H. A. and Byrareddy, S. N. (2020) ‘The epidemiology and pathogenesis of coronavirus disease (COVID-19) outbreak’, *Journal of Autoimmunity*, 109(January), p. 102433. doi: 10.1016/j.jaut.2020.102433.
- Sauer, A. C. *et al.* (2018) ‘Assessing the impact of nutrition interventions on health and nutrition outcomes of community-dwelling adults: a systematic review’, *Nutrition and Dietary Supplements*, Volume 10, pp. 45–57. doi: 10.2147/NDS.S177248.
- Shah, S. J. *et al.* (2020) ‘Clinical features, diagnostics, and outcomes of patients presenting with acute respiratory illness: A retrospective cohort study of patients with and without COVID-19’, *EClinicalMedicine*, 27, p. 100518. doi: 10.1016/j.eclinm.2020.100518.
- Shi, H. *et al.* (2020) ‘Radiological findings from 81 patients with COVID-19 pneumonia in Wuhan, China: a descriptive study’, *The Lancet Infectious Diseases*. Elsevier Ltd, 20(4), pp. 425–434. doi: 10.1016/S1473-3099(20)30086-4.
- Silverio, R. *et al.* (2020) ‘Coronavirus Disease 2019 (COVID-19) and Nutritional Status: The Missing Link?’, *Advances in Nutrition*. Oxford University Press, 2019, pp. 1–11. doi: 10.1093/advances/nmaa125.
- Simonnet, A. *et al.* (2020) ‘High Prevalence of Obesity in Severe Acute Respiratory Syndrome Coronavirus-2 (SARS-CoV-2) Requiring Invasive Mechanical Ventilation’, *Obesity*, 28(7), pp. 1195–1199. doi: 10.1002/oby.22831.
- Spagnolo, P. A., Manson, J. E. and Joffe, H. (2020) ‘Sex and Gender Differences in Health: What the COVID-19 Pandemic Can Teach Us’, *Annals of Internal Medicine*, 173(5), pp. 385–386. doi: 10.7326/M20-1941.
- Suresh, S. *et al.* (2021) ‘Association of obesity with illness severity in hospitalized

- patients with COVID-19: A retrospective cohort study', *Obesity Research & Clinical Practice*. Asia Oceania Assoc. for the Study of Obesity, 15(2), pp. 172–176. doi: 10.1016/j.orcp.2021.02.006.
- Tamara, A. and Tahapary, D. L. (2020) 'Obesity as a predictor for a poor prognosis of COVID-19: A systematic review', *Diabetes & Metabolic Syndrome: Clinical Research & Reviews*. Elsevier Ltd, 14(4), pp. 655–659. doi: 10.1016/j.dsx.2020.05.020.
- Taslim, N. A. *et al.* (2020) 'Panduan Praktis Penatalaksanaan Nutrisi COVID-19', *Perhimpunan Dokter Spesialis Gizi Klinik Indonesia*, pp. 1–51.
- Varghese, G. *et al.* (2020) 'Clinical management of COVID-19', *Indian Journal of Medical Research*, 151(5), p. 401. doi: 10.4103/ijmr.IJMR_957_20.
- Wang, L. *et al.* (2020) 'Review of the 2019 novel coronavirus (SARS-CoV-2) based on current evidence', *International Journal of Antimicrobial Agents*, 55(6), p. 105948. doi: 10.1016/j.ijantimicag.2020.105948.
- Wang, X. *et al.* (2021) 'Risk Factors for COVID-19 in Patients with Hypertension', *Canadian Journal of Infectious Diseases and Medical Microbiology*. Edited by M. Arabi, 2021, pp. 1–9. doi: 10.1155/2021/5515941.
- WHO (2020) 'Q&A on coronaviruses (COVID-19)', *Who*, pp. 1–15. Available at: <https://www.who.int/news-room/q-a-detail/q-a-coronaviruses>.
- WHO (2021) *WHO CORONA VIRUS DISEASE (COVID-19) DASHBOARD*. Available at: <https://covid19.who.int> (Accessed: 14 February 2021).
- Wiersinga, W Joost *et al.* (2020) 'Pathophysiology, Transmission, Diagnosis, and Treatment of Coronavirus Disease 2019 (COVID-19): A Review.', *Jama*, 2019, pp. 1–13. doi: 10.1001/jama.2020.12839.
- Wiersinga, W. Joost *et al.* (2020) 'Pathophysiology, Transmission, Diagnosis, and Treatment of Coronavirus Disease 2019 (COVID-19): A Review', *JAMA - Journal of the American Medical Association*, 324(8), pp. 782–793. doi: 10.1001/jama.2020.12839.
- Yu, Y. *et al.* (2021) 'Erratum to: Malnutrition Prolongs the Hospitalization of Patients with COVID-19 Infection: A Clinical Epidemiological Analysis', *The journal of nutrition, health & aging*, 25(3), pp. 369–373. doi: 10.1007/s12603-021-1600-z.
- Yue, X. *et al.* (2020) 'Nutritional Support and Clinical Outcome of Severe and Critical Patients With COVID-19 Pneumonia', *Frontiers in Nutrition*, 7(November), pp. 1–7. doi: 10.3389/fnut.2020.581679.
- Zhou, F. *et al.* (2020) 'Clinical course and risk factors for mortality of adult inpatients with COVID-19 in Wuhan, China: a retrospective cohort study',

The Lancet. Elsevier Ltd, 395(10229), pp. 1054–1062. doi: 10.1016/S0140-6736(20)30566-3.

Zhu, Y. *et al.* (2020) ‘Mid-upper arm circumference as a simple tool for identifying central obesity and insulin resistance in type 2 diabetes’, *PLoS ONE*, 15(5), pp. 1–13. doi: 10.1371/journal.pone.0231308.