

DAFTAR PUSTAKA

- Aldizal Mahendra Rizkio Syamsudin, R., Perdana, F., Suci Mutiaz, F., Galuh, V., Putri Ayu Rina, A., Dwi Cahyani, N., Aprilya, S., Yanti, R., & Khendri, F. (2019). Temulawak Plant (*Curcuma xanthorrhiza* Roxb) as a Ttraditional Medicine. *Jurnal Ilmiah Farmako Bahari*, 10, 51–65.
- Allegra, A., Innao, V., Russo, S., Gerace, D., Alonci, A., & Musolino, C. (2017). Anticancer Activity of Curcumin and Its Analogues: Preclinical and Clinical Studies. *Cancer Investigation*, 35(1), 1–22. <https://doi.org/10.1080/07357907.2016.1247166>
- Amalraj, A., Pius, A., Gopi, S., & Gopi, S. (2017). Biological activities of curcuminoids, other biomolecules from turmeric and their derivatives – A review. *Journal of Traditional and Complementary Medicine*, 7(2), 205–233. <https://doi.org/10.1016/j.jtcme.2016.05.005>
- Anonim. (1995). *Farmakope Indonesia, Edisi IV*. Departemen Kesehatan Republik Indonesia.
- Balaydın, H. T. (2012). O -Acetylation : synthesis of acetylated phenols from aryl-methyl ethers over boron alkoxides. *Journa of Chemical Research*, 12, 238–240.
- Barret, R. (2018). Medical Chemistry. In *ISTE Press Ltd*. ISTE Press Ltd.
- Cahyono, B., Ariani, J., Failasufa, H., Suzery, M., & Susanti, S. (2019). Extraction of Homologous Compounds of Curcuminoid Isolated from Temulawak (*Curcuma xanthorrhiza* Roxb .) Plant. *Rasayan J. Chem*, 12(1), 7–13.
- Chaurasia, G. (2016). A review on pharmaceutical preformulation studies in formulation. *International Journal Od Pharmaceutical Sciences and Research*, 7(6), 2313–2320. [https://doi.org/10.13040/IJPSR.0975-8232.7\(6\).2313-20](https://doi.org/10.13040/IJPSR.0975-8232.7(6).2313-20)
- Dalimartha, S. (2006). *Atlas Tumbuhan Obat Indonesia Jilid 2*. Katalog Dalam Terbitan (KDT).
- Ertl, P., Rohde, B., & Selzer, P. (2000). Fast calculation of molecular polar surface area as a sum of fragment-based contributions and its application to the prediction of drug transport properties. *Journal of Medicinal Chemistry*, 43(20), 3714–3717. <https://doi.org/10.1021/jm000942e>
- Fadhlurrahma, A., Saepudin, E., & Rahayu, D. U. C. (2020). Acetylation of curcuminoids extract from Turmeric Rhizomes (*Curcuma longa*) as antibacterial compounds against *S. aureus* and *E. coli*. *IOP Conference Series: Materials Science and Engineering*, 902(1).

- Gandjar, I. G. A. R. (2007). *Kimia Farmasi Analisis*. Pustaka Pelajar.
- Hansch, C., Bjorkroth, J. P., & Leo, A. (1987). Pharmaceutical sciences. *Pharmaceutical Sciences*, 76(9), 663–687. <https://doi.org/10.15171/PS.2016.01>
- Hu, Jin-feng, Garo, E., Hough, G. W., Goering, M. G., Neil-johnson, M. O., & Eldridge, G. R. (2006). Antibacterial , Partially Acetylated Oligorhamnosides from *Cleistopholis patens*. *American Chemical Society and American Society of Pharmacognosy Published*, 585–590.
- Hu, Jingjing, Su, Y., Zhang, H., Xu, T., & Cheng, Y. (2011). Biomaterials Design of interior-functionalized fully acetylated dendrimers for anticancer drug delivery. *Biomaterials*, 32(36), 9950–9959. <https://doi.org/10.1016/j.biomaterials.2011.09.016>
- Indira Priyadarsini, K. (2013). Chemical and Structural Features Influencing the Biological Activity of Curcumin. *Current Pharmaceutical Design*, 19(11), 2093–2100. <https://doi.org/10.2174/1381612811319110010>
- Kaur, A., Prasad, D. N., Dua, J. S., Menra, M., & Sharma, N. (2016). Aspects of Solubilisation: A Review. *World Journal of Pharmaceutical Research*, 5(6), 741–758. <https://doi.org/10.20959/wjpr20166-6374>
- Kumar, P., Desu, P. K., Vaishnavi, G., Divya, K., Lakshmi, U., & Kumar, D. P. (2015). An Overview on Preformulation Studies. *Indo American Journal of Pharmaceutical Sciences*, 2(10), 1399–1407.
- Larsson, J. (2009). dissolution rate of sparingly soluble drugs Methods for measurement of solubility and dissolution rate of sparingly soluble drugs. *LTH, Lunds Unversitet 2009-10-05*.
- Lee, W., Loo, C., Bebawy, M., Luk, F., & Mason, R. S. (2013). *Curcumin and its Derivatives: Their Application in Neuropharmacology and Neuroscience in the 21 st Century*. 338–378.
- Mohrig, J. R., Alberg, D. G., Hofmeister, G. E., & Schatz, P. F. (1918). Laboratory Guide in Organic Chemistry. In *Medical Journal of Australia* (Fourth Edi, Vol. 1, Issue 8). <https://doi.org/10.5694/j.1326-5377.1918.tb11345.x>
- Musyarrofah, L., Saepudina), E., & Rahayu, D. U. C. (2020). *Acetylation of curcumin from turmeric rhizome (Curcuma longa) with Ni / SiO 2 and pyridine catalyts and its antibacterial activity Acetylation of Curcumin from Turmeric Rhizome (Curcuma longa) with Ni / SiO 2 and Pyridine Catalyts and. 040037*.
- Nihayati, E. (2016). *Peningkatan Produksi dan Kadar Kurkumin Temulawak*. UB Press.
- Owen, T. (1996). Fundamentals of modern UV-visible spectroscopy. *Hewlett-*

Packard Company,

- Pajouhesh, H., & Lenz, G. R. (2005). Medicinal chemical properties of successful central nervous system drugs. *NeuroRx*, 2(4), 541–553. <https://doi.org/10.1602/neurorx.2.4.541>
- Priyadarsini, K. I. (2014). The chemistry of curcumin: From extraction to therapeutic agent. *Molecules*, 19(12), 20091–20112. <https://doi.org/10.3390/molecules191220091>
- Said, A. (2007). *Khasiat dan Manfaat Temulawak*. Jakarta Sinar Wadja Lestari.
- Seshadri, A., Anantha, B., Kim, S., & Kim, J. (2019). European Journal of Pharmaceutics and Biopharmaceutics Synthesis and characterization of acetyl curcumin-loaded core / shell liposome nanoparticles via an electrospray process for drug delivery , and theranostic applications. *European Journal of Pharmaceutics and Biopharmaceutics*, 142(July), 518–530. <https://doi.org/10.1016/j.ejpb.2019.07.024>
- Shityakov, S. W. N. T. D. (2013). Analyzing Molecular Polar Surface Descriptors to Predict Blood-Brain Barrier Permeation . *International Journal of Computational Biology and Drug Design*, 6(February 2013). <https://doi.org/10.1504/IJCBDD.2013.052195>