

DAFTAR PUSTAKA

1. Akakpo-Numado GK, Boume MA, Balaka B. 2015. Anorectal Traumas in Children. *Neonatology & Clinical Pediatrics*, 2(1), pp.1-5.
2. Andia I, Nicola Maffulli & Natalia Burgos-Alonso. 2019. Stromal Vascular Fraction Technologies and Clinical Applications. DOI: 10.1080/14712598.2019.1671970
3. Bansal H, et al. 2017. Intra-articular injection in the knee of adipose derived stromal cells (stromal vascular fraction) and platelet rich plasma for osteoarthritis. *J Transl Med*. 2017 Jun 19;15(1):141. DOI: 10.1186/s12967-017-1242-4. PMID: 28629466; PMCID: PMC5477422.
4. Beasley, S. 2009. Paediatric Surgery. 2nd ed. London: Hodder Arnold, p.239-240.
5. Berlanga-Acosta, et al. 2011. Epidermal Growth Factor (EGF) and Platelet-Derived Growth Factor (PDGF) as Tissue Healing Agents: Clarifying Concerns about their Possible Role in Malignant Transformation and Tumor Progression'. *Journal of Carcinogenesis & Mutagenesis*. 02(01) DOI: 10.4172/2157-2518.1000115.
6. Berlanga-Acosta et al. 2020. Epidermal Growth Factor in Healing Diabetic Foot Ulcers: From Gene Expression to Tissue Healing and

- Systemic Biomarker Circulation. *MEDICC Review*, 22(3), 24. DOI: 10.37757/mr2020.v22.n3.7
7. Bertrand-Duchesne D, Gagnon G. Epidermal growth factor released from platelet rich plasma promotes endothelial cell proliferation in vitro. 2009. *J Periodont Res* 2010; 45: 87–93. DOI:10.1111/j.1600-0765.2009.01205.x
 8. Black CT, et al. 1982. Anorectal trauma in children. *Journal of Pediatric Surgery*. Vol 17(5). Texas. Grune & Stratton Inc. pp 501-504
 9. Brisinda, G. et al. 2009. Surgical treatment of anal stenosis', *World Journal of Gastroenterology*, 15(16), pp. 1921–1928. DOI: 10.3748/wjg.15.1921.
 10. Chae, D. S. et al. 2017. Stomal vascular fraction shows robust wound healing through high chemotactic and epithelialization property', *Cytotherapy*, 19(4), pp. 543–554. DOI: 10.1016/j.jcyt.2017.01.006.
 11. Clemens, M. S., Peace, K. M. and Yi, F. 2018. Rectal Trauma: Evidence-Based Practices', *Clinics in Colon and Rectal Surgery*, 31(1), pp. 17–23. DOI: 10.1055/s-0037-1602182.
 12. Comella, K., Ikudayisi, D. (2018). Injection of Stromal Vascular Fraction Plus Platelet-Rich Plasma in a Non-Healing Decubitus Ulcer. *Journal Of Medical Cases*, 9(10), 323-327. DOI: 10.14740/jmc3128w

13. Darinskas, A. et al. 2017. 'Stromal vascular fraction cells for the treatment of critical limb ischemia: a pilot study,' *Journal of translational medicine*. England, 15(1), p. 143. DOI: 10.1186/s12967-017-1243-3
14. Demetriades D, et al. 2017. Colon and rectal trauma. Moore EE, Feliciano DV, Mattox KL. Mc Graw Hill. New York. In Trauma 8th edition. P 639-643
15. Demidova-Rice, TN., Hamblin, M. R. and Herman, I. M. 2012. Acute and impaired wound healing: Pathophysiology and current methods for drug delivery, part 2: Role of growth factors in normal and pathological wound healing: Therapeutic potential and methods of delivery', *Advances in Skin and Wound Care*, 25(8), pp. 349–370. DOI: 10.1097/01.ASW.0000418541.31366.a3.
16. Ehrenpreis ED, et al. 2012. Anal and rectal diseases. London. Springer. P3-10
17. Gimble, J. M., et al. 2007. Adipose-derived stem cells for regenerative medicine.', *Circulation research*. United States, 100(9), pp. 1249–1260. DOI: 10.1161/01.RES.0000265074.83288.09
18. Hardwicke, J. et al. 2008. Epidermal growth factor therapy and wound healing - Past, present and future perspectives', *Surgeon*, 6(3), pp. 172–177. DOI: 10.1016/S1479-666X(08)80114-X.

- 19.Herreros, M. D. et al. 2019. Stem cell therapy: A compassionate use program in perianal fistula', *Stem Cells International*, 2019(March 2018). DOI: 10.1155/2019/6132340.
- 20.Hosseini Mansoub, N., Gürdal, M., Karadadaş, E., Kabadayı, H., Vatansever, S., & Ercan, G. 2017. The role of PRP and adipose tissue-derived keratinocytes on burn wound healing in diabetic rats. *Bioimpacts*, 8(1), 5-12. DOI: 10.15171/bi.2018.02
- 21.l'Hortet AC, et al. 2012. EGFR: a masterpiece in G1/S Phase transition of Liver Regeneration. *International Journal of Hepatology* Volume 2012, Article ID 476910, 9 pages DOI:10.1155/2012/476910
- 22.Iizuka, M. et al. 2011. Wound healing of intestinal epithelial cells, *World Journal of Gastroenterology*, 17(17), pp. 2161–2171. DOI: 10.3748/wjg.v17.i17.2161.
- 23.Jackson, C.J., et al. 2017. Cultured epidermal stem cells in regenerative medicine. *Stem Cell Res Ther* 8, 155
<https://DOI.org/10.1186/s13287-017-0587-1>
- 24.Josh, F. et al. 2012. Accelerated and Safe Proliferation of Human Adipose-derived Stem Cells in Medium Supplemented with Human Serum', *Journal of Nippon Medical School*, 79(6), pp. 444–452.
DOI: 10.1272/jnms.79.444.

- 25.Josh F, et al., 2013. *Concentration of PDGF-AB, BB and TGF- β 1 as Valuable Human Serum Parameters in Adipose-derived Stem Cell Proliferation.* Tokyo, Japan. J Nippon Med (80): pp. 140-147.
- 26.Josh, F., Soekamto, T., & Faruk, M. 2021. Autologous stromal vascular fraction cells combined with platelet-rich plasma for androgenic alopecia treatment: a case series. *F1000research*, 10, 408. DOI: 10.12688/f1000research.52712.1
- 27.Kukreja AN. 2013. Anorectal Surgery. New Delhi. Jaypee Medical Publishers. P16-35
- 28.Lai, F. et al. 2018. Platelet-rich plasma enhances the proliferation of human adipose stem cells through multiple signaling pathways', *Stem Cell Research and Therapy*, 9(1), pp. 1–10. DOI: 10.1186/s13287-018-0851-z.
- 29.Langley, J. et al. 2004. What is an injury?', *Injury Prevention*, 10(2), pp. 69–71. DOI: 10.1136/ip.2003.003715.
- 30.Liao, H. T., Marra, K. G. and Rubin, J. P. 2014. Application of platelet-rich plasma and platelet-rich fibrin in fat grafting: Basic science and literature review', *Tissue Engineering - Part B: Reviews*, 20(4), pp. 267–276. DOI: 10.1089/ten.teb.2013.0317.
- 31.Maehiro K, Watanabe S, Hirose M, et al. 1997. Effects of epidermal growth factor and insulin on migration and proliferation of primary cultured rabbit gastric epithelial cells. *Journal of Gastroenterology*. 1997 Oct;32(5):573-578. DOI: 10.1007/bf02934104.

- 32.Mahan ME, et al. 2020. Rectal Trauma. Treasure Island (FL): StatPearls Publishing. P1-12
- 33.Nance M, et al. 2014. 'Trauma epidemiology, scoring and triage systems and injury prevention'. Operative pediatric surgery. 2nd edition. New York. Mc Graw Hill. p1029-1041.
- 34.Oda, K. et al. 2005. A comprehensive pathway map of epidermal growth factor receptor signaling. *Molecular systems biology*, 1. DOI: 10.1038/msb4100014.
- 35.Oliveira LC. 2020. Anorectal Physiology. Brazil. Springer. P 1-22
- 36.Ramakrishnan, V. M. and Boyd, N. L. 2018. The Adipose Stromal Vascular Fraction as a Complex Cellular Source for Tissue Engineering Applications', *Tissue Engineering - Part B: Reviews*, 24(4), pp. 289–299. DOI: 10.1089/ten.teb.2017.0061.
- 37.Rieder, F. et al. 2007. Wound healing and fibrosis in intestinal disease', *Gut*, 56(1), pp. 130–139. DOI: 10.1136/gut.2006.090456.
- 38.Rowland, K. J., Choi, P. M. and Warner, B. W. 2013. The role of growth factors in intestinal regeneration and repair in necrotizing enterocolitis', *Seminars in Pediatric Surgery*, 22(2), pp. 101–111. DOI: 10.1053/j.sempedsurg.2013.01.007.
- 39.Samuk, I. et al. 2015. Anorectal injuries in children: a 20-year experience in two centers', *Pediatric Surgery International*, 31(9), pp. 815–819. DOI: 10.1007/s00383-015-3746-4.

40. Saxena SK, Thompson JS, Sharp JG. 1992. Role of epidermal growth factor in intestinal regeneration. *Surgery*. 1992 Mar;111(3):318-325.
41. Shin, C., Falcone, R., Duane, K., Erwin, C., & Warner, B. 1999. The distribution of endogenous epidermal growth factor after small bowel resection suggests increased intestinal utilization during adaptation. *Journal Of Pediatric Surgery*, 34(1), 22-26. DOI: 10.1016/s0022-3468(99)90222-1
42. Stern LE, Erwin CR, O'Brien DP, Huang F, Warner BW. 2000. Epidermal growth factor is critical for intestinal adaptation following small bowel resection. *Microsc Res Tech*. 2000 Oct 15;51(2):138-48. DOI: 10.1002/1097-0029(20001015)51:2<138::AID-JEMT5>3.0.CO;2-T. PMID: 11054864.
43. Sullivan, Peter B et al. 2007. Intestinal mucosa remodeling by recombinant human epidermal growth factor(1-48) in neonates with severe necrotizing enterocolitis. *Journal of pediatric surgery* vol. 42,3 (2007): 462-9. DOI:10.1016/j.jpedsurg.2006.10.039
44. Tajima, S. et al. 2014. Direct and Indirect Effects of a Combination of Adipose-Derived Stem Cells and Platelet-Rich Plasma on Bone Regeneration', *Tissue engineering. Part A*, 21. DOI: 10.1089/ten.TEA.2014.0336

45. Tang, X. et al. 2016. Epidermal Growth Factor and Intestinal Barrier Function', *Mediators of Inflammation*, 2016, pp. 27–30. DOI: 10.1155/2016/1927348.
46. Tarnawski A, Stachura J, Durbin T, Sarfeh IJ, Gergely H. 1992. Increased expression of epidermal growth factor receptor during gastric ulcer healing in rats. *Gastroenterology*. 1992 Feb;102(2):695-8. DOI: 10.1016/0016-5085(92)90123-g. PMID: 1732139.
47. Trebol J et al. 2018. Rat model of anal sphincter injury and two approaches for stem cell administration. *World Journal of Stem Cells*, (10)1. DOI: 10.4252/wjsc.v10.i1.1
48. Vane, DW. 2006. Child abuse and birth injuries. In: Grosfeld JL, O'Neill JA, Fonkalsrud EW, Coran AG. *Pediatric Surgery*. 6th edition. Elsevier. P 400-405
49. Wesson D, et al. 2017. *The Pediatric Patient. Trauma*. 8th edition. New York. Mc Graw Hill. Pp 865-875.
50. Kong XY, et al. 2019. Biomimetic Hydrogel for Rapid and Scar-free Healing of Skin Wounds inspired by the healing process of oral mucosa, *Acta Biomaterialia* (2019), doi:<https://doi.org/10.1016/j.actbio.2019.10.011>
51. Zuk, P. A. et al. 2002. Human adipose tissue is a source of multipotent stem cells', *Molecular biology of the cell*. The American

Society for Cell Biology, 13(12), pp. 4279–4295. DOI:
[10.1091/mbc.e02-02-0105](https://doi.org/10.1091/mbc.e02-02-0105)