

REFERENSI

- Abbas, A.K., Lichtman, A.H., Pillai, S., 2015. Cellular and molecular immunology.
- Achmad, S., 1986. Kimia Organik Bahan Alam 1. Karunika Jakarta, Universitas Terbuka, Jakarta.
- Aditama, Y.T., Soedarsono, Z.T., Wiryokusumo, H.S., Hilaludin, S., Bagus, N.R.I., 2006. Tuberkulosis: Pedoman Diagnosis dan Penatalaksanaan di Indonesia. Jakarta PDPI.
- AG, I., 1939. Baker NH. Warren SL. Vascularization of the Brown-Pearce rabbit epithelioma transplantas seen in the transparent ear champer. Am J Roentgenol 42, 891–899.
- Agusta, A., 2000. Minyak atsiri tumbuhan tropika Indonesia. Penerbit ITB.
- Ahmed, S.O., Kharal, S.A., Shahzad, M.A., Hassan, S.S., 2008. Evaluation of Anti A60 IgM for The Diagnosis Of Tuberculosis With ELISA Method 28(2), 51–57.
- Amin, Z., Asril, B., 2014. Tuberkulosis Paru. Buku Ajar Ilmu Penyakit Dalam, Jilid I ed. ed. Interna Publishing, Jakarta.
- Ashenafi S, 2013. Karolinska Institutet , Stockholm , Sweden Studies of immune responses in human tuberculosis.
- Baratawidjaja, K.G., Rengganis, I., 2014. Imunologi Dasar edisi ke-10. Jakarta Fak. Kedokt. Univ. Indones.
- Belisle, J.T., Vissa, V.D., Sievert, T., Takayama, K., Brennan, P.J., Besra, G.S., 1997. Role of the major antigen of Mycobacterium tuberculosis in cell wall biogenesis. Science (80-.). 276, 1420–1422.
- Bhalla, K., Chugh, M., Mehrotra, S., Rathore, S., Tousif, S., Dwivedi, V.P., Prakash, P., Samuchiwal, S.K., Kumar, S., Singh, D.K., 2015. Host ICAMs play a role in cell invasion by Mycobacterium tuberculosis and Plasmodium falciparum. Nat. Commun. 6, 1–13.
- Bhandari, A., Garg, R.K., Malhotra, H.S., Verma, R., Singh, M.K., Jain, A., Sharma, P.K., 2014. Outcome assessment in conservatively managed patients with cervical spine tuberculosis. Spinal Cord 52, 489–493. <https://doi.org/10.1038/sc.2014.49>
- Bosco, M.C., Puppo, M., Blengio, F., Fraone, T., Cappello, P., Giovarelli, M., Varesio, L., 2008. Monocytes and dendritic cells in a hypoxic environment: Spotlights on chemotaxis and migration. Immunobiology 213, 733–749.
- Brennan, P.J., Nikaido, H., 1995. The envelope of mycobacteria. Annu. Rev. Biochem. 64, 29–63.
- Brooks, G.F., Carroll, K.C., Butel, J.S., Morse, S.A., 2007. Medical Microbiology, 24th edition 832.
- Cavalcanti, Y.V.N., Brelaz, M.C.A., Neves, J.K. de A.L., Ferraz, J.C., Pereira, V.R.A., 2012. Role of TNF-Alpha, IFN-Gamma, and IL-10 in the Development of Pulmonary Tuberculosis. Pulm. Med. 2012, 745483. <https://doi.org/10.1155/2012/745483>
- Chambers, H.F., Moreau, D., Yajko, D., Miick, C., Wagner, C., Hackbarth, C., Kocagöz, S., Rosenberg, E., Hadley, W.K., Nikaido, H., 1995. Can penicillins and other beta-lactam antibiotics be used to treat tuberculosis? Antimicrob. Agents Chemother. 39,

2620–2624.

- Cole, S.T., Brosch, R., Parkhill, J., Garnier, T., Churcher, C., Harris, D., Gordon, S. V., Eiglmeier, K., Gas, S., Barry, C.E., Tekaia, F., Badcock, K., Basham, D., Brown, D., Chillingworth, T., Connor, R., Davies, R., Devlin, K., Feltwell, T., Gentles, S., Hamlin, N., Holroyd, S., Hornsby, T., Jagels, K., Krogh, A., McLean, J., Moule, S., Murphy, L., Oliver, K., Osborne, J., Quail, M.A., Rajandream, M.-A., Rogers, J., Rutter, S., Seeger, K., Skelton, J., Squares, R., Squares, S., Sulston, J.E., Taylor, K., Whitehead, S., Barrell, B.G., 1998. Deciphering the biology of *Mycobacterium tuberculosis* from the complete genome sequence. *Nature* 393, 537–544. <https://doi.org/10.1038/31159>
- Cooper, A.M., Roberts, A.D., Rhoades, E.R., Callahan, J.E., Getzy, D.M., Orme, I.M., 1995. The role of interleukin-12 in acquired immunity to *Mycobacterium tuberculosis* infection. *Immunology* 84, 423–32.
- Danilchanka, O., Pavlenok, M., Niederweis, M., 2008. Role of porins for uptake of antibiotics by *Mycobacterium smegmatis*. *Antimicrob. Agents Chemother.* 52, 3127–3134.
- De Vries, C., Escobedo, J.A., Ueno, H., Houck, K., Ferrara, N., Williams, L.T., 1992. The *fms*-like tyrosine kinase, a receptor for vascular endothelial growth factor. *Science* (80-.). 255, 989–991.
- Devraj, G., Beerlage, C., Brüne, B., Kempf, V.A., 2016. Hypoxia and HIF-1 activation in bacterial infections. *Microbes Infect.* 19, 144–156.
- Dor, Y., Porat, R., Keshet, E., 2001. Vascular endothelial growth factor and vascular adjustments to perturbations in oxygen homeostasis. *Am. J. Physiol. Physiol.* 280, C1367–C1374.
- Eremina, V., Sood, M., Haigh, J., Nagy, A., Lajoie, G., Ferrara, N., Gerber, H.-P., Kikkawa, Y., Miner, J.H., Quaggin, S.E., 2003. Glomerular-specific alterations of VEGF-A expression lead to distinct congenital and acquired renal diseases. *J. Clin. Invest.* 111, 707–716.
- Fabricant, D.S., Farnsworth, N.R., 2001. The value of plants used in traditional medicine for drug discovery. *Environ. Health Perspect.* 109, 69–75.
- Febriza, A., Kasim, V.N.A., Idrus, H.H., Hatta, M., 2019. The effects of curcumin and vitamin d combination as inhibitor toward *Salmonella typhi* bacteria growth in vivo. *Int. J. Appl. Pharm.* 11, 116–120. <https://doi.org/10.22159/ijap.2019.v11s5.T0093>
- Ferrara, N., 2013. Vascular Endothelial Growth Factor.
- Ferrara, N., 2004. Vascular endothelial growth factor: basic science and clinical progress. *Endocr. Rev.* 25, 581–611.
- Ferrara, N., Carver-Moore, K., Chen, H., Dowd, M., Lu, L., O'shea, K.S., Powell-Braxton, L., Hillan, K.J., Moore, M.W., 1996. Heterozygous embryonic lethality induced by targeted inactivation of the VEGF gene. *Nature* 380, 439–442.
- Ferrara, N., Gerber, H.-P., LeCouter, J., 2003. The biology of VEGF and its receptors. *Nat. Med.* 9, 669–676.
- Flynn, J.A.L., Chan, J., 2005. What's good for the host is good for the bug. *Trends Microbiol.* 13, 98–102. <https://doi.org/10.1016/j.tim.2005.01.005>

- Fonseca, D.P.A.J., Benaissa-Trouw, B., Van Engelen, M., Kraaijeveld, C.A., Snippe, H., Verheul, A.F.M., 2001. Induction of cell-mediated immunity against *Mycobacterium tuberculosis* using DNA vaccines encoding cytotoxic and helper T-cell epitopes of the 38-kilodalton protein. *Infect. Immun.* 69, 4839–4845. <https://doi.org/10.1128/IAI.69.8.4839-4845.2001>
- Gao, L., Laval, F., Lawson, E.H., Groger, R.K., Woodruff, A., Morisaki, J.H., Cox, J.S., Daffe, M., Brown, E.J., 2003. Requirement for *kasB* in *Mycobacterium mycolic acid* biosynthesis, cell wall impermeability and intracellular survival: implications for therapy. *Mol. Microbiol.* 49, 1547–1563.
- Gerber, H.-P., Malik, A.K., Solar, G.P., Sherman, D., Liang, X.H., Meng, G., Hong, K., Marsters, J.C., Ferrara, N., 2002. VEGF regulates haematopoietic stem cell survival by an internal autocrine loop mechanism. *Nature* 417, 954–958.
- Halterman, M.W., Miller, C.C., Federoff, H.J., 1999. Hypoxia-inducible factor-1 α mediates hypoxia-induced delayed neuronal death that involves p53. *J. Neurosci.* 19, 6818–6824.
- Hamzaoui, A., Hamzaoui, K., Kahan, A., Chabbou, A., 1996. Levels of soluble VCAM-1, soluble ICAM-1, and soluble E-selectin in patients with tuberculous pleuritis. *Mediators Inflamm.* 5, 276–279.
- Harborne, J.B., 1996. Metode Fitokimia, penuntun dan cara modern menganalisis tumbuhan. Alih Bhs. Padmawinata K, Soediro I. Bandung Penerbit ITB.
- Harborne, J.B., Williams, C.A., 2000. Advances in flavonoid research since 1992. *Phytochemistry* 55, 481–504.
- Hasebe, Y., Egawa, K., Yamazaki, Y., Kunimoto, S., Hirai, Y., Ida, Y., Nose, K., 2003. Specific inhibition of hypoxia-inducible factor (HIF)-1 α activation and of vascular endothelial growth factor (VEGF) production by flavonoids. *Biol. Pharm. Bull.* 26, 1379–1383.
- Hirsch, C.S., Hussaint, R., Toossi, Z., Dawood, G., Shahid, F., Ellner, J.J., 1996. tuberculosis: Suppression of antigen-driven blastogenesis and interferon γ production 93, 3193–3198.
- Hoagland, D.T., Liu, J., Lee, R.B., Lee, R.E., 2016. New agents for the treatment of drug-resistant *Mycobacterium tuberculosis*. *Adv. Drug Deliv. Rev.* 102, 55–72.
- Hoffmann, C., Leis, A., Niederweis, M., Plitzko, J.M., Engelhardt, H., 2008. Disclosure of the mycobacterial outer membrane: cryo-electron tomography and vitreous sections reveal the lipid bilayer structure. *Proc. Natl. Acad. Sci.* 105, 3963–3967.
- Houck, K.A., Ferrara, N., Winer, J., Cachianes, G., Li, B., Leung, D.W., 1991. The vascular endothelial growth factor family: identification of a fourth molecular species and characterization of alternative splicing of RNA. *Mol. Endocrinol.* 5, 1806–1814.
- Huygen, K., Content, J., Denis, O., Montgomery, D.L., Yawman, A.M., Deck, R.R., Dewitt, C.M., Orme, I.M., Baldwin, S., D'Souza, C., Drowart, A., Lozes, E., Vandenbussche, P., Van Vooren, J.P., Liu, M.A., Ulmer, J.B., 1996. Immunogenicity and protective efficacy of a tuberculosis DNA vaccine. *Nat. Med.* <https://doi.org/10.1038/nm0896-893>
- Idrus, H.H., Hatta, M., Febriza, A., Kasim, V.N.A., 2019. Antibacterial activities of sapodilla fruit extract inhibiting *Salmonella typhi* on mice BALB/c. *Int. J. Appl.*

Pharm. 11, 121–126. <https://doi.org/10.22159/ijap.2019.v11s5.T0095>

- Indrawati, A., Latif, M., 2016. Uji Aktivitas Anti Mikobakterium Tuberkulosis Ekstrak Etanol Daun Ciplukan (*Physalis angulata* L.). *Maj. Farm. Nas.* 13, 38–45.
- Irianti, T., Pratiwi, S.U.T., Kuswandi, K., Tresnaasih, N., Cahya, D., Fatmarahmi, F., Paramitha, Y., 2018. Anti-Tuberculosis Activity of Extract Ethyl Acetate Kenikir Leaves (*Cosmos caudatus* HBK) and Sendok Leaves (*Plantago Major* L.) By In Vitro Test. *Maj. Obat Tradis.* 23, 1–8.
- Ivan, M., Kondo, K., Yang, H., Kim, W., Valiando, J., Ohh, M., Salic, A., Asara, J.M., Lane, W.S., Kaelin, J., 2001. HIF α targeted for VHL-mediated destruction by proline hydroxylation: Implications for O₂ sensing. *Science* (80-). 292, 464–468. <https://doi.org/10.1126/science.1059817>
- Jacobs, M., Brown, N., Allie, N., Gulert, R., Ryffel, B., 2000. Increased resistance to mycobacterial infection in the absence of interleukin-10. *Immunology* 100, 494–501. <https://doi.org/10.1046/j.1365-2567.2000.00053.x>
- Jewell, U.R., Kvietikova, I., Scheid, A., Bauer, C., Wenger, R.H., Gassmann, M., 2001. Induction of HIF-1 α in response to hypoxia is instantaneous. *FASEB J.* 15, 1312–1314. <https://doi.org/10.1096/fj.00-0732fje>
- Jiang, B.H., Semenza, G.L., Bauer, C., Marti, H.H., 1996. Hypoxia-inducible factor 1 levels vary exponentially over a physiologically relevant range of O₂ tension. *Am. J. Physiol. - Cell Physiol.* 271. <https://doi.org/10.1152/ajpcell.1996.271.4.c1172>
- Jilani, T.N., Avula, A., Zafar Gondal, A., Siddiqui, A.H., 2021. *Active Tuberculosis. Treasure Island (FL).*
- Juhlin, I., 1967. Contribution to the classification of mycobacteria and nocardias. *Acta Pathol. Microbiol. Scand.*
- Kaluz, S., Kaluzová, M., Stanbridge, E.J., 2008. Does inhibition of degradation of hypoxia-inducible factor (HIF) alpha always lead to activation of HIF? Lessons learnt from the effect of proteasomal inhibition on HIF activity. *J. Cell. Biochem.* 104, 536–544. <https://doi.org/10.1002/jcb.21644>
- Kaluz, S., Kaluzová, M., Stanbridge, E.J., 2006. Proteasomal Inhibition Attenuates Transcriptional Activity of Hypoxia-Inducible Factor 1 (HIF-1) via Specific Effect on the HIF-1 α C-Terminal Activation Domain. *Mol. Cell. Biol.* 26, 5895–5907. <https://doi.org/10.1128/mcb.00552-06>
- Kamath, A.T., Feng, C.G., Macdonald, M., Briscoe, H., Britton, W.J., 1999. Differential protective efficacy of DNA vaccines expressing secreted proteins of *Mycobacterium tuberculosis*. *Infect. Immun.* 67, 1702–1707.
- Kamba, T., Tam, B.Y.Y., Hashizume, H., Haskell, A., Sennino, B., Mancuso, M.R., Norberg, S.M., O'Brien, S.M., Davis, R.B., Gowen, L.C., Anderson, K.D., Thurston, G., Joho, S., Springer, M.L., Kuo, C.J., McDonald, D.M., 2006. VEGF-dependent plasticity of fenestrated capillaries in the normal adult microvasculature. *Am. J. Physiol. - Hear. Circ. Physiol.* 290, 560–576. <https://doi.org/10.1152/ajpheart.00133.2005>
- Karkkainen, M., Makinen, T., Alitalo, K., 2002. Lymphatic endothelial growth factor (VEGF) and its receptors. *FASEB J*;13, pp. 9-22.
- Karo, M., Hatta, M., Salma, W., Patellongi, I., Natzir, R., 2018. Effects of miana (*Coleus*

- scutellariodes (L) Benth) to expression of mRNA IL-37 in Balb/c mice infected *Candida albicans*. *Pharmacogn. J.* 10, 16–19. <https://doi.org/10.5530/pj.2018.1.3>
- Kasik, J.E., Peacham, L., 1968. Properties of β -lactamases produced by three species of mycobacteria. *Biochem. J.* 107, 675–682.
- Katoch, V.M., 2004. Newer diagnostic techniques for tuberculosis. *Indian J. Med. Res.* 120, 418–428.
- Kemenkes, 2014. Pedoman Nasional Pengendalian Tuberkulosis 2014, Pedoman Nasional Pengendalian Tuberkulosis.
- Kemenkes RI, 2015. Standar Pelayanan Laboratorium Tuberkulosis. Jakarta.
- Kemenkes RI, 2012a. Modul Pelatihan Pemeriksaan Dahak Mikroskopis TB. Jakarta.
- Kemenkes RI, 2012b. Standar Operasional Prosedur Pemeriksaan Mikroskopis Tuberkulosis. Jakarta.
- Kementerian Kesehatan RI, 2015. Tuberkulosis, Temukan, Obati Sampai Sembuh. Hari Tuberkulosis Sedunia [WWW Document]. Jakarta Pus. Data dan Inf.
- Kim, W.Y., Safran, M., Buckley, M.R.M., Ebert, B.L., Glickman, J., Bosenberg, M., Regan, M., Kaelin, W.G., 2006. Failure to prolyl hydroxylate hypoxia-inducible factor α phenocopies VHL inactivation in vivo. *EMBO J.* 25, 4650–4662. <https://doi.org/10.1038/sj.emboj.7601300>
- Kondo, T., Ohta, T., Igura, K., Hara, Y., Kaji, K., 2002. Tea catechins inhibit angiogenesis in vitro, measured by human endothelial cell growth, migration and tube formation, through inhibition of VEGF receptor binding. *Cancer Lett.* 180, 139–144.
- Kumala ., S.D., 2009. Aktivitas Anti Bakteri Ekstrak Daun Iler (*Coleus Atropurpureus* Benth) Terhadap Beberapa Bakteri Gram (+) dan Bakteri Gram (-). *J. Bahan Alam Indonesia*
- Kusumawati, D.E., Pasaribu, F.H., Bintang, M., 2014. Aktivitas antibakteri isolat bakteri endofit dari tanaman miana (*Coleus scutellariodes* [L.] Benth.) terhadap *Staphylococcus aureus* dan *Escherichia coli*. *Curr. Biochem.* 1, 45–50.
- Laurence, J., Bacharach, M., 1964. *Analytical Toxicology*.
- Liu, J., Nikaido, H., 1999. A mutant of *Mycobacterium smegmatis* defective in the biosynthesis of mycolic acids accumulates meromycolates. *Proc. Natl. Acad. Sci.* 96, 4011–4016.
- Liu, J.U.N., Rosenberg, E.Y., Nikaido, H., 1995. Fluidity of the lipid domain of cell wall from *Mycobacterium chelonae*. *Proc. Natl. Acad. Sci.* 92, 11254–11258.
- Ma, Z., Ginsberg, A.M., Spigelman, 2007. *Antimycobacterium Agents*. New York, USA.
- Macneil, A., Glaziou, P., Sismanidis, C., Maloney, S., Floyd, K., 2019. Global epidemiology of tuberculosis and progress toward achieving global targets — 2017. *Morb. Mortal. Wkly. Rep.* 68, 263–266. <https://doi.org/10.15585/mmwr.mm6811a3>
- Madduluri, S., Rao, K.B., Sitaram, B., 2013. In vitro evaluation of antibacterial activity of five indigenous plants extract against five bacterial pathogens of human. *Int. J. Pharm. Pharm. Sci.* 5, 679–684.
- Makino, Y., Cao, R., Svensson, K., Bertilsson, G., Asman, M., Tanaka, H., Cao, Y., Berkenstam, A., Poellinger, L., 2001. Inhibitory PAS domain protein is a negative

- regulator of hypoxia-inducible gene expression. *Nature* 414, 550–554.
- Marlina, I., 2018. Tuberkulosis. infodatin (pusat data dan Inf. Kesehatan RI) 2, 3–4. <https://doi.org/2442-7659>
- Marpaung, P.N.S., Wullur, A.C., Yamlean, P.V.Y., 2014. Uji Efektivitas Sediaan Salep Ekstrak Daun Miana (*Coleus Scutellarioides* [L] Benth.) Untuk Pengobatan Luka Yang Terinfeksi Bakteri *Staphylococcus Aureus* Pada Kelinci (*Oryctolagus Cuniculus*). *Pharmakon* 3, 2493.
- Martinez, F.O., Helming, L., Gordon, S., 2009. Alternative Activation of Macrophages: An Immunologic Functional Perspective. *Annu. Rev. Immunol.* 27, 451–483. <https://doi.org/10.1146/annurev.immunol.021908.132532>
- Marumo, T., Schini-Kerth, V.B., Busse, R., 1999. Vascular endothelial growth factor activates nuclear factor-kappaB and induces monocyte chemoattractant protein-1 in bovine retinal endothelial cells. *Diabetes* 48, 1131–1137.
- Matsumoto, T., Claesson-Welsh, L., 2001. VEGF Receptor Signal Transduction. *Sci. STKE signal Transduct. Knowl. Environ.* 2001, re21.
- Maxwell, P.H., Wiesener, M.S., Chang, G.-W., Clifford, S.C., Vaux, E.C., Cockman, M.E., Wykoff, C.C., Pugh, C.W., Maher, E.R., Ratcliffe, P.J., 1999. The tumour suppressor protein VHL targets hypoxia-inducible factors for oxygen-dependent proteolysis. *Nature* 399, 271–275.
- Meita, H., Lisyani, S., 2014. Uji Diagnosis Basil Tahan Asam pada Sputum dan Immunochromatography Tuberculosis Menggunakan Sampel Serum dan Darah Kapiler. *MEDICA Hosp. Clin. Med.* 2.
- Mitchison, D.A., 2005. The diagnosis and therapy of tuberculosis during the past 100 years. *Am. J. Respir. Crit. Care Med.* 171, 699–706. <https://doi.org/10.1164/rccm.200411-1603OE>
- Mpila, D., Fatimawali, Wiyono, W.I., 2012. Uji Aktivitas Antibakteri Daun Mayana (*Coleus atropurpureus* [L] Benth) Terhadap *Staphylococcus aureus*, *Escherichia coli* dan *Pseudomonas aeruginosa* secara in-vitro. Uji Akt. Antibakteri Daun Mayana (*Coleus atropurpureus* [L] Benth) Terhadap *Staphylococcus aureus*, *Escherichia coli* dan *Pseudomonas aeruginosa* secara in-vitro 13.
- Naderian, H., Rezvani, Z., Atlasi, M.A., Nikzad, H., de Vries, A.A.F., 2011. Expression cloning of recombinant *Escherichia coli* lacZ genes encoding cytoplasmic and nuclear β -galactosidase variants. *Iran. J. Basic Med. Sci.* 14, 369–375.
- Neufeld, G., Cohen, T., Gengrinovitch, S., Poltorak, Z., 1999. Vascular endothelial growth factor (VEGF) and its receptors. *FASEB J.* 13, 9–22.
- Nguyen, L., Chinnapapagari, S., Thompson, C.J., 2005. FbpA-dependent biosynthesis of trehalose dimycolate is required for the intrinsic multidrug resistance, cell wall structure, and colonial morphology of *Mycobacterium smegmatis*. *J. Bacteriol.* 187, 6603–6611.
- Niederweis, M., 2003. Mycobacterial porins—new channel proteins in unique outer membranes. *Mol. Microbiol.* 49, 1167–1177.
- Nuria, M.C., Faizatun, A., 2009. Uji Aktivitas Antibakteri Ekstrak Etanol Daun Jarak Pagar (*Jatropha Curcas* L) Terhadap Bakteri *Staphylococcus aureus* ATCC 25923, *Escherichia coli* ATCC 25922, dan *Salmonella typhi* ATCC 1408. *Mediagro* 5.

- Okuda, Y., Maekura, R., Hirotani, A., Kitada, S., Yoshimura, K., Hiraga, T., Yamamoto, Y., Itou, M., Ogura, T., Ogihara, T., 2004. Rapid serodiagnosis of active pulmonary *Mycobacterium tuberculosis* by analysis of results from multiple antigen-specific tests. *J. Clin. Microbiol.* 42, 1136–1141.
- Pakadang, S.R., 2018. Potential of Miana Leaves (*Coleus scutellarioides* (L.) Benth) As an Antibacterial *Streptococcus pneumoniae*, *Staphylococcus aureus*, *Staphylococcus epidermidis*, *Klebsiella pneumoniae* from Sputum Cough Patients in Makassar City, in: *Proceeding 1st. International Conference Health Polytechnic of Kupang*. pp. 122–131.
- Pakadang, S.R., Wahjuni, C.U., Notobroto, H.B., Winarni, D., Dwiyantri, R., Sabir, M., Hatta, M., 2015. Immunomodulator potential of miana leaves (*Coleus scutellarioides* (L.) Benth) in prevention of tuberculosis infection. *Am. J. Microbiol. Res.* 3, 129–134.
- Palomino, J.C., Leão, S.C., Ritacco, V., 2007. *Tuberculosis 2007; from basic science to patient care*.
- Perkins, M.D., Conde, M.B., Martins, M., Kritski, A.L., 2003. Serologic diagnosis of tuberculosis using a simple commercial multiantigen assay. *Chest* 123, 107–112.
- Permenkes, R.I., 2016. *Peraturan Menteri Kesehatan Republik Indonesia Nomor 67 Tahun 2016 Tentang Penanggulangan Tuberkulosis*. Jakarta Kemenkes RI.
- Peyssonnaud, C., Datta, V., Cramer, T., Doedens, A., Theodorakis, E.A., Gallo, R.L., Hurtado-Ziola, N., Nizet, V., Johnson, R.S., 2005. HIF-1 α expression regulates the bactericidal capacity of phagocytes. *J. Clin. Invest.* 115, 1806–1815.
- Philalay, J.S., Palermo, C.O., Hauge, K.A., Rustad, T.R., Cangelosi, G.A., 2004. Genes required for intrinsic multidrug resistance in *Mycobacterium avium*. *Antimicrob. Agents Chemother.* 48, 3412–3418.
- Phillips, H.S., Hains, J., Leung, D.W., Ferrara, N., 1990. Vascular endothelial growth factor is expressed in rat corpus luteum. *Endocrinology* 127, 965–967.
- Podungge, M.R., Salimi, Y.K., Duengo, S., 2017. Isolasi dan uji aktivitas antioksidan senyawa flavonoid dari daun miana (*Coleus scutellarioides* Benth.). *Jambura J. Educ. Chem.* 12, 67–74.
- Quinting, B., Reyrat, J.-M., Monnaie, D., Amicosante, G., Pelicic, V., Gicquel, B., Frère, J.-M., Galleni, M., 1997. Contribution of β -lactamase production to the resistance of mycobacteria to β -lactam antibiotics. *FEBS Lett.* 406, 275–278.
- Rahmawati, F., 2008. *Isolasi dan Karakterisasi Senyawa Antibakteri Ekstra Daun Miana (*Coleus scutellarioides* [L] Benth)*.
- Ramakrishnan, S., Anand, V., Roy, S., 2014. Vascular endothelial growth factor signaling in hypoxia and inflammation. *J. Neuroimmune Pharmacol.* 9, 142–160.
- Redford, P.S., Murray, P.J., O'Garra, A., 2011. The role of IL-10 in immune regulation during *M. tuberculosis* infection. *Mucosal Immunol.* 4, 261–270. <https://doi.org/10.1038/mi.2011.7>
- Richalet, J.-P., Souberbielle, J.-C., Antezana, A.M., Dechaux, M., Le Trong, J.-L., Bienvenu, A., Daniel, F., Blanchot, C., Zittoun, J., 1994. Control of erythropoiesis in humans during prolonged exposure to the altitude of 6,542 m. *Am. J. Physiol. Integr. Comp. Physiol.* 266, R756–R764.

- Rimporok, A., Budiarmo, F., 2020. Uji Anti Bakteri Ekstrak Daun Tanaman Kaki Kuda (*Centella asiatica* L. Urban) sebagai Tumbuhan Obat Anti Tuberkulosis. *J. Biomedik JBM* 12.
- Rius, J., Guma, M., Schachtrup, C., Akassoglou, K., Zinkernagel, A.S., Nizet, V., Johnson, R.S., Haddad, G.G., Karin, M., 2008. NF- κ B links innate immunity to the hypoxic response through transcriptional regulation of HIF-1 α . *Nature* 453, 807–811.
- Sakamoto, K., 2012. The Pathology of *Mycobacterium tuberculosis* Infection. *Vet. Pathol.* 49, 423–439. <https://doi.org/10.1177/0300985811429313>
- Santos, S.A. dos, Andrade, D.R. de, 2017. HIF-1 α and infectious diseases: a new frontier for the development of new therapies. *Rev. Inst. Med. Trop. Sao Paulo* 59.
- Sharma, S., Sharma, M., Roy, S., Kumar, P., Bose, M., 2004. *Mycobacterium tuberculosis* induces high production of nitric oxide in coordination with production of tumour necrosis factor- α in patients with fresh active tuberculosis but not in MDR tuberculosis. *Immunol. Cell Biol.* 82, 377–382. <https://doi.org/10.1111/j.0818-9641.2004.01245.x>
- Shibuya, M., Yamaguchi, S., Yamane, A., Ikeda, T., Tojo, A., Matsushime, H., Sato, M., 1990. Nucleotide sequence and expression of a novel human receptor-type tyrosine kinase gene (flt) closely related to the fms family. *Oncogene* 5, 519–524.
- Siemeister, G., Weindel, K., Mohrs, K., Barleon, B., Martiny-Baron, G., Marmé, D., 1996. Reversion of deregulated expression of vascular endothelial growth factor in human renal carcinoma cells by von Hippel-Lindau tumor suppressor protein. *Cancer Res.* 56, 2299–2301.
- Singh, A., Gupta, R., Vishwakarma, R.A., Narayanan, P.R., Paramasivan, C.N., Ramanathan, V.D., Tyagi, A.K., 2005. Requirement of the *mymA* operon for appropriate cell wall ultrastructure and persistence of *Mycobacterium tuberculosis* in the spleens of guinea pigs. *J. Bacteriol.* 187, 4173–4186.
- Singh, A., Jain, S., Gupta, S., Das, T., Tyagi, A.K., 2003. *mymA* operon of *Mycobacterium tuberculosis*: its regulation and importance in the cell envelope. *FEMS Microbiol. Lett.* 227, 53–63.
- Smith, T., Wolff, K.A., Nguyen, L., 2013. Molecular biology of drug resistance in *Mycobacterium tuberculosis*. *Curr. Top. Microbiol. Immunol.* 374, 53–80. https://doi.org/10.1007/82_2012_279
- Sukandar, E.Y., Andrajati, R., Sigit, J.I., Adnyana, I.K., Setiadi, A.P., 2008. Kusnandar. 2008, ISO Farmakoterapi. Jakarta, Ikat. Sarj. Farm. Indones.
- Swantara, M.D., 2010. Isolasi dan Identifikasi Fraksi Toksik Ekstrak Tumbuhan Iler (*Coleus scutellarioides* [L.] Benth). *Indones. J. Cancer* 4.
- Syamsuri, F., Hatta, M., Natzir, R., Alam, G., Massi, M.N., Bahar, B., Rahardjo, S.P., 2018. Expression of TLR-4 in *Salmonella typhi*-Induced Balb/c Mice Treated by Miana Leaves (*Coleus scutellaroides* (L) Benth. *Indian J. Public Heal. Res. Dev.* 9, 1449–1454. <https://doi.org/10.5958/0976-5506.2018.02057.0>
- Vidyanani, M., Selvaraj, P., Anand, S.P., Jawahar, M.S., Adhilakshmi, A.R., Narayanan, P.R., 2006. Interferon gamma (IFN γ) & interleukin-4 (IL-4) gene variants & cytokine levels in pulmonary tuberculosis. *Indian J. Med. Res.* 124, 403–410.
- Vink, A., Schoneveld, A.H., Lamers, D., Houben, A.J.S., van der Groep, P., van Diest, P.J.,

- Pasterkamp, G., 2007. HIF-1 α expression is associated with an atheromatous inflammatory plaque phenotype and upregulated in activated macrophages. *Atherosclerosis* 195, e69–e75.
- Wahyono, 2008. Eksistensi dan Perkembangan Obat Tradisional (Jamu) dalam Era Obat Modern. Pidato pengukuhan jabatan guru besar pada Fakultas Farmasi Universitas Gajah Mada. Yogyakarta.
- Wang, G.L., Semenza, G.L., 1995. Purification and Characterization of Hypoxia-inducible Factor 1 (*). *J. Biol. Chem.* 270, 1230–1237.
- Weidemann, A., Johnson, R.S., 2008. Biology of HIF-1 α . *Cell Death Differ.* 15, 621–627.
- Werth, N., Hartmann, H., Wurz, H., Amr, A., Kempf, V.A., 2006. Role of HIF-1 in bacterial infections. *Acta Physiol.* 188, P23.
- WHO, 2020. Global tuberculosis report 2020 [WWW Document]. URL <https://www.who.int/publications/i/item/9789240013131>
- WHO, 2018a. Global tuberculosis report 2018 [WWW Document]. URL <https://apps.who.int/iris/handle/10665/274453>
- WHO, 2018b. global Tuberculosis Executive summary. *Organ. Mund. la salud* 8.
- WHO, 2014. Drug-resistant TB: surveillance and response: supplement to global tuberculosis report 2014. World Health Organization.
- WHO, 2011. HIV/TB Facts 2011 [WWW Document]. URL https://www.who.int/hiv/topics/tb/hiv_tb_factsheet_june_2011.pdf
- WHO, 2010. Treatment of tuberculosis [WWW Document]. WHO Guidel. URL http://whqlibdoc.who.int/publications/2010/9789241547833_eng.pdf?ua=1
- Wieczorek, A.E., 2011. Characterizing the role of the hsp α protein from mycobacterium tuberculosis as a subunit vaccine candidate in the small animal model of tuberculosis 1–98.
- Wiesener, M.S., Jürgensen, J.S., Rosenberger, C., Scholze, C., Hörstrup, J.H., Warnecke, C., Mandriota, S., Bechmann, I., Frei, U.A., Pugh, C.W., 2003. Widespread, hypoxia-inducible expression of HIF-2 α in distinct cell populations of different organs. *FASEB J.* 17, 271–273.
- Yanto, T.A., Hatta, M., Bukhari, A., Natzir, R., 2020. Molecular and immunological mechanisms of Miana leaf (*Coleus scutellarioides* [L] Benth) in infectious diseases. *Biomed. Pharmacol. J.* 13, 1607–1618.
- Zinkernagel, A.S., Johnson, R.S., Nizet, V., 2007. Hypoxia inducible factor (HIF) function in innate immunity and infection. *J. Mol. Med.* 85, 1339–1346.
- Zuber, B., Chami, M., Houssin, C., Dubochet, J., Griffiths, G., Daffé, M., 2008. Direct visualization of the outer membrane of mycobacteria and corynebacteria in their native state. *J. Bacteriol.* 190, 5672–5680.