

dynorphin, IL-1. TNF alfa dan TGF beta, serta perlu dilakukan penelitian lebih lanjut hubungan ekspresi Kisspeptin dan LIF dengan reseptivitas endometrium.

## DAFTAR PUSTAKA

- Abdullah Karaer, Yilmaz Cigremis, Ebru Celik, Rukiye Urhan Gonullu, Prokineticin 1 and leukemia inhibitory factor mRNA expression in the endometrium of women with idiopathic recurrent pregnancy loss. *Fertility and Sterility* 2014; 102(4):1091-1095.
- Alejandro TP, Paula F, Julio B, Juan CM, David JM, Horatio BC. Endometrial gene expression reveals compromised progesterone signaling in women refractory to embryo implantation. *Reproductive Biology and Endocrinology* 2014;12: 92.
- Alpha scientists in reproductive medicine and ESHRE special interest group of embryology. The Istanbul consensus workshop on embryo assessment: proceedings of an expert meeting. *Human Reprod* 2011; 26: 1270-83.
- Arsyad SS, Nurhayati S. Determinat of fertility in Indonesia. *Jurnal kependudukan Indonesia* 2016; 11: 1-14.
- Baba T, Kang Hs, Hosoe Y, Kharma B, Abiko K, Matsumura N, Hamanishi J, Yamaguchi K, Yoshioka Y, Koshiyama M et al. Menstrual cyclic change of metastin/GPR54 in endometrium. *Med Mol Morphol* 2015;48:76-84
- Benadiva A, C.A., Davis, O., Kligman, I., Moomjy, M., Liu, H-C. and Rosenwaks, Z. Withholding gonadotrophin administration is an effective alternative for the prevention of ovarian hyperstimulation syndrome. *Fertil. Steril* 1997; 67: 724-27.
- Bilban M, Ghaffari-Tabrizi N, Hintermann E, Bauer S, Molzer S, Zoratti C, Malli R, Sharabi A, Hiden U, Graier W et al. Kisspeptin-10, a KiSS-I/ metastin-derived decapeptide, is a physiological invasion inhibitor of primary human trophoblasts. *J Cell Sci* 2004;II7:1319-1328.
- Boomsma CM, Kavelaars A, Eijkermans MJC, et al. Cytokine profiling in endometrial secretions : a non invasive window on endometrial receptivity. *RBM Online* 2009; 18: 85-94.

- Bosch E, Labarta E, Crespo J, et al. Circulating progesterone levels and ongoing pregnancy rates in controlled ovarian stimulation cycles for in vitro fertilization: analysis of over 4000 cycles for in vitro fertilization. *Human reprod* 2010; 25: 2092-100.
- Brody JR, Cunha GR. Histologic, morphometric, and immunocytochemical analysis of myometrial development in rats and mice. *Am J Anat* 1989; 186:1-20.
- Calder M, Chan YM, Raj R, Pampillo M, Elbert A, Noonan M, Gillio-Meina C, Caligioni C, Berube NG, Bhattacharya M et al. Implantation failure in female KissI<sup>-/-</sup> mice is independent of their hypogonadic state and can be partially res-cued by leukemia inhibitory factor. *Endocrinology* 2014;155:3065-3078
- Cejudo Roman A, Pinto FM, Dorta I, Almeida TA, Hernandez M, Illanes M, Tena-sempere M, Candenas L. Analysis of the expression of neurokinin B, Kisspeptin, and their cognate receptors NK3R and KISS I R in the human female genital tract. *Fertil Steril* 2012;97:1213-1219.
- Charnock-Jones DS, Sharkey AM, Fenwick P. Leukemia inhibitory factor mRNA concentration at the time of implantation and the blastocyst contains mRNA for the receptor at this time. *J Reprod and Fertil* 1994; 101: 421-26.
- Chenette PE, Sauer MV & Paulson RJ : Very high serum estradiol levels are not detrimental to clinical outcome of in vitro fertilization. *Fertil and Steril* 1990; 54: 858–63.
- Cho SG, Yi Z, Pang X, Yi T, Wang Y, Luo J, Qu Z, Li D, Liu M. Kisspeptin – I0, a mediated VEGF expression and FAK/Rho GTPase activation. *Cancer Res* 2009b;69:7062-7070.
- Corner GW, Allen WM. Physiology of the corpus luteum II. Production of a special uterine reaction by extracts of the corpus luteum. *Am J Physiol* 1929; 88: 326-39.
- Curtis Hewitt, S, Goulding EH, Eddy EM, Korach KS. Studies using the estradiol receptor alpha knockout uterus demonstrate that implantation but not decidualization-associated signaling is estradiol dependent. *Biol Reprod* 2002;67:1268-1277.
- D'Angelo A, Davies R, Salah E, Nix A. B, Amso NA. Value of the serum estradiol level for preventing OHSS: a retrospective case control study. *Fertil Steril* 2004; 81(2):332-336
- Devroy P, Aboulgar M, Garcia VJ, et al. Improving the patient's experience with IVF/ICSI : a proposal for an ovarian stimulation protocol with GnRH antagonist co-treatment. *Human Reprod* 2009; 24: 764-74
- De Ziegler D, Frydman R, Bouchard P. Contribution of estradiol to morphology of secretory endometrium. *Fertil steril* 1995; 63: 1135.
- Diaz-Gimeno P, Horcajadas JA, Martinez-Conejero JA, et al. A genomic diagnostic tool for human endometrial receptivity based on transcriptomic signature. *Fertil Steril* 2011; 95: 50-60.
- Dockery P, Burke MJ. The fine structure of mature human endometrium. In: Aplin JD, Fazleabas AT, Glasser SR, Giudice LC eds. *The endometrium: molecular, cellular, and Clinical Perspective*. 2<sup>nd</sup> Ed. Boca Raton : CRC Press; 2008: 49-52.

- Dominguez F, Garrido-Gomez T, Lopez J, et al. Proteomic analysis of the human receptive versus non-receptive endometrium using differential in-gel electrophoresis and MALDI-MS unveils stathmin 1 and annexin A2 as differentially regulated. *Human Reproduction* 2009; 24: 2607–17.
- Dutta, DC. DC dutta's textbook of gynecology. 6<sup>th</sup> Ed. India: Jaypee Brothers Medical Publishers; 2013.
- Duval D, Reinhardt B, Kedinger C. Role of suppressors of cytokine signaling (Socs) in leukemia inhibitory factor (LIF)- dependent embryonic stem cell survival. *FASEB Journal* 2000;14: 1577–84.
- Edgell TA, Rombauts LJF, Salamonsen LA. Assessing receptivity in the endometrium : the need for a rapid, non invasive test. *RBM Online* 2013; 27: 486-96.
- Farsida, Hatta M, Patellongi I, Prihantono, Shabariyah R, Ayu Larasati R, Islam AA, Natzir R, Nasrum M, Hamid F, Dwi Bahagia A. The Correlation of Foxp3+ Gene and Regulatory T Cells with Scar BCG Formation among Children with Tuberculosis, *Journal of Clinical Tuberculosis and Other Mycobacterial Diseases* 2020; 21: 1-7
- Fitzgerald JS, Poehimann TG, Scheiussner E, market RT. Trophoblast invasion: the role of intracellular cytokine signalling via signal transducer and activator of transcription 3 (STAT). *Hum Repro Update* 2008; 14: 335-44.
- Gao GL, Liu LD, Zou XS, Chen WX. [Expression of KiSS-I, matrix metalloproteinase-9, nuclear factor-kappaBp65 in ovarian tumour]. *Zhonghua Fu Chan Ke Za Zhi* 2007;45:34-38.
- Griemlich S, Chanson A, Urmer F, Senn A, et al. LIF and SIL-2R plasma concentrations in IVF patients on the day of embryo transfer : predictive markers of IVF outcome. *J Repro Immunology* 2012; 94: 175-82.
- Guzeloglu-Kayisli, Basar M, Arici A. Basic aspect of implantation. *RBM Online* 2007; 15: 728-39.
- Hatta M, Eko E. Surachmanto, Andi AI, Syarifuddin W. Expression of mRNA IL-17F and sIL-17F in atopic asthma patients. *BMC Research Notes* 2017;10:202.
- Hestiantoro A, Wiweko B, Pratama G, Yusuf D, eds. *Konsensus Penanganan Infertilitas POGI*; 2013.
- Hodin S. *The Burden of Infertility: Global Prevalence and Women's Voices from Around the World*; 2017.
- Horcajadas JA, Riesewijk A, Polma J, Os RV, Pellicer A, Mosselman S, et al. Effect of controlled ovarian hyperstimulation in IVF on endometrial gene expression profiles. *Mol Hum Reprod* 2005; 33: 195-205.
- Jamil Z, Fatima SS, Arif S, Alam F, Rehman R. Kisspeptin and embryo implantation after ICSI. *Reprod Biomed Online* 2017;34:147-153.
- Jeanette Q, Christophel S H, Juan R, Rachel AA, David RG, Greg A. Leptin deficiency and diet induced obesity reduced hypothalamic Kisspeptin expression in mice. *Endocrinology J* 2011;152(4):1541-50

- Kai-Lun Hu, Hsun-Ming Chang, Hong-Cui Zhao, et al. Potentials roles for the Kisspeptin receptor system in implantation and placentation. *Human Reprod update* 2019; 25: 326-43.
- Kamran U, Tanzil Ur, Hai Tao Pan, et al. Serum estradiol levels in controlled ovarian stimulation directly effect the endometrium. *Journal of Molecular Endocrinology* 2017; 59: 105-19.
- Kementerian Kesehatan RI. *Profil Kesehatan Indonesia 2007*. Jakarta: kementerian Kesehatan RI
- Keisuke S, Noboru M, Takayoshi O, et al. Human decidual cell biocynthesis of LIF: regulation by decidual cytokines and steroid hormones. *Biology of Reprod* 1997;56:1274-80.
- Kotani M, Detheux M, Vandebogaerde A, Communi D, Vanderwinden JM, Le Poul E, Brezillon S, Tyldesley R, Suarez-Huerta N, Vandeput F et al. The metastasis suppressor gene KiSS-I encodes Kisspeptins, the natural ligands of the orphan G protein-coupled receptor GPR54. *J Biol Chem* 2001;276:34631-34636.
- Kraclickova M, Sima R, Vanecek T, et al. Leukemia inhibitory factor gene mutations in the population of infertile womwn are not restricted to nulligravid patients. *Folia Microbiol* 2005; 50: 179-86.
- Kuiper GG, Enmark E, Peltö HM, et al. Cloning of a novel receptor expressed in rat prostate and ovary. *Proc Natl Acad Sci* 1996; 93: 5925-30.
- Laird SM, Tuckerman EM, Dalton CF, Dunphy BC, Li TC, Zhang X. The production of leukemia inhibitory factor by human endometrium: presence in uterine flushing and production by cells in culture. *Human Reprod* 1997;12: 569-74.
- Lee JH, Miele ME, Hicks DJ, Philips KK, Trent JM, Weissman BE, Welch DR. KiSS-I, a novel human malignant melanoma metastasis-suppressor gene. *J Natl Cancer Inst* 1996;88:1731-1737.
- Lee KB, Byun HJ, Park SH, Park CY, Lee SH, Rho SB. CYR6 I control p53 and NF-kappaB expression through PI3K/Akt/Mtor pathways in carboplatin-induced ovarian cancer cells. *Cancer Lett* 2012;315:86-95.
- Leveno KJ, Cunningham FG, Bloom SL, et al. *Williams obstetrics*. 24<sup>th</sup> Ed. New York: Mc Graw-Hill Education; 2014.
- Li TC., Rogers AW, Dockery P, et al. A new Method of histological dating of human endometrium in the luteal phase. *Fertil Steril* 1998; 50: 52-60.
- Li Zewu, Zhu Yueting, Li Hongchang, et al. Leukemia inhibitory factor in serum and follicular fluid of woman with PCOS and its correlation with IVF outcome. *RBM online* 2018;36:483-489.
- Luh MMR, Hatta M, I Gede RW, Made SA, Made W, Ressay D, Rizki AN, Sabir M, Yadi Y, Swandari P, Ade RJ, Reza MP . Higher Treg FoxP3 and TGF- $\beta$  mRNA Expression in Type 2 Reaction ENL (Erythema Nodosum Leprosum) Patients in Mycobacterium leprae Infection. *The Open Microbiology Journal* 2020; 14: 03-00.
- Manjula K, Gupta, Su Yin Chia. Ovarian Hormones: structure, biosynthesis, function, mechanism action, and laboratory. In Falcone T, Hurd W, editors.

- Clinical Reproductive Medicine and surgery: A Practical Guide. Springer Science. New York: Bussines Media; 2013.
- Martel D, Malet C, Gautray JP, Psychoyos A. Surface changes of the luminal uterine epithelium during the human menstrual cycle: a scanning electron microscopic study. In: de Brux J, Mortel R, Gautray JP, eds. *The Endometrium Hormonal Impacts*. New York: Plenum; 1981: 15–29.
- Mascarenhas MN, Flaxman SR, Boerma T, Vanderpoel S, Stevens GA. National Regional and Global Trends in Infertility Prevalence 1990: A Systematic Analysis of 277 Health Surveys. *PLOS Medicine* 2012.
- Mirkin S, Arslan M, Churikov D, et al. In search of candidate genes critically expressed in the human endometrium during the window of implantation. *Hum Reprod* 2005; 20: 2104-17.
- Mote PA, Balleine RL, Mc Gowan EM, and Clarke CL. Colocalization of progesterone receptors A and B by dual immunofluorescent histochemistry in human endometrium during the menstrual cycle. *J Clin Endocrinol Metab* 1999; 84: 2963-71.
- Navot D, Scott RT, Drosch K, et al. The window of embryo transfer and the efficiency of human conception in vitro. *Fertil Steril* 1991; 55: 114-18.
- Nicos AN, Jeffrey JB. Leukemia Inhibitory Factor. Available from <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4581962/>
- Nikas G, Develioglu OH, Toner JP, Jones HW. Endometrial pinopodes indicate a shift in the window of receptivity in IVF cycles. *Human Reprod* 1999; 14: 787-92.
- Paria BC, Lim H, Das SK, Reese J, Dey SK. Molecular signalling in uterine receptivity for implantation. *Semin Cell Dev Biol* 2000; 11: 67-76.
- Paulson RJ, Sauer MV & Lobo RA. Embryo implantation after human in vitro fertilization: importance of endometrial receptivity. *Fertility and Sterility* 1990; 53: 870–74.
- Polim A, Nining H, Tri A, Roza S, Batara S, Arief B, Ivan S. Association between estradiol levels and clinical outcomes of IVF cycles with single blastocyst embryo transfer. *Asian Pacific Journal of Reprod* 2021;10(2):49-55
- Purnamanita, Budu, Hatta M, Massi M N, Natzir R, Ichsan A. M, Sujuti H. The Effectiveness of Triamcinolone Injection on Risk of Postoperative Operations with the Conjunctiva Autograft Technique and Its Association with Change of VEGF mRNA Expression. *Biomed Pharmacol J* 2020;13(2): 543-549.
- Qiu-ju Chen, Xiao-xi Sun, Lu Li, Xiao Hing, Kristina GH, Li-nan Cheng. Effects of ovarian stimulation on endometrial integrin B3 and LIF factor expression in the peri-implantation phase. *Journal Fertil Steril* 2008;89:1357-63
- Razaw OI, Shirwan HO, Chro N, Fattah. Corellation between hormonal disturbance PCOS women and serum level of Kisspeptin. *International Journal of endocrinology* 2020:1-8
- Ren SG, Seliktar J, Li X, Braunstein GD, Melmed S. Measurement of Leukemia Inhibitory Factor in Biological Fluids by Radioimmunoassay. *J Clinical Endocrinol Metab* 1998; 83:1275-83.
- Ressy D, Hatta M, Rosdiana, Sutji P, Sabir M, Yadi Y, Rizki AN, Ade RJ, Nataniel T, Masyhudi A, Matius F, Juhri S, Burhanuddin B. Association of Typhoid

- Fever Severity with Polymorphisms NOD2, VDR and NRAMP1 Genes in Endemic Area, Indonesia. *J. Medical Sciences* 2017; 17 (3): 133-139.
- Robert HS, Hatta M, Ramli M, Andi AI, Syafrie KA. Systemic lidocaine inhibits high-mobility group box 1 messenger ribonucleic acid expression and protein in BALB/c mice after closed fracture musculoskeletal injury. *Saudi Journal of Anesthesia* 2018; 12 (3): 395-398
- Rogers PAW, Au CI, Affandi B. Endometrial microvascular density during the normal menstrual cycle and following exposure to long term levonorgestrel. *Human Reprod* 1993; 8: 1396-404.
- Russell R, Gori I, Pellegrini C, et al. Lipoxin A4 is a novel estradiol receptor modulator. *FASEB J* 2011;25: 4326-37.
- Rusyati LMM, Hatta M, Widiyana IGR, Adiguna MS, Wardana M, Dwiyantri R, Noviyanti RA, Sabir M, Yadi Y, Paramita S, Junita AR, Primaguna MR. Higher Treg FoxP3 and TGF- $\beta$  mRNA Expression in Type 2 Reaction ENL (Erythema Nodosum Leprosum) Patients in Mycobacterium leprae Infection. *The Open Microbiology Journal* 2020; 14: 304-309.
- Salamonsen LA, Jones RL. Endometrial remodelling. In : Henry HL, Norman AW eds. *Encyclopedia of hormones*. San Diego, CA: Academic Press; 2003: 504-12.
- Schafer-Somi S, Ay SS, Kaya D, Sozmen M, Beceriklisoy HB, Agaoglu AR, Findik M, Van Haefen T, Aslan S. Kisspeptin-10 and the G protein-coupled receptor 54 are differentially expressed in the canine pregnant uterus and trophoblast cells. *Reprod Domest Anim* 2017;52:123–129.
- Sherwin JR, Smith SK, Wilson A. Soluble gp130 is up-regulated in the implantation window and shows altered secretion in patients with primary unexplained infertility. *Journal of Clinical Endocrinology and Metabolism*. *J Clin Endo Metab* 2002; 87: 3953-60.
- Shapiro BS, Daneshmand MD, Garner FC, Aguire M, et al. Evidence of impaired endometrial receptivity after ovarian stimulation for in vitro fertilization: a prospective randomized trial comparing fresh and frozen-thawed embryo transfer in normal responders. *Fertil Steril* 2011; 96: 344-8.
- Shuya LL, Menkhorst EM, Yap J, Li P, Lane N, Dimitriadis E. Leukemia inhibitory factor enhances endometrial stromal cell decidualization in humans and mice. *PLoS One* 2011;6:e25288.
- Simón C, Mercader A, Frances A, Gimeno MJ, Polan ML, Remohí J & Pellicer A. Hormonal regulation of serum and endometrial IL-1 $\alpha$ , IL-1 $\beta$  and IL-1ra: IL-1 endometrial microenvironment of the human embryo at the apposition phase under physiological and supraphysiological steroid level conditions. *Journal of Reproductive Immunology* 1996; 31 :165–84.
- Simón C, Velasco JJG, Valbuena D, et al. Increasing uterine receptivity by decreasing estradiol levels during the preimplantation period in high responders with the use of a follicle-stimulating hormone step-down regimen. *Fertil and Steril* 1998; 70 : 234–39.
- Singh, M., Chaudhry, P. and Asselin, E. Bridging endometrial receptivity and implantation: network of hormones, cytokines, and growth factors. *Journal of Endocrinology* 2011; 210(1) : 5-14.

- Sullivan EA, Wang YA, Hayward I, et al. Single embryo transfer reduces the risk of perinatal mortality, a population study. *Human Reprod* 2012; 27: 3609-15.
- Surachmanto Eko E, Mochammad Hatta, Andi A. Islam, Syarifuddin Wahid. Association between asthma control and Interleukin-17F expression levels in adult patients with atopic asthma. *Saudi Medical Journal* 2018; 39(7): 662-667.
- Tanyapanyachon O, Amelkia O, Chatdarong K. The expression of Kisspeptin and its receptor in the domestic cat ovary and uterus in different stages of the ovarian cycle. *Theriogenology* 2018;II7:40-48.
- Tawfeek MA, Eid MA, Hasan AM, Mostafa M, El Serogy HA. Assesment of LIF and glycoprotein 130 expression in endometrium and uterine flushing: a possible diagnostic tool for impaired fertility. *BMC Women's health* 2012; 12:10.
- Valbuena D, Martin J, de Pablo JL, Remohí J, Pellicer A & Simón C: Increasing levels of estradiol are deleterious to embryonic implantation because they directly affect the embryo. *Fertil and Steril* 2001; 76: 962–68.
- Ware CB, Horowitz MC, Renshaw BR. Targeted disruption of the low-affinity leukemia inhibitory factor receptor gene causes placental, skeletal, neural and metabolic defects and results in perinatal death. *Development* 1995; 121: 1283–99.
- Yan C, Wang H, Boyd DD. KiSS-I represses 92-kDa type IV collagenase expression by down-regulating NF-kappa B binding to the promoter as a consequence of Ikappa Balpha-induced block of p65/p50 nuclear translocation. *J Biol Chem* 200I;276:II72.
- Yelian FD, Yang Y, Hirata JD, Schultz JF, and Armant DR. Molecular interactions between fibronectin and integrins during mouse blastocyst outgrowth. *Mol Reprod Dev* 1995; 41: 435-48.
- Young SL. Oestradiol and progesterone action on endometrium : a translational approach to understanding endometrial receptivity. *RBM Online* 2013; 27: 497-505.
- Zhang Y, Chen Q, Zhang H, Wang Q, Li R, Jin Y, et al. Aquaporin dependent excessive intrauterine fluid accumulation is a major contributor in hyper-estradiol induced aberrant embryo implantation. *Cell Res* 2015; 25(1): 139-142.
- Zhaowei T, Hao R, Shuang Z, et al. Molecular determinants of uterine receptivity. *Int J. dev. Biol* 2014; 58: 147-154
- Zhu D, Zhang J, Cao S, et al. Vitrified warmed blastocyst transfer cycles yield higher pregnancy and implantation rates compared with fresh blastocyst transfer cycles times for a new embryo transfer strategy. *Fertil Steril* 2011; 95: 1691-95.