

DAFTAR PUSTAKA

Allen TK, Muir HA, George RB, Habib AS. 2009. A survey of the management of spinal-induced hypotension for scheduled cesarean delivery. *Int J Obstet Anesth*; 18:356–61.

Aya A.G., Mangin R., Vialles N. N, et al., 2003. Patients with severe preeclampsia experience less hypotension during spinal anesthesia for elective cesarean delivery than healthy parturients: a prospective cohort comparison, *Anesth. Analg.* 97 867–872.

Dyer R.A., Daniels A., Vorster A., et al., 2018. Maternal cardiac output response to colloid preload and vasopressor therapy during spinal anaesthesia for caesarean section in patients with severe pre-eclampsia: a randomised, controlled trial, *Anaesthesia* 73 (1) 23–31.

Hasanin A.M, Amin S, Refaat S, et al. Norepinephrine versus phenylephrine infusion for prophylaxis against post-spinal anaesthesia hypotension during elective caesarean delivery: A randomised controlled trial. *Anaesth Crit Care Pain Med* (2019). doi.org/10.1016/j.accpm.2019.03.005

Hasanin A. M., Amin S. M., Agiza N.A. et al., “Norepinephrine infusion for preventing postspinal anesthesia hypotension during cesarean delivery: a randomized dose-finding trial,” *Anesthesiology*, 2018.

Hoyme M, Scheungraber C, Reinhart K, Schummer W. 2014. Comparison of norepinephrine and cafedrine/theodrenaline regimens for maintaining maternal blood pressure during spinal anaesthesia for caesarean section: A



two years analysis. *Obstetrics & Gynecology: An International Journal*; in press

Kementrian Kesehatan Republik Indonesia, 2013. *Riset Kesehatan Dasar (RISKESDAS)*. Jakarta.

Kinsella S., Carvalho B., Dyer R. et al., 2018. “International consensus statement on the management of hypotension with vasopressors during caesarean section under spinal anaesthesia,” *Obstetric Anesthesia Digest*, vol. 73, pp. 71–92.

Liguori G.A., Kahn R.L., Gordon J., Gordon M.A., Urban M.K., The use of metoprolol and glycopyrrolate to prevent hypotensive/bradycardic events during shoulder arthroscopy in the sitting position under interscalene block, *Anesth. Analg.* 87 (1998) 1320–1325.

Lumbiganon P., Laopaiboon M., Gulmezoglu A.M., et al., 2010. Method of delivery and pregnancy outcomes in Asia: the WHO global survey on maternal and perinatal health 2007–08, *Lancet*; 375:490–499.

Macarthur A., Riley E.T., 2007. Obstetric anesthesia controversies: vasopressor choice for postspinal hypotension during cesarean delivery, *Int. Anesthesiol. Clin.* 45 115–132.

Mon W., Stewart A., Fernando R., et al. 2017. Cardiac output changes with phenylephrine and ephedrine infusions during spinal anesthesia for cesarean

on: a randomized, double-blind trial, *J. Clin. Anesth.* 37; 43–48.



Murphy S.L., Mathews T.J., Martin J.A., Minkovitz C.S., Strobino D.M., 2017. Annual summary of vital statistics: 2013-2014. 139 (6).

Ngan Kee WD, D.M et al. 2017. A Random-allocation Graded Dose–Response Study of Norepinephrine and Phenylephrine for Treating Hypotension during Spinal Anesthesia for Cesarean Delivery. doi: 10.1097/ALN.0000000000001880.

Ngan Kee WD, Khaw KS, Tam YH et al. 2016. Performance of a closed-loop feedback computer-controlled infusion system for maintaining blood pressure during spinal anaesthesia for caesarean section: a randomized controlled comparison of norepinephrine versus phenylephrine. doi 10.1007/s10877-016-9883-z

Ngan Kee WD., et al. 2015. Randomized Double-blinded Comparison of Norepinephrine and Phenylephrine for Maintenance of Blood Pressure during Spinal Anesthesia for Cesarean Delivery. *Anesthesiology*; 122:736-45.

Ngan Kee WD, Lee SW, Ng FF, Tan PE, Khaw KS: Randomized double-blinded comparison of norepinephrine and phenylephrine for maintenance of blood pressure during spinal anesthesia for cesarean delivery. *ANESTHESIOLOGY* 2015; 122:736–45

Sharkey M.A., Siddiqui N, Downey K. et al, 2018. Comparison of Intermittent Intravenous Boluses of Phenylephrine and Norepinephrine to Prevent and Treat Spinal-Induced Hypotension in Cesarean Deliveries: Randomized Controlled Trial. doi: 10.1213/ANE.0000000000003704



Vallejo, M.C., Attaallah, A.F., Elzamzamy, O.M., Cifarelli, D.T., Phelps, A.L., Hobbs, G.R., Shapiro, R.E., Ranganathan, P., An open-label randomized controlled clinical trial for comparison of continuous phenylephrine versus norepinephrine infusion in prevention of spinal hypotension during caesarean delivery, International Journal of Obstetric Anesthesia (2016), doi: <http://dx.doi.org/10.1016/j.ijoa.2016.08.005>



LAMPIRAN

Lampiran 1. Biodata Penulis



1. Data Pribadi

- Nama Lengkap : Luciana Leonard
- Tempat, Tanggal Lahir : Makassar, 11 Februari 2000
- Jenis Kelamin : Perempuan
- Agama : Buddha
- Alamat Rumah : Jalan Veteran Utara No. 344
- Golongan Darah : A
- Nama Orang Tua
 - Ayah : Ade Leonard
 - Ibu : Phoa Mei Ing
- No Telepon : 081245230517
- Media sosial (Line/WA) : 11_uci/081245230517
- Alamat Email : lucianaleonard11@gmail.com

2. Riwayat Pendidikan

No.	Jenjang Pendidikan	Nama Institusi	Bidang Ilmu/Jurusan	Tahun Masuk	Tahun Keluar
1.	SD	SDN 3 Bau-Bau	-	2005	2010
2.	SD	SD Ujung Pandang	-	2010	2011
3.	SMP	SMP Katolik Rajawali Makassar	-	2011	2014
	SMA	SMA Katolik Rajawali Makassar	IPA	2014	2017
	Universitas	Universitas Hassanuddin	Fakultas Kedokteran	2017	



3. Pengalaman Organisasi

No.	Nama Organisasi	Jabatan	Tahun Kepengurusan	Keterangan
1.	MYRC (Medical Youth Research Club) FK Unhas	Anggota	2019	
2.	AMSA (Asian Medical Student's Association) Unhas	Anggota Membership and Development	2018/2019	
3.	IMKIS (Ikatan Mahasiswa Kedokteran Buddhis) Unhas	Sekretaris	2019/2020	
4.	Asisten Dosen Farmako FK Unhas	Anggota	2019/2020	
5.	Persada Bumi Sulsel	Anggota	2018	
6.	Plica Vocalis FK Unhas	Ketua Umum	2019/2020	

