

## DAFTAR PUSTAKA

1. Shereen MA, Khan S, Kazmi A, Bashir N, Siddique R. COVID-19 infection: Emergence, transmission, and characteristics of human coronaviruses. *J Adv Res.* 1 Juli 2020;24:91–8.
2. Cucinotta D, Vanelli M. WHO Declares COVID-19 a Pandemic. *Acta Bio Medica Atenei Parm.* 2020;91(1):157–60.
3. Nicola M, Alsafi Z, Sohrabi C, Kerwan A, Al-Jabir A, Iosifidis C, dkk. The socio-economic implications of the coronavirus pandemic (COVID-19): A review. *Int J Surg Lond Engl.* Juni 2020;78:185–93.
4. WHO Coronavirus (COVID-19) Dashboard [Internet]. [dikutip 4 November 2021]. Tersedia pada: <https://covid19.who.int>
5. Baj J, Karakuła-Juchnowicz H, Teresiński G, Buszewicz G, Ciesielka M, Sitarz E, dkk. COVID-19: Specific and Non-Specific Clinical Manifestations and Symptoms: The Current State of Knowledge. *J Clin Med.* Juni 2020;9(6):1753.
6. Singhal T. A Review of Coronavirus Disease-2019 (COVID-19). *Indian J Pediatr.* 2020;87(4):281.
7. Cascella M, Rajnik M, Aleem A, Dulebohn SC, Napoli RD. Features, Evaluation, and Treatment of Coronavirus (COVID-19) [Internet]. *StatPearls* [Internet]. StatPearls Publishing; 2021 [dikutip 3 September 2021]. Tersedia pada: <https://www.ncbi.nlm.nih.gov/books/NBK554776/>
8. Al-Benna S. Gene Expression of Angiotensin-Converting Enzyme 2 Receptor in Skin and the Implications for COVID-19. *Adv Skin Wound Care.* Januari 2021;34(1):31–5.
9. Sachdeva M, Gianotti R, Shah M, Bradanini L, Tosi D, Veraldi S, dkk. Cutaneous manifestations of COVID-19: Report of three cases and a review of literature. *J Dermatol Sci.* Mei 2020;98(2):75–81.
10. Tan SW, Tam YC, Oh CC. Skin manifestations of COVID-19: A worldwide review. *JAAD Int.* 16 Desember 2020;2:119–33.
11. Sachdeva M, Gianotti R, Shah M, Bradanini L, Tosi D, Veraldi S, dkk. Cutaneous manifestations of COVID-19: Report of three cases and a review of literature. *J Dermatol Sci.* Mei 2020;98(2):75–81.
12. Estébanez A, Pérez-Santiago L, Silva E, Guillen-Climent S, García-Vázquez A, Ramón MD. Cutaneous manifestations in COVID-19: a new contribution. *J Eur Acad Dermatol Venereol JEADV.* Juni 2020;34(6):e250–1.

13. Magro C, Mulvey JJ, Berlin D, Nuovo G, Salvatore S, Harp J, dkk. Complement associated microvascular injury and thrombosis in the pathogenesis of severe COVID-19 infection: A report of five cases. *Transl Res J Lab Clin Med.* Juni 2020;220:1–13.
14. Elsaie ML, Youssef EA, Nada HA. Herpes zoster might be an indicator for latent COVID 19 infection. *Dermatol Ther.* 2020;33(4):e13666.
15. Askin O, Altunkalem RN, Altinisik DD, Uzuncakmak TK, Tursen U, Kutlubay Z. Cutaneous manifestations in hospitalized patients diagnosed as COVID-19. *Dermatol Ther.* November 2020;33(6):e13896.
16. Henry D, Ackerman M, Sancelme E, Finon A, Esteve E. Urticarial eruption in COVID-19 infection. *J Eur Acad Dermatol Venereol JEADV.* Juni 2020;34(6):e244–5.
17. Bouaziz JD, Duong TA, Jachiet M, Velter C, Lestang P, Cassius C, dkk. Vascular skin symptoms in COVID-19: a French observational study. *J Eur Acad Dermatol Venereol JEADV.* September 2020;34(9):e451–2.
18. Fernandez-Nieto D, Ortega-Quijano D, Jimenez-Cauhe J, Burgos-Blasco P, de Perosanz-Lobo D, Suarez-Valle A, dkk. Clinical and histological characterization of vesicular COVID-19 rashes: a prospective study in a tertiary care hospital. *Clin Exp Dermatol.* Oktober 2020;45(7):872–5.
19. Camprodon Gómez M, González-Cruz C, Ferrer B, Barberá MJ. Leucocytoclastic vasculitis in a patient with COVID-19 with positive SARS-CoV-2 PCR in skin biopsy. *BMJ Case Rep.* 29 Oktober 2020;13(10).
20. Suter P, Mooser B, Pham Huu Thien HP. Erythema nodosum as a cutaneous manifestation of COVID-19 infection. *BMJ Case Rep.* 8 Juli 2020;13(7).
21. Khalifa M, Zakaria F, Ragab Y, Saad A, Bamaga A, Emad Y, dkk. Guillain-Barré Syndrome Associated With Severe Acute Respiratory Syndrome Coronavirus 2 Detection and Coronavirus Disease 2019 in a Child. *J Pediatr Infect Dis Soc.* 17 September 2020;9(4):510–3.
22. Maniaci A, Iannella G, Vicini C, Pavone P, Nunnari G, Falsaperla R, dkk. A Case of COVID-19 with Late-Onset Rash and Transient Loss of Taste and Smell in a 15-Year-Old Boy. *Am J Case Rep.* 20 Agustus 2020;21:e925813.
23. AlGhoozi DA, AlKhayyat HM. A child with Henoch-Schonlein purpura secondary to a COVID-19 infection. *BMJ Case Rep.* 6 Januari 2021;14(1).
24. Xu R, Zhou Y, Cai L, Wang L, Han J, Yang X, dkk. Co-reactivation of the human herpesvirus alpha subfamily (herpes simplex virus-1 and varicella zoster virus) in a critically ill patient with COVID-19. *Br J Dermatol.* Desember 2020;183(6):1145–7.

25. Drago F, Ciccarese G, Rebora A, Parodi A. Human herpesvirus-6, -7, and Epstein-Barr virus reactivation in pityriasis rosea during COVID-19. *J Med Virol*. April 2021;93(4):1850–1.
26. Tatu AL, Nadasdy T, Bujoreanu FC. Familial clustering of COVID-19 skin manifestations. *Dermatol Ther*. November 2020;33(6):e14181.
27. Merhy R, Sarkis AS, Stephan F. Pityriasis rosea as a leading manifestation of COVID-19 infection. *J Eur Acad Dermatol Venereol JEADV*. April 2021;35(4):e246–7.
28. Dalal A, Jakhar D, Agarwal V, Beniwal R. Dermatological findings in SARS-CoV-2 positive patients: An observational study from North India. *Dermatol Ther*. 2020;33(6):e13849.
29. Keshavarzi A, Mohammadi AA, Ayaz M, Javanmardi F, Hoghoughi MA, Shirazi Yeganeh B, dkk. Cutaneous Vesicular of COVID-19 in Two Burn Patients. *World J Plast Surg*. September 2020;9(3):331–8.
30. Ho B, Ray A. A case for palliative dermatology: COVID-19-related dermatoses. *Clin Dermatol*. Desember 2020;38(6):768–9.
31. Calvão J, Relvas M, Pinho A, Brinca A, Cardoso JC. Acro-ischaemia and COVID-19 infection: clinical and histopathological features. *J Eur Acad Dermatol Venereol JEADV*. November 2020;34(11):e653–754.
32. Shoskes A, Migdady I, Fernandez A, Ruggieri P, Rae-Grant A. Cerebral Microhemorrhage and Purpuric Rash in COVID-19: The Case for a Secondary Microangiopathy. *J Stroke Cerebrovasc Dis Off J Natl Stroke Assoc*. Oktober 2020;29(10):105111.
33. Rolfo C, Cardona AF, Ruiz-Patiño A, Ariza S, Zatarain-Barron L, Pino LE, dkk. Atypical Skin Manifestations During Immune Checkpoint Blockage in Coronavirus Disease 2019-Infected Patients With Lung Cancer. *J Thorac Oncol Off Publ Int Assoc Study Lung Cancer*. November 2020;15(11):1767–72.
34. Rotman JA, Dean KE, Magro C, Nuovo G, Bartolotta RJ. Concomitant calciphylaxis and COVID-19 associated thrombotic retiform purpura. *Skeletal Radiol*. November 2020;49(11):1879–84.
35. Danarti R, Budiarto A, Rini DLU, Soebono H. Follicular eruption as a cutaneous manifestation in COVID-19. *BMJ Case Rep*. 29 Oktober 2020;13(10).
36. Sadeghi A, Dooghaie Moghadam A, Eslami P, Pirsalehi A, Salari S, Roshandel E. Vasculopathy-related cutaneous lesions and intrahepatic cholestasis as synchronous manifestations in a COVID-19 patient; a case report. *Gastroenterol Hepatol Bed Bench*. Fall 2020;13(4):400–4.

37. Hassan K. Urticaria and angioedema as a prodromal cutaneous manifestation of SARS-CoV-2 (COVID-19) infection. *BMJ Case Rep.* 7 Juli 2020;13(7).
38. Tamai M, Maekawa A, Goto N, Ge L, Nishida T, Iwahashi H, dkk. Three cases of COVID-19 patients presenting with erythema. *J Dermatol.* Oktober 2020;47(10):1175–8.
39. Cabrera-Hernández R, Solano-Solares E, Chica-Guzmán V, Fernández-Guarino M, Fernández-Nieto D, Ortega-Quijano D, dkk. SARS-CoV-2, skin lesions and the need of a multidisciplinary approach. *J Eur Acad Dermatol Venereol JEADV.* November 2020;34(11):e659–62.
40. Chaabane I, Loukil M, Amri R, Badri I, Baha H, Lajmi M, dkk. Cutaneous manifestations of COVID-19: report of three cases. *Arch Dermatol Res.* November 2021;313(9):805–8.
41. Dehghani Firouzabadi M, Goudarzi S, Dehghani Firouzabadi F, Moosaie F. Complete heart block and itchy rash in a patient with COVID-19. *Casp J Intern Med.* Fall 2020;11(Suppl 1):569–71.
42. Bosch-Amate X, Giavedoni P, Podlipnik S, Andreu-Febrer C, Sanz-Beltran J, Garcia-Herrera A, dkk. Retiform purpura as a dermatological sign of coronavirus disease 2019 (COVID-19) coagulopathy. *J Eur Acad Dermatol Venereol JEADV.* Oktober 2020;34(10):e548–9.
43. Taşkın B, Vural S, Altuğ E, Demirkesen C, Kocatürk E, Çelebi İ, dkk. Coronavirus 19 presenting with atypical Sweet's syndrome. *J Eur Acad Dermatol Venereol JEADV.* Oktober 2020;34(10):e534–5.
44. Iancu GM, Solomon A, Birlutiu V. Viral exanthema as manifestation of SARS-CoV-2 infection: A case report. *Medicine (Baltimore).* 28 Agustus 2020;99(35):e21810.
45. Pastor Bandeira I, Sordi Chara B, Meneguzzi de Carvalho G, Magno Gonçalves MV. Diffuse skin rash in tropical areas: Dengue fever or COVID-19? *An Bras Dermatol.* Februari 2021;96(1):85–7.
46. Yang Y, Zhao J, Wu J, Teng Y, Xia X. A rare case of immune thrombocytopenic purpura, secondary to COVID-19. *J Med Virol.* November 2020;92(11):2358–60.
47. van Damme C, Berlingin E, Saussez S, Accaputo O. Acute urticaria with pyrexia as the first manifestations of a COVID-19 infection. *J Eur Acad Dermatol Venereol JEADV.* Juli 2020;34(7):e300–1.
48. Serafini A, Kurotschka PK, Bertolani M, Riccomi S. An itchy erythematous papular skin rash as a possible early sign of COVID-19: a case report. *J Med Case Reports.* 9 November 2020;14(1):216.

49. Klimach A, Evans J, Stevens J, Creasey N. Rash as a presenting complaint in a child with COVID-19. *Pediatr Dermatol*. September 2020;37(5):966–7.
50. Panambur B, Kakkilaya SB. Palmar Erythema as the Sole Manifestation of COVID-19. *Cureus*. 2 November 2020;12(11):e11291.
51. Widysanto A, Wahyuni TD, Simanjuntak LH, Sunarso S, Siahaan SS, Haryanto H, dkk. Ecchymosis in critical coronavirus disease 2019 (COVID-19) patient in Tangerang, Indonesia: a case report. *J Thromb Thrombolysis*. Agustus 2021;52(2):635–9.
52. Killion L, Beatty PE, Salim A. Rare cutaneous manifestation of COVID-19. *BMJ Case Rep*. 28 Januari 2021;14(1).
53. Adekiigbe R, Ugbo F, Seoparson S, Katriyar N, Fetterman A. A 47-Year-Old Hispanic Man Who Developed Cutaneous Vasculitic Lesions and Gangrene of the Toes Following Admission to Hospital with COVID-19 Pneumonia. *Am J Case Rep*. 1 Oktober 2020;21:e926886.
54. Dominguez-Santas M, Diaz-Guimaraens B, Garcia Abellas P, Moreno-Garcia Del Real C, Burgos-Blasco P, Suarez-Valle A. Cutaneous small-vessel vasculitis associated with novel 2019 coronavirus SARS-CoV-2 infection (COVID-19). *J Eur Acad Dermatol Venereol JEADV*. Oktober 2020;34(10):e536–7.
55. Elkhachine Y, Sakkah A, Hallab I, Jakar A, Elhaouri M, Elbenaye J. Polymorphous acral eruption and Covid-19. *Pan Afr Med J*. 2020;35(Suppl 2):49.
56. Rubin A, Alamgir M, Rubin J, Rao BK. Chilblain-like lesions with prominent bullae in a patient with COVID-19. *BMJ Case Rep*. 2 November 2020;13(11).
57. Negrini S, Guadagno A, Greco M, Parodi A, Burlando M. An unusual case of bullous haemorrhagic vasculitis in a COVID-19 patient. *J Eur Acad Dermatol Venereol JEADV*. November 2020;34(11):e675–6.
58. Nesr G, Garnett C, Bailey C, Koshy R, Arami S. Immune thrombocytopenia flare with mild COVID-19 infection in pregnancy: A case report. *Br J Haematol*. Agustus 2020;190(3):e146–8.
59. Palomo-Pérez JC, Vega-Memije ME, Aguilar-Blancas D, González-Martínez E, Rangel-Gamboa L. Cutaneous manifestations of COVID-19 in Mexican patients: A case series and review of literature. *SAGE Open Med Case Rep*. 2021;9:2050313X21997194.
60. Ridolo E, Pucciarini F, Barone A, Nouvenne A, Meschi T, Peveri S, dkk. Dermatological manifestations during COVID-19 infection: a case series and discussion on the problem of differential diagnosis. *Acta Bio-Medica Atenei Parm*. 9 Februari 2021;92(1):e2021103.

61. Saati A, Al-Husayni F, Malibari AA, Bogari AA, Alharbi M. Herpes Zoster Co-Infection in an Immunocompetent Patient With COVID-19. *Cureus*. 4 Juli 2020;12(7):e8998.
62. Nirenberg MS, Herrera MDMR. Foot manifestations in a patient with COVID-19 and Epstein-Barr virus: A case study. *Foot Edinb Scotl*. Maret 2021;46:101707.
63. Molinaro E, Novara E, Bonometti R, Sacchi MC, Stobbione P, Lauritano EC, dkk. Isolated immune thrombocytopenic purpura in a young adult Covid-19 patient. *Eur Rev Med Pharmacol Sci*. Oktober 2020;24(20):10850–2.
64. Llamas-Velasco M, Muñoz-Hernández P, Lázaro-González J, Reolid-Pérez A, Abad-Santamaría B, Fraga J, dkk. Thrombotic occlusive vasculopathy in a skin biopsy from a livedoid lesion of a patient with COVID-19. *Br J Dermatol*. September 2020;183(3):591–3.
65. Royer P-Y, Zayet S, Jacquin-Porretaz C, Kadiane-Oussou NJ, Toko L, Gendrin V, dkk. Angioedema and COVID-19: A New Dermatological Manifestation? *Infect Dis Rep*. 1 Januari 2021;13(1):23–5.
66. Kopacz A, Ludwig C, Tarbox M. Atypical cutaneous and musculoskeletal manifestation of SARS-CoV-2: “COVID-19 toes” and spasticity in a 48-year-old woman. *BMJ Case Rep*. 17 Maret 2021;14(3).
67. Mazzitelli M, Dastoli S, Mignogna C, Bennardo L, Lio E, Pelle MC, dkk. Histopathology and immunophenotyping of late onset cutaneous manifestations of COVID-19 in elderly patients: Three case reports. *World J Clin Cases*. 16 Juli 2021;9(20):5744–51.
68. Verheyden M, Grosber M, Gutermuth J, Velkeniers B. Relapsing symmetric livedo reticularis in a patient with COVID-19 infection. *J Eur Acad Dermatol Venereol JEADV*. November 2020;34(11):e684–6.
69. Balestri R, Termine S, Rech G, Girardelli CR. Late onset of acral necrosis after SARS-CoV-2 infection resolution. *J Eur Acad Dermatol Venereol JEADV*. September 2020;34(9):e448–9.
70. Locatelli AG, Robustelli Test E, Vezzoli P, Carugno A, Moggio E, Consonni L, dkk. Histologic features of long-lasting chilblain-like lesions in a paediatric COVID-19 patient. *J Eur Acad Dermatol Venereol JEADV*. Agustus 2020;34(8):e365–8.
71. Shah I, Stacey SK, Ganne N, Merfeld J. Perniosis in the COVID-19 era. *Dermatol Online J*. 2021;27(5).
72. Shubhra S, Yadav A, Sardana K, Goila AK. Unilateral deep vein thrombosis with gangrene involving the ascending aorta with sepsis and pulmonary thromboembolism-a pertinent cutaneous marker of severity of COVID-19. *J Cosmet Dermatol*. Oktober 2021;20(10):3116–8.

73. de Lorenzo Alvarez A, Revilla Á, Corbalán T, Villar A, Espinel L, Martins J, dkk. Ischemic stroke and purpuric dermatitis as COVID-19-related complications in a peritoneal dialysis patient. *CEN Case Rep. Mei* 2021;10(2):250–4.
74. Al Ameer HH, AlKadhem SM, Busaleh F, AlKhwaitm S, Llaguno MBB. Multisystem Inflammatory Syndrome in Children Temporally Related to COVID-19: A Case Report From Saudi Arabia. *Cureus*. 22 September 2020;12(9):e10589.
75. Lotfi Z, Haghighi A, Akbarzadehpasha A, Mozafarpour S, Goodarzi A. Pansclerotic Morphea Following COVID-19: A Case Report and Review of Literature on Rheumatologic and Non-rheumatologic Dermatologic Immune-Mediated Disorders Induced by SARS-CoV-2. *Front Med*. 2021;8:728411.
76. Kyriakoudi A, Pontikis K, Tsaraklis A, Soura E, Vourlakou C, Kossyvakis A, dkk. Cutaneous Vasculopathy in a COVID-19 Critically Ill Patient: A Histologic, Immunohistochemical, and Electron Microscopy Study. *Case Rep Crit Care*. 2021;2021:6644853.
77. Putra BE, Adiarto S, Dewayanti SR, Juzar DA. Viral exanthem with “Spins and needles sensation” on extremities of a COVID-19 patient: A self-reported case from an Indonesian medical frontliner. *Int J Infect Dis IJID Off Publ Int Soc Infect Dis*. Juli 2020;96:355–8.
78. Dima M, Enatescu I, Craina M, Petre I, Iacob ER, Iacob D. First neonates with severe acute respiratory syndrome coronavirus 2 infection in Romania: Three case reports. *Medicine (Baltimore)*. 14 Agustus 2020;99(33):e21284.
79. Fineschi S. Case Report: Systemic Sclerosis After Covid-19 Infection. *Front Immunol*. 2021;12:686699.
80. Kuriyama Y, Shimizu A, Oka H, Sato M, Makioka K, Ikota H, dkk. Erythema nodosum-like eruption in coronavirus disease 2019: A case report and literature review of Asian countries. *J Dermatol*. Oktober 2021;48(10):1588–92.
81. Scala E, Fania L, Bernardini F, Calarco R, Chiloiro S, Di Campli C, dkk. Pleomorphic skin eruptions in a COVID-19 affected patient: Case report and review of the literature. *Immun Inflamm Dis*. September 2021;9(3):617–21.
82. Barrera-Godínez A, Méndez-Flores S, Gatica-Torres M, Rosales-Sotomayor A, Campos-Jiménez KI, Carrillo-Córdova DM, dkk. Not all that glitters is COVID-19: a case series demonstrating the need for histopathology when skin findings accompany SARS-CoV-2 infection. *J Eur Acad Dermatol Venereol JEADV*. September 2021;35(9):1865–73.

83. Ahmed N, Asreb A, Chofor R, Melese A. Treatment of Severe Immune Thrombocytopenic Purpura Associated with COVID-19. *Am J Case Rep.* 2021;22:e932557.
84. McBride JD, Narang J, Simonds R, Agrawal S, Rodriguez ER, Tan CD, dkk. Development of sacral/buttock retiform purpura as an ominous presenting sign of COVID-19 and clinical and histopathologic evolution during severe disease course. *J Cutan Pathol.* September 2021;48(9):1166–72.
85. Rodríguez-Jiménez P, Chicharro P, De Argila D, Muñoz-Hernández P, Llamas-Velasco M. Urticaria-like lesions in COVID-19 patients are not really urticaria - a case with clinicopathological correlation. *J Eur Acad Dermatol Venereol JEADV.* September 2020;34(9):e459–60.
86. Lagziel T, Quiroga L, Ramos M, Hultman CS, Asif M. Two False Negative Test Results in a Symptomatic Patient with a Confirmed Case of Severe Acute Respiratory Syndrome Coronavirus-2 (SARS-CoV-2) and Suspected Stevens-Johnson Syndrome/Toxic Epidermal Necrolysis (SJS/TEN). *Cureus.* 19 Mei 2020;12(5):e8198.
87. Phamduy TT, Young DM, Ramolia PB. Localized Scarletiform Rash of the Ears and Antecubital Fossa in COVID-19. *J Am Board Fam Med JABFM.* Februari 2021;34(Suppl):S183–5.
88. Bamgboje A, Hong J, Mushiyevev S, Pekler G. A 61-Year-Old Man with SARS-CoV-2 Infection and Venous Thrombosis Presenting with Painful Swelling and Gangrene of the Lower Limb Consistent with Phlegmasia Cerulea Dolens. *Am J Case Rep.* 16 Desember 2020;21:e928342.
89. Fata A, Jabbour G, Kourie H, Zoghbi M, Kassouf E, Zoghbi A. Rare cutaneous manifestation of COVID-19 infection and Pfizer-BioNTech COVID-19 vaccine with a unique pattern similarity. *Future Virol.* Oktober 2021;
90. Pagali S, Parikh RS. Severe urticarial rash as the initial symptom of COVID-19 infection. *BMJ Case Rep.* 25 Maret 2021;14(3).
91. Sipfle DO N, Bridwell Md RE, Roper DO J. Erythema nodosum-like rash in a COVID-19 patient: A case report. *Am J Emerg Med.* Februari 2021;40:227.e1-227.e2.
92. Andina-Martínez D, Villaizán-Perez C, Pavo-García MR, Suárez-Gómez O, Monzón-Bueno AI, Sanchez-Prieto I, dkk. Acral peeling as the sole skin manifestation of COVID-19 in children. *Pediatr Dermatol.* Mei 2021;38(3):664–6.
93. Navaeifar MR, Poudineh Ghazaghi M, Shahbaznejad L, Rouhanizadeh H, Abutalebi M, Ranjbar Varandi M, dkk. Fever with Rash is One of the First



- Presentations of COVID-19 in Children: A Case Report. *Int Med Case Rep J*. 2020;13:335–40.
94. Farhan M, Bilori B, Aronin S. COVID-19 (SARS-CoV-2) infection presenting as acute urticaria. *Clin Dermatol*. April 2021;39(2):312–3.
  95. Mawardi P, Yuliarta D, Nuraida W. Atypical Exanthem as Cutaneous Manifestation Related to COVID-19 at a Primary Healthcare Facility. *Acta Medica Indones*. Juli 2021;53(3):315–8.
  96. Agirgol S, Çaytemel C, Kolan AŞ, Vural H. A case of COVID-19 with papulovesicular rash that progressed to retiform purpura, accompanied by cherry angiomas. *Sao Paulo Med J Rev Paul Med*. April 2021;139(2):186–9.
  97. Ringoringo HP, Hartoyo E. Megadose Methylprednisolone for Immune Thrombocytopenia in an Infant Positive for SARS-CoV-2: A Case Report. *Am J Case Rep*. 2 September 2021;22:e931517.
  98. Ghimire K, Adhikari N. Morbilliform rashes in a patient with COVID-19 infection: A case report. *JNMA J Nepal Med Assoc*. 30 April 2021;59(236):399–401.
  99. Bouabdella S, Benkaraache M, Almheirat Y, Zizi N, Dikhaie S. Erythema multiforme eruption due to SARS-COV 2: Case report. *Ann Med Surg* 2012. August 2021;68:102591.
  100. Hope L, Hope B, Nguyen J, Hope R, Tarbox M. The COVID rash that puts the “U” in GROUCH! *Proc Bayl Univ Med Cent*. September 2021;34(5):608–9.
  101. Aminimoghaddam S, Afrooz N, Nasiri S, Motaghi Nejad O, Mahmoudzadeh F. A COVID-19 pregnant patient with thrombotic thrombocytopenic purpura: a case report. *J Med Case Reports*. 1 Maret 2021;15(1):104.
  102. Swali RN, Lee EB, Adams JL. Gianotti-crosti syndrome in the setting of recent coronavirus disease-19 infection. *Pediatr Dermatol*. Mei 2021;38(3):629–31.
  103. Bressler MY, Pathak N, Cervellione K, Bagheri F, Epstein E, Mir A, dkk. New Onset Granulomatosis with Polyangiitis Associated with COVID-19. *Case Rep Dermatol Med*. 2021;2021:8877292.
  104. Hamid MAB, Tariq S. A Unique Set of Symptoms in the Background of SARS-CoV-2 Infection. *Cureus*. 1 April 2021;13(4):e14244.
  105. Caputo V, Schroeder J, Rongioletti F. A generalized purpuric eruption with histopathologic features of leucocytoclastic vasculitis in a patient severely ill with COVID-19. *J Eur Acad Dermatol Venereol JEADV*. Oktober 2020;34(10):e579–81.

106. Luís H, Barros C, André D, Malheiro A. Cutaneous manifestations associated with SARS-CoV-2: an emerging topic in a pandemic era. *BMJ Case Rep.* 3 September 2021;14(9).
107. Oropeza Chávez L, Sánchez Tinajero Á, Martínez Orozco JA, Becerril Vargas E, Dolores De la Merced A, Ruíz Santillán DP, dkk. A 34-Year-Old Woman with a Diamniotic Dichorionic Twin Pregnancy Presenting with an Erythematous and Papular Skin Rash Associated with SARS-CoV-2 Infection. *Am J Case Rep.* 20 Maret 2021;22:e929489.
108. Ordoñez NA, Sepulveda VG, Vargas LP, Moreno JM. COVID-19 presenting as acute generalized exanthematous pustulosis associated with multiorgan dysfunction in a 44-year-old female patient. *Rev Inst Med Trop Sao Paulo.* 2021;63:e42.
109. Ferjani M, Ben Slimane M, Sayari T, Hammi Y, Litaïem N, Naija O, dkk. Infectious-mononucleosis-like exanthema associated with COVID-19 in a child. *Clin Case Rep.* Juli 2021;9(7):e04481.
110. Kumar G, Pillai S, Norwick P, Bukulmez H. Leucocytoclastic vasculitis secondary to COVID-19 infection in a young child. *BMJ Case Rep.* 7 April 2021;14(4).
111. Jain S, Kashyap A, Singh A. Spectrum of Multisystem Inflammatory Syndrome in Children (MIS-C)-a Report of Three Cases. *SN Compr Clin Med.* 21 September 2021;1–5.
112. Kalner S, Vergilis IJ. Periorbital erythema as a presenting sign of COVID-19. *JAAD Case Rep.* 1 Oktober 2020;6(10):996–8.
113. Suso AS, Mon C, Oñate Alonso I, Galindo Romo K, Juarez RC, Ramírez CL, dkk. IgA Vasculitis With Nephritis (Henoch–Schönlein Purpura) in a COVID-19 Patient. *Kidney Int Rep.* 1 November 2020;5(11):2074–8.
114. Elashry MM, Alagha M, Salama M. Pre and retroperitoneal necrotizing fasciitis after COVID-19 infection: A case report. *Radiol Case Rep.* 1 Oktober 2021;16(10):2949–52.
115. Gouveia PA da C, Cipriano IC, de Melo MAZ, da Silva HTA, Amorim MA de O, de Sá Leitão CC, dkk. Exuberant bullous vasculitis associated with SARS-CoV-2 infection. *IDCases.* 1 Januari 2021;23:e01047.
116. Rosso MV, Clemant T, Quiroga CAF, García S, Mulinaris EO. SARS-CoV-2 and dengue virus coinfection involving the skin of an Argentinian female. *Int J Womens Dermatol [Internet].* 11 Maret 2021; Tersedia pada: <https://www.sciencedirect.com/science/article/pii/S2352647521000435>
117. Singh P, Brickley S, Mannava K, Tausk F. Papular purpuric gloves and socks syndrome in a patient with previous SARS-CoV-2 infection. *JAAD Case Rep.* 1 Oktober 2021;16:72–3.

118. Ho BVK, Seger EW, Kollmann K, Rajpara A. Dermatomyositis in a COVID-19 positive patient. *JAAD Case Rep.* 1 Juli 2021;13:97–9.
119. Behbahani S, Baltz JO, Droms R, Deng AC, Amano SU, Levin NA, dkk. Sarcoid-like reaction in a patient recovering from coronavirus disease 19 pneumonia. *JAAD Case Rep.* 1 September 2020;6(9):915–7.
120. Rivera-Oyola R, Koschitzky M, Printy R, Liu S, Stanger R, Golant AK, dkk. Dermatologic findings in 2 patients with COVID-19. *JAAD Case Rep.* 1 Juni 2020;6(6):537–9.
121. Najarian DJ. Morbilliform exanthem associated with COVID-19. *JAAD Case Rep.* 1 Juni 2020;6(6):493–4.
122. Micevic G, Morris J, Lee AI, King BA. Perniolike lesions and coagulopathy in a patient with COVID-19 infection. *JAAD Case Rep.* 1 Desember 2020;6(12):1294–6.
123. Mieczkowska K, Zhu TH, Hoffman L, Blasiak RC, Shulman KJ, Birnbaum M, dkk. Two adult cases of multisystem inflammatory syndrome associated with SARS-CoV-2. *JAAD Case Rep.* 1 April 2021;10:113–5.
124. Le NK, Brooks JP. Acute urticaria as the initial presentation of COVID-19 in a pediatric patient. *JAAD Case Rep.* 1 Mei 2021;11:137–8.
125. Alattar KO, Subhi FN, Saif Alshamsi AH, Eisa N, Shaikh NA, Mobushar JA, dkk. COVID-19-associated leukocytoclastic vasculitis leading to gangrene and amputation. *IDCases.* 1 Januari 2021;24:e01117.
126. Glick LR, Fogel AL, Ramachandran S, Barakat LA. Unilateral laterothoracic exanthem in association with coronavirus disease 2019. *JAAD Case Rep.* 1 September 2020;6(9):900–1.
127. Leis-Dosil VM, Sáez Vicente A, Lorido-Cortés MM. Eosinophilic Panniculitis Associated With COVID-19. *Actas Dermo-Sifiliográficas Engl Ed.* 1 November 2020;111(9):804–5.
128. Pile H, Harp T, Altman D. Atypical erythema nodosum triggered by COVID-19 infection. *JAAD Case Rep.* 1 Agustus 2021;14:91–3.
129. Abasaed Elhag SA, Ibrahim H, Abdelhadi S. Angioedema and urticaria in a COVID-19 patient: A case report and review of the literature. *JAAD Case Rep.* 1 Oktober 2020;6(10):1091–4.
130. Shors AR. Herpes zoster and severe acute herpetic neuralgia as a complication of COVID-19 infection. *JAAD Case Rep.* 1 Juli 2020;6(7):656–7.
131. Morey-Olivé M, Espiau M, Mercadal-Hally M, Lera-Carballo E, García-Patos V. Cutaneous manifestations in the current pandemic of coronavirus

- infection disease (COVID 2019). *An Pediatría Engl Ed.* 1 Juni 2020;92(6):374–5.
132. Sugawara-Mikami M, Ishii N, Yamazaki M, Kambara T, Sasaki H, Tachikawa N, dkk. Skin manifestations of suspected COVID-19: Complications of the disease or reactivation of latent viral infections? *JAAD Case Rep.* 1 Juni 2021;12:15–7.
  133. Thompson O, Pierce D, Whang D, O'Malley M, Geise B, Malhotra U. Acute limb ischemia as sole initial manifestation of SARS-CoV-2 infection. *J Vasc Surg Cases Innov Tech.* 1 Desember 2020;6(4):511–3.
  134. Onyeaghala C, Alasia D, Eyearu O, Paul N, Maduka O, Osemwegie N, dkk. Multisystem inflammatory syndrome (MIS-C) in an adolescent Nigerian girl with COVID-19: A call for vigilance in Africa. *Int J Infect Dis.* 1 April 2021;105:124–9.
  135. Daneshjou R, Rana J, Dickman M, Yost JM, Chiou A, Ko J. Pernio-like eruption associated with COVID-19 in skin of color. *JAAD Case Rep.* 1 September 2020;6(9):892–7.
  136. Laali A, Kermanshah Z, Keyvani H, Kaveh V, Karampoor S. Idiopathic thrombocytopenic purpura as a hematologic manifestation of COVID-19 infection: A case report. *Respir Med Case Rep.* 1 Januari 2021;34:101534.
  137. Shehi E, Chilimuri S, Shin D, Patel M, Ali N, Niazi M. Microthrombi in skin biopsy of a patient with COVID-19. *JAAD Case Rep.* 1 Desember 2020;6(12):1327–9.
  138. Quintana-Castanedo L, Feito-Rodríguez M, Valero-López I, Chiloeches-Fernández C, Sendagorta-Cudós E, Herranz-Pinto P. Urticarial exanthem as early diagnostic clue for COVID-19 infection. *JAAD Case Rep.* 1 Juni 2020;6(6):498–9.
  139. Szeles A, El-Daher NT, Lachant N, Rizk TA. Acute limb ischemia and aortic mural thrombosis as primary manifestations of severe acute respiratory syndrome coronavirus 2. *J Vasc Surg Cases Innov Tech.* 1 Desember 2021;7(4):605–9.
  140. Deng J, Ngo T, Zhu TH, Halverstam C. Telogen effluvium, Beau lines, and acral peeling associated with COVID-19 infection. *JAAD Case Rep.* 1 Juli 2021;13:138–40.
  141. Strom MA, Trager MH, Geskin LJ. Reticular skin eruption as the initial sign of coronavirus disease 2019 infection. *JAAD Case Rep.* 1 Agustus 2020;6(8):790–2.
  142. Khalil S, Hinds BR, Manalo IF, Vargas IM, Mallela S, Jacobs R. Livedo reticularis as a presenting sign of severe acute respiratory syndrome coronavirus 2 infection. *JAAD Case Rep.* 1 September 2020;6(9):871–4.

143. CDC. Coronavirus Disease 2019 (COVID-19) – Symptoms [Internet]. Centers for Disease Control and Prevention. 2021 [dikutip 12 Desember 2021]. Tersedia pada: <https://www.cdc.gov/coronavirus/2019-ncov/symptoms-testing/symptoms.html>
144. Lai CKC, Lam W. Laboratory testing for the diagnosis of COVID-19. *Biochem Biophys Res Commun*. 29 Januari 2021;538:226–30.
145. Laboratory testing for 2019 novel coronavirus (2019-nCoV) in suspected human cases [Internet]. [dikutip 7 Desember 2021]. Tersedia pada: <https://www.who.int/publications-detail-redirect/10665-331501>
146. Salameh J-P, Leeftang MM, Hooft L, Islam N, McGrath TA, Pol CB van der, dkk. Thoracic imaging tests for the diagnosis of COVID-19. *Cochrane Database Syst Rev* [Internet]. 2020 [dikutip 8 Desember 2021];(9). Tersedia pada: <https://www.cochranelibrary.com/cdsr/doi/10.1002/14651858.CD013639.pub2/full>
147. Yousef H, Alhadj M, Sharma S. Anatomy, Skin (Integument), Epidermis. Dalam: *StatPearls* [Internet]. Treasure Island (FL): StatPearls Publishing; 2021 [dikutip 13 Desember 2021]. Tersedia pada: <http://www.ncbi.nlm.nih.gov/books/NBK470464/>
148. Recalcati S. Cutaneous manifestations in COVID-19: a first perspective. *J Eur Acad Dermatol Venereol JEADV*. Mei 2020;34(5):e212–3.
149. Daneshgaran G, Dubin DP, Gould DJ. Cutaneous Manifestations of COVID-19: An Evidence-Based Review. *Am J Clin Dermatol*. 31 Agustus 2020;1–13.

LAMPIRAN

Tabel Hasil Ekstraksi Studi Terinklusi

	Studi	D S	Lokasi Penelitian	S	Usia	J K	Manifestasi Kulit	Lokasi	Waktu	Tes Covid-19
1	Sachdeva et al., 2020 <sup>(11)</sup>	C R	Italia	1	71	P	makulopapular, pruritus	trunkus	11 hari setelah gejala lain	swab nasofaring +
				1	77	P	eksantema makulopapular difus/ morbiliform dan makular hemoragik	trunkus dan eks. inf	bersamaan dengan gejala lain	swab nasofaring +
				1	72	P	papular-vesikular, pruritus	trunkus dan panggul	4 hari setelah gejala lain	swab nasofaring +
2	Estébanez et al., 2020 <sup>(12)</sup>	C R	Spanyol	1	28	P	papul eritema kekuningan yang berkembang menjadi plak eritema	tarsus bilateral	13 hari setelah gejala lain	COVID-19 +
3	Magro et al., 2021 <sup>(13)</sup>	C R	AS	1	32	L	purpura retiformis	gluteus	32 hari setelah gejala lain	RT-PCR +
				1	66	P	purpura kehitaman/livedo prominent	plantar dan palmar bilateral	20 hari setelah gejala lain	RT-PCR +
				1	40	P	erupsi purpura retikular konsisten dengan livedo racemosa	thorakal, eks.	14 hari setelah gejala lain	RT-PCR +
4	Elsaie et al., 2020 <sup>(14)</sup>	C R	Mesir	1	68	L	Herpes zoster (erupsi vesikular)	lumbal dextra	2 hari sebelum gejala lain muncul	CT scan dan RT PCR +
				1	60	P	Herpes zoster	thorakal dan servikal sinistra	bersamaan dengan gejala lain	X-ray thorax dan swab nasofaring +
5	Askin et al., 2020 <sup>(15)</sup>	O S	Turki	12	25-28,	20 L	makulopapular	trunkus dan eks.	bersamaan dengan	CT dan RT-PCR +

				7	rata-rata 55	12 P	urtika	seluruh tubuh	gejala lain	
			4	peteki			eks. inf			
			4	nekrosis			sakrum, maksilla			
			3	vesikular			trunkus			
			1	pernio			akral (pedis)			
			1	pruritus			TD			
6	Henry et al., 2020 <sup>(16)</sup>	C R	Prancis	1	27	P	urtika	fasialis dan phalanx	2 hari sebelum gejala lain	PCR +
7	Bouaziz et al., 2020 <sup>(17)</sup>	O S	Prancis	1	TD	T D	makula eritema	eks. inf	beberapa hari setelah gejala lain	PCR +
				1	TD	T D	livedo	trunkus	beberapa hari setelah gejala lain	PCR +
				1	TD	T D	non nekrotik purpura	pedis	10 hari setelah gejala lain	PCR +
				1	TD	T D	nekrotik purpura	pedis	beberapa hari setelah gejala lain	PCR +
				2	TD	T D	chilblains	phalanx	beberapa hari setelah gejala lain	PCR +
				1	TD	T D	eruptif <i>cherry angioma</i>	trunkus	21 hari setelah gejala lain	PCR +
8	Fernandez- Nieto et al., 2020 <sup>(18)</sup>	O S	Spanyol	24	40,5	6 L  18 P	vesikular	18 trunkus, eks. 6 abdomen, thorakal	14 hari setelah gejala lain	RT-PCR +
9	Camprodon Gómez et al., 2020 <sup>(19)</sup>	C R	Spanyol	1	29	L	leukositoklastik vaskulitis/purpura	abdomen dan eks. inf	3 minggu setelah gejala lain	IgM IgG SARS- Cov-2 +
10	Suter et al., 2020 <sup>(20)</sup>	C R	AS	1	54	P	eksantema eritema nodusum	fasialis, eks. sup, trunkus	3 hari setelah diagnosis Covid-19	PCR +

11	Khalifa et al., 2020 <sup>(21)</sup>	C R	Palestina	1	11	L	morbiliform	palmar	22 hari sejak gejala awal	rRT-PCR +
12	Maniaci et al., 2020 <sup>(22)</sup>	C R	Italia	1	15	L	eritematosa multipel	eks. inf	6 hari sebelum gejala lain	rRT-PCR +
13	AlGhoozi and AlKhayyat, 2021 <sup>(23)</sup>	C R	Bahrain	1	4	L	makulopapular pruritus/ vaskulitis HSP	eks. inf bilateral	37 hari setelah diagnosis Covid-19	PCR +
14	Xu et al., 2020 <sup>(24)</sup>	C R	Cina	1	73	L	Herpes Zoster	servikal, eks. sup dextra	35 hari setelah diagnosis Covid-19	PCR +
15	Drago et al., 2021 <sup>(25)</sup>	C R	Italia	1	16	L	Pitiriasis rosea/ eritema papuloskuamosa generalisata	trunkus	bersamaan dengan gejala lain	RT PCR +
16	Tatu et al., 2020 <sup>(26)</sup>	C R	Romania	1	34	P	eritema makulopapular	trunkus, fasialis, cubitus	17 hari setelah gejala lain	IgM IgG SARS-Cov-2 +
				1	1	P	eritema makulopapular	trunkus	16 hari setelah gejala lain	IgG SARS-Cov-2 +
				1	46	P	makula eritema	fossa cubitus	17 hari setelah gejala lain	IgG SARS-Cov-2 +
17	Merhy et al., 2021 <sup>(27)</sup>	C R	Lebanon	1	26	P	Pitiriasis rosea	trunkus	2 hari sebelum gejala lain	PCR +
18	Dalal et al., 2020 <sup>(28)</sup>	O S	India	1	23	P	makulopapular	trunkus, eks.	3 hari setelah gejala lain	RT-PCR +
				1	88	L	makulopapular	trunkus	2 hari setelah gejala lain	RT-PCR +
				1	36	L	makulopapular	trunkus	2 hari setelah gejala lain	RT-PCR +
				1	17	L	urtika	trunkus	asimptomatik, muncul sebagai satu satunya	RT-PCR +
				1	36	L	urtika	trunkus		RT-PCR +
				1	34	L	pruritus	generalisata	RT-PCR +	
				1	21	L	pruritus	generalisata	RT-PCR +	



				1	25	L	pruritus	trunkus	gejala	RT-PCR +
				1	26	L	pruritus	eks.		RT-PCR +
				1	23	L	pruritus	trunkus		RT-PCR +
				1	30	L	pruritus	trunkus		RT-PCR +
				1	19	L	pruritus	trunkus		RT-PCR +
				1	55	L	pruritus	generalisat a		RT-PCR +
19	Keshavarzi et al., 2020 <sup>(29)</sup>	C R	Iran	1	13	P	vesikular	servikal, fasialis, eks. inf	18 hari sejak di rawat	qRT-PCR +
				1	38	P	vesikular	eks., fasialis	12 hari sejak di rawat	qRT-PCR +
20	Ho and Ray, 2020 <sup>(30)</sup>	C R	UK	1	79	P	urtika	eks. inf	setelah gejala lain	viral swab +
21	Calvão et al., 2020 <sup>(31)</sup>	C R	Portugal	1	81	L	acro-iskemik /plak nekrotik, purpuric, bulla hemoragik	akral	7 hari setelah gejala lain	tes swab +
22	Shoskes et al., 2020 <sup>(32)</sup>	C R	AS	1	69	L	morbiliform dan diffuse purpura	trunkus	setelah gejala lain	RT-PCR +
23	Rolfo et al., 2020 <sup>(33)</sup>	C R	Kolombia	1	62	L	urtika	punggung inf dan gluteal	bersamaan dengan gejala lain	RT-PCR +
				1	58	P	targetoid, eritema perifer	eks. inf, punggung	2 hari setelah gejala lain	RT-PCR +
24	Rotman et al., 2020 <sup>(34)</sup>	C R	AS	1	62	P	plak purpura retiform trombotik	eks. inf bilateral	21 hari setelah gejala lain	RT-PCR +
25	Danarti et al., 2020 <sup>(35)</sup>	C R	Indonesia	1	50	L	erupsi folikular	seluruh tubuh	5 hari setelah gejala lain	RT-PCR +
26	Sadeghi et al., 2020 <sup>(36)</sup>	C R	Iran	1	67	P	nodular eritema	eks.	5 hari setelah gejala lain	PCR dan CT scan +
27	Hassan, 2020 <sup>(37)</sup>	C R	Skotlandia	1	48	P	urtika	seluruh tubuh	2 hari sebelum gejala lain	RT-PCR +
28	Tamai et al., 2020 <sup>(38)</sup>	C R	Jepang	1	54	L	papul eritema multiple	eks., trunkus	11 hari setelah gejala lain	PCR +
				1	24	L	papul eritema multiple	eks., trunkus	10 hari setelah gejala lain	PCR +

				1	81	P	papul eritema multiple	eks., trunkus	22 hari setelah gejala lain	PCR +
29	Cabrera-Hernández et al., 2020 <sup>(39)</sup>	C R	Spanyol	1	32	P	urtika	fasialis, trunkus, eks. inf	bersamaan dengan gejala lain	PCR +
				1	64	L	papulovesikel	trunkus	bersamaan dengan gejala lain	PCR +
				1	59	P	urtika	servikal, trunkus, eks. inf	setelah gejala lain	PCR +
				1	58	P	makula dan plak eritematosa	trunkus dan eks. sup	setelah gejala lain	PCR +
30	Chaabane et al., 2021 <sup>(40)</sup>	C R	Tunisia	1	20	P	makulopapular , urtika, eritema multiforme	trunkus dan eks.	stelah gejala lain	PCR +
				1	35	P	ruam pruritus dan livedo retikularis	thorakal dan tangan	3 hari setelah gejala lain	PCR +
				1	36	P	makulopapular	lipatan payudara dan trunkus	4 hari setelah gejala lain	PCR +
31	Dehghani Firouzabadi et al., 2020 <sup>(41)</sup>	C R	Iran	1	38	P	ruam pruritus	thorakal, bahu, eks. inf	20 hari setelah gejala lain	RT-PCR +
32	Bosch-Amate et al., 2020 <sup>(42)</sup>	C R	Spanyol	1	79	P	purpura retiformis	eks. inf	bersamaan dengan gejala lain	RT-PCR +
33	Taşkın et al., 2020 <sup>(43)</sup>	C R	Turki	1	61	P	nodular eritema	kepala, ektremitas, trunkus	bersamaan dengan gejala lain	RT-PCR +
34	Iancu et al., 2020 <sup>(44)</sup>	C R	Romania	1	41	P	eksantema/ makulopapular eritema	trunkus	15 hari setelah gejala lain	RT-PCR +
35	Pastor Bandeira et al., 2021 <sup>(45)</sup>	C R	Brazil	1	26	L	makulopapular pruritik	servikal, thorakal, eks.	9 hari setelah gejala lain	RT-PCR +
36	Yang et al., 2020 <sup>(46)</sup>	C R	Cina	1	32	P	purpura trombotik	seluruh tubuh, terutama eks. inf	14 hari setelah gejala lain	RT-PCR +

37	van Damme et al., 2020 <sup>(47)</sup>	C R	Belgia	1	71	L	urtikaria	seluruh tubuh	bersamaan dengan gejala lain	PCR+
				1	39	P	urtika, pruritus	seluruh tubuh	2 hari sebelum gejala lain	PCR+
38	Serafini et al., 2020 <sup>(48)</sup>	C R	Italia	1	32	P	papular eritema pruritik	eks., punggung	7 hari sebelum gejala lain	RT-PCR +
39	Klimach et al., 2020 <sup>(49)</sup>	C R	UK	1	13	L	erupsi papular eritema dan makular	aksilla, plantar, femur	bersamaan dengan gejala lain	PCR+
40	Panambur and Kakkilaya, 2020 <sup>(50)</sup>	C R	India	1	37	P	eritema	palmar bilateral	muncul sebagai satu satunya gejala	tes serologi antibodi +
41	Widysanto et al., 2021 <sup>(51)</sup>	C R	Indonesia	1	69	L	ekimosis	punggung dan panggul	25 hari setelah gejala lain	RT PCR +
42	Killion et al., 2021 <sup>(52)</sup>	C R	Irlandia	1	17	L	peteki	palmar dan plantar	2 bulan setelah gejala lain	COVID-19 +
43	Adekiigbe et al., 2020 <sup>(53)</sup>	C R	AS	1	47	L	gangren	phalanx (pedis)	14 hari setelah gejala lain	RT-PCR +
44	Dominguez-Santas et al., 2020 <sup>(54)</sup>	C R	Spanyol	1	71	P	makula purpurik dan papula /vaskulitis	eks. inf	7 hari setelah gejala lain	rRT-PCR+
45	Elkhachine et al., 2020 <sup>(55)</sup>	C R	Maroko	1	23	P	papulovesikular	phalanx (manus)	bersamaan dengan gejala lain	IgG SARS-Cov-2 +
46	Rubin et al., 2020 <sup>(56)</sup>	C R	AS	1	27	P	chilblains-like	phalanx (pedis)	6 minggu setelah gejala lain	PCR +
47	Negrini et al., 2020 <sup>(57)</sup>	C R	Italia	1	79	L	vesikobulla hemoragik vaskulitis	servikal dan dorsal manus	10 hari setelah gejala lain	CT-scan dan RT-PCR +
48	Nesr et al., 2020 <sup>(58)</sup>	C R	UK	1	34	P	peteki	TD	bersamaan dengan gejala lain	RT-PCR +
49	Palomo-Pérez et al.,	C S	Meksiko	1	43	P	eritema dan edema	fasialis	2 hari sebelum gejala lain	PCR +

	2021 <sup>(59)</sup>			1	45	P	chilblains, morbiliform, eritema, ekimosis	phalanx, eks., abdomen	7 hari setelah gejala lain	PCR +
				1	37	P	chilblains	phalanx (pedis)	bersamaan dengan gejala lain	PCR +
				1	39	P	morbiliform eritema	abdomen	beberapa hari setelah gejala lain	PCR +
50	Ridolo et al., 2021 <sup>(60)</sup>	C S	Italia	1	TD	P	urtika	trunkus, eks.	7 hari setelah gejala lain	PCR +
				1	45	L	vaskulitis	sakrum	12 hari setelah gejala lain	PCR +
51	Saati et al., 2020 <sup>(61)</sup>	C R	Arab Saudi	1	57	L	Herpes Zoster /vesikel eritema	thorakal dan skapula kanan	4 hari setelah gejala lain	PCR +
52	Nirenberg and Herrera, 2021 <sup>(62)</sup>	C R	Spanyol	1	16	P	eritema	thorakal, abdomen, acral, fasialis,	4 hari setelah gejala lain	tes serologi antibodi +
53	Molinaro et al., 2020 <sup>(63)</sup>	C R	Italia	1	19	P	purpura	eks. inf	2 minggu setelah gejala lain	PCR +
54	Llamas-Velasco et al., 2020 <sup>(64)</sup>	C R	Spanyol	1	61	L	livedoid purplish retiform	phalanx	bersamaan dengan gejala lain	PCR +
55	Royer et al., 2021 <sup>(65)</sup>	C R	Prancis	1	34	L	angioedema	bibir	7 hari setelah gejala lain	PCR +
56	Kopacz et al., 2021 <sup>(66)</sup>	C R	AS	1	48	P	chilblain like, covid toes, papul violaceous	phalanx (pedis)	bersamaan dengan gejala lain	PCR +
57	Mazzitelli et al., 2021 <sup>(67)</sup>	C R	Italia	1	89	P	ruam eritema pruritus	trunkus dan eks. sup	38 hari setelah gejala lain	RT-PCR +
				1	65	L	urtika pruritus	trunkus anterior, fasialis, carpal, dan femur	28 hari setelah gejala lain	RT-PCR +
				1	83	P	ruam eritema pruritus	eks., trunkus	38 hari setelah	RT-PCR +

58	Verheyden et al., 2020 <sup>(68)</sup>	C R	Belgia	1	57	L	livedo retikular	trunkus dan eks. inf	8 hari setelah gejala lain	PCR +
59	Balestri et al., 2020 <sup>(69)</sup>	C R	Italia	1	74	P	livedoid makula, nekrosis	eks. sup	gejala awal, 20 hari berkembang menjadi nekrosis	tes swab +
60	Locatelli et al., 2020 <sup>(70)</sup>	C R	Italia	1	16	L	chilblains-like	akral	3 hari setelah gejala lain	RT-PCR +
61	Shah et al., 2021 <sup>(71)</sup>	C R	AS	1	19	L	perniosis	phalanx (pedis)	muncul sebagai satu satunya gejala	IgG SARS-Cov-2 +
62	Shubhra et al., 2021 <sup>(72)</sup>	C R	India	1	65	L	livedoid difus dan gangren	eks. inf kanan	15 hari setelah gejala lain	RT-PCR +
63	de Lorenzo Alvarez et al., 2021 <sup>(73)</sup>	C R	Spanyol	1	80	L	eritema papular	trunkus dan eks. inf	17 hari setelah gejala lain	rRT-PCR+
64	Al Ameer et al., 2020 <sup>(74)</sup>	C R	Arab Saudi	1	13	P	rash eritema	TD	bersamaan dengan gejala lain	RT-PCR +
65	Lotfi et al., 2021 <sup>(75)</sup>	C R	Iran	1	57	P	scleroderma	abdomen, inf eks.	14 hari setelah gejala lain	PCR +
66	Kyriakoudi et al., 2021 <sup>(76)</sup>	C R	Yunani	1	79	L	purpura retiformis, livedo racemosa, purpuric rash	dorsal dan palmar, cubiti, trunkus dan plantar	10 hari setelah gejala lain	RT-PCR +
67	Putra et al., 2020 <sup>(77)</sup>	C R	Indonesia	1	29	L	papul eritema/ viral eksantema	tangan bagian drosal	3 hari setelah gejala lain	PCR +
68	Dima et al., 2020 <sup>(78)</sup>	C R	Romania	2	0	L	diaper eritema	gluteal	bersamaan dengan gejala lain	RT-PCR +
				1	0	P	diaper eritema	gluteal	3 hari setelah	RT-PCR +
69	Fineschi, 2021 <sup>(79)</sup>	C R	Swedia	1	47	L	scleroderma	phalanx tangan	21 hari setelah	PCR +

70	Kuriyama et al., 2021 <sup>(80)</sup>	C R	Jepang	1	30	P	eritema nodusum	eks. inf	4 hari sebelum gejala lain	RT-PCR +
71	Scala et al., 2021 <sup>(81)</sup>	C R	Italia	1	59	P	papulovesikular eritema	trunkus	20 hari setelah gejala lain	RT-PCR +
72	Barrera-Godínez et al., 2021 <sup>(82)</sup>	C S	Meksiko	1	43	L	morbiliform	trunkus, eks.	11 hari setelah gejala lain	RT-PCR +
				1	46	L	morbiliform	trunkus, eks.	23 hari setelah gejala lain	RT-PCR +
				1	62	L	morbiliform	trunkus, eks.	26 hari setelah gejala lain	RT-PCR +
				1	59	L	morbiliform	trunkus, eks.	29 hari setelah gejala lain	RT-PCR +
				1	57	P	morbiliform	trunkus, eks.	20 hari setelah gejala lain	RT-PCR +
				1	48	L	morbiliform	trunkus, eks.	32 hari setelah gejala lain	RT-PCR +
				1	62	L	morbiliform	trunkus, eks.	15 hari setelah gejala lain	RT-PCR +
				1	28	P	urtika	trunkus, eks.	22 hari setelah gejala lain	RT-PCR +
				1	58	L	urikaria	trunkus	8 hari setelah gejala lain	RT-PCR +
				1	50	L	morbiliform	trunkus	24 hari setelah gejala lain	RT-PCR +
				1	52	L	retikularis	trunkus	11 hari setelah gejala lain	RT-PCR +
				1	52	L	retikularis	trunkus dan eks.	5 hari setelah gejala lain	RT-PCR +
				1	34	L	papul eritema	trunkus dan eks.	8 hari setelah gejala lain	RT-PCR +
1	50	L	papul eritema	eks.	12 hari setelah gejala lain	RT-PCR +				

				1	50	P	papul eritema	eks.	22 hari setelah gejala lain	RT-PCR +
				1	35	L	papul eritema	eks.	13 hari setelah gejala lain	RT-PCR +
				1	46	L	purpura, bulla	trunkus	28 hari setelah gejala lain	RT-PCR +
73	Ahmed et al., 2021 <sup>(83)</sup>	C R	AS	1	48	P	ekimosis, purpura	thorakal, eks. inf	bersamaan dengan gejala lain	RT-PCR +
74	McBride et al., 2021 <sup>(84)</sup>	C R	AS	1	66	P	purpura retiformis	sakrum	bersamaan dengan gejala lain	PCR +
75	Rodríguez-Jiménez et al., 2020 <sup>(85)</sup>	C R	Spanyol	1	60	P	erupsi urtika	trunkus	16 hari setelah gejala lain	COVID-19 +
76	Lagziel et al., 2020 <sup>(86)</sup>	C R	AS	1	58	P	vesikobulla	eks., fasialis	20 hari setelah gejala lain	rRT-PCR+
77	Phamduy et al., 2021 <sup>(87)</sup>	C R	AS	1	29	L	scarlatiniform, papular, eritema, pruritik	telinga, cubitus anterior	5 hari setelah gejala lain	rRT-PCR +
78	Bangboje et al., 2020 <sup>(88)</sup>	C R	AS	1	61	L	gangren	phalanx (pedis)	14 hari setelah gejala lain	RT-PCR +
79	Fata et al., 2021 <sup>(89)</sup>	C R	Lebanon	1	33	P	vesikopapular eritema	eks. sup	2 hari sebelum gejala lain	PCR +
80	Pagali and Parikh, 2021 <sup>(90)</sup>	C R	AS	1	54	P	urtika	kedua eks. bilateral	3 hari sebelum gejala lain	PCR +
81	Sipfle DO et al., 2021 <sup>(91)</sup>	C R	AS	1	54	P	eritema nodusum	eks. sup bilateral, trunkus, dan fasialis	3 hari setelah gejala lain	PCR +
82	Andina-Martínez et al., 2021 <sup>(92)</sup>	C R	Spanyol	1	9	P	acral pulpitis, pruritus	manus	bersamaan dengan gejala lain	RT-PCR +
				1	12	L	acral pulpitis	manus dan pedis	bersamaan dengan gejala lain	RT-PCR +

				1	5	P	acral pulpitis, pruritus	manus	bersamaan dengan gejala lain	RT-PCR +
				1	9	L	acral pulpitis	manus	muncul sebagai satu satunya gejala	rapid antigen +
				1	13	L	acral pulpitis	pedis	muncul sebagai satu satunya gejala	rapid antigen +
83	Navaeifar et al., 2020 <sup>(93)</sup>	C R	Iran	1	1	L	makulopapular eritema	eks. inf, trunkus, fasialis	1 hari setelah gejala lain	RT-PCR +
84	Farhan et al., 2021 <sup>(94)</sup>	C R	AS	1	57	P	urtika	eks. inf	6 hari setelah gejala lain	PCR +
85	Mawardi et al., 2021 <sup>(95)</sup>	C R	Indonesia	1	30	P	plak eritema	ekstremitas inf bilateral	7 hari setelah gejala lain	PCR +
86	Agirgol et al., 2021 <sup>(96)</sup>	C R	Turki	1	52	P	papulovesikel, purpura retiformis, cherry angioma	eks.	2 hari setelah gejala lain	RT-PCR +
87	Ringoringo and Hartoyo, 2021 <sup>(97)</sup>	C R	Indonesia	1	0	L	peteki	fasialis, eks.	3 hari setelah gejala lain	RT-PCR +
88	Ghimire and Adhikari, 2021 <sup>(98)</sup>	C R	Nepal	1	48	L	morbiliform	seluruh tubuh	6 hari setelah gejala lain	PCR +
89	Bouabdella et al., 2021 <sup>(99)</sup>	C R	Maroko	1	63	P	eritema multiform	eks. inf dan trunkus	15 hari setelah gejala lain	RT-PCR +
90	Hope et al., 2021 <sup>(100)</sup>	C R	AS	1	44	P	urtika vaskulitis	eks. inf, trunkus	muncul sebagai satu satunya gejala	PCR +
91	Aminimoghadam et al., 2021 <sup>(101)</sup>	C R	Iran	1	21	P	peteki	eks. sup	7 hari setelah gejala lain	RT-PCR +
92	Swali et al., 2021 <sup>(102)</sup>	C R	AS	1	0	L	papulovesikel eritema	eks., trunkus	21 hari setelah gejala lain	RT-PCR +



93	Bressler et al., 2021 <sup>(103)</sup>	C R	AS	1	46	L	purpurik makula dan papul	eks.	14 hari setelah gejala lain	IgM SARS-Cov-2 +
94	Hamid and Tariq, 2021 <sup>(104)</sup>	C R	Pakistan	1	1	L	urtika, angioedema	trunkus, labia, periorbital	8 hari setelah gejala lain	PCR +
95	Caputo et al., 2020 <sup>(105)</sup>	C R	Italia	1	54	L	makulopapular purpuric eksantema	fasialis, trunkus, eks.	35 hari setelah gejala lain	RT-PCR +
96	Luís et al., 2021 <sup>(106)</sup>	C R	Portugal	1	70	L	makula eritema violaseus	eks. inf	bersamaan dengan gejala lain	PCR +
				1	57	P	urtika	servikal dan thorakal	3 hari sebelum gejala lain	PCR +
				1	48	L	urtika	servikal dan thorakal	4 hari sebelum gejala lain	PCR +
97	Oropeza Chávez et al., 2021 <sup>(107)</sup>	C R	Meksiko	1	34	P	makulopapular	abdomen, eks. inf	12 hari setelah gejala lain	RT-PCR +
98	Ordoñez et al., 2021 <sup>(108)</sup>	C R	Kolombia	1	44	P	morbiliform pustul	seluruh tubuh kecuali fasialis	muncul sebagai satu satunya gejala	RT-PCR +
99	Ferjani et al., 2021 <sup>(109)</sup>	C R	Tunisia	1	3	P	makulopapular morbiliform eksantema	trunkus, eks. inf	5 hari setelah gejala lain	RT-PCR +
100	Kumar et al., 2021 <sup>(110)</sup>	C R	AS	1	13	L	purpurik	eks. inf	muncul sebagai satu satunya gejala	RT-PCR +
101	Jain et al., 2021 <sup>(111)</sup>	C R	India	1	3	P	makulopapular	TD	5 hari setelah gejala lain	RT-PCR +
				1	1	L	eritema	fasialis	5 hari sebelum gejala lain	RT-PCR +
				1	11	L	rash deskuamasi	TD	bersamaan dengan gejala lain	IgG SARS-Cov-2 +
102	Kalner and Vergilis,	C R	AS	1	43	P	eritema /dischromia	periorbital	2 hari sebelum gejala lain	COVID-19 +

	2020 <sup>(112)</sup>			1	50	L	eritema /dischromia	periorbital	2 hari sebelum gejala lain	COVID-19 +
103	Suso et al., 2020 <sup>(113)</sup>	C R	Spanyol	1	78	L	purpurik papul	eks. inf	21 hari setelah gejala lain	RT-PCR +
104	Elashry et al., 2021 <sup>(114)</sup>	C R	Mesir	1	52	L	bercak eritema	abdomen	14 hari setelah gejala lain	PCR +
105	Gouveia et al., 2021 <sup>(115)</sup>	C R	Brazil	1	27	L	papula purpura, vesikobulosa	trunkus, eks.	7 hari setelah gejala lain	rRT-PCR +
106	Rosso et al., 2021 <sup>(116)</sup>	C R	Argentina	1	57	P	peteki	eks., trunkus	bersamaan dengan gejala lain	PCR +
107	Singh et al., 2021 <sup>(117)</sup>	C R	AS	1	62	P	purpurik papul	eks.	6 minggu setelah gejala lain	PCR +
108	Ho et al., 2021 <sup>(118)</sup>	C R	AS	1	58	L	papul eritema	kepala, fasialis, servikal	bersamaan dengan gejala lain	PCR +
109	Behbahani et al., 2020 <sup>(119)</sup>	C R	AS	1	72	P	eritema nodusum	fasialis, servikal, eks.	14 hari setelah gejala lain	PCR +
110	Rivera-Oyola et al., 2020 <sup>(120)</sup>	C R	AS	1	60	L	makula eritema dan papul	trunkus dan eks. inf	3 hari setelah gejala lain	PCR +
				1	60	P	urtika	trunkus, kepala, eks.	9 hari setelah gejala lain	PCR +
111	Najarjan, 2020 <sup>(121)</sup>	C R	AS	1	58	L	morbiliform	eks., trunkus	1 hari setelah gejala lain	PCR +
112	Micevic et al., 2020 <sup>(122)</sup>	C R	AS	1	77	P	perniosis /covid toe	plantar dan dorsal eks. inf	6 hari setelah diagnosis, gejala awal	PCR +
113	Mieczkowska et al., 2021 <sup>(123)</sup>	C R	AS	1	32	L	ruam eritema	plantar dan palmar	bersamaan dengan gejala lain	PCR +
				1	43	P	erupsi morbiliform	eks., trunkus	7 hari setelah	serologi antibodi +
114	Le and Brooks, 2021 <sup>(124)</sup>	C R	Kolombia	1	5	P	urtika	kecuali fasialis	2 hari sebelum gejala lain	PCR +

115	Alattar et al., 2021 <sup>(125)</sup>	C R	Arab Saudi	1	42	L	peteki, purpura, nekrotik	eks.	bersamaan dengan gejala lain	PCR +
116	Glick et al., 2020 <sup>(126)</sup>	C R	AS	1	42	P	papul dan plak eritema	trunkus, eks. inf	4 hari setelah gejala lain	COVID-19 +
117	Leis-Dosil et al., 2020 <sup>(127)</sup>	C R	Spanyol	1	29	P	nodul eritema	eks., bahu	13 setelah gejala lain	PCR +
118	Pile et al., 2021 <sup>(128)</sup>	C R	AS	1	63	P	eritema nodusum	eks. inf	3 minggu setelah gejala lain	PCR +
119	Abasaed Elhag et al., 2020 <sup>(129)</sup>	C R	Arab Saudi	1	40	L	angioedema, urtika	labia, periorbital, seluruh tubuh kecuali fasialis dan kepala	5 hari setelah gejala lain	RT-PCR +
120	Shors, 2020 <sup>(130)</sup>	C R	AS	1	49	P	Herpes Zoster /papulovesikel eritema	fasialis	7 hari setelah gejala lain	RT-PCR +
121	Morey-Olivé et al., 2020 <sup>(131)</sup>	C R	Spanyol	1	6	L	makulopapular	seluruh tubuh	2 hari setelah gejala lain	PCR +
				1	0	P	urtika	seluruh tubuh	bersamaan dengan gejala lain	PCR +
122	Sugawara-Mikami et al., 2021 <sup>(132)</sup>	C R	Jepang	1	28	P	erupsi perifolikular eritema, acral sianosis	eks. inf, phalanx (pedis)	2 minggu setelah gejala lain	IgG SARS-Cov-2 +
123	Thompson et al., 2020 <sup>(133)</sup>	C R	AS	1	42	P	sianosis, iskemik	palmar	10 hari sebelum gejala lain	COVID-19 +
124	Onyeaghala et al., 2021 <sup>(134)</sup>	C R	Nigeria	1	12	P	makulopapular	fasialis, trunkus, eks. sup	6 hari setelah gejala lain	RT-PCR +
125	Daneshjou et al., 2020 <sup>(135)</sup>	C R	AS	1	33	L	perniosis	akral	bersamaan dengan gejala lain	IgG SARS-Cov-2 +
126	Laali et al., 2021 <sup>(136)</sup>	C R	Iran	1	77	L	peteki	eks.	4 hari setelah gejala lain	RT-PCR +
127	Shehi et al., 2020 <sup>(137)</sup>	C R	AS	1	59	L	morbiliform	eks., trunkus, servikal	3 hari setelah gejala lain	serologi antibodi dan CT scan +

128	Quintana-Castaneda et al., 2020 <sup>(138)</sup>	C R	Spanyol	1	61	L	urtika	eks.	muncul sebagai satu satunya gejala	RT-PCR +
129	Szeles et al., 2021 <sup>(139)</sup>	C R	AS	1	67	L	gangren	eks. inf	8 minggu setelah gejala lain	COVID-19 +
130	Deng et al., 2021 <sup>(140)</sup>	C R	AS	1	41	P	acral pulpitis dan eritema	akral sup	2 bulan setelah gejala lain	IgG SARS-Cov-2 +
131	Strom et al., 2020 <sup>(141)</sup>	C R	AS	1	70	L	livedoid retikularis	trunkus	bersamaan dengan gejala lain	RT-PCR +
132	Khalil et al., 2020 <sup>(142)</sup>	C R	AS	1	34	P	livedoid retikularis	eks.	2 hari sebelum gejala lain	PCR +

Keterangan :

- S = sampel
- JK = jenis kelamin
- L = laki-laki
- P = perempuan
- DS = desain studi
- CR = *case report*
- CS = *case series*
- OS = *observasional study*
- Eks = ekstremitas
- Sup = superior
- Inf = inferior
- TD = tidak dilaporkan