

DAFTAR PUSTAKA

- Alex, M., Marlise, & de A.B.D. 2006. Biologia reprodutiva do peixe-rei *Odontesthes argentinensis* (Valenciennes) (*Atherinopsidae*) da região marinha costeira do sul do Brasil. Rev. Bras. Zool. 23, 1168–1174. <https://doi.org/https://doi.org/10.1590/S0101-81752006000400025>
- Andrade, H.A., 2003. The relationship between the skipjack tuna (*Katsuwonus pelamis*) fishery and seasonal temperature variability in the south-western atlantic. Fish. Oceanogr. 12, 10–18. <https://doi.org/10.1046/j.1365-2419.2003.00220.x>
- Andrade, H.A., & Garcia, C.A.E., 1999. Skipjack tuna fishery in relation to sea surface temperature off the southern Brazilian coast. Fish. Oceanogr. 8, 245–254. <https://doi.org/10.1046/j.1365-2419.1999.00107.x>
- Ashida, H., Gosho, T., Watanabe, K., Okazaki, M., & Tanabe, T. 2020. Reproductive traits and seasonal variations in the spawning activity of female *albacore*, *Thunnus alalunga*, in the subtropical western North Pacific Ocean. J. Sea Res. 160–161, 101902. <https://doi.org/10.1016/j.seares.2020.101902>
- Ashida, H., & Horie, M. 2015. Reproductive condition, spawning season, batch fecundity and spawning fraction of skipjack tuna *Katsuwonus pelamis* caught around Amami - Oshima, Kagoshima, Japan. Fish. Sci. 81: 861–869. <https://doi.org/10.1007/s12562-015-0909-0>
- Ashida, H., Tanabe, T., & Suzuki, N. 2017. Difference on reproductive trait of skipjack tuna *Katsuwonus pelamis* female between schools (free vs FAD school) in the tropical western and central Pacific Ocean. Environ. Biol. Fishes 100: 935–945. <https://doi.org/10.1007/s10641-017-0621-2>
- Ashida, H., Tanabe, T., Suzuki, N., Fukkui, A., & Tanaka, S. 2008. Spawning frequency and batch fecundity of skipjack tuna *Katsuwonus pelamis* in the tropical west-central Pacific Ocean. Nippon Suisan Gakkaishi 74: 802–808. <https://doi.org/10.2331/suisan.74.802>
- Aswi & Sukarna. 2006. Analisis Deret Waktu. Makassar: Penerbit Andira.
- Atmadipoera, A., Molcard, R., Madec, G., Wijffels, S., Sprintall, J., Koch-Larrouy, A., Jaya, I., & Supangat, A. 2009. Characteristics and variability of the Indonesian throughflow water at the outflow straits. Deep. Res. Part I Oceanogr. Res. Pap. 56: 1942–1954. <https://doi.org/10.1016/j.dsr.2009.06.004>
- Atmadipoera, A.S., & Widyastuti, P. 2015. A numerical modeling study on upwelling mechanism in Southern Makassar Strait. J. Ilmu dan Teknol. Kelaut. Trop. 6: 355–372. <https://doi.org/10.29244/jitkt.v6i2.9012>
- Azriati, K.F. 2014. Verifikasi Model Arima Musiman Menggunakan Peta Kendali Moving Range. Universitas Diponegoro.
- Bakun, A. 2006. Fronts and eddies as key structures in the habitat of marine fish larvae: opportunity, adaptive response and competitive advantage. Sci. Mar. 70: 105–122. <https://doi.org/10.3989/scimar.2006.70s2105>
- Bidigare, R.R., Benitez-Nelson, C., Leonard, C.L., Quay, P.D., Parsons, M.L., Foley, D.G., Seki, M.P. 2003. Influence of a cyclonic eddy on microheterotroph biomass

- and carbon export in the lee of Hawaii. *Geophys. Res. Lett.* 30. <https://doi.org/10.1029/2002GL016393>
- Butler, M.J.A., Mouchot, M.C., Barale, V., & Blanc, C. Le. 1988. The Application of Remote Sensing Technology to Marine Fisheries: An Introduction Manual. FAO Fisheries Technical Paper.
- Cayre, P. 1991. Behaviour of yellowfin tuna (*Thunnus albacares*) and skipjack tuna (*Katsuwonus pelamis*) around fish aggregating devices (FADs) in the Comoros Islands as determined by ultrasonic tagging. *Aquat. Living Resour* 4: 1–12. <https://doi.org/https://doi.org/10.1051/alr/1991000>
- Cayula, J.F., & Cornillon, P. 1992. Edge detection algorithm for sst images. *J. Atmos. Ocean. Technol.* 9: 67–80. [https://doi.org/10.1175/1520-0426\(1992\)009<0067:EDAFSI>2.0.CO;2](https://doi.org/10.1175/1520-0426(1992)009<0067:EDAFSI>2.0.CO;2)
- Cheung, W.W.L., Lam, V.W.Y., Sarmiento, J.L., Kearney, K., Watson, R., & Pauly, D. 2009. Projecting global marine biodiversity impacts under climate change scenarios. *Fish Fish.* 10: 235–251. <https://doi.org/10.1111/j.1467-2979.2008.00315.x>
- Cheung, W.W.L., Pitcher, T.J., & Pauly, D. 2005. A fuzzy logic expert system to estimate intrinsic extinction vulnerabilities of marine fishes to fishing. *Biol. Conserv.* 124: 97–111. <https://doi.org/10.1016/j.biocon.2005.01.017>
- Daruwedho, H., & Sasmito, B., A., F.J. 2016. Analisis pola arus laut permukaan perairan indonesia dengan menggunakan satelit altimetri Jason-2 tahun 2010-2014. *J. Gedesi Undip* 5: 200–207.
- Desianty, S.E., Zainuddin, M., & Safruddin, S. 2020. Mapping the gravity center of fishing ground on skipjack tuna distribution in Bone Gulf-Flores Sea. *Int. J. Environ. Agric. Biotechnol.* 5: 1480–1485. <https://doi.org/10.22161/ijeab.56.10>
- Dueri, S., Bopp, L., & Maury, O. 2014. Projecting the impacts of climate change on skipjack tuna abundance and spacial distribution. *Glob. Chang. Biol.* 20: 742–753. <https://doi.org/10.1111/gcb.12460>
- Fajrianti, D. 2019. The Level of Gonad Maturity of Skipjack Tuna (*Katsuwonus pelamis*) in Bone Bay, Flores Sea in Relationship to Sustainable Fishing. Thesis Fakultas Ilmu Kelautan dan Perikanan. Universitas Hasanuddin.
- Fan, W., Jian, Z., Bassinot, F., & Chu, Z. 2013. Holocene centennial-scale changes of the Indonesian and South China Sea throughflows: evidences from the Makassar Strait. *Glob. Planet. Change* 111: 111–117. <https://doi.org/10.1016/j.gloplacha.2013.08.017>
- FAO, 2016. The State of World Fisheries and Aquaculture. <https://doi.org/10.5860/CHOICE.50-5350>
- Gaube, P., Chelton, D.B., Strutton, P.G., & Behrenfeld, M.J. 2013. Satellite observations of chlorophyll, phytoplankton biomass and Ekman pumping in nonlinear mesoscale eddies. *J. Geophys. Res. Ocean.* 118: 6349-6370
- Gaube, P., Jr., D.J.M., Chelton, D.B., Behrenfeld, M.J., & Strutton, P.G. 2014. Regional variations in the influence of mesoscale eddies on near-surface chlorophyll. *J.*

- George, E.P.B., Gwilym, M.J., Gregory, C.R., & Greta, M.L. 2015. Time Series Analysis: Forecasting and Control: Fifth edition. Wiley. John Wiley & Sons, Inc., Hoboken, New Jersey. 712pp.
- Gordon, A.L. 2005. Oceanography of the Indonesia Seas and their throughflow. *Oceanography* 18: 14–27.
<https://doi.org/https://doi.org/10.5670/oceanog.2005.01>
- Goujon M., & Majkowski J. 2010 Biological characteristics of tuna. FAO, Fisheries and Aquaculture Departement, Rome, Italy.
- Grande, M., Murua, H., Zudaire, I., Gō Ni, N., & Bodin, N. 2014. Reproductive timing and reproductive capacity of the skipjack tuna (*Katsuwonus pelamis*) in the western Indian Ocean. *Fish. Res.* 156: 14–22.
<https://doi.org/10.1016/j.fishres.2014.04.011>
- Guisan A, Edwards TC, Hastie T. 2002. Generalized linear and generalized additive models in studies of species distributions: Setting the scene. *Ecol Modell* 157: 89-100. DOI: 10.1111/j.1365-3040.1985.tb01209.x
- Hallier, J.P., & Gaertner, D. 2008. Drifting fish aggregation devices could act as an ecological trap for tropical tuna species. *Mar. Ecol. Prog. Ser.* 353: 255–264.
<https://doi.org/10.3354/meps07180>
- Hansen, A., Cameron, S., Liu, Q., Sun, Y., Weinstein, P., Williams, C., Han, G.S., & Bi, P. 2015. Transmission of haemorrhagic fever with renal syndrome in China and the role of climate factors: A Review. *Int. J. Infect. Dis.* 33: 212–218.
<https://doi.org/10.1016/j.ijid.2015.02.010>
- Havis, M.I., & Yunita, N.F. 2017. Surface currents in Indonesian sea based on ocean surface currents near – realtime (oscar) data. *Mar. Technol. Sustain. Develoment* 1–5.
- Hendikawati, P. 2015. Peramalan Data Runtun Waktu: Metode dan Aplikasinya dengan Minitab & Eviews. Semarang: FMIPA Universitas Negeri Semarang.
- Hidayat, R., & Zainuddin, M. 2021. Characteristics of skipjack tuna fisheries using FAD and non-FAD methods: an important step for fisheries management in The Gulf of Bone and Flores Sea, Indonesia. *AACL Bioflux* 14: 821–831.
- Hidayat, R., & Zainuddin, M. 2019. Detection of cyclonic and anti-cyclonic eddy in relation to potential skipjack tuna fishing ground in Makassar Strait. *IOP Conf. Ser. Earth Environ. Sci.* 241: 012011. <https://doi.org/10.1088/1755-1315/241/1/012011>
- Hidayat, R., Zainuddin, M., Mallawa, A., Ahmad Mustapha, M., Safruddin, & Putri, A. R. S. 2020. Estimating potential fishing zones for skipjack tuna (*Katsuwonus pelamis*) abundance in southern Makassar Strait. *IOP Conf. Ser. Earth Environ. Sci.* 564, 012082. <https://doi.org/10.1088/1755-1315/564/1/012082>
- Hidayat, R, Zainuddin, M., Safruddin, S., Mallawa, A. & Farhum, S.A., 2019b. Skipjack tuna (*Katsuwonus pelamis*) catch in relation to the thermal and chlorophyll-a fronts during May – July in the Makassar Strait. *IOP Conf. Ser. Earth Environ. Sci.* 253, 012045. <https://doi.org/10.1088/1755-1315/253/1/012045>

- Hidayat, R., Zainuddin, M., & Putri, A.R.S. 2019a. Skipjack tuna (*Katsuwonus pelamis*) catches in relation to chlorophyll-a front in Bone Gulf during the southeast monsoon. *AACL Bioflux* 12, 209–218.
- Hutabarat, M.F., Purba, N.P., Astuty, S., Syamsuddin, M.L., & Kuswardani, A.R.T.D. 2018. Variabilitas lapisan termoklin terhadap kenaikan *Mixed Layer Depth* (MLD) di Selat Makassar. *J. Perikan. dan Kelaut.* IX, 9–21.
- IOTC, 2019. Nominal Catch by Species and Gear, by Vessel *Flag* Reporting Country. IOTC-2019-DATASETS-NCDB. Available at: <https://www.iotc.org/data/datasets/latest/NC> [Akses Desember 20, 2020].
- IOTC, 2020. Review of the statistical data and fishery trends for tropical tunas 22. IOTC–2020–WPTT22(AS)–03_Rev4. Available at: https://www.iotc.org/sites/default/files/documents/2020/06/IOTC-2020-WPTT22DP-08_-_Data_and_stats.pdf [Akses Desember 20, 2020]
- Iskandar, I., Sari, Q.W., Setiabudiday, D., Yustian, I., & Monger, B. 2017. The distribution and variability of chlorophyll-a bloom in the southeastern tropical Indian ocean using empirical orthogonal function analysis. *Biodiversitas* 18, 1546–1555. <https://doi.org/10.13057/biodiv/d180433>
- ISSF, 2020. Status of the World Fisheries for Tuna. ISSF Technical Report 2020–12, Washington, D.C., USA
- Jufri, A., Amran, M.A., & Mukti, Z. 2014. Karakteristik daerah penangkapan ikan cakalang pada musim barat di perairan Teluk Bone. *J. IPTEKS Pemanfaat. Sumberd. Perikan.* 1: 1–10.
- Kafara, Z., Rumlawang, F.Y., & Sinay, L.J. 2017. Peramalan curah hujan dengan pendekatan *seasonal autoregressive integrated moving average* (SARIMA). *Barekeng J. Ilmu Mat. dan Terap.* 11: 63–74. <https://doi.org/10.30598/barekengvol11iss1pp63-74>
- Kirby, D.S., Fiksen, É., & Hart, P.J.B. 2002. A dynamic optimisation model for the behaviour of tunas at ocean fronts. *Fish. Oceanogr.* 9: 1–15.
- Kiyofuji, H., Aoki, Y., Kinoshita, J., Okamoto, S., Masujima, M., Matsumoto, T., Fujioka, K., Ogata, R., Nakao, T., Sugimoto, N., & Kitagawa, T. 2019. Northward migration dynamics of skipjack tuna (*Katsuwonus pelamis*) associated with the lower thermal limit in the western Pacific Ocean. *Prog. Oceanogr.* 175: 55–67. <https://doi.org/10.1016/j.pocean.2019.03.006>
- KKP, 2017. Decree of the Ministry of Marine Affairs and Fisheries of the Republic of Indonesia Number 50/KEPMEN-KP/2017 on Stock Estimation, Allowable Catch, and Exploitation Levels of Fisheries Resources in the Indonesian Fisheries Management Areas 8 pp.
- Kuhn, L., Davidson, L.L., Durkin, & M.S. 1994. Re: “use of poisson regression and time series analysis for detecting changes over time in rates of child injury following a prevention program.” *Am. J. Epidemiol.* 140: 943–955. <https://doi.org/10.1093/oxfordjournals.aje.a117694>
- Kunarso, Hadi, S., Ningsih, N.S., & Baskoro, M.S. 2011. Variabilitas suhu dan klorofil-a di daerah *upwelling* pada variasi kejadian ENSO dan IOD di Perairan Selatan

- Jawa sampai Timor. Ilmu Kelaut. Indones. J. Mar. Sci. 16: 171-180. <https://doi.org/10.14710/ik.ijms.16.3.171-180>
- Laevastu T, & Hayes ML. 1981. Fisheries Oceanography and Ecology. London: Fishing News (Books) Ltd. 199 p.
- Lalli, C. M & T. R. Parsons. 1993. Biological Oceanography: An Introduction. Pergamon Press. New York.
- Laurs, R.M., Fiedler, P.C., & Montgomery, D.R., 1984. Albacore tuna catch distributions relative to environmental features observed from satellites. Deep Sea Res. Part A, Oceanogr. Res. Pap. 31: 1085–1099. [https://doi.org/10.1016/0198-0149\(84\)90014-1](https://doi.org/10.1016/0198-0149(84)90014-1)
- Lehodey, P., Alheit, J., Barange, M., Baumgartner, T., Beaugrand, G., Drinkwater, K., Fromentin, J.M., Hare, S.R., Ottersen, G., Perry, R.I., Roy, C., van der Lingen, C.D., & Werner, F. 2006. Climate variability, fish, and fisheries. J. Clim. 19: 5009–5030. <https://doi.org/10.1175/JCLI3898.1>
- Lehodey, P., Bertignac, M., Hampton, J., Lewis, A., & Picaut, J. 1997. El Niño Southern Oscillation and tuna in the western Pacific. Nature 389: 715–718. <https://doi.org/10.1038/39575>
- Lehodey, P., Senina, I., Calmettes, B., Hampton, J., & Nicol, S. 2013. Modelling the impact of climate change on Pacific skipjack tuna population and fisheries. Clim. Change 119: 95–109. <https://doi.org/10.1007/s10584-012-0595-1>
- Li, S., Cao, W., Ren, H., Lu, L., Zhuang, D., & Liu, Q. 2016. Time series analysis of hemorrhagic fever with renal syndrome: A case study in Jiaonan county, China. PLoS One 11. <https://doi.org/10.1371/journal.pone.0163771>
- Lloret, J., Lleonart, J., & Solé, I. 2000. Time series modelling of landings in Northwest Mediterranean Sea. ICES J. Mar. Sci. 57: 171–184. <https://doi.org/10.1006/jmsc.2000.0570>
- Loukos, H., Monfray, P., Bopp, L., & Lehodey, P. 2003. Potential changes in skipjack tuna (*Katsuwonus pelamis*) habitat from a global warming scenario: Modelling approach and preliminary results. Fish. Oceanogr. 12: 474–482. <https://doi.org/10.1046/j.1365-2419.2003.00241.x>
- Lowerre-barbieri, S.K., Saborido-rey, F., & Hunter, J.R. 2011. Reproductive timing in marine fishes: variability, temporal scales, and methods. Mar. Coast. Fish. Dyn. Manag. Ecosyst. Sci. 3: 71–91. <https://doi.org/10.1080/19425120.2011.556932>
- Macusi, E.D., Abreo, N.A.S., & Babaran, R.P. 2017a. Local ecological knowledge (LEK) on fish behavior around anchored FADs: The case of tuna purse seine and ringnet fishers from Southern Philippines. Front. Mar. Sci. 4: 1–13. <https://doi.org/10.3389/fmars.2017.00188>
- Macusi, E.D., Babaran, R.P., & van Zwieten, P.A.M. 2015. Strategies and tactics of tuna fishers in the payao (anchored FAD) fishery from general Santos city, Philippines. Mar. Policy 62: 63–73. <https://doi.org/10.1016/j.marpol.2015.08.020>
- Macusi, E.D., Katikiro, R.E., & Babaran, R.P., 2017b. The influence of economic factors in the change of fishing strategies of anchored FAD fishers in the face of declining

- catch, General Santos City, Philippines. *Mar. Policy* 78: 98–106. <https://doi.org/10.1016/j.marpol.2017.01.016>
- Makarim, S., Sprintall, J., Liu, Z., Yu, W., Santoso, A., Yan, X.H., & Susanto, R.D., 2019. Previously unidentified Indonesian Throughflow pathways and freshening in the Indian Ocean during recent decades. *Sci. Rep.* 9: 1–13. <https://doi.org/10.1038/s41598-019-43841-z>
- Makridakis, 1999. *Metode dan Aplikasi Peramalan*, Jilid 1, Erlangga, Jakarta.
- Malakoff, D. 2004. New tools reveal treasures at ocean hot spots. *Mar. Sci.* 304: 1104–1105. <https://doi.org/10.1126/science.304.5674.1104>
- Malik A. 2014 *Kajian Pemanfaatan Berkelanjutan Sumber Daya Ikan Cakalang (*Katsuwonus pelamis*) di Teluk Bone*. Disertasi, Fakultas Ilmu Kelautan dan Perikanan, Universitas Hasanuddin, Makassar, 197hal.
- Mallawa, A. 2016. Size structure of skipjack (*Katsuwonus pelamis*) captured by pole and line fishermen inside and outside of fish aggregation. *Int. J. Sci. Technol. Res.* 5: 159–163.
- Mallawa, A., Amir, F., & Halid, I. 2021. Comparison of the catch of two fishing technologies for yellowfin tuna (*Thunnus albacares*, Bonnaterre 1788) in Bone Bay waters, South Sulawesi Indonesia. *IOP Conf. Ser. Earth Environ. Sci.* 718. <https://doi.org/10.1088/1755-1315/718/1/012077>
- Mallawa, A., Musbir, Sitepu, F., & Amir, F. 2016. Beberapa aspek perikanan ikan cakalang (*Katsuwonus pelamis*) di perairan Barru Selat Makassar Sulawesi Selatan. *J. IPTEKS.* 3: 392 - 405
- Mallawa, A., Syafruddin, & Palo, M. 2010. Fishery aspect and distribution pattern of skipjack tuna (*Katsuwonus pelamis*) in Gulf of Bone Waters, South Sulawesi. *Torani (Jurnal Ilmu Kelaut. dan Perikanan)* 20: 17–24.
- Marsac, F., Fonteneau, A., & Ménard, F. 2000. Drifting FADs used in tuna fisheries: an ecological trap? *Proc. 1st Symp. Tuna Fish. FADs, Martinique, Oct. 1999*: 537–552.
- Matsumoto, T., Satoh, K., Semba, Y., & Toyonaga, M. 2016. Comparison of the behavior of skipjack (*Katsuwonus pelamis*), yellowfin (*Thunnus albacares*) and bigeye (*Thunnus obesus*) tuna associated with drifting FADs in the equatorial central Pacific Ocean. *Fish. Oceanogr.* 25: 565–581. <https://doi.org/10.1111/fog.12173>
- Matsumoto, T., Satoh, K., & Toyonaga, M. 2014. Behavior of skipjack tuna (*Katsuwonus pelamis*) associated with a drifting FAD monitored with ultrasonic transmitters in the equatorial central Pacific Ocean. *Fish. Res.* 157: 78–85. <https://doi.org/10.1016/j.fishres.2014.03.023>
- Matsumoto, W.M., Skillman, R.A., & Dizon, A. 1984. *Synopsis of Biological Data on Skipjack Tuna, *Katsuwonus pelamis**. NOAA Tech. Rep. NMFS Cir 451, 92 pp.
- McGillicuddy, J.J., Anderson, L.A., Doney, S.C., & Maltrud, M.E. 2003. Eddy-driven sources and sinks of nutrients in the upper ocean: Results from a 0.1° resolution model of the North Atlantic. *Global Biogeochem. Cycles* 17: <https://doi.org/10.1029/2002gb001987>

- Mesnil, B., & Petitgas, P. 2009. Detection of changes in time-series of indicators using CUSUM control charts. *Aquat. Living Resour.* 22: 187–192. <https://doi.org/10.1051/alr/2008058>
- Mikelsons, K., Wang, M., & Jiang, L. 2020. Statistical evaluation of satellite ocean color data retrievals. *Remote Sens. Environ.* 237: 111601. <https://doi.org/10.1016/j.rse.2019.111601>
- Miyake, M., Guillotreau, P., Sun, C.H., & Ishimura, G. 2010. Recent developments in the-tuna industry: stocks, fisheries, management, processing, trade and markets. FAO: Fisheries and Aquaculture Technical Paper.
- Morgan, M.J., Murua, H., Kraus, G., Lambert, Y., Marteinsdo, G., Marshall, C.T., Brien, L.O., & Tomkiewicz, J. 2009. The evaluation of reference points and stock productivity in the context of alternative indices of stock reproductive potential. *Can. J. Fish. Aquat. Sci.* 66: 404–414. <https://doi.org/10.1139/F09-009>
- Mugo, R., Saitoh, S.-I., Nihira, A., & Kuroyama, T. 2010. Habitat characteristics of skipjack tuna (*Katsuwonus pelamis*) in the western North Pacific: a remote sensing perspective. *Fish. Oceanogr.* 19: 382–396. <https://doi.org/10.1111/j.1365-2419.2010.00552.x>
- Mustasim, M., Zainuddin, M., & Safruddin, S. 2015. *Thermal dan chlorophyll-a front* hubungannya dengan hasil tangkapan ikan cakalang pada musim peralihan Barat-Timur diperairan Seram. *J. IPTEKS Pemanfaat. Sumberd. Perikan.* 2: 294–304.
- Nababan, B., Rosyadi, N., Manurung, D., Natih, N.M., & Hakim, R. 2016. The seasonal variability of sea surface temperature and chlorophyll-a concentration in the south of Makassar Strait. *Procedia Environ. Sci.* 33: 583–599. <https://doi.org/10.1016/j.proenv.2016.03.112>
- Nugraha, A.P., Purba, N.P., Junianto, & Sunarto, 2018. Ocean currents, temperature, and salinity at raja empat islands and the boundaries seas. *World Sci. News* 110: 197–209.
- Nurdin, S., Mustapha, M.A., Lihan, T., & Zainuddin, M. 2017. Applicability of remote sensing oceanographic data in the detection of potential fishing grounds of *Rastrelliger kanagurta* in the archipelagic waters of Spermonde, Indonesia. *Fish. Res.* 196: 1–12. <https://doi.org/10.1016/j.fishres.2017.07.029>
- Nuzula, F., Syamsudin, M.L., Yuliadi, L.P.S., Purba, N.P., & Martono, 2017. Eddies spasial variability at Makassar Strait – Flores Sea. *IOP Conf. Ser. Earth Environ. Sci.* 54: 012079. <https://doi.org/10.1088/1755-1315/54/1/012079>
- Palacios, D.M., Bograd, S.J., Foley, D.G., & Schwing, F.B. 2006. Oceanographic characteristics of biological hot spots in the North Pacific: A remote sensing perspective. *Deep. Res. Part II Top. Stud. Oceanogr.* 53: 250–269. <https://doi.org/10.1016/j.dsr2.2006.03.004>
- Paramasivam, C.R., & Venkatramanan, S. 2019. An introduction to various spasial analysis techniques, GIS and geostatistical techniques for groundwater science. Elsevier Inc. <https://doi.org/10.1016/B978-0-12-815413-7.00003-1>
- Pecoraro, C., Zudaire, I., Bodin, N., Murua, H., Taconet, P., Díaz-Jaimes, P., Cariani, A., Tinti, F., & Chassot, E. 2017. Putting all the pieces together: integrating current

knowledge of the biology, ecology, fisheries status, stock structure and management of yellowfin tuna (*Thunnus albacares*). Rev. Fish Biol. Fish. 27: 811–841. <https://doi.org/10.1007/s11160-016-9460-z>

- PDSI-KKP. 2015. Analisa Data Poko. Kementerian Kelautan dan Perikanan. 220 hal.
- Phillips, J.S., Gupta, A. Sen, Senina, I., Seville, E. Van, Lehodey, P., Hampton, J., & Nicol, S. 2018. An individual-based model of skipjack tuna (*Katsuwonus pelamis*) movement in the tropical Pacific ocean. Prog. Oceanogr. 164: 63–74. <https://doi.org/10.1016/j.pocean.2018.04.007>
- Podestá, G.P., Browder, J.A., & Hoey, J.J. 1993. Exploring the association between swordfish catch rates and thermal fronts on U.S. longline grounds in the western North Atlantic. Cont. Shelf Res. 13: 253–277. [https://doi.org/10.1016/0278-4343\(93\)90109-B](https://doi.org/10.1016/0278-4343(93)90109-B)
- Polovina, J.J., Howell, E., Kobayashi, D.R., & Seki, M.P. 2001. The transition zone chlorophyll front, a dynamic global feature defining migration and forage habitat for marine resources. Prog. Oceanogr. 49: 469–483. [https://doi.org/10.1016/S0079-6611\(01\)00036-2](https://doi.org/10.1016/S0079-6611(01)00036-2)
- Polovina, J.J., & Howell, E.A. 2005. Ecosystem indicators derived from satellite remotely sensed oceanographic data for the North Pacific. ICES J. Mar. Sci. 62: 319–327. <https://doi.org/10.1016/j.icesjms.2004.07.031>
- Prista, N., Diawaia, N., Costa, M.J., & Jones, C. 2011. Use of SARIMA models to assess data-poor fisheries: A case study with a sciaenid fishery off Portugal. Fish. Bull. 109: 170–185.
- Purba, M. 2007. Dynamics of south off Java Sumbawa Island in southeast monsoon. Torani J Ilmu Kelautan dan Perikanan. 2: 140-150
- Purba, N.P., & Pranowo, W.S., 2015. Deskripsi Karakteristik Massa Air dan Sirkulasi Laut, Unpad Press. Universitas Padjadjaran
- Purba, N.P., Pranowo, W.S., Faizal, I., & Adiwira, H. 2018. Temperature-Salinity stratification in the Eastern Indian Ocean using argo float. IOP Conf. Ser. Earth Environ. Sci. 162. <https://doi.org/10.1088/1755-1315/162/1/012010>
- Putri, A.R.S., Zainuddin, M., Musbir, M., Hidayat, R., & Mustapha, M.A. 2021. Mapping potential fishing zones for skipjack tuna in the southern Makassar Strait, Indonesia, using Pelagic Habitat Index (PHI). Biodiversitas J. Biol. Divers. 22: 3037–3045. <https://doi.org/10.13057/biodiv/d220758>
- Putri, A.R.S., Zainuddin, M., Musbir, M., Mustapha, M.A., & Hidayat, R. 2019. Effect of oceanographic conditions on skipjack tuna catches from FAD versus free-swimming school fishing in the Makassar Strait, in: IOP Conference Series: Earth and Environmental Science. Institute of Physics Publishing. <https://doi.org/10.1088/1755-1315/370/1/012008>
- Putri, A.R.S., Zainuddin, M., & Putri, R.S. 2018. Effect of climate change on the distribution of skipjack tuna (*Katsuwonus pelamis*) catch in the Bone Gulf, Indonesia, during the southeast monsoon. AACL Bioflux 11: 439–451.
- Rubio, A., Caballero, A., Orfila, A., Hernández-Carrasco, I., Ferrer, L., González, M., Solabarrieta, L., & Mader, J. 2018. Eddy-induced cross-shelf export of high chl-a

- coastal waters in the SE Bay of Biscay. *Remote Sens. Environ.* 205: 290–304. <https://doi.org/10.1016/j.rse.2017.10.037>
- Safuruddin, Hidayat, R., & Zainuddin, M. 2018. Effects of environmental factors on anchovies *Stolephorus* sp. distribution in Bone Gulf, Indonesia. *AAFL Bioflux* 11: 387–393.
- Sangrà, P., Pascual, A., Rodríguez-Santana, Á., Machín, F., Mason, E., McWilliams, J.C., Pelegrí, J.L., Dong, C., Rubio, A., Arístegui, J., Marrero-Díaz, Á., Hernández-Guerra, A., Martínez-Marrero, A., & Auladell, M. 2009. The Canary Eddy Corridor: A major pathway for long-lived eddies in the subtropical North Atlantic. *Deep. Res. Part I Oceanogr. Res. Pap.* 56: 2100–2114. <https://doi.org/10.1016/j.dsr.2009.08.008>
- Santos, A.M.P., 2000. Fisheries oceanography using satellite and airborne remote sensing methods: A review. *Fish. Res.* 49: 1–20. [https://doi.org/10.1016/S0165-7836\(00\)00201-0](https://doi.org/10.1016/S0165-7836(00)00201-0)
- Sari, Q.W., Siswanto, E., Setiabudidaya, D., Yustian, I., & Iskandar, I. 2018. Spasial and temporal variability of surface chlorophyll-a in the gulf of Tomini, Sulawesi, Indonesia. *Biodiversitas* 19: 743–751. <https://doi.org/10.13057/biodiv/d190306>
- Sartimbul A, Rohadi E, Ali MF, Khaidar Z. 2018. Anomaly technique for expression the Indian ocean dipole in South Java sea. *Intl J Eng Technol* 7 (4.44): 28-30
- Scandol, J.P. 2003. Use of cumulative sum (CUSUM) control charts of landed catch in the management of fisheries. *Fish. Res.* 64: 19–36. [https://doi.org/10.1016/s0165-7836\(03\)00104-8](https://doi.org/10.1016/s0165-7836(03)00104-8)
- Schaefer, K.M. 2001. Assessment of skipjack tuna (*Katsuwonus pelamis*) spawning activity in the eastern Pacific Ocean. *Fish. Bull* 99: 343–350.
- Schaefer, K.M., & Fuller, D.W. 2019. Spatiotemporal variability in the reproductive dynamics of skipjack tuna (*Katsuwonus pelamis*) in the eastern Pacific Ocean. *Fish. Res.* 209: 1–13. <https://doi.org/10.1016/j.fishres.2018.09.002>
- Selitubun, E., Lesnussa, Y.A., & Kondolembang, F. 2017. Pemodelan ARIMA untuk prediksi kenaikan muka air laut dan dampaknya terhadap luas sebaran rob di Kota Ambon. *JMPM J. Mat. dan Pendidik. Mat.* 2: 58. <https://doi.org/10.26594/jmpm.v2i1.855>
- Selvaraj, J.J., Arunachalam, V., Coronado-Franco, K.V., Romero-Orjuela, L.V., & Ramírez-Yara, Y.N. 2020. Time-series modeling of fishery landings in the Colombian Pacific Ocean using an ARIMA model. *Reg. Stud. Mar. Sci.* 39: 101477. <https://doi.org/10.1016/j.rsma.2020.101477>
- Shumway, R.H., & Stoffe, D.S. 2011. *Time Series Analysis and Its Applications with R Examples*, Springer New York Dordrecht Heidelberg London. <https://doi.org/10.1002/0471264105.ch8>
- Simbolon D. 2011. *Bioekologi dan Dinamika Daerah Penangkapan Ikan*. Tesis, Departemen Pemanfatan Sumber Daya Perikanan. Fakultas Perikanan dan Kelautan, IPB.
- Soares, J.B., Monteiro-Neto, C., Costa, M.R. da, Martins, R.R.M., Vieira, F.C. dos S., Andrade-Tubino, M.F. de, Bastos, A.L., & Tubino, R. de A. 2019. Size structure,

- reproduction, and growth of skipjack tuna (*Katsuwonus pelamis*) caught by the pole-and-line fleet in the southwest Atlantic. *Fish. Res.* 212: 136–145. <https://doi.org/10.1016/j.fishres.2018.12.011>
- Soares, M.A., Sabu, P., Anilkumar, N., Mishra, R.K., Naik, R.K., Bhaskar, P. V., George, J. V., Venkataramana, V., & Sarkar, A. 2021. Variation of particulate organic matter characteristics in the upper water column of eddy-influenced waters at the subtropical front of the Indian sector of the Southern Ocean. *J. Sea Res.* 174: 102074. <https://doi.org/10.1016/j.seares.2021.102074>
- Song, L., Zhou, J., Zhou, Y., Nishida, T., Jiang, W., & Wang, J. 2009. Environmental preferences of bigeye tuna, *Thunnus obesus*, in the Indian Ocean: An application to a longline fishery. *Environ. Biol. Fishes* 85: 153–171. <https://doi.org/10.1007/s10641-009-9474-7>
- Song, L.M., Zhang, Y., Xu, L.X., Jiang, W.X., & Wang, J.Q. 2008. Environmental preferences of longlining for yellowfin tuna (*Thunnus albacares*) in the tropical high seas of the Indian Ocean. *Fish. Oceanogr.* 17: 239–253. <https://doi.org/10.1111/j.1365-2419.2008.00476.x>
- Song, Q., Gordon, A.L., & Visbeck, M. 2004. Spreading of the Indonesian throughflow in the Indian Ocean. *J. Phys. Oceanogr.* 34: 772–792. [https://doi.org/10.1175/1520-0485\(2004\)034<0772:SOTITI>2.0.CO;2](https://doi.org/10.1175/1520-0485(2004)034<0772:SOTITI>2.0.CO;2)
- Sprintall, J., Gordon, A.L., Wijffels, S.E., Feng, M., Hu, S., Koch-Larrouy, A., Phillips, H., Nugroho, D., Napitu, A., Pujiana, K., Dwi Susanto, R., Sloyan, B., Yuan, D., Riama, N.F., Siswanto, S., Kuswardani, A., Arifin, Z., Wahyudi, A.J., Zhou, H., Nagai, T., Ansong, J.K., Bourdalle-Badié, R., Chanut, J., Lyard, F., Arbic, B.K., Ramdhani, A., & Setiawan, A. 2019. Detecting change in the Indonesian seas. *Front. Mar. Sci.* 6. <https://doi.org/10.3389/fmars.2019.00257>
- Stergiou, K.I., Christou, E.D., & Petrakis, G. 1997. Modelling and forecasting monthly fisheries catches: Comparison of regression, univariate and multivariate time series methods. *Fish. Res.* 29: 55–95. [https://doi.org/10.1016/S0165-7836\(96\)00482-1](https://doi.org/10.1016/S0165-7836(96)00482-1)
- Susanto, R.D., Fang, G., Soesilo, I., Zheng, Q., Qiao, F., Wei, Z., & Sulistyono, B. 2010. New surveys of a branch of the Indonesian throughflow. *Eos (Washington, DC)*. 91: 261–263. <https://doi.org/10.1029/2010EO300002>
- Susanto, R.D., Moore, T.S., & Marra, J. 2006. Ocean color variability in the Indonesian Seas during the SeaWiFS era. *Geochemistry, Geophys. Geosystems* 7: 1–16. <https://doi.org/10.1029/2005GC001009>
- Syah, A.F., Gaol, J.L., Zainuddin, M., Apriliya, N.R., Berlianty, D., & Mahabrort, D. 2020. Detection of potential fishing zones of Bigeye tuna (*Thunnus obesus*) at profundity of 155 M in the eastern Indian Ocean. *Indones. J. Geogr.* 52: 29–35. <https://doi.org/10.22146/ijg.43708>
- Syahdan, M., M. Fedi A. Sondita, A. Atmadipoera, & D. Simbolon. 2007. Hubungan suhu permukaan laut dan klorofil-a terhadap hasil tangkapan cakalang (*Katsuwonus pelamis*) di perairan bagian timur Sulawesi Tenggara. *Buletin PSP Bogor*. Vol. 16 (2): 246-259.

- Syamsuddin, M., Saitoh, S.-I., Hirawake, T., Syamsudin, F., & Zainuddin, M. 2016. Interannual variation of bigeye tuna (*Thunnus obesus*) hotspots in the eastern Indian Ocean off Java. *Int. J. Remote Sens.* 37: 2087-2100 <https://doi.org/10.1080/01431161.2015.1136451>
- Sydemann, W.J., Richard D., B., Churchill B., G., Alexander S., B., & McKinnell, S. 2006. Marine habitat “hotspots” and their use by migratory species and top predators in the North Pacific Ocean: Introduction. *Deep. Res. II* 53: 247–249. <https://doi.org/10.1016/j.dsr2.2006.03.001>
- Tadjudah, M. 2005. Analisis daerah penangkapan ikan cakalang (*Katsuwonus pelamis*) dan Madidihang (*Thunnus albacares*) dengan menggunakan data satelit di perairan Kabupaten Wakatobi Sulawesi Tenggara. Bogor: Departemen Pemanfaatan Sumberdaya Perikanan. Fakultas Perikanan. Institut Pertanian Bogor.
- Takarina, N.D., Nurliansyah, W., & Wardhana, W. 2019. Relationship between environmental parameters and the plankton community of the batuhideung fishing grounds, Pandeglang, Banten, Indonesia. *Biodiversitas* 20: 171–180. <https://doi.org/10.13057/biodiv/d200120>
- Tantika, H.N., Supriadi, N., & Anggraini, D. 2018. Metode seasonal ARIMA untuk meramalkan produksi kopi dengan indikator curah hujan menggunakan aplikasi R di Kabupaten Lampung Barat. *J. Mat.* 17: 49–58. <https://doi.org/10.29313/jmtm.v17i2.3831>
- Tilstone, G.H., Pardo, S., Dall’Olmo, G., Brewin, R.J.W., Nencioli, F., Dessailly, D., Kwiatkowska, E., Casal, T., & Donlon, C. 2021. Performance of Ocean Colour Chlorophyll a algorithm for Sentinel-3 OLCI, MODIS-Aqua and Suomi-VIIRS in open-ocean waters of the Atlantic. *Remote Sens. Environ.* 260: 112444. <https://doi.org/10.1016/j.rse.2021.112444>
- Tobías, A., Sáez, M., Galán, I., & Campbell, M.J. 2003. Sensitivity analysis of common statistical models used to study the short-term effects of air pollution on health. *Int. J. Biometeorol.* 47: 227–229. <https://doi.org/10.1007/s00484-003-0163-5>
- Tseng, C. Te, Sun, C.L., Yeh, S.Z., Shih-Chin, C., & Su, W.C. 2010. Spatio-temporal distributions of tuna species and potential habitats in the Western and Central Pacific Ocean derived from multi-satellite data. *Int. J. Remote Sens.* 31: 4543–4558. <https://doi.org/10.1080/01431161.2010.485220>
- Tsitsika, E. V., Maravelias, C.D., & Haralabous, J. 2007. Modeling and forecasting pelagic fish production using univariate and multivariate ARIMA models. *Fish. Sci.* 73: 979–988. <https://doi.org/10.1111/j.1444-2906.2007.01426.x>
- Ueno, H., Crawford, W.R., & Onishi, H. 2010. Impact of Alaskan Stream eddies on chlorophyll distribution in the North Pacific. *J. Oceanogr.* 66: 319–328. <https://doi.org/10.1007/s10872-010-0028-6>
- Ukhra, A.U., 2014. Pemodelan dan peramalan data deret waktu dengan metode Seasonal ARIMA. *J. Mat. UNAND* 3: 59. <https://doi.org/10.25077/jmu.3.3.59-67.2014>

- Valavanis, V.D., Katara, I., & Palialexis, A. 2005. Marine GIS: Identification of mesoscale oceanic thermal fronts. *Int. J. Geogr. Inf. Sci.* 19: 1131–1147. <https://doi.org/10.1080/13658810500391206>
- Walpole, R. E. 1993. *Pengantar Statistika Edisi Ke-3*. Jakarta: PT Gramedia Pustaka Utama.
- Wang, J., Chen, X., & Chen, Y. 2016. Spatio-temporal distribution of skipjack in relation to oceanographic conditions in the west-central Pacific Ocean. *Int. J. Remote Sens.* 37: 6149–6164. <https://doi.org/10.1080/01431161.2016.1256509>
- WCPFC, 2017. *Tuna Fishery Yearbook 2016*. Oceanic Fisheries Programme Secretariat of the Pacific Community, Noumea.
- Wicaksono, P.P., Handoyo, G., & Atmodjo, W. 2016. Analisis peramalan pasang surut dengan metode admiralty dan *Autoregressive Integrated Moving Average* (ARIMA) di perairan pantai Widuri Kabupaten Pemalang Departemen Oseanografi, Fakultas Perikanan. *J. Oseanografi* 5: 489–495.
- Wijaya, A., Zakiyah, U., Sambah, A.B., & Setyohadi, D. 2020. Spatio-temporal variability of temperature and chlorophyll-a concentration of sea surface in Bali Strait, Indonesia. *Biodiversitas J. Biol. Divers.* 21: 5283–5290. <https://doi.org/10.13057/biodiv/d211132>
- Worm, B., Lotze, H.K., & Myers, R.A. 2003. Predator diversity hotspots in the blue ocean. *Proc. Natl. Acad. Sci.* 100: 9884–9888. <https://doi.org/10.1073/pnas.1333941100>
- Wright, P.J., & Trippel, E.A. 2009. Fishery-induced demographic changes in the timing of spawning: consequences for reproductive success. *Fish Fish.* 10: 283–304. <https://doi.org/10.1111/j.1467-2979.2008.00322.x>
- Xia, Z., Guo, X., & Chen, R. 2020. Automatic extraction of aquaculture ponds based on google earth engine. *Ocean Coast. Manag.* 198: 105348. <https://doi.org/10.1016/j.ocecoaman.2020.105348>
- Yuniarti, A., Maslukah, L., & Helmi, M. 2013. Studi variabilitas suhu permukaan laut berdasarkan citra satelit aqua MODIS Tahun 2007-2011 di perairan Selat Bali. *J. Oceanogr.* 2: 416–421.
- Zainuddin, M. 2011. Skipjack tuna in relation to sea surface temperature and chlorophyll-a concentration of bone bay using remotely sensed satellite data. *J. Ilmu dan Teknol. Kelaut. Trop.* 3: 82–90.
- Zainuddin, M., Amir, M.I., Bone, A., Farhum, S.A., Hidayat, R., Putri, A.R.S., Mallawa, A., Safruddin, & Ridwan, M. 2019. Mapping distribution patterns of skipjack tuna during January-May in the Makassar Strait. *IOP Conf. Ser. Earth Environ. Sci.* 370: 012004. <https://doi.org/10.1088/1755-1315/370/1/012004>
- Zainuddin, M., Farhum, A., Safruddin, S., Selamat, M.B., Sudirman, S., Nurdin, N., Syamsuddin, M., Ridwan, M., & Saitoh, S.I. 2017. Detection of pelagic habitat hotspots for skipjack tuna in the Gulf of Bone-Flores Sea, southwestern Coral Triangle tuna, Indonesia. *PLoS One* 12: 1–19. <https://doi.org/10.1371/journal.pone.0185601>
- Zainuddin, M., Kiyofuji, H., Saitoh, K., & Saitoh, S.I. 2006. Using multi-sensor satellite remote sensing and catch data to detect ocean hot spots for albacore (*Thunnus*

alalunga) in the northwestern North Pacific. Deep. Res. Part II Top. Stud. Oceanogr. <https://doi.org/10.1016/j.dsr2.2006.01.007>

- Zainuddin, M., Nelwan, A., Farhum, S.A., N., Hajar, M.A.I., Kurnia, M., & Sudirman. 2013a. Characterizing potential fishing zone of skipjack tuna during the southeast monsoon in the Bone Bay-Flores Sea using remotely sensed oceanographic data. Int. J. Geosci. 04: 259–266. <https://doi.org/10.4236/ijg.2013.41a023>
- Zainuddin, M., Nelwan, A., Hajar, M.A.I., Farhum, S.A., Najamuddin, Kurnia, M., & Sudirman. 2013b. Pemetaan zona potensi penangkapan ikan cakalang periode April-Juni di Teluk Bone dengan teknologi *remote sensing*. Penelit. Perikan. Indones. 19: 167–173.
- Zainuddin, M., Saitoh, K., & Saitoh, S.I. 2008. Albacore (*Thunnus alalunga*) fishing ground in relation to oceanographic conditions in the western North Pacific Ocean using remotely sensed satellite data. Fish. Oceanogr. 17: 61–73. <https://doi.org/10.1111/j.1365-2419.2008.00461.x>
- Zainuddin, M., Saitoh, S. ichi, & Saitoh, K. 2004. Detection of potential fishing ground for albacore tuna using synoptic measurements of ocean color and thermal remote sensing in the northwestern North Pacific. Geophys. Res. Lett. 31: 1-4 <https://doi.org/10.1029/2004GL02100>