

## DAFTAR PUSTAKA

- Ali, T. K., Gibbons, A., Cartes, C., Zarei-Ghanavati, S., Gomaa, M., Gonzalez, I., Gonzalez, A. E., Ozturk, H. E., Betancurt, C., & Perez, V. L. (2018). Use of Autologous Serum Tears for the Treatment of Ocular Surface Disease From Patients With Systemic Autoimmune Diseases. *American Journal of Ophthalmology*, 189, 65–70. <https://doi.org/10.1016/j.ajo.2018.02.009>
- Azar, D. T., Spurr Michaud, S. J., Tisdale, A. S., & Gipson, I. K. (1992). Altered Epithelial-Basement Membrane Interactions in Diabetic Corneas. *Archives of Ophthalmology*, 110(4), 537–540. <https://doi.org/10.1001/archopht.1992.01080160115045>
- Cowlen, M. S., Zhang, V. Z., Warnock, L., Moyer, C. F., Peterson, W. M., & Yerxa, B. R. (2003). Localization of ocular P2Y2 receptor gene expression by *in situ* hybridization. *Experimental Eye Research*, 77(1), 77–84. [https://doi.org/10.1016/S0014-4835\(03\)00068-X](https://doi.org/10.1016/S0014-4835(03)00068-X)
- Craig, J. P., Nichols, K. K., Akpek, E. K., Caffery, B., Dua, H. S., Joo, C. K., Liu, Z., Nelson, J. D., Nichols, J. J., Tsubota, K., & Stapleton, F. (2017). TFOS DEWS II Definition and Classification Report. *Ocular Surface*, 15(3), 276–283. <https://doi.org/10.1016/j.jtos.2017.05.008>
- DeStefano, T., Clark, H., Gavin, M., & Potter, T. (2005). The relationship between work environment factors and job satisfaction among rural behavioral health professionals. *Journal Northern Arizona University*, 2001, 1–8. <https://marshall.edu/jrcp/DeStefano.pdf>
- Dursun, D., Wang, M., Monroy, & Al, E. (2002). A mouse model of keratoconjunctivitis sicca. *Invest Ophthalmol Vis Sci*, 43(3), 632–638.
- Feenstra, R. P. G., & Tseng, S. C. G. (1992). What Is Actually Stained by Rose Bengal? *Archives of Ophthalmology*, 110(7), 984–993. <https://doi.org/10.1001/archopht.1992.01080190090035>
- Fraunfelder, F. W., & Cabezas, M. (2011). Treatment of recurrent corneal erosion by extended-wear bandage contact lens. *Cornea*, 30(2), 164–166. <https://doi.org/10.1097/ICO.0b013e3181e84689>
- Fukuda, K., Miyamoto, Y., & Miyara, Y. (1998). Hyaluronic acid in tear fluid and its synthesis by corneal epithelial cells. *AsiaPacific J Ophthalmol*, 40, 62–65.

- Fukuda, M., Fullard, R. J., Willcox, M. D. P., Baleriola-Lucas, C., Bestawros, F., Sweeney, D., & Holden, B. A. (1996). Fibronectin in the tear film. *Investigative Ophthalmology and Visual Science*, 37(2), 459–467.
- Garrana, R. M. R., Zieske, J. D., Assouline, M., & Gipson, I. K. (1999). Matrix metalloproteinases in epithelia from human recurrent corneal erosion. *Investigative Ophthalmology and Visual Science*, 40(6), 1266–1270.
- Geerling, G., MacLennan, S., & Hartwig, D. (2004). Autologous serum eye drops for ocular surface disorders. *British Journal of Ophthalmology*, 88(11), 1467–1474. <https://doi.org/10.1136/bjo.2004.044347>
- Gilbard, J. P. (1994). Human Tear Film Electrolyte Concentrations in Health and Dry-Eye Disease. *International Ophthalmology Clinics*, 34(1), 27–36.
- Gupta, S., GUpta, P., & Sayegh, R. (2014). Healing a Persistent Corneal Epithelial Defect. *Ophthalmic Pearls*, 33–35.
- Hykin, P. G., Foss, A. E., Pavesio, C., & Dart, J. K. G. (1994). THE NATURAL HISTORY AND MANAGEMENT OF RECURRENT CORNEAL EROSION: A PROSPECTIVE RANDOMISED TRIAL. *Eye*, 8(1), 35–40. <https://doi.org/10.1038/eye.1994.6>.
- Ionides, A. C. W., Tuft, S. J., Ferguson, V. M. G., Matheson, M. M., & Hykin, P. G. (1997). Corneal infiltration after recurrent corneal epithelial erosion. *British Journal of Ophthalmology*, 81(7), 537–540. <https://doi.org/10.1136/bjo.81.7.537>
- Kamiya, K., Nakanishi, M., Ishii, R., Kobashi, H., Igarashi, A., Sato, N., & Shimizu, K. (2012). Clinical evaluation of the additive effect of diquaferon tetrasodium on sodium hyaluronate monotherapy in patients with dry eye syndrome: A prospective, randomized, multicenter study. *Eye (Basingstoke)*, 26(10), 1363–1368. <https://doi.org/10.1038/eye.2012.166>
- Kenyon, K. R., Berman, M., Rose, J., & Gage, J. (1979). Prevention of stromal ulceration in the alkali-burned rabbit cornea by glued-on contact lens. Evidence for the role of polymorphonuclear leukocytes in collagen degradation. *Investigative Ophthalmology and Visual Science*, 18(6), 570–587.

- Kojima, T., Ishida, R., Dogru, M., Goto, E., Matsumoto, Y., Kaido, M., & Tsubota, K. (2005). The effect of autologous serum eyedrops in the treatment of severe dry eye disease: A prospective randomized case-control study. *American Journal of Ophthalmology*, 139(2), 242–246. <https://doi.org/10.1016/j.ajo.2004.08.040>
- Lau, O. C. F., Samarawickrama, C., & Skalicky, S. E. (2014). P2Y2 receptor agonists for the treatment of dry eye disease: A review. *Clinical Ophthalmology*, 8, 327–334. <https://doi.org/10.2147/OPTH.S39699>
- Lemp, M. A., Baudouin, C., Baum, J., Dogru, M., Foulks, G. N., Kinoshita, S., Laibson, P., McCulley, J., Murube, J., Pflugfelder, S. C., Rolando, M., & Toda, I. (2007). The definition and classification of dry eye disease: Report of the definition and classification subcommittee of the international Dry Eye WorkShop (2007). *Ocular Surface*, 5(2), 75–92. [https://doi.org/10.1016/s1542-0124\(12\)70081-2](https://doi.org/10.1016/s1542-0124(12)70081-2)
- Luo, L., Li, D. Q., Doshi, A., Farley, W., Corrales, R. M., & Pflugfelder, S. C. (2004). Experimental dry eye stimulates production of inflammatory cytokines and MMP-9 and activates MAPK signaling pathways on the ocular surface. *Investigative Ophthalmology and Visual Science*, 45(12), 4293–4301. <https://doi.org/10.1167/iovs.03-1145>
- Ma, J. J. K., & Dohlman, C. H. (2002). Mechanisms of corneal ulceration. *Ophthalmology Clinics of North America*, 15(1), 27–33. [https://doi.org/10.1016/S0896-1549\(01\)00017-7](https://doi.org/10.1016/S0896-1549(01)00017-7)
- Matsumoto, Y., Dogru, M., Goto, E., Ohashi, Y., Kojima, T., Ishida, R., & Tsubota, K. (2004). Autologous serum application in the treatment of neurotrophic keratopathy. *Ophthalmology*, 111(6), 1115–1120. <https://doi.org/10.1016/j.ophtha.2003.10.019>
- Miljanović, B., Dana, R., Sullivan, D. A., & Schaumberg, D. A. (2007). Impact of Dry Eye Syndrome on Vision-Related Quality of Life. *American Journal of Ophthalmology*, 143(3). <https://doi.org/10.1016/j.ajo.2006.11.060>
- Mun, Y., Kwon, J. W., & Oh, J. Y. (2018). Therapeutic effects of 3% diquafofol ophthalmic solution in patients with short tear film break-up time-type dry eye disease. *BMC Ophthalmology*, 18(1), 4–9. <https://doi.org/10.1186/s12886-018-0910-3>

- Nakamura, T., Inatomi, T., Sotozono, C., Ang, L. P. K., Koizumi, N., Yokoi, N., & Kinoshita, S. (2006). Transplantation of Autologous Serum-Derived Cultivated Corneal Epithelial Equivalents for the Treatment of Severe Ocular Surface Disease. *Ophthalmology*, 113(10), 1765–1772. <https://doi.org/10.1016/j.ophtha.2006.04.030>
- Nichols, K. K., Yerxa, B., & Kellerman, D. J. (2004). Diquafosol tetrasodium: A novel dry eye therapy. *Expert Opinion on Investigational Drugs*, 13(1), 47–54. <https://doi.org/10.1517/13543784.13.1.47>
- Noble, B. A., Loh, R. S. K., MacLennan, S., Pesudovs, K., Reynolds, A., Bridges, L. R., Burr, J., Stewart, O., & Quereshi, S. (2004). Comparison of autologous serum eye drops with conventional therapy in a randomised controlled crossover trial for ocular surface disease. *British Journal of Ophthalmology*, 88(5), 647–652. <https://doi.org/10.1136/bjo.2003.026211>
- Pflugfelder, S. C. (2006). Is Autologous Serum a Tonic for the Ailing Corneal Epithelium? *American Journal of Ophthalmology*, 142(2), 316–317. <https://doi.org/10.1016/j.ajo.2006.05.002>
- Pflugfelder, S. C., & de Paiva, C. S. (2017). The Pathophysiology of Dry Eye Disease: What We Know and Future Directions for Research. *Ophthalmology*, 124(11), S4–S13. <https://doi.org/10.1016/j.ophtha.2017.07.010>
- Poon, A. C., Geerling, G., Dart, J. K. G., Fraenkel, G. E., & Daniels, J. T. (2001). Autologous serum eyedrops for dry eyes and epithelial defects: Clinical and in vitro toxicity studies. *British Journal of Ophthalmology*, 85(10), 1188–1197. <https://doi.org/10.1136/bjo.85.10.1188>
- Rao, K., Leveque, C., & Pflugfelder, S. C. (2010). Corneal nerve regeneration in neurotrophic keratopathy following autologous plasma therapy. *British Journal of Ophthalmology*, 94(5), 584–591. <https://doi.org/10.1136/bjo.2009.164780>
- Rapuano, C. J., Ewald, M. D., & Tu, E. Y. (2014). MD Roundtable: Recurrent Corneal Erosions. *Clinical Update*, 29–31.
- Reidy, J. J., Paulus, M. P., & Gona, S. (2000). Recurrent erosions of the cornea: Epidemiology and treatment. *Cornea*, 19(6), 767–771. <https://doi.org/10.1097/00003226-200011000-00001>
- Schultz, G., Davis, J., & Eiferman, R. (1988). Growth factors and corneal epithelium. *Cornea*, 7, 96–101.

- Soni, N. G., & Jeng, B. H. (2016). Blood-derived topical therapy for ocular surface diseases. *British Journal of Ophthalmology*, 100(1), 22–27. <https://doi.org/10.1136/bjophthalmol-2015-306842>
- Suri, K., Kosker, M., Duman, F., Rapuano, C. J., Nagra, P. K., & Hammersmith, K. M. (2013). Demographic patterns and treatment outcomes of patients with recurrent corneal erosions related to trauma and epithelial and bowman layer disorders. *American Journal of Ophthalmology*, 156(6), 1082-1087.e2. <https://doi.org/10.1016/j.ajo.2013.07.022>
- Tahmaz, V., Gehlsen, U., Sauerbier, L., Holtick, U., Engel, L., Radojska, S., Petrescu-Jipa, V. M., Scheid, C., Hallek, M., Gathof, B., Cursiefen, C., & Steven, P. (2017). Treatment of severe chronic ocular graft-versus-host disease using 100% autologous serum eye drops from a sealed manufacturing system: A retrospective cohort study. *British Journal of Ophthalmology*, 101(3), 322–326. <https://doi.org/10.1136/bjophthalmol-2015-307666>
- Takeda, K., Nakamura, T., Inatomi, T., Sotozono, C., Watanabe, A., & Kinoshita, S. (2011). Ocular surface reconstruction using the combination of autologous cultivated oral mucosal epithelial transplantation and eyelid surgery for severe ocular surface disease. *American Journal of Ophthalmology*, 152(2), 195-201.e1. <https://doi.org/10.1016/j.ajo.2011.01.046>
- Thakrar, R., & Hemmati, H. D. (2013). Treatment of recurrent corneal erosion. *Ophthalmic Pearls*, 39–41.
- Tripathi, R. C., & Bron, A. J. (1972). Ultrastructural study of non-traumatic recurrent corneal erosion. *The British Journal of Ophthalmology*, 56(2), 73–85. <https://doi.org/10.1136/bjo.56.2.73>
- Tsai, R. J. F., Li, L. M., & Chen, J.-K. (2000). Reconstruction of damaged corneas by transplantation of autologous limbal epithelial cells. *The New England Journal of Medicine*, 343(2), 86–93.
- Tsubota, K., Goto, E., Shimmura, S., & Shimazaki, J. (1999). Treatment of persistent corneal epithelial defect by autologous serum application. *Ophthalmology*, 106(10), 1984–1989. [https://doi.org/10.1016/S0161-6420\(99\)90412-8](https://doi.org/10.1016/S0161-6420(99)90412-8)
- Vajpayee, R. B., Mukerji, N., Tandon, R., Sharma, N., Pandey, R. M., Biswas, N. R., Malhotra, N., & Melki, S. A. (2003). Evaluation of umbilical cord serum therapy for persistent corneal epithelial defects.

*British Journal of Ophthalmology*, 87(11), 1312–1316.  
<https://doi.org/10.1136/bjo.87.11.1312>

Wang, L., Tsang, H., & Coroneo, M. T. (2008). Treatment of recurrent corneal erosion syndrome using the combination of oral doxycycline and topical corticosteroid. *Clinical and Experimental Ophthalmology*, 36(1), 8–12. <https://doi.org/10.1111/j.1442-9071.2007.01648.x>

Wilson, S. E., Lloyd, S. A., & Kennedy, R. H. (1991). Basic fibroblast growth factor (FGFb) and epidermal growth factor (EGF) receptor messenger RNA production in human lacrimal gland. *Cornea*, 10(6), 519–524. <https://doi.org/10.1097/00003226-199111000-00010>

Yi, H. C., Lee, Y. P., & Shin, Y. J. (2018). Influence of Nasal Tear Osmolarity on Ocular Symptoms Related to Dry Eye Disease. *American Journal of Ophthalmology*, 189, 71–76. <https://doi.org/10.1016/j.ajo.2018.02.008>

Yoon, K. C., De Paiva, C. S., Qi, H., Chen, Z., Farley, W. J., Li, D. Q., & Pflugfelder, S. C. (2007). Expression of Th-1 chemokines and chemokine receptors on the ocular surface of C57BL/6 mice: Effects of desiccating stress. *Investigative Ophthalmology and Visual Science*, 48(6), 2561–2569. <https://doi.org/10.1167/iovs.07-0002>

Young, A. L., Cheng, A. C. O., Ng, H. K., Cheng, L. L., Leung, G. Y. S., & Lam, D. S. C. (2004). The use of autologous serum tears in persistent corneal epithelial defects. *Eye*, 18(6), 609–614. <https://doi.org/10.1038/sj.eye.6700721>

Zavaro, A., Samra, Z., Baryishak, R., & Sompolinsky, D. (1980). Proteins in tears from healthy and diseased eyes. *Documenta Ophthalmologica*, 50(1), 185–199. <https://doi.org/10.1007/BF00161161>

Ziakas, N. G., Boboridis, K. G., Terzidou, C., Naoumidi, T. L., Mikropoulos, D., Georgiadou, E. N., & Georgiadis, N. S. (2010). Long-term follow up of autologous serum treatment for recurrent corneal erosions. *Clinical and Experimental Ophthalmology*, 38(7), 683–687. <https://doi.org/10.1111/j.1442-9071.2010.02304.x>