

DAFTAR PUSTAKA

- Asadzadeh, A., Sorous, H., Pourfarzam, M., Yaghmaei, P., Fassihi, A., 2016. In Vitro and In Silico Studies of the Inhibitory Effects of Some Novel Kojic Acid Derivatives on Tyrosinase Enzyme. *Iran. J. Basic Med. Sci.* 19, 132–144.
- Ashooriha, M., Khoshneviszadeh, Mehdi, Khoshneviszadeh, Mahsima, Moradi, S.E., Rafiei, A., Kardan, M., Emami, S., 2019. 1,2,3-Triazole-Based Kojic Acid Analogs as Potent Tyrosinase Inhibitors: Design, Synthesis and Biological Evaluation. *Bioorg. Chem.* 82, 414–422.
- Aytemir, M.D., Özçelik, B., 2011. Synthesis and Biological Activities of New Mannich Bases of Chlorokojic Acid Derivatives. *Med. Chem. Res.* 20, 443–452.
- Balakrishna, C., Payili, N., Yenham, S., Devi, P.U., Behera, M., 2015. Synthesis of New Kojic Acid Based Unnatural α -amino Acid Derivatives. *Bioorg. Med. Chem. Lett.*
- Barta, P., Fülöp, F., Szatmári, I., 2018. Mannich Base-connected Syntheses Mediated by Ortho-quinone Methides. *Beilstein J. Org. Chem.* 14, 560–575.
- Briganti, S., Camera, E., Picardo, M., 2003. Chemical and Instrumental Approaches to Treat Hyperpigmentation. *Pigment Cell Res.* 16, 101–110.
- Chatatikun, M., Supjaroen, P., Promlat, P., Chantarangkul, C., 2020. Antioxidant and Tyrosinase Inhibitory Properties of an Aqueous Extract of *Garcinia atroviridis* Griff. ex. T. Anderson Fruit Pericarps 12, 71–78.
- Chen, Y.M., Li, C., Zhang, W.J., Shi, Y., Wen, Z.J., Chen, Q.X., Wang, Q., 2019. Kinetic and computational molecular docking simulation study of novel kojic acid derivatives as anti-tyrosinase and antioxidant agents. *J. Enzyme Inhib. Med. Chem.* 34, 990–998.
- Choi, Y.J., Rho, H.S., Baek, H.S., Hong, Y.D., Joo, Y.H., Shin, S.S., Kim, J.M., 2014. Synthesis and Biological Evaluation of Kojic acid Derivatives as Tyrosinase Inhibitors. *Bull. Korean Chem. Soc.* 35, 3647–3650.
- Comanita, E., Roman, G., Popovici, I., Comanita, B., 2001. Synthesis and Reactivity of Some Mannich Bases. VIII. Studies on Several Mannich Bases Derived from Ortho-hidroxyacetophenones and their Conversion into Oximino Derivatives. *J. Serbian Chem. Soc.* 66, 9–16.

- Couteau, C., Coiffard, L., 2016. Overview of Skin Whitening Agents: Drugs and Cosmetic Products. *Cosmetics* 3, 1–16.
- D'Mello, S.A.N., Finlay, G.J., Baguley, B.C., Askarian-Amiri, M.E., 2016. Signaling Pathways in Melanogenesis. *Int. J. Mol. Sci.* 17, 1–18.
- Fessenden, R., Fessenden, J., 2010. Dasar-dasar Kimia Organik. Binarupa Aksara Publisher, Tangerang.
- Forouzani, M., Ghasemnejad-Bosra, H., 2014. Efficient One-pot pTSA-catalyzed Synthesis of 2-substituted Aryl (indolyl) Kojic Acid and Kojyl Thioether Derivatives Under Mild Conditions. *Open Org. Chem. J.* 8, 1–5.
- Gandjar, I.G., Rohman, A., 2007. Kimia Farmasi Analisis. Pustaka Pelajar, Yogyakarta.
- Gandjar, I.G., Rohman, A., 2018. Spektroskopi Molekuler Untuk Analisis Farmasi. Gadjah Mada University Press, Yogyakarta.
- Gauglitz, G., Moore, D.S., 2014. Handbook of Spectroscopy, Second. ed. Wiley-VCH Verlag & Co. KGaA, Germany.
- Hashemi, S.M., Emami, S., 2015. Kojic Acid-Derived Tyrosinase Inhibitors: Synthesis and Bioactivity. *Pharm. Biomed. Res.* 1, 1–17.
- Ishak, N., Lajis, A.F.B., Mohamad, R., Ariff, A.B., Mohamed, M.S., Halim, M., Wasoh, H., 2018. Kinetics and Optimization of Lipophilic Kojic Acid Derivative Synthesis in Polar Aprotic Solvent using Lipozyme RMIM and its Rheological Study. *Molecules* 23, 1–24.
- Kandeel, M.M., Abdou, N.A., Kadry, H.H., El-Masry, R.M., 2013. Synthesis and In Vitro Antitumor Activity of Some New Mannich Bases. *Int. J. ChemTech Res.* 5, 401–408.
- Karakaya, G., Türe, A., Ercan, A., Öncül, S., Aytemir, M.D., 2019. Synthesis, Computational Molecular Docking Analysis and Effectiveness on Tyrosinase Inhibition of Kojic Acid Derivatives. *Bioorg. Chem.* 88, 102950.
- Kb, D., Vijayalakshmi, P., Shilpa, V., Bv, K., 2015. Optimization of Cultural Parameters for Cost Effective Production of Kojic Acid by Fungal Species Isolated from Soil. *Ferment. Technol.* 4, 8–13.
- Kim, J., Kim, Y.H., Bang, S., Yoo, H., Kim, I.K., Chang, S.E., Song, Y., 2019. L-765,314 Suppresses Melanin Synthesis by Regulating Tyrosinase Activity. *Molecules* 24, 1–13.

- Kucukoglu, K., Gul, M., Atalay, M., Mete, E., Kazaz, C., Hanninen, O., Gul, H.I., 2011. Synthesis of Some Mannich Bases with Dimethylamine and their Hydrazones and Evaluation of Their Cytotoxicity Against Jurkat Cells. *Arzneimittel-Forschung/Drug Res.* 61, 366–371.
- Leba, M.A.U., 2017. Buku Ajar: Ekstraksi dan Real Kromatografi. Deepublish, Yogyakarta.
- Lee, S.Y., Baek, N., Nam, T.G., 2016. Natural, Semisynthetic and Synthetic Tyrosinase Inhibitors. *J. Enzyme Inhib. Med. Chem.* 31, 1–13.
- Martínez-Gutiérrez, A., Asensio, J.A., Aran, B., 2014. Effect of the Combination of Different Depigmenting Agents in Vitro. *J. Cosmet. Sci.* 65, 365–375.
- Moldovan, Z., Popa, D.E., David, I.G., Buleandra, M., Badea, I.A., 2017. A Derivative Spectrometric Method for Hydroquinone Determination in the Presence of Kojic Acid, Glycolic Acid, and Ascorbic Acid. *J. Spectrosc.* 1–9.
- Pavia, D.L., Lampman, G.M., Kriz, G.S., Vyvyan, J.R., 2015. Introduction to spectroscopy, Fifth. ed. Cengage Learning, USA.
- Pei, Y., Liu, H., Yang, Yi, Yang, Yanwei, Jiao, Y., Tay, F.R., Chen, J., 2018. Biological Activities and Potential Oral Applications of N-Acetylcysteine: Progress and Prospects. *Oxid. Med. Cell. Longev.* 1–14.
- Pillaiyar, T., Manickam, M., Namasivayam, V., 2017. Skin Whitening Agents: Medicinal Chemistry Perspective of Tyrosinase Inhibitors. *J. Enzyme Inhib. Med. Chem.* 32, 403–425.
- Rho, H.S., Ahn, S.M., Yoo, D.S., Kim, M.K., Cho, D.H., Cho, J.Y., 2010a. Kojyl Thioether Derivatives Having Both Tyrosinase Inhibitory and Anti-inflammatory Properties. *Bioorganic Med. Chem. Lett.* 20, 6569–6571.
- Rho, H.S., Baek, H.S., Ahn, S.M., Kim, M.K., Ghimeray, A.K., Cho, D.H., Hwang, J.S., 2010b. Synthesis and Biological Evaluation of Kojyl Thioether Derivatives as Tyrosinase Inhibitors. *Bull. Korean Chem. Soc.* 31, 2375–2378.
- Roman, G., 2013. Generation of a Structurally Diverse Library Through Alkylation and Ring Closure Reactions Using 3-Dimethylamino-1-(thiophen-2-yl)propan-1-one Hydrochloride. *Acta Chim. Slov.* 60, 70–80.

- Saeedi, M., Eslamifar, M., Khezri, K., 2019. Kojic Acid Applications in Cosmetic and Pharmaceutical Preparations. *Biomed. Pharmacother.* 110, 582–593.
- Saghiae, L., Pourfarzam, M., Fassihi, A., Sartippour, B., 2013. Synthesis and Tyrosinase Inhibitory Properties of Some Novel Derivatives of Kojic Acid. *Res. Pharm. Sci.* 8, 233–242.
- Samuni, Y., Goldstein, S., Dean, O.M., Berk, M., 2013. The Chemistry and Biological Activities of N-acetylcysteine. *Biochim. Biophys. Acta - Gen. Subj.* 1830, 4117–4129.
- Saqib, F., Janbaz, K.H., Sherwani, M.K., 2015. In Vitro Inhibitory Potential of Methanolic Extract of Celosia argentea var. Cristata on Tyrosinase, Acetylcholinesterase and Butyrylcholinesterase Enzymes. *Bangladesh J. Pharmacol.* 10, 449–454.
- Sastrohamidjojo, H., 2018. Dasar-dasar Spektroskopi. Gadjah Mada University Press, Yogyakarta.
- Shankar, K., Godse, K., Aurangabadkar, S., Lahiri, K., Mysore, V., Ganjoo, A., Vedamurty, M., Kohli, M., Sharad, J., Kadhe, G., Ahirrao, P., Narayanan, V., Motlekar, S.A., 2014. Evidence-Based Treatment for Melasma: Expert Opinion and a Review. *Dermatol. Ther.* (Heidelb). 4.
- Shin, J.W., Park, K.C., 2014. Current Clinical Use of Depigmenting Agents. *Dermatologica Sin.* 32, 205–210.
- Silverstein, R.M., Webster, F.X., Kiemle, D.J., 2005. Spectrometric Identification of Organic Compounds, Seventh. ed. John Wiley & Sons, Inc., USA.
- Silverstein, R.M., Webster, F.X., Kiemle, D.J., Bryce, D.L., 2015. Spectrometric Identification of Organic Compounds, Eight. ed. John Wiley & Sons, Inc., USA.
- Skoog, D.A., West, D.M., James, F.H., Crouch, S.R., 2014. Fundamentals of Analytical Chemistry, 9th ed. Brooks/Cole Cengage Learning, United States of America.
- Solano, F., 2014. Melanins: Skin Pigments and Much More—Types, Structural Models, Biological Functions, and Formation Routes. *New J. Sci.* 2014, 1–28.
- Song, L., Xie, W., Zhao, Y., Lv, X., Yang, H., Zeng, Q., Zheng, Z., Yang, X., 2019. Synthesis, Antimicrobial, Moisture Absorption and Retention Activities of Kojic Acid-grafted Konjac Glucomannan Oligosaccharides. *Polymers (Basel).* 11, 1–13.

- Sun, R., He, H., Wan, Y., Li, L., Sha, J., Jiang, G., Li, Y., Li, T., Ren, B., 2021. Kojic Acid in Fourteen Mono-solvents: Solubility Data, Hansen Solubility Parameter and Thermodynamic Properties. *J. Chem. Thermodyn.* 152.
- Suryaningsih, B.E., 2020. Melanogenesis and its Associated Signalings 9, 327–331.
- Wang, Y.H., Avonto, C., Avula, B., Wang, M., Rua, D., Khan, I.A., 2015. Quantitative Determination of α -arbutin, β -arbutin, Kojic Acid, Nicotinamide, Hydroquinone, Resorcinol, 4-methoxyphenol, 4-ethoxyphenol, and Ascorbic Acid from Skin Whitening Products by HPLC-UV. *J. AOAC Int.* 98, 5–12.
- Watson, D.G., 2012. *Pharmaceutical Analysis: A Textbook for Pharmacy Students and Pharmaceutical Chemists*, Third. ed. Elsevier, Churchill Livingstone.
- Williamson, K.L., Masters, K., 2010. *Macroscale and Microscale Organic Experiments*, 6th ed. Brooks Cole, New York.
- Zhao, Y.J., Wei, W., Su, Z.G., Ma, G.H., 2009. Poly (Ethylene Glycol) Prodrug for Anthracyclines via N-Mannich Base Linker: Design, Synthesis and Biological Evaluation. *Int. J. Pharm.* 379, 90–99.