

## Referensi

Abbas, A., Lichtman, A. and Pillai, S., 2015. Cellular and Molecular Immunology. 8th Edition. Philadelphia: Elsevier., pp. 51-87.

Achmad, S.A. 1986. Kimia Organik Bahan Alam 1. Penerbit Karunika Jakarta, Universitas Terbuka, pp.148.

Amsyah, U.K., Hatta, M., Tahir, H., Alam, G., Asmawati, A., 2019. Expression of IL-10 in A.actinomycetemcomitans induced rat treated by Purple Miana Leaves. Biomed. Pharmacol. J. 12, 2099–2104.

Akiyama H, Fujii K, Yamasaki O, Oono T, Iwatsuki K. Antibacterial action of several tannins against Staphylococcus aureus. J Antimicrob Chemother 2001;48(4):487–91.

Alba, S., Bakker, M.I., Hatta, M., Scheelbeek, P.F.D., Dwiyanti, R., Usman, R., et al. 2016. Risk factors of typhoid infection in the Indonesian archipelago. *PLoS ONE*, 11(6): e0155286.

Alvarez, J., Sota, M., Vivanco, A., Perales, I., Cisterna, R., Rementeria, A. and Garaizar, J., 2004. Development of a Multiplex PCR Technique for Detection and Epidemiological Typing of *Salmonella* in Human Clinical Samples. *Journal of Clinical Microbiology*, 42(4), pp.1734–38.

Alves, B. E. et al. (2011) 'Time-course of sFlt-1 and VEGF-A release in neutropenic patients with sepsis and septic shock: A prospective study', *Journal of Translational Medicine*, 9(1), p. 23. doi: 10.1186/1479-5876-9-23.

Amsyah, U.K., Hatta, M., Tahir, H., Alam, G., Asmawati, A., 2019. Expression of IL-10 in A.actinomycetemcomitans induced rat treated by Purple Miana Leaves. Biomed. Pharmacol. J. 12, 2099–2104.

Ansó, E. et al. (2010) 'Flavonoids inhibit hypoxia-induced vascular endothelial growth factor expression by a HIF-1 independent mechanism', *Biochemical Pharmacology*, 79(11), pp. 1600–1609. doi: 10.1016/j.bcp.2010.02.004.

Antillón, M., Warren, J., Crawford, F., Weinberger, D., Kürüm, E., Pak, G., Marks, F. and Pitzer, V., 2017. The burden of typhoid fever in low- and middle-income countries: A meta-regression approach. *PLOS Neglected Tropical Diseases*, 11(2), p.e0005376.

Arya, M., Shergill, I. S., Williamson, M., Gommersall, L., Arya, N., & Patel, H. R. 2005. Basic principles of real-time quantitative PCR. *Expert Review of Molecular Diagnostics*, 5(2), 209–219.

Baker, S., Hardy, J., Sanderson, K., Quail, M., Goodhead, I., Kingsley, R., et al, 2007. A Novel Linear Plasmid Mediates Flagellar Variation in *S. typhi*. *PLoS Pathogens*, 3(5), p.e59.

Baker, S., Holt, K., van de Vosse, E., Roumagnac, P., Whitehead, S., King, E., et al, 2008. High-Throughput Genotyping of *Salmonella enterica* Serovar Typhi Allowing Geographical Assignment of Haplotypes and Pathotypes within an Urban District of Jakarta, Indonesia. *Journal of Clinical Microbiology*, 46(5), pp.1741-46.

Baratawidjaja K, Rengganis I. Imunologi Dasar, Edisi Kedelapan. Jakarta: Balai Penerbit Fakultas Kedokteran Indonesia; 2009.

Basrah, A . 1995. Agroindustri Tanaman Obat, Status Perkembangan produksi dan pengolahan. Prosiding forum konsolidasi strategi dan koordinasi Pengembangan Agroindustri Tanaman Obat. Badan Penelitian dan Pengembangan Industri.

Bosco MC, et al. 2008. Monocytes and dendritic cells in a hypoxic environment: Spotlights on chemotaxis and migration. *Immunobiology*; 213(9–10), pp. 733–49.

Boom, R., Sol, C. J., Salimans, M. M., Jansen, C. L., Wertheim-van Dillen, P. M., & van der Noordaa, J. (1990). Rapid and simple method for purification of nucleic acids. *Journal of clinical microbiology*, 28(3), 495–503.

Bustin, S. (2000). Absolute quantification of mRNA using real-time reverse transcription polymerase chain reaction assays. *Journal of Molecular Endocrinology*, 25(2), 169–193

Bjørklund, G., Dadar, M., Chirumbolo, S., Lysiuk, R., 2017. Flavonoids as detoxifying and pro-survival agents: What's new? *Food Chem. Toxicol.*

Bjørklund, G., Dadar, M., Chirumbolo, S., Lysiuk, R., 2017. Flavonoids as detoxifying and pro-survival agents: What's new? *Food Chem. Toxicol.* 110, 240–250.

Casini D, Fontani P, et al. 2015. A Rapid ELISA Method to Improve the Automated Test Throughput. *Analytical & Bioanalytical Techniques*.

Chakravortty, D., I. Hansen-Wester, M. Hensel. 2002. *Salmonella* pathogenicity island 2 mediates protection of intracellular *Salmonella* from reactive nitrogen intermediates. *J. Exp. Med*; 195, pp. 1155–66.

Chau, T., Campbell, J., Galindo, C., Van Minh Hoang, N., Diep, T., Nga, T., Van Vinh Chau, N., Tuan, P., Page, A., et al., 2007. Antimicrobial Drug Resistance of *Salmonella enterica* Serovar Typhi in Asia and Molecular Mechanism of Reduced Susceptibility to the Fluoroquinolones. *Antimicrobial Agents and Chemotherapy*, 51(12), pp.4315-23.

Choudhary, A., Gopalakrishnan, R., Senthur, N., Ramasubramanian, V., Ghafur, K., and Thirunarayan, M. 2013. Antimicrobial susceptibility of *Salmonella* enterica in a tertiary care hospital in southern India, Indian J Med Res, 137(4), pp.800-2.

[Cowan MM. Plant products as antimicrobial agents. Clin. Microbiol. Rev.1999;12\(4\):564–82.](#)

Crump, J. and Mintz, E., 2010. Global Trends in Typhoid and Paratyphoid Fever. Clinical Infectious Diseases, 50(2), pp.241-46.

Crump, J., Luby S., Mintz, E., 2004. The Global Burden of Typhoid Fever. Bull World Health Organ, 82(5), pp.346-53.

Denyer, S. P., Hodges, N. A., Gorman, S.P. and Gilmore, B .F. 2011. Hugo and Russell Pharmaceutical Microbiology (8th Edition). Wiley- Blackwell Publishing House, New York.

Devraj G, et al. 2016. Hypoxia and HIF-1 activation in bacterial infections, Microbes and Infection, pp. 1-13

DeVries C, Escobedo JA, Ueno H, Houck K, Ferrara N, Williams LT. 1992. The fms-like tyrosine kinase, a receptor for vascular endothelial growth factor. Science;255, pp. 989–91.

Dor, T., Porat, R., and Keshet, E. 2001. Vascular endothelial growth factor and vascular adjustments to perturbations in oxygen homeostasis. Am J Physiol, 280, C1367-74.

dos Santos, A., Ferrari, R. and Conte-Junior, C., 2018. Virulence Factors in *S. typhimurium*: The Sagacity of a Bacterium. Current Microbiology, 76(6), pp.762-73.

Dougan, G. and Baker, S., 2014. *Salmonella enterica* Serovar Typhi and the Pathogenesis of Typhoid Fever. Annual Review of Microbiology, 68(1), pp.317-36.

Dougan, G., John, V., Palmer, S., Mastroeni, P. 2011. Immunity to salmonellosis. Immunological Reviews; 240, pp.196-210.

Emary, K., Moore, C., Chanpheaktra, N., An, K., Chheng, K., Sona, S., Duy, P., Nga, T., et al., 2012. Enteric fever in Cambodian children is dominated by multidrug-resistant H58 *Salmonella* enterica serovar Typhi with intermediate susceptibility to ciprofloxacin. *Transactions of the Royal Society of Tropical Medicine and Hygiene*, 106(12), pp.718-24.

Eng, S., Pusparajah, P., Ab Mutualib, N., Ser, H., Chan, K. and Lee, L., 2015. *Salmonella*: A review on pathogenesis, epidemiology and antibiotic resistance. *Frontiers in Life Science*, 8(3), pp.284-93.

Eremina, V., et al. 2003. Glomerular-specific alterations of VEGFA expression lead to distinct congenital and acquired renal diseases. *J Clin Invest*; 111, pp.707-16.

Ferrara N, Carver-Moore K, Chen H, Dowd M, Lu L, O'Shea KS, Powell-Braxton L, Hillan KJ, Moore MW. 1996. Heterozygous embryonic lethality induced by targeted inactivation of the VEGF gene. *Nature*;380, pp.439–42.

Ferrara N, Gerber HP, LeCouter J. 2003. The biology of VEGF and its receptors. *Nature Medicine*; 9, pp.669–76.

Ferrara, N., 2004. Vascular Endothelial Growth Factor: Basic Science and Clinical Progress. *Endocrine Reviews*, 25(4), pp.581-611.

Fitzpatrick, S., Gojkovic, M., Macias, D., Tegnebratt, T., Lu, L., Samén, E., Rundqvist, H. and Johnson, R., 2018. Glycolytic Response to Inflammation Over Time: Role of Myeloid HIF-1alpha. *Frontiers in Physiology*, 9, pp.1-7

Fitzpatrick, S., 2019. Immunometabolism and Sepsis: A Role for HIF?. *Frontiers in Molecular Biosciences*, 6(85), pp. 1-14.

Garai, P., Gnanadhas, D. and Chakravortty, D., 2012. *Salmonella enterica* serovars Typhimurium and Typhi as model organisms. *Virulence*, 3(4), pp.377-88.

Gauld, J., Hu, H., Klein, D. and Levine, M., 2018. Typhoid fever in Santiago, Chile: Insights from a mathematical model utilizing venerable archived data from a successful disease control program. *PLOS Neglected Tropical Diseases*, 12(9), p.e0006759.

Gerber HP, Malik AK, Solar GP, Sherman D, Liang XH, Meng G, Hong K, Marsters JC, Ferrara N. 2002. VEGF regulates haematopoietic stem cell survival by an internal autocrine loop mechanism. *Nature*;417, pp.954–8.

Gerlach, R.G., Hensel, M. 2007. *Salmonella* pathogenicity islands in host specificity, host-pathogen interactions and antibiotics resistance of *salmonella enterica*. Heft; 7/8, pp.317-27.

Global Burden of Disease, 2018. Global Burden of Disease Results Tool. GBD Results Tool | GHDx. Available at: <http://ghdx.healthdata.org/gbd-results-tool>. Accessed June 8, 2020.

Grant AJ, et al. 2008. Modelling within-host spatiotemporal dynamics of invasive bacterial disease. *PLoS Biol*;6:e74.

Haltermann MW, Miller CC, Federoff HJ. 1999. Hypoxia-inducible factor-1 $\alpha$  mediates hypoxia-induced delayed neuronal death that involves p53. *J Neurosci*, 19, pp.6818-24.

Harborne, J.B. 1996. Metode Fitokimia. Bandung: ITB.

Harris, G. et al. (2019) 'Acute intraperitoneal infection with a hypervirulent Acinetobacter baumannii isolate in mice', *Scientific Reports*, 9(1), pp. 1–12. doi: 10.1038/s41598-019-43000-4

Hasebe, Y., Egawa, K., Yamazaki, Y., Kunimoto, S., Hirai, Y., Ida, Y., Nose, K. 2003. Specific inhibition of hypoxia-inducible factor (HIF)-1 $\alpha$  activation and vascular endothelial growth factor (VEGF) production by flavonoid. *Biol. Pharm. Bull.* 26(10), pp.1379-83.

Hatta, M. and Ratnawati, N., 2008. Enteric fever in endemic areas of Indonesia: an increasing problem of resistance. *The Journal of Infection in Developing Countries*, 2(4). pp.279-82.

He, C., Zhang,W., Li, S., Ruan,W., Xu, J., and Xiao, F. 2018. Edaravone improves septic cardiac function by inducing an HIF-1a/HO-1 pathway. *Oxid.Med. Cell. Longev.* 2018, pp.1–11.

Hernández-Luna, M., Muñoz-López, P., Aguilar-González, C. and Luria-Pérez, R., 2018. Infection by *Salmonella enterica* Promotes or Demotes Tumor Development. *Salmonella - A Re-emerging Pathogen*, pp.55-71

Hess J, et al. 1996. *Salmonella typhimurium* aroAinfection in gene-targeted immunodeficient mice: major role of CD4 $^{+}$  TCR-alpha beta cells and IFN-gamma in bacterial clearance independent of intracellular location. *J Immunol*;156(9):3321-6.

Hnasko R. 2015. ELISA Methods and Protocols. Human Press

Holt, J. G., Kreig, N. R., Sneath, PHA., Stanley, J. T. and Williams, S. T. 1994. Bergey's manual of determinative bacteriology. Baltimore: Williams & Wilkins; 1994.

Houck, K.A. et al. 1991. The vascular endothelial growth factor family: identification of a fourth molecular species and characterization of alternative splicing of RNA. *Mol. Endocrinol.* 5, pp.1806-14.

House, D., Bishop, A., Parry, C., Dougan, G. and Wain, J., 2001. Typhoid fever: pathogenesis and disease. *Current Opinion in Infectious Diseases*, 14(5), pp.573-78.

Huang, D. and DuPont, H., 2005. Problem pathogens: extra-intestinal complications of *Salmonella enterica* serotype Typhi infection. *The Lancet Infectious Diseases*, 5(6), pp.341-48.

Hue, N., Lanh, M., Phuong, L., Vinh, H., Chinh, N., Hien, T., Hieu, N., Farrar, J. and Dunstan, S., 2009. Toll-Like Receptor 4 (TLR4) and Typhoid Fever in Vietnam. *PLoS ONE*, 4(3), p.e4800.

- Ide AG, Baker NH, Warren SL. 1939. Vascularization of the Brown Pearce rabbit epithelioma transplant as seen in the transparent ear chamber. *Am J Roentgenol*, 42:891–9.
- Ismail, I., 2015. Faktor Yang Mempengaruhi Keputusan Masyarakat Memilih Obat Tradisional Di Gampong Lam Ujong. *Idea Nurs. J.* 6, 7–14.
- Ivan M, Kondo K, Yang H, Kim W, Valiando J, Ohh M et al. 2001. HIFalpha targeted for VHL-mediated destruction by proline hydroxylation: implications for O<sub>2</sub> sensing. *Science*; 292, pp. 464–8.
- Jewell UR, Kvietikova I, Scheid A, Bauer C, Wenger RH, Gassmann M. 2001. Induction of HIF-1alpha in response to hypoxia is instantaneous. *FASEB J*; 15, pp. 1312–14.
- Jiang BH, Semenza GL, Bauer C, Marti HH. 1996. Hypoxia-inducible factor 1 levels vary exponentially over a physiologically relevant range of O<sub>2</sub> tension. *Am J Physiol*; 271, C1172–C1180.
- Kaluz S, Kaluzová M, Stanbridge EJ. 2006. Proteasomal inhibition attenuates transcriptional activity of hypoxia-inducible factor 1 (HIF-1alpha) via specific effect on the HIF-1alpha C-terminal activation domain. *Mol Cell Biol*, 26, pp.5895-907.
- Kaluz S, Kaluzová M, Stanbridge EJ. 2008. Does inhibition of degradation of hypoxia-inducible factor (HIF) always lead to activation of HIF? Lessons learnt from the effect of proteasomal inhibition on HIF activity. *J Cell Biochem*, 104, pp.536-44.
- Kamba T, Tam BY, Hashizume H, Haskell A, Sennino B, Mancuso MR, Norberg SM, O'Brien SM, et al. 2006. VEGF-dependent plasticity of fenestrated capillaries in the normal adult microvasculature. *American Journal of Physiology-Heart and Circulatory Physiology*;290:H560–76.
- Karkkainen, M.J., Makinen, T. And Alitalo, K. 2002. Lymphatic endothelial growth factor (VEGF) and its receptors. *FASEB J*;13, pp. 9-22.
- Kaur, A., Kapil, A., Elangovan, R., Jha, S. and Kalyanasundaram, D., 2018. Highly-sensitive detection of *S. typhi* in clinical blood samples by magnetic nanoparticle-based enrichment and in-situ measurement of isothermal amplification of nucleic acids. *PLOS ONE*, 13(3), p.e0194817.
- Keddy, K., 2018. 21st-century typhoid fever—progression of knowledge but regression of control? *The Lancet Infectious Diseases*, 18(12), pp.1296-8.
- Khan SA, et al. 2001. Early responses to *Salmonella typhimurium* infection in mice occur at focal lesions in infected organs. *Microb Pathog*;30, pp.29–38.
- Kim WY, Safran M, Buckley MR, Ebert BL, Glickman J, Bosenberg M et al. 2006. Failure to prolyl hydroxylate hypoxia-inducible factor alpha phenocopies VHL inactivation in vivo. *EMBO J*; 25, pp. 4650–62.
- Kim, J., Im, J., Parajulee, P., Holm, M., Cruz Espinoza, L., Poudyal, N., Mogeni, O. and Marks, F., 2019. A Systematic Review of Typhoid Fever Occurrence in Africa. *Clinical Infectious Diseases*, 69(Supplement\_6), pp.S492-S8.

Kintz. E., Heiss, C., Black, I., Donohue, N., Brown, N., Davies, M., Azadi, P., Baker, S., Kaye, P., Woude, M. 2017. *Salmonella enterica* serovar typhi lipopolysaccharide O-antigen modification impact on serum resistance and antibody recognition. *Infect Immun* 85:e01021-16.

Kondo, T., Ohta, T., Igura, K., Hara, Y., Kaji, K. 2002. Tea Catechins inhibit angiogenesis in vitro, measured by human endothelial cell growth, migration and tube formation, through inhibition of VEGF receptor binding. *Cancer Lett*, 180, pp. 139-44.

Krishnamachary B, Zagzag D, Nagasawa H, Rainey K, Okuyama H, Baek JH et al. 2006. Hypoxia-inducible factor-1-dependent repression of E-cadherin in von Hippel-Lindau tumor suppressor-null renal cell carcinoma mediated by TCF3, ZFHX1A, and ZFHX1B. *Cancer Res*; 66, pp.2725–31.

Kumala S & Desi. 2009. Aktivitas antibakteri ekstrak daun iler (*Coleus atropurpureus* Benth) terhadap beberapa bakteri gram (+) dan bakteri gram (-). *Jurnal Bahan Alam Indonesia*. 7(1):12-4.

Kusumawati, D., Pasaribu, F., Bintang, M. 2014. Aktivitas antibakteri isolat bakteri endofit dari tanaman miana (*Coleus scutellaroides* [L.] Benth.) terhadap *Staphylococcus aureus* dan *Escherichia coli*. *Current Biochemistry*; 1(1), pp.45-50.

Life Technologies. 2015. Basics of real-time PCR. Dilihat pada 28 April 2020 from website: <http://www.gene-quantification.com/real-time-pcr-handbook-lifetechnologies-update-flr.pdf>

Lo, N., Gupta, R., Stanaway, J., Garrett, D., Bogoch, I., Luby, S. and Andrews, J., 2018. Comparison of Strategies and Incidence Thresholds for Vi Conjugate Vaccines Against Typhoid Fever: A Cost-effectiveness Modeling Study. *The Journal of Infectious Diseases*, 218(suppl\_4), pp.S232-42.

Luo, H. et al. (2009) 'Kaempferol Inhibits Angiogenesis and VEGF Expression Through Both HIF Dependent and Independent Pathways in Human Ovarian Cancer Cells', *Nutrition and cancer*, 61(4), p. 554. doi: 10.1080/01635580802666281

Ly, K.T., and Casanova, J.E. 2009. Abelson Tyrosine kinase facilitates *Salmonella enterica* serovar typhimurium entry into epithelial cells. *Infection and Immunity*, 77(1), pp. 60–9.

Makino Y, Cao R, Svensson K, Bertilsson G, Asman M, Tanaka H et al. 2001. Inhibitory PAS domain protein is a negative regulator of hypoxia-inducible gene expression. *Nature*; 414, pp. 550–4.

Mankhambo, L. A. et al. (2010) 'The role of angiogenic factors in predicting clinical outcome in severe bacterial infection in Malawian children', *Critical Care*, 14(3), pp. 1–11. doi: 10.1186/cc9025

Marineli, F., Tsoucalas, G., Karamanou, M., Androutsos, G. 2013. Mary Mallon (1869-1938) and the history of typhoid fever. *Ann Gastroenterol*, 26(2), pp.1-3

Marumo T, Schini-Kerth VB, Busse R. 1999. Vascular endothelial growth factor activates nuclear factor-kappaB and induces monocyte chemoattractant protein-1 in bovine retinal endothelial cells. *Diabetes*; 48(5), pp.1131–7.

Matsumoto T, Claesson-Welsh L. 2001. VEGF receptor signal transduction. *Science's Signal Transduction Knowledge Environment*; pp.112-21.

Maxwell PH, Wiesener MS, Chang GW, Clifford SC, Vaux EC, Cockman ME et al. 1999. The tumour suppressor protein VHL targets hypoxia-inducible factors for oxygen-dependent proteolysis. *Nature*; 399, pp. 271–5.

Miles, AA; Misra, SS; Irwin, JO (Nov 1938). The estimation of the bactericidal power of the blood. *The Journal of Hygiene*. 38 (6): 732–49

Mogasale, V., Ramani, E., Lee, J., Park, J., Lee, K. and Wierzba, T., 2015. Revisiting typhoid fever surveillance in low and middle income countries: lessons from systematic literature review of population-based longitudinal studies. *BMC Infectious Diseases*, 16(1).

Neufeld, G., Cohen, T., Gengrinovitch, S., and Poltorak, Z. 1999. Vascular endothelial growth factor (VEGF) and its receptors. 1999. *FASEB J*. 13, pp. 9-22.

Nguyen, Thi Hue, Mai, N.L., Le, T.P., Ha, V., Nguyen, T.C., Tran, T.H., Nguyen, T. Hieu, Farrar, J.J., Dunstan, S.J., 2009. Toll-like receptor 4 (TLR4) and typhoid fever in Vietnam. *PLoS One* 4.

Nuria, Maulita C, Faizaitun, Arvin, Sumantri. 2009. Antibacterial Activity Test of Ethanol Extract of Jatropha Leaf (Jatropha Curcas L) Against Bacteria of Staphylococcus Aureus ATCC 25923, Escherichia coli ATCC 25922, and Salmonella typhi Atcc 1408, Mediagro.2009; 5 (2): 26–37.

Nuruzzaman, H. and Syahrul, F., 2016. Risk Analysis of Typhoid Fever Based on Personal Hygiene and Street Food Consumption Habit at Home. *Jurnal Berkala Epidemiologi*, 4(1), p.74-86.

Ochiai, R., 2008. A study of typhoid fever in five Asian countries: disease burden and implications for controls. *Bulletin of the World Health Organization*, 86(4), pp.260-8.

Pai, Rama & Szabo, Imre & Soreghan, Brian & Atay, Songul & Kawanaka, Hirofumi & Tarnawski, Andrzej. (2001). PGE2 stimulates VEGF expression in endothelial cells via ERK2/JNK1 signaling pathways. *Biochemical and biophysical research communications*.

Pakadang S.R., Wahjuni C.U., Notobroto, H.B., Winarni, D., Dwiyanti, R., Yadi, Sabir, M., and Hatta, M. 2015. Immunomodulator potential of Miana Leaves (*Coleus scutellarioides* [L] Benth) in prevention of tuberculosis infection. *American Journal of Microbiological Research*; 3(4), pp.129-34.

Pakadang, S.R. 2018. Potential of Miana leaves (*Coleus scutellaroides* [L.] Benth) as an antibacterial streptococcus pneumonia, staphylococcus aureus, staphylococcus epidermidis, klebsiella pneumonia from sputum cough patients in Makassar city. Politeknik Kesehatan Kemenkes, pp.122-31.

Parry, C., Thuy, C., Dongol, S., Karkey, A., Vinh, H., Chinh, N., et al, 2010. Suitable Disk Antimicrobial Susceptibility Breakpoints Defining *Salmonella enterica* Serovar Typhi Isolates with Reduced Susceptibility to Fluoroquinolones. *Antimicrobial Agents and Chemotherapy*, 54(12), pp.5201-8.

Paul, U., Bandyopadhyay, A. 2017. Typhoid fever: a review. *Int J Adv Med*, 4(2), pp.300-6.

Peysonnaux C, Datta V, Cramer T, Doedens A, Theodorakis EA, Gallo RL, Hurtado-Ziola N, Nizet V, Johnson RS. 2005. HIF-1alpha expression regulates the bactericidal capacity of phagocytes. *J Clin Invest*, 115, pp.1806-15

Pham Thanh, D., Thompson, C., Rabaa, M., Sona, S., Sopheary, S., Kumar, V., Moore, C., Tran Vu Thieu, N., et al., 2016. The Molecular and Spatial Epidemiology of Typhoid Fever in Rural Cambodia. *PLOS Neglected Tropical Diseases*, 10(6), p.e0004785.

Phillips, H.S., Hains, J., Leung, D.W. and Ferrara, N. 1990. Vascular endothelial growth factor is expressed in rat corpus luteum. *Endocrinology*;127, pp.965-67.

Podungge, M.R., Salimi, Y.K., Duengo, S. 2017. Isolasi dan uji aktivitas antioksidan senyawa flavonoid dari daun miana (*Coleus Scutellerooides* Benth.). *Jurnal Entropi*; 1(1), pp.67-74.

Pollard PJ, Spencer-Dene B, Shukla D, Howarth K, Nye E, El-Bahrawy M et al. 2007. Targeted inactivation of fh1 causes proliferative renal cyst development and activation of the hypoxia pathway. *Cancer Cell*; 11, pp.311–9

Radhakrishnan, A., Als, D., Mintz, E., Crump, J., Stanaway, J., Breiman, R. and Bhutta, Z., 2018. Introductory Article on Global Burden and Epidemiology of Typhoid Fever. *The American Journal of Tropical Medicine and Hygiene*, 99(3\_Suppl), pp.4-9.

Rahmawati, F. 2008. Isolasi dan karakterisasi senyawa antibakteri ekstrak daun miana (*Coleus scutellaroides* [L.] Benth.). *Institut Pertanian Bogor*, pp.1-62.

Ramakrishnan, S., Anand, V. and Roy, S., 2014. Vascular Endothelial Growth Factor Signaling in Hypoxia and Inflammation. *Journal of Neuroimmune Pharmacology*, 9(2), pp.142-60.

Ramos-Morales, F., 2012. Impact of *Salmonella enterica* Type III Secretion System Effectors on the Eukaryotic Host Cell. ISRN Cell Biology, 2012, pp.1-36.

Richalet, J.P., Souberbielle, J.C., Antezana, A.M., Dechaux, M., Le Trong, J.L., Bienvenu, A., Daniel, F., Blanchot, C. & Zittoun, J. 1994. Control of erythropoiesis in humans during prolonged exposure to the altitude of 6,542 m. American Journal of Physiology, 266, R756-64.

Riset Kesehatan Dasar, 2007. Laporan Nasional 2007. Available from: <http://kesga.kemkes.go.id/images/pedoman/Riskesdas%202007%20Nasional.pdf>

Rius, J., Guma, M., Schachtrup, C., Akassoglou, K., Zinkernagel, A., Nizet, V., Johnson, R., Haddad, G. and Karin, M., 2008. NF- $\kappa$ B links innate immunity to the hypoxic response through transcriptional regulation of HIF-1 $\alpha$ . *Nature*, 453(7196), pp.807-11.

Sabbagh, C., Carrere, S., Lonjon, F., Vailleau, F., Macho, A., Genin, S. and Peeters, N., 2019. Pangenomic type III effector database of the plant pathogenic *Ralstonia* spp. *PeerJ*, 7, p.e7346.

Saito, M., Parry, C. and Yeung, S., 2018. Modelling the cost-effectiveness of a rapid diagnostic test (IgMFA) for uncomplicated typhoid fever in Cambodia. *PLOS Neglected Tropical Diseases*, 12(11), p.e0006961.

Santos, S. and Andrade Júnior, D., 2017. HIF-1alpha and infectious diseases: a new frontier for the development of new therapies. *Revista do Instituto de Medicina Tropical de São Paulo*, 59(0).

Scalbert, A., 1991. Antimicrobial properties of tannins. *Phytochemistry* 30, 3875–3883. [https://doi.org/10.1016/0031-9422\(91\)83426-L](https://doi.org/10.1016/0031-9422(91)83426-L)

Schäfer, S., Frede, S., Winning, S., Bick, A., Roshangar, P., Fandrey, J., et al. 2013. Hypoxia-inducible factor and target gene expression are decreased in patients with sepsis. *Anesthesiol*. 118, pp. 1426–36.

Shibuya, M., et al. 1990. Nucleotide sequence and expression of a novel human receptor-type tyrosine kinase (f1t) closely related to the fms family. *Oncogene*; 8, pp. 519-27.

Siemester, G., et al. 1996. Reversion of deregulated expression of vascular endothelial growth factor in human renal carcinoma cells by von Hippel-Lindau tumor suppressor protein. 56, pp. 2299-301.

Simanjuntak C.H. 1990. Problem of Typhoid fever in Indonesia. Cermin Dunia Kedokteran, 60, pp. 31-4.

Sinha K, et al. 1997. *Salmonella typhimurium* aroA, htrA, and aroD htrA mutants cause progressive infections in athymic (nu/nu) BALB/c mice. *Infect Immun*;65, pp.1566–9.

Smith, T., Robbins, P. and Ratcliffe, P., 2008. The human side of hypoxia-inducible factor. *British Journal of Haematology*, 141(3), pp.325-34.

Soewandojo, E., Suharto, Hadi, U. 1998. Typhoid fever in Indonesia clinical picture, treatment and status after therapy. *Med J Indones, Suppl 1*, pp.96-104.

Splichal, I., Donovan, S., Jenistova, V., Splichalova, I., Salmonova, H., Vlkova, E., Neuzil Bunesova, V., et al. 2019. High Mobility Group Box 1 and TLR4 Signaling Pathway in Gnotobiotic Piglets Colonized/Infected with *L. amylovorus*, *L. mucosae*, *E. coli* Nissle 1917 and *S. Typhimurium*. *International Journal of Molecular Sciences*, 20(24), p.6294.

Sukhan, A., 2000. The invasion-associated type III secretion system of *S. typhimurium*: common and unique features. *Cellular and Molecular Life Sciences*, 57(7), pp.1033-49.

Suva, M. A., Patel, A. M., and Sharma, N., 2015. Coleus species: *Solenostemon scutellarioides*. *Inventio Rapid: Planta Activa*. 2015(2.).

Swantara, D.M. 2010. Isolasi dan identifikasi fraksi toksik ekstrak tumbuhan iler (*Coleus scutellaroides* [L.] Benth). *Int J Cancer*; 4(1).

Syamsuri, F., Hatta, M., Natzir, R., Alam, G., Massi, M., Bahar, B. and Rahardjo, S., 2018. Expression of TLR-4 in *Salmonella typhi*-Induced Balb/c Mice Treated by Miana Leaves (*Coleus scutellaroides* (L.) Benth). *Indian Journal of Public Health Research & Development*, 9(12), p.1449.

Tamam, M. B. (2016). Pengertian dan Prinsip Kerja Real Time PCR. Dilihat pada 28 april 2020 dari website Generasi Biologi.

Tamura, K., Sakurai, T., Kogo, H., 2006. Relationship between prostaglandin E2 and vascular endothelial growth factor (VEGF) in angiogenesis in human vascular endothelial cells. *Vascul Pharmacol*. 44, 411–416.

Textoris, J., Beaufils, N., Quintana, G., Ben Lassoued, A., Zieleskiewicz, L., Wiramus, S., et al. 2012. Hypoxia-inducible factor (HIF1 $\alpha$ ) gene expression in human shock states. *Critical Care*, 16(4):R120.

Triantafyllou, A. et al. (2007) 'The flavonoid quercetin induces hypoxia-inducible factor-1 $\alpha$  (HIF-1 $\alpha$ ) and inhibits cell proliferation by depleting intracellular iron', *Free Radical Research*, 41(3), pp. 342–356. doi: 10.1080/10715760601055324.

Triantafyllou, A. et al. (2008) 'Flavonoids induce HIF-1 $\alpha$  but impair its nuclear accumulation and activity', *Free Radical Biology and Medicine*, 44(4), pp. 657–670. doi: 10.1016/j.freeradbiomed.2007.10.050.

Ugboko, H., De, N. 2014. Mechanisms of antibiotic resistance in *Salmonella typhi*. *Int J Curr Microbiol App Sci*; 3(12), pp. 461-76.

Upadhyay, R., Nadka, M., Muruganathan, A., Tiwaskar, M., Amarapurkar, D., Banka, N., Mehta, K., and Sathyaprakash, B. 2015. API Recommendations for the management of typhoid fever. *J Assoc Physicians India*; 63(11):77-96.

Vazquez-Torres, A., Y. Xu, J. Jones-Carson, D.W. Holden, S. M. Lucia, M. C. Dinauer, P. Mastroeni, F. C. Fang. 2000. *Salmonella* pathogenicity island 2-dependent evasion of the phagocyte NADPH oxidase. *Science*; 287, pp. 1655–8.

Vink A, Schoneveld AH, Lamers D, Houben AJ, van der Groep P, van Diest PJ, Pasterkamp G. 2007. HIF-1 $\alpha$  expression is associated with an atheromatous inflammatory plaque phenotype and upregulated in activated macrophages. *Atherosclerosis* (in press).

Wain, J., Hendriksen, R., Mikoleit, M., Keddy, K. and Ochiai, R., 2015. Typhoid fever. *The Lancet*, 385(9973), pp.1136-45.

Wang GL, Semenza GL. 1995. Purification and characterization of hypoxia inducible factor 1. *J Biol Chem*, 270:12307.

Waturangi, D., Wiratama, E. and Theresia, A., 2019. Prevalence and molecular characterization of *Salmonella enterica* serovar Typhimurium from ice and beverages in Jakarta, Indonesia. *BMC Research Notes*, 12(1).

Weidemann, A. and Johnson, R., 2008. Biology of HIF-1 $\alpha$ . *Cell Death & Differentiation*, 15(4), pp.621-627.

Werth N, Hartmann H, Wurz H, Amr A, Kempf VA. 2006. Role of HIF-1 in bacterial infections. *Acta Physiologica*, 188:P23.

Wiesener MS, Jurgensen JS, Rosenberger C, Scholze CK, Horstrup JH, Warnecke C et al. 2003. Widespread hypoxia-inducible expression of HIF-2alpha in distinct cell populations of different organs. *FASEB J*; 17, pp. 271–3.

Wijedoru, L., Mallett, S. and Parry, C., 2017. Rapid diagnostic tests for typhoid and paratyphoid (enteric) fever. *Cochrane Database of Systematic Reviews*, (5): CD008892

World Health Organization. 2013. Background document: The diagnosis, treatment and prevention of typhoid fever, pp.1-49.

Wan, Y. F. Huang, ZH., Jing KL., et al. 2015 Azithromycin attenuates pulmonary inflammation and emphysema in smoking-induced COPD model in rats, *Respiratory Care*, 60(1), pp. 128–134. doi: 10.4187/respca.03344.

Zinkernagel, A., Johnson, R. and Nizet, V., 2007. Hypoxia inducible factor (HIF) function in innate immunity and infection. *Journal of Molecular Medicine*, 85(12), pp.1339-46.