

DAFTAR PUSTAKA

- Agyeman, A.A., Chin, K.L., Landersdorfer, C.B., Liew, D., Ofori-Asenso, R., 2020. Smell and Taste Dysfunction in Patients With COVID-19: A Systematic Review and Meta-analysis. Mayo Clin. Proc. 95, 1621–1631. <https://doi.org/10.1016/j.mayocp.2020.05.030>
- Ahn, D.G., Shin, H.J., Kim, M.H., Lee, S., Kim, H.S., Myoung, J., et al, 2020. Current status of epidemiology, diagnosis, therapeutics, and vaccines for novel coronavirus disease 2019 (COVID-19). J. Microbiol. Biotechnol. 30, 313–324. <https://doi.org/10.4014/jmb.2003.03011>
- Bagheri, S.H.R., Asghari, A.M., Farhadi, M., Shamshiri, A.R., Kabir, A., Kamrava, S.K., et al, A., 2020. Coincidence of COVID-19 epidemic and olfactory dysfunction outbreak. <https://doi.org/10.1101/2020.03.23.20041889>
- Baig, A.M., Khaleeq, A., Ali, U., Syeda, H., 2020. Evidence of the COVID-19 Virus Targeting the CNS: Tissue Distribution, Host-Virus Interaction, and Proposed Neurotropic Mechanisms. ACS Chem. Neurosci. 11, 995–998. <https://doi.org/10.1021/acschemneuro.0c00122>
- Bastier, P.L., Lechot, A., Bordenave, L., Durand, M., De Gabory, L., 2015. Nasal irrigation: From empiricism to evidence-based medicine. A review. Eur. Ann. Otorhinolaryngol. Head Neck Dis. 132, 281–285. <https://doi.org/10.1016/j.anorl.2015.08.001>
- Benninger, M.S., Holy, C.E., Trask, D.K., 2016. Acute Rhinosinusitis: Prescription Patterns in a Real-World Setting. Otolaryngol. - Head Neck Surg.

(United States) 154, 957–962.
<https://doi.org/10.1177/0194599816630310>

Beswick, D.M., Ramadan, H., Baroody, F.M., Hwang, P.H., 2016. Practice patterns in pediatric chronic rhinosinusitis: A survey of the American Rhinologic Society. *Am. J. Rhinol. Allergy* 30, 418–423.
<https://doi.org/10.2500/ajra.2016.30.4373>

Bousquet, J., Schunemann, H.J., Fonseca, J., Samolinski, B., Bachert, C., Canonica, G.H., et al, 2015. MACVIA-ARIA Sentinel NetworK for allergic rhinitis (MASK-rhinitis): the new generation guideline implementation. *Allergy* 70, 1372–1392. <https://doi.org/10.1111/all.12686>

Buchanan, P.J., McNally, P., Harvey, B.J., Urbach, V., 2013. Lipoxin A 4 -mediated K ATP potassium channel activation results in cystic fibrosis airway epithelial repair. *Am. J. Physiol. Cell. Mol. Physiol.* 305, L193–L201. <https://doi.org/10.1152/ajplung.00058.2013>

Campos, J., Heppt, H., Weber, R., 2013. Nasal douches for diseases of the nose and the paranasal sinuses—a comparative in vitro investigation. *Eur. Arch. Oto-Rhino-Laryngology* 270, 2891–2899.
<https://doi.org/10.1007/s00405-013-2398-z>

Cascella, M., Rajnik, M., Cuomo, A., Dulebohn, S.C., Di Napoli, R., 2020. Features, Evaluation, and Treatment of Coronavirus (COVID-19), StatPearls.

Chan, K.H., Wong, V.T., Tang, S.C.H., 2020. COVID-19: An Update on the

Epidemiological, Clinical, Preventive and Therapeutic Evidence and Guidelines of Integrative Chinese-Western Medicine for the Management of 2019 Novel Coronavirus Disease. Am. J. Chin. Med. 48, 737–762. <https://doi.org/10.1142/S0192415X20500378>

Chow, A.H., Benninger, M.S., Brook, I., Brozek, J.L., Goldstein, E.J.C., Hicks, L.A., et al, 2012. Executive Summary: IDSA Clinical Practice Guideline for Acute Bacterial Rhinosinusitis in Children and Adults. Clin. Infect. Dis. 54, 1041–1045. <https://doi.org/10.1093/cid/cir1043>

Chusakul, S., Warathanasin, S., Suksangpanya, N., Phannaso, C., Ruxrungtham, S., Snidvongs, K., et al, 2013. Comparison of buffered and nonbuffered nasal saline irrigations in treating allergic rhinitis. Laryngoscope 123, 53–56. <https://doi.org/10.1002/lary.23617>

Farrell, N.F., Klatt-Cromwell, C., Schneider, J.S., 2020. Benefits and Safety of Nasal Saline Irrigations in a Pandemic—Washing COVID-19 Away. JAMA Otolaryngol. Neck Surg. 12, 2019–2020. <https://doi.org/10.1001/jamaoto.2020.1622>

Gottschlich, M., Hummel, T., 2015. Effects of handedness on olfactory event-related potentials in a simple olfactory task. Rhinology 53, 149–153. <https://doi.org/10.4193/Rhino14.204>

Guan, H., Ni, Z., Hu, H., Liang, H., Ou, C., He, J., et al, 2020. Clinical characteristics of coronavirus disease 2019 in China. N. Engl. J. Med. 382, 1708–1720. <https://doi.org/10.1056/NEJMoa2002032>

Guan, Wei-jie, Ni, Z., Hu, Yu, Liang, H., Ou, C., He, J., Liu, L., et al, 2020. Clinical Characteristics of Coronavirus Disease 2019 in China. *N. Engl. J. Med.* 382, 1708–1720. <https://doi.org/10.1056/NEJMoa2002032>

Hawkes, C.H., Doty, R.L., 2018. Anatomy and Physiology of Olfaction, Smell and Taste Disorders. Leincenster University. <https://doi.org/10.1017/9781139192446.002>

Hopkins, C., Kumar, N., 2020. Loss of sense of smell as marker of COVID-19 infection: joint statement from the British Rhinological Society and ENT-UK 1–2.

Hummel, T., Whitcroft, K.L., Andrews, P., Altundag, A., Cinghi, C., Costanzo, R.M., et al, 2017. Position paper on olfactory dysfunction. *Rhinology* 54, 1–30. <https://doi.org/10.4193/Rhino16.248>

Just, J., Puth, M.-T., Regenold, F., Weckbecker, K., Bleckwenn, M., 2020. Distinguishing between COVID-19 and the common cold in a primary care setting - comparison of patients with positive and negative SARS-CoV-2 PCR results. medRxiv 2020.04.27.20081877. <https://doi.org/10.1101/2020.04.27.20081877>

Kaye, R., Chang, C.H.D., Kazahaya, K., Brereton, J., Denneny, J.C., 2020. COVID-19 Anosmia Reporting Tool: Initial Findings. *Otolaryngol. - Head Neck Surg.* (United States) 163, 132–134. <https://doi.org/10.1177/0194599820922992>

Kemenkes RI, 2020. Pedoman Pencegahan dan Pengendalian Coronavirus Disease (COVID-19). Germas 4, 0–115.

King, D., Mitchell, B., Williams, C.P., Spurling, G.K.P., 2015. Saline nasal irrigation for acute upper respiratory tract infections. Cochrane Database Syst. Rev. 2015.
<https://doi.org/10.1002/14651858.CD006821.pub3>

Kopel, J., Perisetti, A., Gajendran, M., Boregowda, U., Goyal, H., 2020. Clinical Insights into the Gastrointestinal Manifestations of COVID-19. Dig. Dis. Sci. <https://doi.org/10.1007/s10620-020-06362-8>

Lao, H.P., Imam, S.A., Nguyen, S.A., 2020. Anosmia, hyposmia, and dysgeusia as indicators for positive SARS-CoV-2 infection. World J. Otorhinolaryngol. - Head Neck Surg. <https://doi.org/10.1016/j.wjorl.2020.04.001>

Li, K., Wohlford-Lenane, C., Perlman, S., Zhao, J., Jewell, A.K., Reznikov, L.R., et al, P.B., 2015. Middle east respiratory syndrome coronavirus causes multiple organ damage and lethal disease in mice transgenic for human dipeptidyl peptidase 4. J. Infect. Dis. 212, 712–722. <https://doi.org/10.1093/infdis/jiv499>

Li, Q., Guan, X., Wu, P., Wang, X., Zhou, L., Tong, H., et al, 2020. Early Transmission Dynamics in Wuhan, China, of Novel Coronavirus–Infected Pneumonia. N. Engl. J. Med. 382, 1199–1207.

<https://doi.org/10.1056/NEJMo2001316>

Lovato, A., de Filippis, C., Marioni, G., 2020. Upper airway symptoms in coronavirus disease 2019 (COVID-19). Am. J. Otolaryngol. - Head Neck Med. Surg. 41, 102474.
<https://doi.org/10.1016/j.amjoto.2020.102474>

Mao, L., Jin, H., Wang, M., Hu, H., Chen, S., He, Q., Chang, et al, 2020. Neurologic Manifestations of Hospitalized Patients with Coronavirus Disease 2019 in Wuhan, China. JAMA Neurol.
<https://doi.org/10.1001/jamaneurol.2020.1127>

Marchese-Ragona, R., Ottaviano, G., Nicolai, P., Vianello, A., Carecchio, M., 2020. Sudden hyposmia as a prevalent symptom of COVID-19 infection. medRxiv 2020.04.06.20045393.
<https://doi.org/10.1101/2020.04.06.20045393>

Marchisio, P., Picca, M., Torretta, S., Baggi, E., Pasinato, A., Bianchini, S., et al, 2014. Nasal saline irrigation in preschool children: A survey of attitudes and prescribing habits of primary care pediatricians working in northern Italy. Ital. J. Pediatr. 40, 1–8. <https://doi.org/10.1186/1824-7288-40-47>

Meng, X., Deng, H., Dai, Z., Meng, Z., 2020. COVID-19 and anosmia: A review based on up-to-date knowledge. Am. J. Otolaryngol. 41, 102581.
<https://doi.org/10.1016/j.amjoto.2020.102581>

Momeni, M., Fallah, N., Bajouri, A., Bagheri, T., Orouji, Z., Pahlevanpour, P., et al, 2019. A randomized, double-blind, phase I clinical trial of fetal cell-based skin substitutes on healing of donor sites in burn patients. *Burns* 45, 914–922. <https://doi.org/10.1016/j.burns.2018.10.016>

Morris, M., Zohrabian, V.M., 2020. Neuroradiologists, be mindful of the neuroinvasive potential of COVID-19. *Am. J. Neuroradiol.* 41, E37–E39. <https://doi.org/10.3174/ajnr.A6551>

Patel, R.M., Pinto, J.M., 2014. Olfaction: Anatomy, physiology, and disease. *Clin. Anat.* 27, 54–60. <https://doi.org/10.1002/ca.22338>

Principi, N., Esposito, S., 2017. Nasal irrigation: An imprecisely defined medical procedure. *Int. J. Environ. Res. Public Health* 14. <https://doi.org/10.3390/ijerph14050516>

Rachana, R., Santhi, T., 2019. Efficacy of Saline Nasal Irrigation in Chronic Rhinosinusitis 7, 71–77.

Ragab, A., Farahat, T., Al-Hendawy, G., Samaka, R., Ragab, S., El-Ghobashy, A., 2015. Nasal saline irrigation with or without systemic antibiotics in treatment of children with acute rhinosinusitis. *Int. J. Pediatr. Otorhinolaryngol.* 79, 2178–2186. <https://doi.org/10.1016/j.ijporl.2015.09.045>

Ramalingam, S., Graham, C., Dove, J., Morrice, L., Sheikh, A., 2019. A pilot, open labelled, randomised controlled trial of hypertonic saline nasal irrigation and gargling for the common cold. *Sci. Rep.* 9, 1–11. <https://doi.org/10.1038/s41598-018-37703-3>

Reden, J., Mueller, A., Mueller, C., Konstantinidis, I., Frasnelli, J., Landis, B.N., Hummel, T., 2006. Recovery of olfactory function following closed head injury or infections of the upper respiratory tract. *Arch. Otolaryngol. - Head Neck Surg.* 132, 265–269. <https://doi.org/10.1001/archotol.132.3.265>

Rombaux, P., Huart, C., Mouraux, A., 2012. Assessment of chemosensory function using electroencephalographic techniques. *Rhinology* 50, 13–21. <https://doi.org/10.4193/Rhino11.126>

Rosenfeld, R.M., Piccirillo, J.F., Chandrasekhar, S.S., Brook, I., Ashok Kumar, K., Kramper, M., Orlandi, R.R., et al, 2015. Clinical practice guideline (update): Adult sinusitis. *Otolaryngol. - Head Neck Surg.* (United States) 152, S1–S39. <https://doi.org/10.1177/0194599815572097>

Salib, R.J., Talpallikar, S., Uppal, S., Nair, S.B., 2013. A prospective randomised single-blinded clinical trial comparing the efficacy and tolerability of the nasal douching products SterimarTM and Sinus RinseTM following functional endoscopic sinus surgery. *Clin. Otolaryngol.* 38, 297–305. <https://doi.org/10.1111/coa.12132>

Sanders, J.M., Monogue, M.L., Jodlowski, T.Z., Cutrell, J.B., 2020. Pharmacologic Treatments for Coronavirus Disease 2019 (COVID-19): A Review. *JAMA - J. Am. Med. Assoc.* 323, 1824–1836.

<https://doi.org/10.1001/jama.2020.6019>

Seiden, A.M., 2004. Postviral olfactory loss. *Otolaryngol. Clin. North Am.* 37, 1159–1166. <https://doi.org/10.1016/j.otc.2004.06.007>

Soler, Z.M., Smith, T.L., Alt, J.A., Ramakrishnan, V.R., Mace, J.C., Schlosser, R.J., 2016. Olfactory-specific quality of life outcomes after endoscopic sinus surgery. *Int. Forum Allergy Rhinol.* 6, 407–413. <https://doi.org/10.1002/alr.21679>

Sur, D.K.C., Plesa, M.L., 2015. Treatment of Allergic Rhinitis. *Am. Fam. Physician* 92, 985–992. https://doi.org/10.5005/jp/books/12714_15

Suzuki, M., Saito, K., Min, H.-P., Vladau, C., Toida, K., Itoh, H., Murakami, S., 2007. Identification of Viruses in Patients With Postviral Olfactory Dysfunction. *Laryngoscope* 117, 272–277. <https://doi.org/10.1097/01.mlg.0000249922.37381.1e>

Swanson, P., McGavern, D., 2015. Portals of Viral Entry into the Central Nervous System. *Blood-Brain Barrier Heal. Dis.* Vol. Two 23–47. <https://doi.org/10.1201/b19299-3>

UNICEF Indonesia, 2020. Seputar Coronavirus (Covid-19) [H Document]. UNICEF Indones. URL <https://H.unicef.org/indonesia/id/coronavirus/tanya-jawab-seputar->

coronavirus#apaitunovelcoronavirus (diakses 7.28.20).

Wald, E.R., Applegate, K.E., Bordley, C., Darrow, D.H., Glode, M.P., Marcy, S.M., et al, 2013. Clinical practice guideline for the diagnosis and management of acute bacterial sinusitis in children aged 1 to 18 years. Pediatrics 132. <https://doi.org/10.1542/peds.2013-1071>

Walker, A., Hopkins, C., Surda, P., 2020. Use of Google Trends to investigate loss-of-smell-related searches during the COVID-19 outbreak. Int. Forum Allergy Rhinol. 10, 839–847. <https://doi.org/10.1002/alr.22580>

Wehling, E., Lundervold, A.J., Espeset, T., Reinvang, I., Brämerson, A., Nordin, S., 2015. Even cognitively well-functioning adults are unaware of their olfactory dysfunction: Implications for ENT clinicians and researchers. Rhinology 53, 89–94. <https://doi.org/10.4193/Rhino14.081>

Whitcroft, K.L., Cuevas, M., Haehner, A., Hummel, T., 2017. Patterns of olfactory impairment reflect underlying disease etiology. Laryngoscope 127, 291–295. <https://doi.org/10.1002/lary.26229>

Woods, C.M., Tan, S., Ullah, S., Frauenfelder, C., Ooi, E.H., Carney, A.S., 2015. The effect of nasal irrigation formulation on the antimicrobial activity of nasal secretions. Int. Forum Allergy Rhinol. 5, 1104–1110. <https://doi.org/10.1002/alr.21604>

Wu, D., Wu, T., Liu, Q., Yang, Z., 2020. The SARS-CoV-2 outbreak: What we

know. Int. J. Infect. Dis. 94, 44–48.
<https://doi.org/10.1016/j.ijid.2020.03.004>

Yang, D., Leibowitz, J.L., 2015. The structure and functions of coronavirus genomic 3' and 5' ends. Virus Res. 206, 120–133.
<https://doi.org/10.1016/j.virusres.2015.02.025>