

DAFTAR PUSTAKA

- Al-Habib, H. M. and Fathi, H. B. (2010) 'The role of aerobic and anaerobic bacteria in non gonococcal urethritis (NGU) in men', *Annals of the College of Medicine, Mosul*, 36(1), pp. 99–105. doi: 10.33899/mmed.2010.8929.
- Antinori, S. and Pezzani, M. D. (2018) 'Uncomplicated and Complicated Urinary Tract Infections in Adults: The Infectious Diseases's Specialist Perspective. Imaging and Intervention in Urinary Tract Infections and Urosepsis.', *Springer*.
- Aragón, I. M. *et al.* (2018) 'The urinary tract microbiome in health and disease', *European urology focus*, 4, pp. 128–138.
- Arani, S. (2016) 'NON CHLAMYDIAL NON GONOCOCCAL URETHRITIS (NCNGU) IS SIGNIFICANTLY MORE COMMON THAN GONORRHEA AND CHLAMYDIA IN SYMPTOMATIC PATIENTS WHICH COMMONLY GOES UNDETECTED DUE TO LACK OF TESTING', *Journal Article*, (September).
- Aslam, B. *et al.* (2018) 'Antibiotic resistance: a rundown of a global crisis', *Infection and Drug Resistance*, 11, pp. 1645–1658. doi: 10.2147/IDR.S173867.
- Bazan, J. A. *et al.* (2017) 'Large cluster of *Neisseria meningitidis* urethritis in Columbus, Ohio, 2015.', *Clinical Infectious Diseases*, 65, 65(92–99).
- Bonkat, G. *et al.* (2017) 'EAU guidelines on urological infections', *European Association of Urology*, pp. 22–26.
- Bribiescas, R. G. and Muehlenbein, M. P. (2010) 'Evolutionary endocrinology', *Human Evolutionary Biology*, (January), pp. 127–143. doi: 10.1017/CBO9780511781193.010.
- Budkaew, J. *et al.* (2019) 'Prevalence and factors associated with gonorrhoea infection with respect to anatomic distributions among men who have sex with men', *PLoS ONE*, 14(4), pp. 1–19. doi: 10.1371/journal.pone.0211682.
- Buttaravoli, P. (2007) 'CHAPTER 83 - Urethritis: (Drip, Clap)', *Minor Emergencies (Second Edition)*, pp. 334–337.

- Cakan, H. *et al.* (2003) 'Assesment of antibiotic susceptability of Ureaplasma urealyticum from prostritutes and outpatient clinic patients using the E-test and agar dilution methods', *Chemotherapy*, 49(39–43).
- Cohen, M. S. (2012) 'Approach to the Patient with a Sexually Transmitted Disease', *Goldman's Cecil Medicine (Twenty-Fourth Edition)*, 2(2012), pp. 1796–1800.
- Cole, M. J. *et al.* (2017) 'Overall Low Extended-Spectrum Cephalosporin Resistance but high Azithromycin Resistance in Neisseria gonorrhoeae in 24 European Countries, 2015', *BMC Infectious Diseases*, 17(1), pp. 1–9. doi: 10.1186/s12879-017-2707-z.
- Cox, C. *et al.* (2016) 'Ureaplasma parvum and Mycoplasma genitalium are found to be significantly associated with microscopy-confirmed urethritis in a routine genitourinary medicine setting.', *International journal of STD & AIDS*, 27, pp. 861–867.
- Culic, O., Erakovic, V. and Parnham, M. J. (2001) '(2001). Anti-infl ammatory effects of macrolide antibiotics.', *Eur J Pharmacol*, 429, pp. 209–229.
- Derbie, A. *et al.* (2020) 'Azithromycin resistant gonococci: A literature review', *Antimicrobial Resistance and Infection Control*, 9(1), pp. 1–7. doi: 10.1186/s13756-020-00805-7.
- Devriese, L. A. and Dutta, G. N. (1981) 'Antibiotic sensitivity testing: correlations between in vitro tests and in vivo situations', *Annales de Recherches Veterinaires*, 12(1), pp. 41–46.
- Dewar, S. B. (2012) *Sexually transmitted diseases, Goldman's Cecil Medicine (Twenty Fourth Edition)*, 2012. Elsevier Inc. doi: 10.1093/heapol/8.3.277.
- Deza, G. *et al.* (2016) 'Isolation of Haemophilus influenzae and Haemophilus parainfluenzae in urethral exudates from men with acute urethritis: a descriptive study of 52 cases.', *Sexually Transmitted Infections*, 92, pp. 29–31.
- Dixit, P. and Kotra, L. P. (2007) 'Calymmatobacterium Granulomatis Infections. Granuloma inguinale (Donovanosis)', *xPharm: The Comprehensive Pharmacology Reference*.
- Doern, G. V. and Brecher, S. M. (2011) 'The clinical predictive value (or lack thereof) of the results of in vitro antimicrobial susceptibility tests', *Journal of Clinical Microbiology*, 49(9 SUPPL.), pp. 11–14. doi:

10.1128/JCM.00580-11.

- Dubois, C. *et al.* (2017) 'Urétrite à *Neisseria meningitidis*: deux cas. Annales de Dermatologie et de Vénérologie', *Elsevier*, pp. 621–623.
- Ferwerda, A. *et al.* (2001) 'Efficacy, safety and tolerability of 3 day azithromycin versus 10 day co-amoxiclav in the treatment of children with acute lower respiratory tract infections', *Journal of Antimicrobial Chemotherapy*, 47(4), pp. 441–446. doi: 10.1093/jac/47.4.441.
- Frølund, M. *et al.* (2011) 'Is urethritis of unknown aetiology caused by bacteria associated with bacterial vaginosis?', *Sexually Transmitted Infections*, 87, pp. A276–A277.
- Gale Encyclopedia of Nursing and Allied Health (2019) *Sexually Transmitted Disease Cultures*. Available at: <https://www.encyclopedia.com/medicine/encyclopedias-almanacs-transcripts-and-maps/sexually-transmitted-disease-cultures>.
- Garcia, M. and Wray, A. (2021) 'Sexually Transmitted Infections', *StatPearls Publishing LLC*.
- Geisler, W. M. *et al.* (2015) 'Azithromycin versus Doxycycline for Urogenital Chlamydia trachomatis Infection', *N Engl J Med*, 372(26), pp. 2512–2521. doi: 10.1056/NEJMoa1502599.Azithromycin.
- Gianecini, R. *et al.* (2020) 'Testing of in vitro susceptibility of neisseria gonorrhoeae to azithromycin: Comparison of disk diffusion and reference agar dilution methods', *Journal of Clinical Microbiology*, 58(11), pp. 1–8. doi: 10.1128/JCM.01398-20.
- Hanna, S. and Dairles, A. A. (1999) 'Neisseria'. Iraq: Academic Press.
- Hay, P. (2017) 'Bacterial vaginosis', *F1000Research*, p. 6.
- Hazarika, S. N. and Thakur, D. (2020) 'Beneficial Microbes in Agro-Ecology', *Actinobacteria*.
- Heiligenberg, M. *et al.* (2013) 'Effect of HIV and Chlamydia Infection on Rectal Inflammation and Cytokine Concentrations in Men Who Have Sex with Men.', *Clinical and Vaccine Immunology* 2013;, 20(10), pp. 1517–23.
- Herchline, T. E. (2017) 'Urethritis', *Antimicrobe*.
- Hollander, J. G. D. *et al.* (1998) 'Comparison of pharmacodynamics of azithromycin and erythromycin in vitro and in vivo', *Antimicrobial Agents and Chemotherapy*, 42(2), pp. 377–382. doi: 10.1128/aac.42.2.377.

- Hou, D. *et al.* (2014) 'Microbiota of the seminal fluid from healthy and infertile men', *Fertil Steril*, 100(5), pp. 1261–1269. doi: 10.1016/j.fertnstert.2013.07.1991.Microbiota.
- Huang, M., Chen, Q. and Xiao, J. (2013) 'Prognostic significance of cyclooxygenase-2 in cervical cancer: A meta-analysis', *International Journal of Cancer*, 132(2).
- Jelić, D. and Antolović, R. (2016) 'From erythromycin to azithromycin and new potential ribosome-binding antimicrobials', *Antibiotics*, 5(3). doi: 10.3390/antibiotics5030029.
- Jones, B. M., Kinghorn, G. R. and Duerden, B. I. (1988) 'In vitro activity of azithromycin and erythromycin against organisms associated with bacterial vaginosis and chancroid', *European Journal of Clinical Microbiology & Infectious Diseases*, 7(4), pp. 551–553. doi: 10.1007/BF01962614.
- Kanoh, S. and Rubin, B. K. (2010) 'Mechanisms of action and clinical application of macrolides as immunomodulatory medications.', *Clin Microbiol Rev*, 23, pp. 590–615.
- Karou, S. D. *et al.* (2012) 'Antimicrobial resistance of abnormal vaginal discharges microorganisms in Ouagadougou, Burkina Faso', *Asian Pacific journal of tropical biomedicine*, 2, pp. 294–297.
- Katz, K. *et al.* (2011) 'Morbidity and Mortality Weekly Report Violence-Related Firearm Deaths Among Residents of Metropolitan Areas and Cities — United States , 2006 – 2007', *Morbidity and Mortality Weekly Report*, 60(18).
- Kementerian kesehatan Republik Indonesia (2020) *Laporan Perkembangan HIV AIDS & PIMS di Indonesia Triwulan III Tahun 2020*. Jakarta.
- Kha KS, C. P. (2003) 'Evaluation of a clinical test. I: Assessment of reliability.', *BJOG*.
- Khaki, P. *et al.* (2007) 'Correlation between In vitro susceptibility and treatment outcome with azithromycin in gonorrhoea: a prospective study', *Indian J Med Microbiol*, 25(4), pp. 354–7.
- Khan, Z. A., Siddiqui, M. F. and Park, S. (2019) 'Current and Emerging Methods of Antibiotic Susceptibility Testing Zeeshan', *Diagnostic*, 9(49), pp. 268–291. doi: 10.1002/0471748897.ch11.

- Kim, S. J., Lee, D. S. and Lee, S. J. (2011) 'The prevalence and clinical significance of urethritis and cervicitis in asymptomatic people by use of multiplex polymerase chain reaction.', *Korean journal of urology*, 52, pp. 703–708.
- Kong, F. Y. S. *et al.* (2019) 'Pharmacokinetic considerations regarding the treatment of bacterial sexually transmitted infections with azithromycin: A review', *Journal of Antimicrobial Chemotherapy*, 74(5), pp. 1157–1166. doi: 10.1093/jac/dky548.
- Kurahashi, T. *et al.* (2007) 'A comparison of clinical features between chlamydial and non-chlamydial urethritis in men negative for gonococcal infection who attended a urological outpatient clinic in Japan.', *International Urology and Nephrology*, 39, pp. 809–813.
- Lau, C.-Y. and Qureshi, A. (2002) 'Azithromycin Versus Doxycycline for Genital Chlamydial Infections. A Meta-Analysis of Randomised Clinical Trials.', *Sex Transm Dis*, 29(9), pp. 497–502.
- Legssyer, R. *et al.* (2006) 'Azithromycin reduces spontaneous and induced inflammation in DeltaF508 cystic fibrosis mice.', *Respir Res*, 7(134).
- Libois, A. *et al.* (2018) 'Prevalence of *Mycoplasma genitalium* in men with urethritis in a large public hospital in Brussels, Belgium: An observational, cross-sectional study.', *PloS one*, 13.
- Liu, P. *et al.* (2007) 'Comparative pharmacokinetics of azithromycin in serum and white blood cells of healthy subjects receiving a single-dose extended-release regimen versus a 3-day immediate-release regimen', *Antimicrobial Agents and Chemotherapy*, 51(1), pp. 103–109. doi: 10.1128/AAC.00852-06.
- Macswen, K. F. and Ridgway, G. L. (1998) 'The laboratory investigation of vaginal discharge', *Journal of clinical pathology*, 51, p. 564.
- Madico, G. and *et al* (1998) 'Diagnosis of *Trichomonas vaginalis* infection by PCR using vaginal swab samples', *Journal of Clinical Microbiology*, 36, pp. 3205–3210.
- Mahajan, G. *et al.* (2013) 'In Vitro and In Vivo activities of antibiotic PM181104', *Antimicrobial Agents and Chemotherapy*, 57(11), pp. 5315–5319. doi: 10.1128/AAC.01059-13.
- Mändar, R. (2013) 'Microbiota of male genital tract: impact on the health of man

- and his partner', *Pharmacological research*, 69, pp. 32–41.
- Martín-Sánchez, M. *et al.* (2020) 'Clinical presentation of asymptomatic and symptomatic women who tested positive for genital gonorrhoea at a sexual health service in Melbourne, Australia', *Epidemiology and Infection*, pp. 1–9. doi: 10.1017/S0950268820002265.
- Meerwein, M. *et al.* (2020) 'Increased azithromycin susceptibility of multidrug-resistant gram-negative bacteria on rpmi-1640 agar assessed by disk diffusion testing', *Antibiotics*, 9(5). doi: 10.3390/antibiotics9050218.
- Meredith, T. A. and Ulrich, J. N. (2012) *Infectious endophthalmitis*. Fifth Edit, *Retina Fifth Edition*. Fifth Edit. Elsevier Inc. doi: 10.1016/B978-1-4557-0737-9.00122-3.
- Mihai, M. *et al.* (2011) 'Antibiotic susceptibility profiles of *Mycoplasma hominis* and *Ureaplasma urealyticum* isolated during a population-based study concerning women infertility in northeast Romania.', *Brazilian Journal of Microbiology*, 42, pp. 256–260.
- Naznin, M. *et al.* (2018) 'Current status of gonococcal antimicrobial susceptibility with special reference to Azithromycin and Ceftriaxone: Report from a tertiary care hospital in Bangladesh', *Pak J Med Sci*, 34(6), pp. 1397–1401.
- Nepal, A. *et al.* (2019) 'Clinical and Bacteriological Profile of Male Patients with Urethral Discharge at Western Regional Hospital, Nepal', *Medical Journal of Pokhara Academy of Health Sciences*, 2(2), pp. 178–182. doi: 10.3126/mjpahs.v2i2.28088.
- O'Farrell, N. and Moi, H. (2016) '2016 European guideline on donovanosis', *International Journal of STD and AIDS*, 27(8), pp. 605–607. doi: 10.1177/0956462416633626.
- Ong, J. J. *et al.* (2017) 'Asymptomatic and symptomatic urethral gonorrhoea in men who have sex with men attending a sexual health service', *Clinical Microbiology and Infection*, 23(8), pp. 555–559. doi: 10.1016/j.cmi.2017.02.020.
- Onubogu, C. C. (1999) 'The Characterization Antibiotic Susceptibility and Plasmid Profiles of Coagulase-Negative Staphylococci in Lagos.'
- Oyaert, M. *et al.* (2018) 'Laboratory diagnosis of urinary tract infections: Towards a BILULU consensus guideline', *Journal of microbiological*

- methods*, 146, pp. 92-99.
- Papp, J. R. *et al.* (2014) 'Recommendations for the laboratory-based detection of *Chlamydia trachomatis* and *Neisseria gonorrhoeae*—2014. MMWR. Recommendations and reports: Morbidity and mortality weekly report.', *Recommendations and reports/Centers for Disease Control*, 63(1).
- Parnham, M. J. *et al.* (2014) 'Azithromycin: Mechanisms of action and their relevance for clinical applications', *Pharmacology and Therapeutics*, 143(2), pp. 225–245. doi: 10.1016/j.pharmthera.2014.03.003.
- Pépin, J. *et al.* (2001) 'Etiology of urethral discharge in West Africa: The role of *Mycoplasma genitalium* and *Trichomonas vaginalis*', *Bulletin of the World Health Organization*, 79(2), pp. 118–126. doi: 10.1590/S0042-96862001000200006.
- Pond, M. J. *et al.* (2014) 'High prevalence of antibiotic-resistant *Mycoplasma genitalium* in nongonococcal urethritis: The need for routine testing and the inadequacy of current treatment options', *Clinical Infectious Diseases*, 58(5), pp. 631–637. doi: 10.1093/cid/cit752.
- Quillin, S. J. and Seifert, H. S. (2018) '*Neisseria gonorrhoeae* host adaptation and pathogenesis', *Nature Reviews Microbiology*, 16(4), pp. 226–240. doi: 10.1038/nrmicro.2017.169.
- Rietmeijer, C. A. *et al.* (2018) 'The Etiology of Male Urethral Discharge in Zimbabwe: Results from the Zimbabwe STI Etiology Study', *Sexually Transmitted Diseases*, 45(1), pp. 56–60. doi: 10.1097/OLQ.0000000000000696.
- Rob, F. *et al.* (2020) 'Gentamicin 240 mg plus azithromycin 2 g vs. ceftriaxone 500 mg plus azithromycin 2 g for treatment of rectal and pharyngeal gonorrhoea: a randomized controlled trial', *Clinical Microbiology and Infection*, 26(2), pp. 207–212. doi: 10.1016/j.cmi.2019.08.004.
- Sarier, M. and Kukul, E. (2019) 'Classification of non-gonococcal urethritis: a review', *International Urology and Nephrology*, 51, pp. 901-907.
- Savage, E. J. *et al.* (2012) 'Rapid increase in gonorrhoea and syphilis diagnoses in England in 2011', *Eurosurveillance*, 17(29), pp. 1–4. doi: 10.2807/ese.17.29.20224-en.
- Shipman, S. B. *et al.* (2018) 'High prevalence of sterile pyuria in the setting of sexually transmitted infection in women presenting to an emergency

- department.', *Western Journal of Emergency Medicine*, 19, p. 282.
- Shittu, A. *et al.* (2012) 'Characterization of methicillin-susceptible and-resistant staphylococci in the clinical setting: a multicentre study in Nigeria.', *BMC infectious diseases*, 12, p. 286.
- Sulieyman, S. (2008) 'In-vitro and in-vivo studies on the effect of using single and combination of antibiotics on different phase of bacterial growth.', *International Journal of Infectious Diseases*, 12(1).
- Takahashi, S. *et al.* (2014) 'Clinical efficacy of a single two Gram dose of azithromycin extended release for male patients with urethritis', *Antibiotics*, 3(2), pp. 109–120. doi: 10.3390/antibiotics3020109.
- Unemo, M. *et al.* (2013) 'Laboratory diagnosis of sexually transmitted infections, including human immunodeficiency virus', *World Health Organization*, p. 244.
- Vijayalakshmi, D., Sunil, P. S. and Pradip, S. W. (2016) 'Clinical And Microscopic Correlation of Vaginal Discharge', *International Journal of Contemporary Medical Research*, 3(5), pp. 1328–1331.
- Wang, Q. Q. *et al.* (2020) 'National Guidelines on Diagnosis and Treatment of Gonorrhoea in China (2020)#', *International Journal of Dermatology and Venereology*, 3(3), pp. 129–134. doi: 10.1097/JD9.0000000000000072.
- Wangu, Z. and Hsu, K. K. (2018) *Other Neisseria Species*. Fifth Edit, *Principles and Practice of Pediatric Infectious Diseases*. Fifth Edit. Elsevier Inc. doi: 10.1016/B978-0-323-40181-4.00127-4.
- World Health Organization (2003) 'Anatomy and Normal Microbiota of the Urogenital Tract. Guidelines for the Management of Sexually Transmitted Infections.'" Available at: <http://www.who.int/hiv/pub/sti/en/STIGuidelines2003.pdf>.
- World Health Organization (2016) *WHO GUIDELINES FOR THE Treatment of Neisseria gonorrhoeae*.
- Worm, A. and Osterlind, A. (1995) 'Azithromycin levels in cervical mucus and plasma after a single 1.0g oral dose for chlamydial cervicitis.', *Genitourinary Medicine*, 71(6), pp. 244–6.
- Worthing, K. (2017) 'The Molecular Epidemiology of Antimicrobial Resistant Staphylococci in Australian Animals.'
- Yasuda, M. *et al.* (2014) 'A single 2 g oral dose of extended-release

azithromycin for treatment of gonococcal urethritis', *Journal of Antimicrobial Chemotherapy*, 69(11), pp. 3116–3118. doi: 10.1093/jac/dku221.

Zhang, N. *et al.* (2014) 'Are *Ureaplasma* spp. a cause of nongonococcal urethritis? A systematic review and meta-analysis', *PloS one*, 9.