

DAFTAR PUSTAKA

1. Wu Z, McGoogan JM. Characteristics of and Important Lessons from the Coronavirus Disease 2019 (COVID-19) Outbreak in China: Summary of a Report of 72314 Cases from the Chinese Center for Disease Control and Prevention. *JAMA - J Am Med Assoc* 2020;323(13):1239–42.
2. Zhou F, Yu T, Du R, Fan G, Liu Y, Liu Z, et al. Clinical course and risk factors for mortality of adult inpatients with COVID-19 in Wuhan, China: a retrospective cohort study. *Lancet [Internet]* 2020;395(10229):1054–62. Available from: [http://dx.doi.org/10.1016/S0140-6736\(20\)30566-3](http://dx.doi.org/10.1016/S0140-6736(20)30566-3)
3. Guan W, Ni Z, Hu Y, Liang W, Ou C, He J, et al. Clinical Characteristics of Coronavirus Disease 2019 in China. *N Engl J Med* 2020;382(18):1708–20.
4. Wang L, Gao P, Zhang M, Huang Z, Zhang D, Deng Q, et al. Prevalence and ethnic pattern of diabetes and prediabetes in China in 2013. *JAMA - J Am Med Assoc* 2017;317(24):2515–23.
5. Deng SQ, Peng HJ. Characteristics of and public health responses to the coronavirus disease 2019 outbreak in China. *J Clin Med* 2020;9(2).
6. Yang JK, Feng Y, Yuan MY, Yuan SY, Fu HJ, Wu BY, et al. Plasma glucose levels and diabetes are independent predictors for mortality and morbidity in patients with SARS. *Diabet Med* 2006;23(6):623–8.
7. Wang D, Hu B, Hu C, Zhu F, Liu X, Zhang J, et al. Clinical Characteristics of 138 Hospitalized Patients with 2019 Novel Coronavirus-Infected Pneumonia in Wuhan, China. *JAMA - J Am Med Assoc* 2020;323(11):1061–9.
8. Singh AK, Gupta R, Misra A. Comorbidities in COVID-19: Outcomes in hypertensive cohort and controversies with renin angiotensin system blockers. *Diabetes Metab Syndr Clin Res Rev* 2020;283–7.
9. Yang J, Zheng Y, Gou X, Pu K, Chen Z. Prevalence of comorbidities and its effects in patients infected with SARS-CoV-2: a systematic review and meta-analysis. *Int J Infect Dis [Internet]* 2020;94(March):91–5. Available from: <https://pubmed.ncbi.nlm.nih.gov/32173574/>

10. The Novel Coronavirus Pneumonia Emergency Response Epidemiology Team. The epidemiological characteristics of an outbreak of 2019 novel coronavirus diseases (COVID-19) in China. *China CDC Wkly* 2020;2(x):1–10.
11. Onder G, Rezza G, Brusaferro S. Case-Fatality Rate and Characteristics of Patients Dying in Relation to COVID-19 in Italy. *JAMA - J Am Med Assoc* 2020;323(18):1775–6.
12. Bhatraju PK, Ghassemieh BJ, Nichols M, Kim R, Jerome KR, Nalla AK, et al. Covid-19 in Critically Ill Patients in the Seattle Region — Case Series. *N Engl J Med* 2020;382(21):2012–22.
13. COVID-19 Surveillance Group. Characteristics of COVID-19 patients dying in Italy Report based on available data on March 20 th , 2020. *COVID-19 Surveill Gr* 2020;4–8.
14. Karyono DR, Wicaksana AL. Current prevalence, characteristics, and comorbidities of patients with COVID-19 in Indonesia. *J Community Empower Heal* 2020;3(2):77.
15. Wiersinga WJ, Rhodes A, Cheng AC, Peacock SJ, Prescott HC. Pathophysiology, Transmission, Diagnosis, and Treatment of Coronavirus Disease 2019 (COVID-19): A Review. *JAMA - J Am Med Assoc* 2020;324(8):782–93.
16. Hussain A, Bhowmik B, Cristina N. Since January 2020 Elsevier has created a COVID-19 resource centre with free information in English and Mandarin on the novel coronavirus COVID- 19 . The COVID-19 resource centre is hosted on Elsevier Connect , the company ’ s public news and information. *Diabetes Res Clin Pract* 2020;(January).
17. Jeong I, Ho K, Kyu M. Since January 2020 Elsevier has created a COVID-19 resource centre with free information in English and Mandarin on the novel coronavirus COVID- 19 . The COVID-19 resource centre is hosted on Elsevier Connect , the company ’ s public news and information . 2020;(January).
18. PERKENI. Pedoman Pengelolaan dan Pencegahan Diabetes Melitus Tipe 2 Dewasa di Indonesia 2019. *Perkumpulan Endokrinol Indones* 2019;1–117.
19. Schwartz SS, Epstein S, Corkey BE, Grant SFA, Gavin JR, Aguilar RB. The time

- is right for a new classification system for diabetes: Rationale and implications of the β -cell-centric classification schema. *Diabetes Care* 2016;39(2):179–86.
20. Burhan E, Isbaniah F, Susanto AD, Aditama TY, Soedarsono, Sartono TR, et al. *Pneumonia Covid-19 Diagnosis & Penatalaksanaan Di Indonesia*. 2020.
 21. Mori H, Okubo M, Okamura M, Yamanae K, Kado S, Egusa G, et al. Abnormalities of Pulmonary Function in Patients with Non-insulin-Dependent Diabetes Mellitus. *Intern Med* 1992;31(2):189–93.
 22. Boulbou MS, Gourgoulialis KI, Petinaki EA, Klisiaris VK, Maniatis AN, Molyvdas PA. Pulmonary function and circulating adhesion molecules in patients with diabetes mellitus. *Can Respir J* 2003;10(5):259–64.
 23. Vracko R, Thorning D, Huang TW. Basal lamina of alveolar epithelium and capillaries: Quantitative changes with aging and in diabetes mellitus. *Am Rev Respir Dis* 1979;120(5):973–83.
 24. Mancini M, Filippelli M, Seghieri G, Iandelli I, Innocenti F, Duranti R, et al. Respiratory muscle function and hypoxic ventilator control in patients with type I diabetes. *Chest* [Internet] 1999;115(6):1553–62. Available from: <http://dx.doi.org/10.1378/chest.115.6.1553>
 25. Luepker R. Epidemiology of atherosclerotic diseases in population groups. In: *Primer in preventive cardiology*. Dallas: American Heart Association; 1994. page 1–11.
 26. Fuso L, Pitocco D, Antonelli-Incalzi R. Diabetic lung, an underrated complication from restrictive functional pattern to pulmonary hypertension. *Diabetes Metab Res Rev* 2019;35(6).
 27. Kulcsar KA, Coleman CM, Beck SE, Frieman MB. Comorbid diabetes results in immune dysregulation and enhanced disease severity following MERS-CoV infection. *JCI Insight* 2019;4(20).
 28. Candido R, Jandeleit-Dahm KA, Cao Z, Nesteroff SP, Burns WC, Twigg SM, et al. Prevention of accelerated atherosclerosis by angiotensin-converting enzyme inhibition in diabetic apolipoprotein E-deficient mice. *Circulation* 2002;106(2):246–53.

29. Hoffmann M, Kleine-Weber H, Schroeder S, Krüger N, Herrler T, Erichsen S, et al. SARS-CoV-2 Cell Entry Depends on ACE2 and TMPRSS2 and Is Blocked by a Clinically Proven Protease Inhibitor. *Cell* 2020;181(2):271-280.e8.
30. Kuba K, Imai Y, Rao S, Gao H, Guo F, Guan B, et al. A crucial role of angiotensin converting enzyme 2 (ACE2) in SARS coronavirus-induced lung injury. *Nat Med* 2005;11(8):875–9.
31. Gemmati D, Bramanti B, Serino ML, Secchiero P. COVID 19 and individual genetic ACE. *Int J Mol Sci.* 2020;21(3474):1–23.
32. Leng J, Goldstein DR. Impact of aging on viral infections. *Microbes Infect.* 2010;12(14–15):1120–4.
33. Lavan AH, Gallagher P. Predicting risk of adverse drug reactions in older adults. *Ther Adv Drug Saf.* 2016;7(1):11–22.
34. Sood N, Simon P, Ebner P, Eichner D, Reynolds J, Bendavid E, et al. Seroprevalence of SARS-CoV-2-Specific Antibodies among Adults in Los Angeles County, California, on April 10-11, 2020. *JAMA - J Am Med Assoc.* 2020;323(23):2425–7.
35. Chen L, Li X, Chen M, Feng Y, Xiong C. The ACE2 expression in human heart indicates new potential mechanism of heart injury among patients infected with SARS-CoV-2. *Cardiovasc Res.* 2020;116(6):1097–100.
36. Lewis EJ, Hunsicker LG, Clarke WR, et al. Renoprotective effect of the angiotensin-receptor antagonist irbesartan in patients with nephropathy due to type 2 diabetes. *N Engl J Med* 2001; 345: 851–60.
37. Zoungas S, Arima H, Gerstein HC, et al. Effects of intensive glucose control on microvascular outcomes in patients with type 2 diabetes: a meta-analysis of individual participant data from randomised controlled trials. *Lancet Diabetes Endocrinol* 2017; 5: 431–37.

38. Kario K, Morisawa Y, Sukonthasan A, Turana Y, Chia C, et al. Covid-19 and hypertension-evidence and practical management: Guidance from the HOPE Asia Network, *The journal of clinical hypertension*. 2020 vol 22, no.27.pp. 1109-19
39. Schiffrin E, Flack JM, Ito S, Muntner P, Webb, "Hypertension and Covid-19". *American Journal of hypertension*. 2020. vol.33.no.5.pp.373-4
40. Caci G, Albin A, Malerba M, Noonan M, Pochetti P, et al. Covid-19 and obesity: Dangerous liaisons. *Journal of clinical medicine*. 2020. vol.9.no.9.no.2511,pp. 1-12
41. Hussain A, Mahawar K, Xia Z, Elhasani S. Obesity research & clinical practice.2021.vol 15.no 1.pp. 100-5
42. Yu W, Rohli KE, Yang S, Jia P. Impact of obesity on Covid-19 patients. *Journal of diabetes and its complications*. 2021. vol 35.no 107817.pp.1-14
43. Surendra H, Elyazar IR, Djaafara BA, Ekawati LL, Saraswati K, Adrian V, et al. Clinical characteristics and mortality associated with COVID-19 in Jakarta, Indonesia: A hospital-based retrospective cohort study. *Lancet Reg Heal - West Pacific* [Internet] 2021;9:100108. Available from: <https://doi.org/10.1016/j.lanwpc.2021.100108>
44. Shi Q, Zhang X, Jiang F, Zhang X, Hu N, Bimu C, et al. Clinical Characteristics and Risk Factors for Mortality of COVID-19 Patients with Diabetes in Wuhan, China: A Two-Center, Retrospective Study. *Diabetes Care* 2020;43(7):1382–91.
45. McGurnaghan SJ, Weir A, Bishop J, Kennedy S, Blackburn LAK, McAllister DA, et al. Risks of and risk factors for COVID-19 disease in people with diabetes: a cohort study of the total population of Scotland Stuart. 2020;(January):19–21.
46. Yan Y, Yang Y, Wang F, Ren H, Zhang S, Shi X, et al. Clinical characteristics and outcomes of patients with severe covid-19 with diabetes. *BMJ Open Diabetes Res Care* 2020;8(1):1–9.
47. Bode B, Garrett V, Messler J, McFarland R, Crowe J, Booth R, et al. Glycemic Characteristics and Clinical Outcomes of COVID-19 Patients Hospitalized in the United States. *J Diabetes Sci Technol* 2020;14(4):813–21.

48. Sarigumba MB, Aragon J, Kanapi MP. Baseline glycemic status and outcome of persons with type 2 diabetes with COVID-19 infections: A single-center retrospective study. *J ASEAN Fed Endocr Soc* 2021;36(1):45–9.
49. Schlesinger S, Neuenschwander M, Lang A, Pafili K, Kuss O, Herder C, et al. Risk phenotypes of diabetes and association with COVID-19 severity and death: a living systematic review and meta-analysis. *Diabetologia* 2021;64(7):1480–91.
50. Pasquel FJ, Messler J, Booth R, Kubacka B, Mumpower A, Umpierrez G, et al. Characteristics of and Mortality Associated with Diabetic Ketoacidosis among US Patients Hospitalized with or without COVID-19. *JAMA Netw Open* 2021;4(3):28–31.

