

## DAFTAR PUSTAKA

- Abbasifarda M. 2020. The bio-mission of interleukin-6 in the pathogenesis of COVID-19: A brief look at potential therapeutic tactics. DOI: 10.1016/j.lfs.2020.118097
- Alfraij A, Bin Alamir AA, Al-Otaibi AM, et al. Characteristics and outcomes of coronavirus disease 2019 (COVID-19) in critically ill pediatric patients admitted to the intensive care unit: A multicenter retrospective cohort study. *J Infect Public Health*. 2021;14(2):193-200. doi:10.1016/j.jiph.2020.12.010
- Araya S, Mamo MA, Tsegay YG, et al. Blood coagulation parameter abnormalities in hospitalized patients with confirmed COVID-19 in Ethiopia. *PLoS One*. 2021;16(6):e0252939. Published 2021 Jun 21. doi:10.1371/journal.pone.0252939
- Arbi IA. 2020. Five percent of Indonesia's COVID-19 cases are children: Ministry. Dikutip dari <https://www.thejakartapost.com/news/2020/05/28/five-percent-of-indonesias-covid-19-cases-are-children-ministry.html> pada tanggal 6 juni 2020.
- Bari A, Ch A, Bano I, Saqlain N. Is leukopenia and lymphopenia a characteristic feature of COVID-19 in children?. *Pak J Med Sci*. 2021;37(3):869-873. doi:10.12669/pjms.37.3.3848
- Barsoum Z. Pediatric Asthma & Coronavirus (COVID-19)-Clinical Presentation in an Asthmatic Child—Case Report [published online ahead of print, 2020 May 19]. *SN Compr Clin Med*. 2020;1-3. doi:10.1007/s42399-020-00310-3
- Baumann P, Baer G, Bonhoeffer J, et al. Procalcitonin for Diagnostics and Treatment Decisions in Pediatric Lower Respiratory Tract Infections. *Front Pediatr*. 2017;5:183. Published 2017 Aug 28. doi:10.3389/fped.2017.00183
- Choi SH, Kim HW, Kang JM, Kim DH, Cho EY. Epidemiology and clinical features of coronavirus disease 2019 in children. *Korean J Pediatr*. 2020;63(4):125-132. doi:10.3345/cep.2020.00535
- Ciccia E, Devarajan P. Pediatric acute kidney injury: prevalence, impact and management challenges. *Int J Nephrol Renovasc Dis*. 2017 Mar 29;10:77-84. doi: 10.2147/IJNRD.S103785. PMID: 28435306; PMCID: PMC5386613.

- De Lima, 2020. COVID-19 Clinical Management Guidelines. <https://www.cayugamed.org/covid-19-clinical-management-guidelines/>
- de Souza TH, Nadal JA, Nogueira RJN, Pereira RM, Brandão MB. Clinical manifestations of children with COVID-19: A systematic review [published online ahead of print, 2020 Jun 3]. *Pediatr Pulmonol.* 2020;10.1002/ppul.24885. doi:10.1002/ppul.24885
- Derrick A, 2020. Procalcitonin. Bookshelf ID: NBK539794 PMID: 30969616
- Dewi R, Kaswandani N, Karyanti MR, et al. Mortality in children with positive SARS-CoV-2 polymerase chain reaction test: Lessons learned from a tertiary referral hospital in Indonesia. *International journal of infectious diseases : IJID : official publication of the International Society for Infectious Diseases* vol. 107 (2021): 78-85. doi:10.1016/j.ijid.2021.04.019
- Dhochak N, Singhal T, Kabra SK, Lodha R. Pathophysiology of COVID-19: Why Children Fare Better than Adults? *Indian J Pediatr.* 2020 Jul;87(7):537-546. doi: 10.1007/s12098-020-03322-y. Epub 2020 May 14. PMID: 32410003; PMCID: PMC7221011.
- Dong, R., Wan, B., Lin, S., Wang, M., Huang, J., Wu, Y., Wu, Y., Zhang, N., & Zhu, Y. (2019). Procalcitonin and liver disease: A literature review. *Journal of Clinical and Translational Hepatology*, 7(1), 51–55. <https://doi.org/10.14218/JCTH.2018.00012>
- Du W, Yu J, Wang H, et al. Clinical characteristics of COVID-19 in children compared with adults in Shandong Province, China. *Infection.* 2020;48(3):445-452. doi:10.1007/s15010-020-01427-2
- Elshazli RM, Toraih EA, Elgaml A, et al. Diagnostic and prognostic value of hematological and immunological markers in COVID-19 infection: A meta-analysis of 6320 patients. *PLoS One.* 2020;15(8):e0238160. Published 2020 Aug 21. doi:10.1371/journal.pone.0238160
- Gabarre, P., Dumas, G., Dupont, T. et al. Acute kidney injury in critically ill patients with COVID-19. *Intensive Care Med* 46, 1339–1348 (2020). <https://doi.org/10.1007/s00134-020-06153-9>
- Gabay, C. Interleukin 6 and Chronic Inflammation. *Arthritis Res Ther.* 2006; 8(suppl 2): published online 2006 Jul 28. <https://ncbi.nlm.nih.gov/pmc/articles/PMC3226076>.

- Garazzino S, Lo Vecchio A, Pierantoni L, et al. Epidemiology, Clinical Features and Prognostic Factors of Pediatric SARS-CoV-2 Infection: Results From an Italian Multicenter Study. *Front Pediatr.* 2021;9:649358. Published 2021 Mar 16. doi:10.3389/fped.2021.649358
- Gereige RS, et al. 2013. Pneumonia. *Pediatrics in Review.* October 2013, VOLUME 34 / ISSUE 10
- Gibson PG, Qin L, Pua SH. COVID-19 acute respiratory distress syndrome (ARDS): clinical features and differences from typical pre-COVID-19 ARDS. *Med J Aust.* 2020 Jul;213(2):54-56.e1. doi: 10.5694/mja2.50674. Epub 2020 Jun 22. PMID: 32572965; PMCID: PMC7361309.
- Hasan A, Mehmood N, Fergie J. Coronavirus Disease (COVID-19) and Pediatric Patients: A Review of Epidemiology, Symptomatology, Laboratory and Imaging Results to Guide the Development of a Management Algorithm. *Cureus.* 2020;12(3). doi:10.7759/cureus.7485
- Hoffman T. Evaluation of a COVID-19 IgM and IgG rapid test; an efficient tool for assessment of past exposure to SARS-CoV-2. *INFECTION ECOLOGY & EPIDEMIOLOGY* 2020, VOL. 10, 1754538
- James PT, Ali Z, Armitage AE, et al. The Role of Nutrition in COVID-19 Susceptibility and Severity of Disease: A Systematic Review. *J Nutr.* 2021;151(7):1854-1878. doi:10.1093/jn/nxab059
- Kadir A. 2021. *Buku Saku Protokol Tatalaksana COVID-19 Edisi 2.* Jakarta: Kementerian Kesehatan Republik Indonesia.
- Kurtz A, Grant K, Marano R, et al. Long-term effects of malnutrition on severity of COVID-19. *Sci Rep.* 2021;11(1):14974. Published 2021 Jul 22. doi:10.1038/s41598-021-94138-z
- Lippi G. Procalcitonin in patients with severe coronavirus disease 2019 (COVID-19): A meta-analysis. *Clinica Chimica Acta* 505 (2020) 190–191
- Liu X, Shen Y, Wang H, Ge Q, Fei A, Pan S. Prognostic Significance of Neutrophil-to-Lymphocyte Ratio in Patients with Sepsis: A Prospective Observational Study. *Mediators Inflamm.* 2016;2016:8191254. doi: 10.1155/2016/8191254. Epub 2016 Mar 24. PMID: 27110067; PMCID: PMC4823514.

- Liu, F., Li, L., Xu, M., Wu, J., Luo, D., Zhu, Y., Li, B., & Song, X. (2020). Since January 2020 Elsevier has created a COVID-19 resource centre with free information in English and Mandarin on the novel coronavirus COVID- 19 . The COVID-19 resource centre is hosted on Elsevier Connect , the company ' s public news and information website . Elsevier hereby grants permission to make all its COVID-19-related research that is available on the COVID-19 resource centre - including this research content - immediately available in PubMed Central and other publicly funded repositories , such as the WHO COVID database with rights for unrestricted research re-use and analyses in any form or by any means with acknowledgement of the original source . These permissions are granted for free by Elsevier for as long as the COVID-19 resource centre remains active . Prognostic value of interleukin-6 , C-reactive protein , and procalcitonin in patients with COVID-19. January.
- Luo HC, You CY, Lu SW, Fu YQ. Characteristics of coagulation alteration in patients with COVID-19. *Ann Hematol.* 2021;100(1):45-52. doi:10.1007/s00277-020-04305-x
- Martins, Eduarda Cristina et al. "Neutrophil-lymphocyte ratio in the early diagnosis of sepsis in an intensive care unit: a case-control study." "Razão neutrófilo-linfócito no diagnóstico precoce de sepse em unidade de terapia intensiva: um estudo de caso-controle." *Revista Brasileira de terapia intensiva* vol. 31,1 (2019): 64-70. doi:10.5935/0103-507X.20190010
- Matthay MA, Zemans RL, Zimmerman GA, Arabi YM, Beitler JR, Mercat A, Herridge M, Randolph AG, Calfee CS. Acute respiratory distress syndrome. *Nat Rev Dis Primers.* 2019 Mar 14;5(1):18. doi: 10.1038/s41572-019-0069-0. PMID: 30872586; PMCID: PMC6709677.
- McCaffrey J, Dhakal AK, Milford DV, Webb NJ, Lennon R. Recent developments in the detection and management of acute kidney injury. *Arch Dis Child.* 2017;102(1):91-96. doi:10.1136/archdischild-2015-309381
- Mertens E, Peñalvo JL. The Burden of Malnutrition and Fatal COVID-19: A Global Burden of Disease Analysis. *Front Nutr.* 2021;7:619850. Published 2021 Jan 21. doi:10.3389/fnut.2020.619850
- Narazaki M. 2018. The Two-Faced Cytokine IL-6 in Host Defense and Diseases. *Int. J. Mol. Sci.* 2018, 19, 3528; doi:10.3390/ijms19113528

- Nasronuddin, 2011. Penyakit Infeksi di Indonesia Solusi Kini dan Mendatang. Edisi kedua. Surabaya. Airlangga University Press. 2011.
- Nedeva C., Menassa J., Puthalakath H. Sepsis: inflammation is a necessary evil. *Frontiers in cell and developmental biology*. 2019;7
- Ni M, Tian FB, Xiang DD, Yu B. Characteristics of inflammatory factors and lymphocyte subsets in patients with severe COVID-19. *J Med Virol*. 2020 Nov;92(11):2600-2606. doi: 10.1002/jmv.26070. Epub 2020 Jun 9. PMID: 32470153; PMCID: PMC7283881.
- Panzeri Carlotti AP de C, de Carvalho WB, Johnston C, Rodriguez IS, Delgado AF. Covid-19 diagnostic and management protocol for pediatric patients. *Clinics*. 2020;75:1-5. doi:10.6061/CLINICS/2020/E1894
- Peerapornratana S, Manrique-Caballero CL, Gómez H, Kellum JA. Acute kidney injury from sepsis: current concepts, epidemiology, pathophysiology, prevention and treatment. *Kidney Int*. 2019;96(5):1083–99.
- Rabi FA. SARS-CoV-2 and Coronavirus Disease 2019: What We Know So Far *Pathogens* 2020, 9, 231; doi:10.3390/pathogens9030231
- Ribeiro MA. Levels of C-reactive protein in serum samples from healthy children and adults in São Paulo, Brazil. *Braz J Med Biol Res*. 1997 Sep;30(9):1055-9. doi: 10.1590/s0100-879x1997000900002. PMID: 9458964.
- Risitano AM, Mastellos DC, Huber-Lang M, et al. Complement as a target in COVID-19? *Nat Rev Immunol*. 2020:19-20. doi:10.1038/s41577-020-0320-7
- Samprathi M, Jayashree M. Biomarkers in COVID-19: An Up-To-Date Review. *Front Pediatr*. 2021;8:607647. Published 2021 Mar 30. doi:10.3389/fped.2020.607647
- Sankar J, Dhochak N, Kabra SK, Lodha R. COVID-19 in Children: Clinical Approach and Management. *Indian J Pediatr*. 2020;87(6):433-442. doi:10.1007/s12098-020-03292-1
- Satgas Covid-19. 2020. Panduan Klinis Tata Laksana COVID-19 pada Anak.
- Sathe PM, Patwa UD. D Dimer in acute care. *Int J Crit Illn Inj Sci*. 2014 Jul;4(3):229-32. doi: 10.4103/2229-5151.141435. PMID: 25337485; PMCID: PMC4200549.

- Shekerdemian LS, Mahmood NR, et al. Characteristics and Outcomes of Children With Coronavirus Disease 2019 (COVID-19) Infection Admitted to US and Canadian Pediatric Intensive Care Units. *JAMA Pediatr.* 2020;2019:1-6. doi:10.1001/jamapediatrics.2020.1948
- Shen, K., Yang, Y., Wang, T. et al. Diagnosis, treatment, and prevention of 2019 novel coronavirus infection in children: experts' consensus statement. *World J Pediatr* 16, 223–231 (2020). <https://doi.org/10.1007/s12519-020-00343-7>
- Silverio R, Gonçalves DC, Andrade MF, Seelaender M. Coronavirus Disease 2019 (COVID-19) and Nutritional Status: The Missing Link?. *Adv Nutr.* 2021;12(3):682-692. doi:10.1093/advances/nmaa125
- Soraya GV. 2020. Interleukin-6 levels in children developing SARS-CoV-2 infection. <https://doi.org/10.1016/j.pedneo.2020.04.007>
- Sproston NR, Ashworth JJ. Role of C-Reactive Protein at Sites of Inflammation and Infection. *Front Immunol.* 2018 Apr 13;9:754. doi: 10.3389/fimmu.2018.00754. PMID: 29706967; PMCID: PMC5908901.
- Strouse JJ, Tamma P, Kickler TS, Takemoto CM. D-dimer for the diagnosis of venous thromboembolism in children. *Am J Hematol.* 2009;84(1):62-63. doi:10.1002/ajh.21311
- Tanaka, T and Kishimoto, T. Targeting Interleukin-6: All the Way to Treat Autoimmune and Inflammatory Diseases. *International Journal of Biological Sciences* 2012; 8(9):1227-1236. doi: 10.7150/ijbs.4666.
- Tanaka, T. et al. Interleukin-6 in Inflammation, immunity and Disease. *Cold Spring Harbor Perspectives in Biology* V.6 (10).2014 Oct.PMC4176.
- Tang D, Comish P, Kang R (2020) The hallmarks of COVID-19 disease. *PLOS Pathogens* 16(5): e1008536. <https://doi.org/10.1371/journal.ppat.1008536>
- Tsabouri S, Makis A, Kosmeri C, Siomou E. Risk Factors for Severity in Children with Coronavirus Disease 2019: A Comprehensive Literature Review. *Pediatr Clin North Am.* 2021;68(1):321-338. doi:10.1016/j.pcl.2020.07.014
- Ulhaq ZS. 2020. Interleukin-6 as a potential biomarker of COVID-19 progression. <https://doi.org/10.1016/j.medmal.2020.04.002>

- Wagner et al, 2020. Absolute lymphocyte count is prognostic marker in Covid-19: a retrospective cohort review. *International journal of laboratory hematology*, volume 42 issue 6.
- Wang X, Li X, Shang Y, Wang J, Zhang X, Su D, Zhao S, Wang Q, Liu L, Li Y, Chen H. Ratios of neutrophil-to-lymphocyte and platelet-to-lymphocyte predict all-cause mortality in inpatients with coronavirus disease 2019 (COVID-19): a retrospective cohort study in a single medical centre. *Epidemiol Infect.* 2020 Sep 9;148:e211. doi: 10.1017/S0950268820002071. PMID: 32900409; PMCID: PMC7506174.
- Wendel Garcia PD, Fumeaux T, Guerci P, et al. Prognostic factors associated with mortality risk and disease progression in 639 critically ill patients with COVID-19 in Europe: Initial report of the international RISC-19-ICU prospective observational cohort. *EClinicalMedicine.* 2020;25:100449. doi:10.1016/j.eclinm.2020.100449
- Yang AP, Liu JP, Tao WQ, Li HM. The diagnostic and predictive role of NLR, d-NLR and PLR in COVID-19 patients. *Int Immunopharmacol.* 2020;84:106504. doi:10.1016/j.intimp.2020.106504
- Yang, L., Liu, S., Liu, J. et al. COVID-19: immunopathogenesis and Immunotherapeutics. *Sig Transduct Target Ther* 5, 128 (2020). <https://doi.org/10.1038/s41392-020-00243-2>
- Yu B, Li X, Chen J, et al. Evaluation of variation in D-dimer levels among COVID-19 and bacterial pneumonia: a retrospective analysis. *J Thromb Thrombolysis.* 2020;50(3):548-557. doi:10.1007/s11239-020-02171-y
- Yuki K, Fujiogi M, Koutsogiannaki S. Since January 2020 Elsevier has created a COVID-19 resource centre with free information in English and Mandarin on the novel coronavirus COVID-19. The COVID-19 resource centre is hosted on Elsevier Connect, the company's public news and information website. Elsevier hereby grants permission to make all its COVID-19-related research that is available on the COVID-19 resource centre - including this research content - immediately available in PubMed Central and other publicly funded repositories, such as the WHO COVID database with rights for unrestricted research re-use and analyses in any form or by any means with acknowledgement of the original source. These permissions are granted for free by Elsevier for as long as the COVID-19 resource centre remains active. COVID-19 pathophysiology: A review. 2020;(January).

- Zhu B, Feng X, Jiang C, et al. Correlation between white blood cell count at admission and mortality in COVID-19 patients: a retrospective study. *BMC Infect Dis.* 2021;21(1):574. Published 2021 Jun 14. doi:10.1186/s12879-021-06277-3
- Zimmermann P, Curtis N. Coronavirus infections in children including COVID-19: An overview of the epidemiology, clinical features, diagnosis, treatment and prevention options in children. *Pediatr Infect Dis J.* 2020;39(5):355-368. doi:10.1097/INF.0000000000002660

## Lampiran 1

### **NASKAH PENJELASAN UNTUK MENDAPAT PERSETUJUAN DARI KELUARGA/SUBYEK PENELITIAN PARAMETER KLINIS DAN KADAR INTERLEUKIN 6 UNTUK MEMPREDIKSI LUARAN CORONA VIRUS 19 PADA ANAK**

COVID-19 sudah menyebar di hampir seluruh negara, termasuk Indonesia. Selama setahun ini kita dihadapkan pada keseharian untuk berdampingan dengan COVID-19 dan kondisi ini masih terus berlanjut hingga beberapa waktu yang belum dapat ditentukan kapan akan berakhir. Kondisi saat ini kasus konfirmasi mencapai angka 808.340 di seluruh Indonesia pada 8 Januari 2021 dengan kasus meninggal sebesar 2,9% dari yang terkonfirmasi

Kasus COVID-19 di Indonesia mengalami peningkatan secara pesat sehingga memerlukan upaya komprehensif dalam penatalaksanaan kasus dan upaya memutus rantai penularan. Pemerintah pusat dan daerah telah menetapkan Rumah Sakit Rujukan maupun Rumah Sakit Darurat, meningkatkan kemampuan Puskesmas, laboratorium rujukan.

Kami bermaksud mengadakan penelitian untuk menilai kadar interleukin 6 dan parameter klinis lain pada pasien covid 19 untuk menilai luaran yakni hidup atau meninggal.

Kami menjamin bahwa penelitian ini tidak menimbulkan efek samping terhadap anak/kemenakan bapak/ibu, Bila ibu/bapak setuju untuk berpartisipasi diharapkan ibu/bapak dapat memberikan persetujuan secara tertulis.

Kami akan menanyakan dan mencatat identitas anak/kemenakan ibu/bapak (nama, alamat, tanggal lahir, jenis kelamin). Selanjutnya akan dilakukan pemeriksaan meliputi pengukuran berat badan dan tinggi badan, pemeriksaan tekanan darah, nadi, pernapasan dan suhu badan. Pemeriksaan fisik secara keseluruhan akan dilakukan. Kami akan melakukan pemeriksaan kadar interleukin 6, CRP, Prokalsitonin, NLR, D-Dimer, menilai gangguan ginjal akut dan menilai ARDS. Pemeriksaan ini tanpa dipungut biaya.

Keikutsertaan anak/kemenakan ibu/bapak dalam penelitian ini bersifat suka rela tanpa paksaan, karena itu ibu/bapak bisa menolak ikut atau berhenti ikut dalam penelitian ini tanpa takut akan kehilangan hak untuk mendapat pelayanan kesehatan yang dibutuhkan oleh anak/kemenakan ibu/bapak.

Semua data dari penelitian ini akan dicatat dan dipublikasikan tanpa membuka data pribadi anak/kemenakan ibu/bapak. Data pada penelitian ini akan dikumpulkan dan disimpan dalam file manual maupun elektronik, diaudit dan diproses serta dipresentasikan pada:

- Forum ilmiah Program Pasca Sarjana (S2) Universitas Hasanuddin

- Publikasi pada jurnal Ilmiah dalam negeri/ luar negeri

Setelah membaca dan mengerti atas penjelasan yang kami berikan mengenai pentingnya kadar interleukin 6 dan parameter klinis lainnya, kami harapkan untuk menandatangani surat persetujuan mengikuti penelitian. Atas kesediaan dan kerjasamanya saya mengucapkan banyak terima kasih.

Tanda tangan / identitas peneliti:

Nama : dr. Try Kartika Eka Putri

Alamat : Jl. Toddopuli X, Komp Grand Sulawesi A30, Makassar

Telepon : 081341580801

**Lampiran 2**

**FORMULIR PERSETUJUAN MENGIKUTI PENELITIAN**

Setelah mendengar, mengikuti dan menyadari pentingnya penelitian:

**PARAMETER KLINIS DAN KADAR INTERLEUKIN 6 UNTUK  
MEMPREDIKSI LUARAN CORONA VIRUS 19 PADA ANAK**

Maka saya yang bertanda tangan di bawah ini :

Nama : .....

Umur : .....

Alamat : .....

Dengan ini menyatakan secara sukarela tanpa paksaan setuju untuk mengikutsertakan anak saya dalam penelitian ini:

Nama : .....

Umur : .....

Demikian surat persetujuan ini dibuat dengan sebenarnya untuk digunakan sebagaimana mestinya.

Makassar, 2021

Penanggung jawab

Orangtua

(dr. Try Kartika Eka Putri)  
Departemen Ilmu Kesehatan Anak FK-UNHAS  
RS. Dr. Wahidin Sudirohusodo, Makassar  
Telp.085213397465

(.....)



**SURAT PERNYATAAN TERKAIT COVID-19**

Yang bertandatangan dibawah ini :

Nama :  
Tanggal Lahir :  
Alamat :

Selaku pasien/suami /istri/orang tua/saudara kandung/lainnya ( ) atas nama pasien di bawah ini :

No RM :  
Nama :  
Tanggal Lahir :  
Alamat :  
No.HP Pasien :  
No.HP Keluarga :

Menyatakan saya memberikan informasi dan keluhan masalah kesehatan pasien dengan jujur, lengkap, dan sebenar-benarnya tidak ada yang kami tutup-tutupi atau kami sembunyikan, **TERUTAMA HAL-HAL YANG TERKAIT DENGAN COVID-19.**

Apabila di kemudian hari ditemukan bukti/fakta bahwa saya berbohong atau tidak jujur mengenai hal ini, maka saya bersedia untuk dilaporkan kepihak **KEPOLISIAN** atas kebohongan yang saya berikan dengan tindak pidana:

1. Memberikan keterangan palsu secara lisan/tertulis berdasarkan Pasal 242 ayat (1) dan ayat (3) Kitab Undang-Undang Hukum Pidana (KUHP).
2. Pemalsuan isi surat pernyataan pasien berdasarkan Pasal 263 ayat (1) Kitab Undang-Undang Hukum Pidana (KUHP).
3. Sengaja menghalangi pelaksanaan penanggulangan wabah berdasarkan Pasal 14 Undang-Nomor 4 Tahun 1984 tentang Wabah Penyakit Menular.
4. Tidak mematuhi penyelenggaraan kekarantinaan kesehatan dan/atau menghalang-halangi penyelenggaraan Kekarantinaan Kesehatan sehingga menyebabkan Kedaruratan Kesehatan Masyarakat berdasarkan pasal 93 Undang-Undang Nomor 6 Tahun 2018 tentang Kekarantinaan Kesehatan.

Dan Bersedia untuk :

1. Di Rawat di ruang perawatan OTG/ODP/PDP/terkonfirmasi Covid-19.
2. Jika terjadi hal-hal yang tidak diinginkan/meninggal dunia, maka penderita dan keluarga penderita bersedia mengikuti prosedur penanganan penderita Covid-19 di RSUP.dr. Wahidin Sudirohusodo.

Pernyataan diberikan dengan penuh kesadaran akan kemungkinan terjadinya efek samping dari Tindakan tersebut diatas.

Demikian surat pernyataan ini dibuat dengan penuh rasa tanggung jawab.

Makassar,  
Yang menyatakan,

I. Pasien/keluarga Pasien

II. Petugas RSW

III. Saksi

**Lampiran 3.**

**KOMISI ETIK PENELITIAN BIOMEDIS PADA MANUSIA  
FAKULTAS KEDOKTERAN UNIVERSITAS HASANUDDIN  
KETERANGAN KELAIKAN ETIK  
(*ETHICAL CLEREANCE*)**

Nomor :

Komisi Etik Biomedis pada Manusia, Fakultas Kedokteran Universitas Hasanuddin telah mempelajari dengan seksama Rancangan Penelitian yang diajukan dengan judul :

**PARAMETER KLINIS DAN KADAR INTERLEUKIN 6 UNTUK  
MEMPREDIKSI LUARAN CORONA VIRUS 19 PADA ANAK**

Nama : Try Kartika Eka Putri  
Nomor CHS : C 105 171 001  
Pembimbing : Dr.dr. Idham Jaya Ganda, Sp.A (K)

Menyatakan **memenuhi persyaratan etik** untuk pelaksanaan penelitian dengan catatan sewaktu-waktu komisi dapat melaksanakan pemantauan.

Makassar,

**Ketua Komisi Etik Fakultas Kedokteran UNHAS**

Prof. Dr. dr. Suryani As'ad, M.Sc, Sp.GK  
NIP : 131 569 703

## Lampiran 4. Rekomendasi Etik


**KEMENTERIAN PENDIDIKAN, KEBUDAYAAN, RISET DAN TEKNOLOGI**  
**UNIVERSITAS HASANUDDIN FAKULTAS KEDOKTERAN**  
**KOMITE ETIK PENELITIAN KESEHATAN**  
**RSPTN UNIVERSITAS HASANUDDIN**  
**RSUP Dr. WAHIDIN SUDIROHUSODO MAKASSAR**  
 Sekretariat : Lantai 2 Gedung Laboratorium Terpadu  
 JL.PERINTIS KEMERDEKAAN KAMPUS TAMALANREA KM.10 MAKASSAR 90245.  
 Contact Person: dr. Agusselim Bukhari, M.Med,PhD, SpGK TELP. 081241850858, 0411 5780103, Fax : 0411-581431



### REKOMENDASI PERSETUJUAN ETIK

Nomor : 615/UN4.6.4.5.31/PP36/2021

Tanggal: 27 September 2021

Dengan ini Menyatakan bahwa Protokol dan Dokumen yang Berhubungan Dengan Protokol berikut ini telah mendapatkan Persetujuan Etik :

No Protokol	UH21080492		No Sponsor Protokol	
Peneliti Utama	<b>dr. Try Kartika Eka Putri</b>		Sponsor	
Judul Peneliti	Parameter klinis dan Interleukin 6 untuk memprediksi luaran covid 19 pada anak			
No Versi Protokol	2	Tanggal Versi	<b>19 September 2021</b>	
No Versi PSP	2	Tanggal Versi	<b>19 September 2021</b>	
Tempat Penelitian	RS Dr. Wahidin Sudirohusodo Makassar			
Jenis Review	<input type="checkbox"/> Exempted <input type="checkbox"/> Expedited <input checked="" type="checkbox"/> Fullboard Tanggal <b>8 September 2021</b>		Masa Berlaku <b>27 September 2021</b> sampai <b>27 September 2022</b>	Frekuensi review lanjutan
Ketua Komisi Etik Penelitian Kesehatan FKUH	Nama <b>Prof.Dr.dr. Suryani As'ad, M.Sc.,Sp.GK (K)</b>		Tanda tangan 	
Sekretaris Komisi Etik Penelitian Kesehatan FKUH	Nama <b>dr. Agussalim Bukhari, M.Med.,Ph.D.,Sp.GK (K)</b>		Tanda tangan 	

Kewajiban Peneliti Utama:

- Menyerahkan Amandemen Protokol untuk persetujuan sebelum di implementasikan
- Menyerahkan Laporan SAE ke Komisi Etik dalam 24 Jam dan dilengkapi dalam 7 hari dan Laporan SUSAR dalam 72 Jam setelah Peneliti Utama menerima laporan
- Menyerahkan Laporan Kemajuan (progress report) setiap 6 bulan untuk penelitian resiko tinggi dan setiap setahun untuk penelitian resiko rendah
- Menyerahkan laporan akhir setelah Penelitian berakhir
- Melaporkan penyimpangan dari protokol yang disetujui (protocol deviation / violation)
- Mematuhi semua peraturan yang ditentukan

## Lampiran 5. Izin Penelitian



**KEMENTERIAN KESEHATAN REPUBLIK INDONESIA**  
**DIREKTORAT JENDERAL PELAYANAN KESEHATAN**  
RUMAH SAKIT UMUM PUSAT DR. WAHIDIN SUDIROHUSODO  
Jalan Perintis Kemerdekaan Km. 11 Tamalanrea, Makassar, Kode Pos 90245  
Telp. (0411) 584675 – 581818 (*Hunting*), Fax. (0411) 587676  
Laman : [www.rsupwahidin.com](http://www.rsupwahidin.com) Surat Elektronik : [tu@rsupwahidin.com](mailto:tu@rsupwahidin.com)

Nomor : LB.02.01/2.2/17668 /2021  
Hal : Izin Penelitian

14 Oktober 2021

Yth.

1. Kepala Instalasi Rekam Medik
2. Kepala Instalasi Pusat Pelayanan Penyakit Infeksi
3. Kepala Sub Instalasi Perawatan Intensif.

Dengan ini kami hadapkan peneliti :

Nama : **dr. Try Kartika Eka Putri**  
NIM : **C105171001**  
Prog. Studi : **Dokter Subspesialis Ilmu Kesehatan Anak**  
Institusi : **Fakultas Kedokteran**  
**Universitas Hasanuddin Makassar**  
No. HP : **0813-4158-0801**

Yang bersangkutan akan melakukan penelitian dengan judul **"Parameter Klinis dan Kadar Interleukin 6 untuk Memprediksi Luaran Covid 19 pada Anak"**, sesuai surat dari KPS Dep. I. K. Anak FK UNHAS dengan Nomor **21060/UN4.6.8/PT.01.04**, tertanggal **01 Oktober 2021**. Penelitian ini berlangsung sejak tanggal **14 Oktober s.d 14 Desember 2021**, dengan catatan selama penelitian berlangsung peneliti:

1. Wajib memakai ID Card selama melakukan penelitian
2. Wajib mematuhi peraturan dan tata tertib yang berlaku
3. Tidak mengganggu proses pelayanan terhadap pasien
4. Tidak diperkenankan membawa status pasien keluar dari Ruang Rekam Medik
5. Tidak diperbolehkan mengambil gambar pasien dan identitas pasien harus dirahasiakan
6. Mematuhi protokol pencegahan Covid 19.

Setelah penelitian dilakukan, segera melaporkan Hasil Penelitian kepada Sub Bagian Penelitian dan Pengembangan untuk mendapatkan Surat Keterangan Selesai Meneliti.

Demikian, untuk di pergunakan sebagaimana mestinya.

Pt. Direktur SDM, Pendidikan dan Penelitian



**Ridhayan B, SKM, M.Kes**  
NIP.197110271997032001



## Lampiran 6. Data Dasar

No	Nama	Jenis Kelamin	Umur	WBC	Hb	PLT	Neutrofil	Limfosit	NLR	ALC	CRP	prokal	Saturasi	UREUM DAN CREATININ	membair/meninggal	status gizi	lama rawat	kesadaran	penyakit primer/ KOMORBID	PT/APTT	D-DIMER	IL6
1	NF	P	13 tahun 11 bulan	18900	10.7	76000	84.4	13.2	6.39	2494.8	22.6	22.41	99	94/1,60	1	2	1	15	epidural hematoma+anemia pasca pendarahan+trombositosis reaktif	11,3/31,3	0,3	123.0918
2	BNM	L	1 tahun 1 bulan	14900	14.7	223000	39.9	40.9	0.97	6094.1	29.3	0.32	99	25/0,39	1	2	2	15	sepsis+post bangkitan kejang ec hydrocephalus communicans+hiponatremia+hipoalbuminemia+hipokalemia+leukositosis+trombositosis reaktif+nutrisional marasmus+infeksi saluran kemih+peningkatan enzim transaminase	11,6/32	10,5	91.1685
3	AA	L	3 tahun 28 hari	9400	11.3	453000	27.6	58.4	0.47	5489.6	10.2	0.1	99	20/0,50	2	1	2	15	spina bifida+pneumonia dextra+dermatitis	10,9/32,8	0,2	72.4074
4	P	P	18 tahun 6 bulan	10200	3.6	130000	89.7	7.3	12.28	744.6	56.7	0.62	89	512/35,92	1	1	1	15	anoxia jaringan+ckd stage v+hipertensi grade I+anemia defisiensi besi differential diagnosis kronik+hiponatremia+hipokalemia	20/40	11,5	83.5651
5	AT	L	7 tahun 29 hari	10200	12.2	386000	54.9	37.1	1.47	3784.2	11.2	2.89	78	18/0,55	2	2	2	15	penyakit jantung bawaan sianosis ec tetralogi of fallot+hemokonsentrasi+nutritional marasmus	10,3/32,6	0,3	64.3104
6	AN	P	14 tahun 8 bulan	9500	12.6	359000	49	41.1	1.19	3904.5	2.1	<0.05	100	20/0,57	2	1	2	15	post bangkitan kejang	23,5/11,7	0,4	87.3939
7	R	L	3 bulan	6900	10.1	845000	37.7	39.1	0.96	2697	139.7	85.53	99	73/0,87	1	1	1	5	diare akut+dehidrasi berat+imbalance elektrolit	10,0/22,6	0,25	132.5839
8	AFA	P	16 tahun 4 bulan	39100	8.7	504000	88.3	6.9	12.79	2697.9	96.9	6.55	98	21/0,87	2	1	2	15	tuberkulosis paru lesi luas+methylen resistant staphylococcus aureus+anemia penyakit kronik+trombositopenia+hipoalbuminemia+infeksi saluran kemih+mdiare akut+hiponatremia	12,7/28,9	0,38	69.3885
9	DPS	L	1 tahun 2 bulan	2800	8.5	59000	37.6	55.9	0.67	1565.2	10.8	<0.05	98	7/0,2	2	1	1	15	peningkatan enzim transaminase+community acquired pneumonia+hipoalbuminemia+kolestasis intrahepatik dd/ekstrahepatik+anemia defisiensi besi+hiperbilirubinemia	114,9/>180	0,40	69.2660
10	HL	L	17 tahun 29 hari	17400	5	220000	76.1	18.4	4.13	3201.6	21.9	2.43	98	45/1.5	1	1	1	8	hipotiroid sekunder+perawakan sangat pendek+ambigu genitalia+sepsis+bacteremia ec staphylococcus epidermidis+tuberculosis paru on treatment+community acquired pneumonia+laringomalasia+anemia penyakit kronik+trombositopenia+nutritional marasmus+hipoplasia cerebri+mikrosefal+undescensus testis+bangkitan kejang ec suspek epilepsi	11,7/36,8	0,55	149.4417
11	DNA	L	4 TAHUN 4 BULAN	6000	11.3	312000	46.2	45.2	1.02	2712	152.5	7.78	98	20/0.30	1	2	1	7	post bangkitan kejang	12,2/25,9	0,23	127.6577
12	VD	P	12 tahun 7 bulan	11300	17.7	548000	55.1	36.3	1.51	4101.9	73.9	14.9	99	55/1,08	1	2	1	15	community acquired pneumonia+leukositosis+trombositosis reaktif	12,2/25,9	0,29	99.0484
13	NA	P	1 tahun 6 bulan	9900	9	76000	56	32.4	1.72	3207.6	13.3	2.52	98	14/0,16	1	2	1	15	sepsis+ kolestasis intrahepatik+peningkatan enzim transaminase+permanjangan faal hemostasis+community acquired pneumonia+hipoalbuminemia+gizi buruk tipe marasmus+intake tidak terjamin+stres ulcer+trombositopenia+hipokalemia	22,3/47,4	11,5	252.5816
14	MZ	L	3 tahun 2 bulan	11700	13.1	839000	73.2	14.6	5.01	1708.2	96	6	96	22/0,25	2	2	1	15	sepsis+kolestasis intrahepatik ec sepsis+suspek peritonitis+peningkatan enzim transaminase+ multiple lesi hepar suspek massa+abses hepar+suspek ileus obstruktif dd/paralitik+hidronefrosis sinistra+hipoalbuminemia+dehidrasi tidak berat+anemia	12,2/25,9	0,48	71.8268
15	N	P	1 tahun 4 bulan	12800	11.2	254000	64.8	20.9	3.1	2675.2	32	1.43	97	31/0,24	1	1	1	15	community acquired pneumonia+penyakit jantung bawaan ec patent ductus arteriosus+patent foramen ovale	10,9/21,8	11,9	114.4261
16	NQ	P	11 tahun 6 bulan	12600	9.7	327000	80	5.6	14.28	705.6	91.7	54.66	99	127/5,23	2	2	2	15	acute kidney injury type failure+infeksi saluran kemih+anemia penyakit kronik+hipoalbuminemia+hyponatremia+suspek glomerulonefritis pasca streptococcus+suspek lupus nefritik+hipertensi stage II+post hemodialisa	11,9/43,8	0,23	82.0896
17	VS	P	1 tahun 5 bulan	10600	10	489000	50.6	36.3	1.39	3847.8	2.8	0.21	98	39/0,25	2	2	2	15	community acquired pneumonia+anemia penyakit kronik+atelektasis lobus inferior pulmo dekstra+emfisema pulmo dekstra+trombositosis reaktif+patent foramen ovale+hipotiroid+nutritional marasmus	11,9/43,8	0,11	57.9747
18	FR	L	10 bulan	3700	9.1	441000	53.6	39.8	1.34	1472.6	5.6	0.19	99	22/0,2	2	1	1	15	post operasi kraniotomi et causa traumatic brain injury	12,6/32,6	11,9	64.8666
19	BNR	P	1 tahun 3 bulan	11800	7.7	259000	62.3	28	2.22	3304	48.5	49.81	98	57/0,53	1	1	1	15	sepsis+community acquired pneumonia+dehidrasi tidak berat+perdarahan saluran cerna+anemia defisiensi besi dd/ anemia penyakit kronik+post	19,6/25,3	13	91.5168

																			operasi kolostomi ec malformasi anorektal letak tinggi+leukositosis+hiperkalemia+hipoalbuminemia			
20	H	L	15 tahun 3 bulan	8200	13.5	739000	48.4	35.9	1.34	2943.8	6	0.46	99	31/0,43	2	1	2	14	traumatic brain injury+ epidural hematoma+fracture vertical frontal	11,8/27,1	0,2	67.4533
21	MR	L	14 tahun 9 bulan	7200	11.8	244000	68.3	19.2	3.55	1382.4	43.3	0.21	98	28/0,07	2	1	1	15	traumatic brain injury+epidural hematoma+closed depressed skull fracture os parietal sinistra+anemia pasca perdarahan	12,2/28,9	0,11	55.9699
22	MF	L	10 tahun 7 bulan	12600	11	279000	90.5	6.7	13.5	844.2	10.2	4.83	99	18/0,34	1	2	1	6 (four score)	hirschsprung disease	10,9/25,4	0,23	133.0376
23	MD	L	14 tahun 9 bulan	15400	12.3	315000	86.9	6.2	14.01	954.8	27.6	0.48	97	42/0,40	1	1	1	7	corpus alienum esofagus (tulang ikan) setinggi cv c4-c5	10,6/27,6	0,11	121.6914
24	NH	P	3 BULAN	11600	7.2	97000	38.5	48.5	0.79	4466	29.3	0.32	98	26/0,93	1	1	1	15	diare akut+dehidrasi tidak berat+post kolostomi ec malformasi anorektal letak tinggi+community acquired pneumonia+nutritional marasmus	11,7/27,9	0,23	97.0159
25	RA	L	5 tahun 6 bulan	13300	14.2	277000	32.4	47.2	0.68	6277.6	1	0.17	100	19/0,40	2	1	2	15	sindrom nefrotik idiopatik serangan pertama+hipoalbuminemia+infeksi saluran kemih	11,7/27,9	0,22	66.1855
26	PD	P	11 tahun 9 bulan	10700	12.4	395000	39.6	47.1	0.84	5039.7	0.02	<0.05	98	26/0,47	2	1	2	15	post operasi hari ke XI trauma oculi penetrasi oculi dextra+laserasi kornea+katarak traumatik	11,6/28,9	0,31	60.5220
27	BNR	P	4 BULAN	14800	7.7	385000	60.8	24.9	2.44	3685	139.4	0.15	98	57/0,53	1	1	1	15	post bangkitan kejang	10,8/26,0	0,40	129.4293
28	AA	L	16 tahun 3 bulan	6300	13.3	288000	74.4	17.6	4.22	1108.8	5	<0.05	98	22/0,57	2	1	2	15	post operasi kraniotomi + kranioplasti et causa traumatic brain injury + epidural hematoma + fraktur os frontal dextra	11,6/27,0	0,29	40.7083
29	FA	L	1 tahun 3 bulan	15500	9.3	462000	17.9	70.5	0.25	10927.5	0.5	0.08	100	26/0,22	2	1	2	15	ensefalopati ec massa temporoparietal sinistra sugestif absces cerebri+hernia subfalicine+brain edema+community acquired pneumonia+hiponatremia	12,7/24,6	13,3	66.8866
30	AM	L	17 tahun 11 bulan	9100	7.5	163000	69	21.1	3.27	1920.1	155.9	>200	100	135/8,23	2	1	2	15	infected double lumen catheter+anemia penyakit kronis+hiperuricemia+hipertensi grade I+hiperkalemia+acute on chronic kidney disease stage V ec pyelonefritis chronic bilateral	11,9/39,5	0,33	83.7492
31	R	P	17 tahun	11800	10.8	482000	77.7	18.7	4.15	2206.6	83.9	4	99	25/0,31	2	1	1	7	tetraparese upper motor neuron ec infark medulla spinalis+nutritional marasmus+nyero kronis+meningitis+sepsis+stress ulcer	11,7/22,7	0,12	67.6011
32	S	P	5 tahun 3 bulan	11800	12.3	404000	67.9	24.5	2.77	2891	0.8	1.86	99	16/0,36	2	1	2	15	encephalocoele regio etmoidalis+hidrosefalus non komunikans	10,3/27,7	0,33	61.9202
33	Z	L	7 tahun 11 bulan	6500	14.1	63000	50.4	37.1	1.35	2411.5	33.8	18.52	100	27/0,54	2	1	1	13	hidrosefalus obstruktif suspek meduloblastoma post ventriculoperitoneal shunt	10,9/25,3	0,21	54.2269
34	MI	L	2 tahun 3 bulan	5600	11.5	534000	45.7	48.6	0.94	2721.6	0.3	<0.05	97	16/0,20	2	1	1	15	meningitis+community acquired pneumoni+sepsis+hipertensi grade II+perdarahan saluran cerna+imbalance elektrolit	25/40	0,77	75.2339
35	R	L	4 tahun 9 bulan	7000	8.7	77000	65.1	25	2.6	1750	27.6	13.18	99	0/0,30	2	1	2	15	kolestatis intrahepatik+peningkatan enzim transaminase+trombositopenia+hiponatremia+hipoalbuminemia+hipokalemi a+psoriasis vulgaris	14,4/32,8	8,9	51.4026
36	NS	P	13 tahun 10 bulan	8000	15.8	273000	51	37.6	1.35	3008	0.3	<0.05	100	6/0,32	2	1	2	15	multicyctic ginjal bilateral+hipokalemi+leukositosis+trombositosis reaktif+nutritional marasmus	30/40	1,9	87.1014
37	MF	L	11 tahun 1 bulan	7900	12.2	311000	43.8	40.5	1.08	3199.5	6.8	0.45	99	54/0,53	2	2	2	15	dekompensasi ec penyakit jantung didapat ec penyakit jantung rematik+nutritional marasmus+anemia penyakit kronik+peningkatan enzim transaminase+hipoalbuminemia+hiponatremia+suspek tuberkulosis+efusi pericard masif dengan tamponade jantung	22,0/33,8	0,5	52.1684
38	EN	L	15 tahun 7 bulan	6800	11.3	249000	36.4	46	0.79	3128	11.2	<0.05	99	14/0,90	2	1	2	15	oculi dextra keratitis exposure ec lagofthalmus	12,6/39,4	0,27	49.5256
39	Y	L	1 tahun 1 bulan	22400	11.2	1382000	20.3	73.5	0.27	16464	3.2	<0.05	99	20/0,57	2	1	1	15	penyakit jantung bawaan sianotik ec tetralogi of fallot+hipertensi grad2 II on treatment+cephalgia	15,0/25,8	9,88	61.8575
40	QM	P	16 tahun 1 bulan	7000	9.7	428000	78.6	10.6	7.41	742	43.8	6.09	100	116/7,60	2	1	1	15	chronic kidney disease grade V+ anemia penyakit kronik + hipoplasia ginjal bilateral + hiponatremia + hipokalsemia + hiperuricemia + hiperkolesterolemia	10,5/25,4	7,06	79.8487
41	MM	L	12 tahun 7 bulan	5300	9.5	198000	37.3	51.2	0.72	2713.6	0.8	0.1	99	12/0,20	2	1	1	15	gagal ginjal kronik et causa pyelonefritis kronik + sindrom nefrotik nefritik + GNAPS + Hipertensi grade II	11,0/36,5	5,06	44.4907
42	MAI	L	10 tahun 7 bulan	4700	20.5	103000	51.6	37.2	1.38	1748.4	8	0.29	86	30/0,71	1	2	2	15	community acquired pneumonia+leukositosis+trombositosis reaktif	10,2/25,4	0,91	157.2898

43	NA	L	16 tahun 11 bulan	7100	14.8	329000	66.4	25.6	2.59	1817.6	23	0.14	99	17/0,54	2	2	2	15	paraparese inferior ec suspek lesi LMN+low back pain+hipertensi grade II+acute kidney injury+infeksi saluran kemih	11,4/26,1	0,01	62.3943
44	MF	L	1 tahun 6 bulan	16300	16	797,000	27.5	56.7	0.48	9242.1	15.8	1.86	100	22/0,4	2	1	2	15	sepsis+nefritik lupus+bangkitan kejang+anemia penyakit kronik+hipertensi grade I+hiperurisemia+hiperkalemia+asidosis metabolik+community acquired pneumonia	30/44	8,99	72.6255
45	MF	L	14 tahun 9 bulan	13400	11.7	602000	74.9	19.4	3.86	2599.6	104.1	0.17	99	25/0,53	2	1	2	15	hidropneumothoraks dextra+post operasi chest tube	11,9/26,9	3,76	23.4789
46	IAF	L	12 tahun 10 bulan	900	10	93000	10.6	73.1	0.14	657.9	339.6	7.25	99	19/0,40	1	1	1	FOUR SCORE 4	SEPSIS + Penurunan kesadaran e.c trauma brain injury, POH craniectomy e.c perdarahan intracerebral + perdarahan subdural + Edema perifokal + fr. Kompresi os frontal, Perdarahan saluran cerna	12,7/25,5	9,3	129.3396
47	APH	L	1 TAHUN 7 BULAN	13100	12.3	440000	83.9	10.4	8.3	1362	2.5	0.39	96	64/1,66	1	2	1	15	anemia defisiensi besi+suspek hirshprung disease	12,0/35,9	0,18	89.0743
48	SP	P	14 tahun 5 bulan	5600	10.1	324000	39.7	50.8	0.78	2844.8	0.8	<0.05	99	17/0,63	2	1	2	15	diare akut+tanpa dehidrasi+epilepsi on treatment+hipotiroid subklinis	10,8/27,1	0,19	67.9752
49	AA	L	14 tahun	19900	9.9	179000	92.4	2.3	7.66	1070.6	9.4	0.68	85	261/10,80	1	2	1	15	diare akut+tanpa dehidrasi+tb paru on treatment+epilepsi on treatment+hipotiroid subklinis	10,5/30,7	0,66	146.8580
50	MY	L	15 tahun 10 bulan	4300	9.7	369000	47.8	40.4	1.18	1737.2	6.9	0.09	99	14/0,53	2	1	2	15	perdarahan saluran cerna+ileus paralitik dd/ ileus obstruktif+peningkatan enzim transaminase+hipokalemia+hipoalbuminemia+post bangkitan kejang+anemia pasca perdarahan+intake tidak terjamin	10,6/26,3	3,06	25.1504
51	AN	P	10 tahun 3 bulan	8000	8.6	81000	53.6	29.1	1.84	2328	7.7	1.04	99	42/0,46	2	1	2	15	efusi pleura masif dextra post chest tube+sepsis+demam rematik+pemanjangan faal paru+infeksi saluran kemih+hipoalbuminemia+hiponatremia+trombositopenia	38,7/89,1	2,26	51.2956
52	AA	P	17 tahun 4 bulan	7900	12.2	235000	58.2	32.8	1.77	2591.2	0.1	<0.05	100	11/0,49	2	1	1	15	epigastric pain syndrome+polip gall bladdr+acrodermatitis+intake tidak terjamin	10,9/32,2	0,29	53.4501
53	AA	P	10 tahun 1 bulan	5100	11.3	359000	71.6	16.7	4.28	851.7	4.7	0.09	100	15/0,51	2	1	1	15	closed fracture middle right clavícula	10,3/24,4	1,59	51.8937
54	SDB	L	12 tahun 7 bulan	8400	10.7	359000	50.7	27.5	1.84	2310	7.2	1.04	100	26/0,51	2	1	1	15	fraktur os zygomaticus bilateral+fraktur os nasal+fraktur os cavum orbita dextra	11,6/25,3	1,02	67.5355
55	AS	L	2 tahun 3 bulan	7300	10.5	497000	15.2	60.3	0.25	4401.9	1.3	0.06	99	9/0,38	2	1	1	15	difteri tonsil (sedang)+anemia defisiensi besi dd/ anemia penyakit kronik+leukositosis+intake tidak terjamin	10,5/33,3	0,47	60.3436
56	AA	L	9 tahun 3 bulan	3800	13.8	309000	47.7	38.8	1.22	1474.4	45.4	0.06	99	10/0,30	2	2	1	15	malfunction ventricoperitoneal shunt+nutritional marasmus+corpus alienum peritoneal shunt	10,6/26,5	0,21	70.8023
57	H	P	15 tahun	16000	19.9	162000	83.4	5.4	15.4	864	18.2	0.22	99	50/1,67	1	1	1	9 (four score)	traumatic brain injury+epidural hematoma+closed fracture diastasis os temporoparietal dextra+anemia	9,9/29,7	0,05	90.8422
58	LA	P	3 bulan	13300	8.6	454000	60.1	31	8.3	1362	10.8	1.25	99	6/0,22	2	1	1	15	community acquired pneumonia, anemia penyakit kronik, hernia umbilikal	9,9/29,7	0,07	68.0074
59	MK	L	3 tahun 2 bulan	9900	12.6	367000	33	56.4	0.58	5583.6	90.8	5.76	100	20/0,30	2	1	1	15	community acquired pneumonia, meningitis dd encephalitis, post status epileptikus	30/40	6,5	45.0791
60	NS	P	17 tahun 3 bulan	6200	13	281000	54.2	32.3	1.67	2002.6	12	0.52	100	10/0,37	2	1	2	15	ENSEFALITIS BAKTERI DIFFERENTIAL DIAGNOSIS ENSEFALITIS VIRUS + HIDROSEFALUS COMMUNICANS + HIPOKSIK ISKEMIK ENSEFALOPATY + PERDARAHAN SALURAN CERNA + IMBALANCE ELEKTROLIT	33/45	8,5	76.2960
61	DPS	L	1 tahun 1 bulan	10000	11.3	434000	56	27.5	2.03	2750	52.2	10.22	98	11/0,40	2	2	2	15	COMMUNITY ACQUIRED PNEUMONIA+ INFRKSI CYTOMEGALOVIRUS+KOLESTASI INTRAHEPATIK	32/50	9,8	78.5429
62	KA	L	6 tahun 3 bulan	6700	12	574000	46.8	41.3	1.13	2767.1	17.1	0.07	99	12/0,35	2	1	1	15	DEHIDRASI TIDAK BERAT + PERDARAHAN SALURAN CERNA + POST COLOSTOMY ET CAUSA MALFORMASI ANOREKTAL + COVID-19 TERKONFIRMASI	19,6/25,3	11,8	72.0494
63	GT	L	3 BULAN	11300	10	461000	83.9	10.4	8	1175	2.5	0.39	75	76/0,75	1	2	1	8	ACUTE RESPIRATORY DISTRESS SYNDROME + COVID 19 TERKONFIRMASI + COMMUNITY ACQUIRED PNEUMONIA + LARINGOMALASIA + PJB ASIANOTIK E.C. STRETCH PFO L TO R SHUNT + NUTRITIONAL MARASMUS	30/45	13,8	166.8766
64	MI	L	1 tahun 3 bulan	14900	12.8	678000	68.3	23.6	2.8	3516.4	128.5	0.47	99	4/0,18	2	1	1	15	community acquired pneumonia, suspect tb paru, nutrisi marasmus, cerebral palsy, microcephal	32/54	13,8	71.7429

65	M	L	10 bulan	19400	9.4	555000	70.4	21	3.35	4000	264.6	0.84	99	11/0,32	2	1	1	15	sepsis + efus perikard + community acquired pneumonia + hipoalbuminemia	12,0/27,9	4,55	61.5842
66	GPP	L	2 tahun 3 bulan	13600	10.8	578000	78.5	13.9	5.64	1890.4	143.3	0.1	99	16/0,18	1	1	1	15	sepsis+limfadenitis tuberculosis+anemia penyakit kronik+efusi pleura dextra+paraplegia inferior ec suspek space occupying lesion dd guillain barre syndrome+hipoalbuminemia+intake oral tidak terjamin+sinus takikardia	11,1/22,9	7,5	81.9885
67	LZ	P	16 TAHUN	6900	10.6	499000	64.3	26.1	2.46	1800.9	1.8	0.14	99	24/0,57	2	2	2	15	tuberculosis tulang+tuberculosis on treatment+nutritional marasmus	10,4/35,8	0,98	67.9105
68	A	P	8 bulan	6900	10	851000	69.3	25.9	2.67	1787.1	0.26	27.9	99	5/0,16	2	1	1	12	sepsis+tuberculosis paru+meningitis paru+post bangkitan kejang+leukositosis+trombositosis reaktif+hiponatremia	10,4/35,8	0,99	79.5460
69	BNW	P	2 bulan	11700	7.4	316000	56.6	24.4	2.3	2854	2.1	0.15	99	19/0,23	2	1	1	15	ensefalopati + penyakit jantung bawaan et causa PFO + trikuspid regurgitasi + hiperkalemia + anemia	12,0/27,9	0,33	70.7152
70	G	L	11 TAHUN 2 BULAN	21000	13.4	399000	74.6	12.4	6.01	2604	12.2	33.8	99	19/0,44	2	1	1	15	parese extremitas inferior sinistra ec suspek lesi LMN+brain edema+multisinsinitis+deviasi septum nasi+leukositosis+hiponatremia	12,0/27,9	0,21	71.9522
71	NK	P	3 bulan	25100	10.7	240000	72.5	19.6	3.69	4919.6	239.2	6.57	99	15/0,42	2	1	1	15	meningitis bacterialis+peningkatan tekanan intracranial ec subdural hygroma prontemporo parietal sinistra+ community acquired pneumoni+leukositosis+trombositosis reaktif+peningkatan enzim transaminase+perdarahan saluran cerna	12,0/27,9	1,22	67.6993
72	TZ	P	12 tahun	4200	8.3	402000	53.9	33.4	1.61	1402.8	1.5	0.32	100	25/0,23	2	2	2	15	guillain barre syndrome+community acquired pneumoni+anemia penyakit kronik+ulkus dekubitus+nutritional marasmus	10,8/17,0	1,69	81.0961
73	NR	P	3 tahun 1 bulan	10800	9.1	215000	84.6	12	7.05	1296	20.9	13.89	98	30/0,44	2	1	1	15	acute respiratory distress syndrome+fraktur pelvis sinistra+fraktur femur subtrochanter sinistra+anemia pasca perdarahan dd anemia penyakit kronik	11,7/27,9	7,01	70.4228
74	AN	P	11 bulan	7800	11.3	399000	29.6	55.9	0.52	4360.2	84.1	1.8	99	16/0,28	1	2	1	7	meningoensefalitis+brain edema+hidrosefalus comunicans+community acquired pneumoni+anemia penyakit kronik+hipoalbuminemia+hiponatremia+peningkatan enzim transaminase	11,4/22,8	9,87	99.6678
75	RI	L	11TAHUN 2BULAN	8000	13.5	286000	40.2	51.7	0.77	4136	6.8	0.45	99	15/0,40	2	2	1	15	diabetes mellitus type II+hiponatremia+overweight	10,5/26,7	0,14	65.7480
76	ZF	L	10 Bulan	16700	11.9	637000	62.9	24.7	2.54	4124.9	152.5	7.78	98	10/0,28	2	2	1	15	ileus obstruktif+reseksi anastomosis ec hirschprung disease+intake tidak terjamin	12,7/23,2	0,15	80.8565
77	BMN	L	1 Bulan 14 Hari	9300	9.4	34000	66.9	14.5	4.61	1348.5	73.3	25.86	100	18/0,30	2	1	1	15	kejang neonatorum+sepsis ec serratia mersecents+candiduria+kolestatis intrahepatic ec sepsis+post op hari ke 25 laparotomy eksplorasi ec stenosis duodenum+infeksi cytomegalovirus dan rubella+anemia+trombositopenia	12,7/28,9	0,22	77.8989
78	AA	L	5 TAHUN 4 bulan	7300	10.5	497000	15.2	60.3	0.25	4401.9	131,2	0.20	88	15/0,44	1	1	1	8	epilepsi on treatment+status epilepticus	30/55	11,5	123.0918
79	SY	L	7 tahun 3 bulan	3800	13.8	309000	47.7	38.8	1.22	1474.4	227,7	39,29	88	11/0,27	1	2	1	9	acute respiratory distress syndrome+community acquired pneumonia+dandy walker syndrome+epilepsi on treatment+cerebral palsy+anemia defisiensi besi+intake tidak terjamin+sepsis	28/44	13,5	91.1685
80	PP	P	9 tahun	16000	19.9	162000	83.4	5.4	15.4	864	139,7	85,53	88	27/0,20	1	1	1	9	diare akut tanpa dehidrasi	29/40	14	82.3462
81	MF	P	10 tahun 5 bulan	13300	8.6	454000	60.1	31	8.3	1362	2.1	0.15	98	11/0,20	1	1	1	10	community acquired pneumonia+peningkatan enzim transaminase+leukositosis+hiperkalemia+trombositosis reaktif+diare akut+dehidrasi tidak berat+diaper rash	20/44	11,5	88.7653
82	AHS	L	8 tahun	9900	12.6	367000	33	56.4	0.58	5583.6	124,5	61,16	86	14/0,28	1	1	1	10	post kolostomi ec invaginasi ileum+hemangioma cavernosa+anemia defisiensi besi+trombositosis reaktif+nutritional marasmus	30/50	6,5	77.8884
83	AFA	P	16 tahun	6200	13	281000	54.2	32.3	1.67	2002.6	52,3	2,50	88	60/0,62	1	1	2	8	post status epileptikus+nutritional marasmus	28/55	8,6	99.6666
84	ZZ	L	11 tahun	10000	11.3	434000	56	27.5	2.03	2750	101,6	1,86	99	15/0,50	1	2	2	8	germioma+anemia+trombositopenia+hemiparese sinistra+nutritional marasmus+imbalance elektrolit+hipoalbuminemia+post operasi ventriculoperitoneal shunt ec hidrocephalus+profound neutropenia	28/50	9,5	166.8766
85	DS	L	4 bulan	6700	12	574000	46.8	41.3	1.13	2767.1	6,8	0,45	98	11/0,40	2	1	1	15	diare akut+dehidrasi tidak berat+post kolostomi ec malformasi anorektal letak tinggi+community acquired pneumonia+nutritional marasmus	12,0/35,9	0,4	40.7083
86	RI	L	8 bulan	11300	10	461000	83.9	10.4	8	1175	21	0,63	98	41/0,50	2	2	1	15	tetraparese upper motor neuron ec infark medulla spinalis+nutritional marasmus+nyeri kronis+meningitis+sepsis+stress ulcer	10,8/27,1	0,34	66.8866
87	AM	L	4 bulan 9 hari	14900	12.8	678000	68.3	23.6	2.8	3516.4	2,33	85,53	98	36/0,74	2	1	1	15	post bangkitan kejang	10,5/30,7	0,2	40.7083
88	AA	L	9 bulan	19400	9.4	555000	70.4	21	3.35	4000	139,7	61,16	98	22/0,57	2	1	1	15	post operasi kraniotomi+kranioplasti ec trauma brain injury+fraktur os frontal	10,6/26,3	0,8	67.6011

89	AR	L	8 tahun 9 bulan	13600	10.8	578000	78.5	13.9	5.64	1890.4	71,1	135,57	85	41/0.50	2	1	1	15	dextra+epidural hematoma et regio frontal dextra trauma tembus leher setinggi cervical IV-V+emfisema subcutis+post trakeostomi	38,7/89,1	0,9	61.9202
90	SS	P	12 tahun 5 bulan	6900	10.6	499000	64.3	26.1	2.46	1800.9	124,5	1,10	98	19/0.25	2	2	2	15	community acquired pneumonia+mix developmental delayed+intake tidak terjamin	10,9/32,2	0,4	54.2269
91	MF	P	13 tahun 5 bulan	6900	10	851000	69.3	25.9	2.67	1787.1	264,6	0,84	99	12/0.42	2	1	1	15	epidural hematoma temporoparietal+post craniektomi	10,3/24,4	0,2	15.2339
92	ARP	P	12 tahun 5 bulan	11700	7.4	316000	56.6	24.4	2.3	2854	11,0	1,50	98	17/0.30	2	1	1	15	post nefrotomi+anemia penyakit kronik+anoxia jaringan	11,6/25,3	0,4	51.4026
93	MMR	L	11 tahun 3 bulan	21000	13.4	399000	74.6	12.4	6.01	2604	30,4	0,25	98	11/0.30	2	1	1	15	diare akut+dehidrasi tidak berat+tuberkulosis paru on treatment+epilepsi on treatment+peningkatan enzim transaminase+hipotiroid on treatment+hipokalemia+hipoalbuminemia+anemia defisiensi besi+trombositosis reaktif+mikrosefal tratment+hipokalemia+hipoalbuminemia+anemia defisiensi besi+trombositosis reaktif+mikrosefal	10,5/33,3	0,4	17.1014
94	MFI	P	9 tahun 8 bulan	25100	10.7	240000	72.5	19.6	3.69	4919.6	239,8	0,54	99	22/0.60	2	1	1	15	demam dengue (tanpa warning sign)	10,6/26,5	0,32	12.1684
95	AAF	P	5 tahun	4200	8.3	402000	53.9	33.4	1.61	1402.8	2,33	12,44	88	21/0.32	2	2	2	15	post bangkitan kejang	9,9/29,7	0,44	49.5256
96	NAA	P	2 tahun 3 bulan	10800	9.1	215000	84.6	12	7.05	1296	192,8	0,46	88	5/0.50	2	1	1	15	trauma oculi perforans	9,9/29,7	0,38	61.8575
97	BNK	P	1 tahun 6 bulan	7800	11.3	399000	29.6	55.9	0.52	4360.2	1,5	0,32	98-99	36/0.50	2	2	1	15	syok hipovolemik+sepsis neonatorum+disseminated intravascular coagulation+gastroschisis+post op primary closure+ileostomi double barrel+pemasangan xylobag modifikasi ec gastroschisis+respiratory distress of the newborn ec pneumonia bilateral+anemia+trombositopenia	10,6/27,6	0,11	79.8487
98	NK	L	1 tahun 8 bulan	8000	13.5	286000	40.2	51.7	0.77	4136	4,8	0,12	98	11/0.40	2	2	1	15	respiratory distress of the newborn+penyakit jantung bawaan ec atrial septal defect dd ventricular septal defect+cardiomegaly+sepsis neonatorum+hypothyroid congenital+post bangkitan kejang ec suspek epilepsi+pneumonia bilateral	11,7/27,9	0,23	25.1504
99	BNJ	L	4 tahun	16700	11.9	637000	62.9	24.7	2.54	4124.9	193	1,10	85	72/0.49	2	2	1	15	post bangkitan kejang	11,7/27,9	0,22	51.2956
100	MF	L	5 tahun 6 bulan	9300	9.4	34000	66.9	14.5	4.61	1348.5	18,2	0,22	99		2	1	1	15	hidropneumothorax dextra+post op chest tube	11,6/28,9	0,31	53.4501

1=meninggal  
2=membaik

1= gizi baik  
2= malnutrisi

## Lampiran 7. Analisis Data

### Frequencies

		Notes
Output Created		22-NOV-2021 07:19:18
Comments		
Input	Data	C:\Users\adipr\Desktop\HASIL TIKA\tika olah data 291.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	291
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data.
Syntax		FREQUENCIES VARIABLES=Luaran /ORDER=ANALYSIS.
Resources	Processor Time	00:00:00.02
	Elapsed Time	00:00:00.00

### Statistics

Luaran

N	Valid	291
	Missing	0

### Luaran

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Mati	83	28.5	28.5	28.5
	Membaik	208	71.5	71.5	100.0
	Total	291	100.0	100.0	

### Crosstabs

		Notes
Output Created		22-NOV-2021 07:23:35
Comments		
Input	Data	C:\Users\adipr\Desktop\HASIL TIKA\tika olah data 291.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	291
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each table are based on all the cases with valid data in the specified range(s) for all variables in each table.
Syntax		CROSSTABS /TABLES=Jeniskelamin BY Luaran /FORMAT=AVALUE TABLES /STATISTICS=CHISQ RISK /CELLS=COUNT COLUMN /COUNT ROUND CELL.
Resources	Processor Time	00:00:00.03
	Elapsed Time	00:00:00.12
	Dimensions Requested	2
	Cells Available	131029

### Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Jeniskelamin * Luaran	291	100.0%	0	0.0%	291	100.0%

### Jeniskelamin \* Luaran Crosstabulation

			Luaran		Total
			Mati	Membaik	
Jeniskelamin	Laki-laki	Count	53	130	183
		% within Luaran	63.9%	62.5%	62.9%
	Perempuan	Count	30	78	108
		% within Luaran	36.1%	37.5%	37.1%
Total		Count	83	208	291
		% within Luaran	100.0%	100.0%	100.0%

### Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.047 <sup>a</sup>	1	.829		
Continuity Correction <sup>b</sup>	.007	1	.935		
Likelihood Ratio	.047	1	.829		
Fisher's Exact Test				.893	.469
Linear-by-Linear Association	.047	1	.829		
N of Valid Cases	291				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 30.80.

b. Computed only for a 2x2 table

### Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Jeniskelamin (Laki-laki / Perempuan)	1.060	.625	1.798
For cohort Luaran = Mati	1.043	.713	1.524
For cohort Luaran = Membaik	.984	.847	1.142
N of Valid Cases	291		

## Crosstabs

### Notes

Output Created		22-NOV-2021 07:24:58
Comments		
Input	Data	C:\Users\adipr\Desktop\HASIL TIKA\tika olah data 291.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	291
Missing Value Handling	Definition of Missing Cases Used	User-defined missing values are treated as missing. Statistics for each table are based on all the cases with valid data in the specified range(s) for all variables in each table.
Syntax		CROSSTABS /TABLES=Usia BY Luaran /FORMAT=AVALUE TABLES /STATISTICS=CHISQ RISK /CELLS=COUNT COLUMN /COUNT ROUND CELL.

Resources	Processor Time	00:00:00.05
	Elapsed Time	00:00:00.02
	Dimensions Requested	2
	Cells Available	131029

### Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Usia * Luaran	291	100.0%	0	0.0%	291	100.0%

### Usia \* Luaran Crosstabulation

			Luaran		Total
			Mati	Membaik	
Usia	< 5 tahun	Count	45	100	145
		% within Luaran	54.2%	48.1%	49.8%
	> 5 tahun	Count	38	108	146
		% within Luaran	45.8%	51.9%	50.2%
Total		Count	83	208	291
		% within Luaran	100.0%	100.0%	100.0%

### Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.895 <sup>a</sup>	1	.344	.366	.207
Continuity Correction <sup>b</sup>	.666	1	.414		
Likelihood Ratio	.895	1	.344		
Fisher's Exact Test					
Linear-by-Linear Association	.892	1	.345		
N of Valid Cases	291				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 41.36.

b. Computed only for a 2x2 table

### Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Usia (< 5 tahun / > 5 tahun)	1.279	.768	2.131
For cohort Luaran = Mati	1.192	.827	1.719
For cohort Luaran = Membaik	.932	.806	1.078
N of Valid Cases	291		

## Crosstabs

### Notes

Output Created		22-NOV-2021 07:26:09
Comments		
Input	Data	C:\Users\adipr\Desktop\HASIL TIKA\tika olah data 291.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	291
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each table are based on all the cases with valid data in the specified range(s) for all variables in each table.

Syntax	CROSSTABS /TABLES=statusgizi BY Luaran /FORMAT=AVALUE TABLES /STATISTICS=CHISQ RISK /CELLS=COUNT COLUMN /COUNT ROUND CELL.		
Resources	Processor Time		00:00:00.02
	Elapsed Time		00:00:00.01
	Dimensions Requested		2
	Cells Available		131029

### Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
statusgizi * Luaran	291	100.0%	0	0.0%	291	100.0%

### statusgizi \* Luaran Crosstabulation

			Luaran		Total
			Mati	Membaik	
statusgizi	gizi baik	Count	51	155	206
		% within Luaran	61.4%	74.5%	70.8%
	malnutrisi	Count	32	53	85
		% within Luaran	38.6%	25.5%	29.2%
Total		Count	83	208	291
		% within Luaran	100.0%	100.0%	100.0%

### Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	4.904 <sup>a</sup>	1	.027	.032	.020
Continuity Correction <sup>b</sup>	4.292	1	.038		
Likelihood Ratio	4.761	1	.029		
Fisher's Exact Test					
Linear-by-Linear Association	4.887	1	.027		
N of Valid Cases	291				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 24.24.

b. Computed only for a 2x2 table

### Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for statusgizi (gizi baik / malnutrisi)	.545	.317	.936
For cohort Luaran = Mati	.658	.458	.945
For cohort Luaran = Membaik	1.207	1.005	1.449
N of Valid Cases	291		

## Crosstabs

### Notes

Output Created	22-NOV-2021 07:27:52	
Comments		
Input	Data	C:\Users\adipr\Desktop\HASIL TIKA\tika olah data 291.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>

	N of Rows in Working Data File		291
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.	
	Cases Used	Statistics for each table are based on all the cases with valid data in the specified range(s) for all variables in each table.	
Syntax		CROSSTABS /TABLES=Lamaperawatan BY Luaran /FORMAT=AVALUE TABLES /STATISTICS=CHISQ RISK /CELLS=COUNT COLUMN /COUNT ROUND CELL.	
Resources	Processor Time		00:00:00.00
	Elapsed Time		00:00:00.01
	Dimensions Requested		2
	Cells Available		131029

### Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
lama perawatan * Luaran	291	100.0%	0	0.0%	291	100.0%

### lama perawatan \* Luaran Crosstabulation

			Luaran		Total
			Mati	Membaik	
lama perawatan	< 10 hari	Count	57	111	168
		% within Luaran	68.7%	53.4%	57.7%
	> 10 hari	Count	26	97	123
		% within Luaran	31.3%	46.6%	42.3%
Total		Count	83	208	291
		% within Luaran	100.0%	100.0%	100.0%

### Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	5.698 <sup>a</sup>	1	.017	.018	.011
Continuity Correction <sup>b</sup>	5.088	1	.024		
Likelihood Ratio	5.820	1	.016		
Fisher's Exact Test					
Linear-by-Linear Association	5.679	1	.017		
N of Valid Cases	291				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 35.08.

b. Computed only for a 2x2 table

### Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for lama perawatan (< 10 hari / > 10 hari)	1.916	1.119	3.281
For cohort Luaran = Mati	1.605	1.075	2.398
For cohort Luaran = Membaik	.838	.727	.965
N of Valid Cases	291		

## Crosstabs

### Notes

Output Created	22-NOV-2021 07:29:18	
Comments		
Input	Data	C:\Users\ladipr\Desktop\HASIL TIKA\tika olah data 291.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	291
Missing Value Handling	Definition of Missing Cases Used	User-defined missing values are treated as missing. Statistics for each table are based on all the cases with valid data in the specified range(s) for all variables in each table.
Syntax		CROSSTABS /TABLES=penyakitpenyerta penyakitpenyertainfeksi BY Luaran /FORMAT=AVALUE TABLES /STATISTICS=CHISQ RISK /CELLS=COUNT COLUMN /COUNT ROUND CELL.
Resources	Processor Time	00:00:00.02
	Elapsed Time	00:00:00.02
	Dimensions Requested	2
	Cells Available	131029

### Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
penyakit penyerta * Luaran	291	100.0%	0	0.0%	291	100.0%
penyakitpenyertainfeksi * Luaran	291	100.0%	0	0.0%	291	100.0%

### penyakit penyerta \* Luaran

#### Crosstab

			Luaran		Total
			Mati	Membaik	
penyakit penyerta	bedah	Count	27	76	103
		% within Luaran	32.5%	36.5%	35.4%
	non bedah	Count	56	132	188
		% within Luaran	67.5%	63.5%	64.6%
Total		Count	83	208	291
		% within Luaran	100.0%	100.0%	100.0%

### Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.417 <sup>a</sup>	1	.519		
Continuity Correction <sup>b</sup>	.260	1	.610		
Likelihood Ratio	.420	1	.517		
Fisher's Exact Test				.588	.307
Linear-by-Linear Association	.415	1	.519		
N of Valid Cases	291				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 29.38.

b. Computed only for a 2x2 table

### Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for penyakit penyerta (bedah / non bedah)	.837	.488	1.436
For cohort Luaran = Mati	.880	.595	1.302
For cohort Luaran = Membaik	1.051	.906	1.219
N of Valid Cases	291		

### penyakitpenyertainfeksi \* Luaran

#### Crosstab

			Luaran		Total
			Mati	Membaik	
penyakitpenyertainfeksi	pnemonia	Count	38	98	136
		% within Luaran	45.8%	47.1%	46.7%
	non pnemonia	Count	45	110	155
		% within Luaran	54.2%	52.9%	53.3%
Total		Count	83	208	291
		% within Luaran	100.0%	100.0%	100.0%

#### Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.042 <sup>a</sup>	1	.837		
Continuity Correction <sup>b</sup>	.006	1	.940		
Likelihood Ratio	.042	1	.837		
Fisher's Exact Test				.897	.470
Linear-by-Linear Association	.042	1	.837		
N of Valid Cases	291				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 38.79.

b. Computed only for a 2x2 table

### Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for penyakitpenyertainfeksi (pnemonia / non pnemonia)	.948	.569	1.579
For cohort Luaran = Mati	.962	.668	1.387
For cohort Luaran = Membaik	1.015	.878	1.174
N of Valid Cases	291		

### Crosstabs

#### Notes

Output Created		22-NOV-2021 07:31:54
Comments		
Input	Data	C:\Users\adipr\Desktop\HASIL TIKA\tika olah data 291.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>

Missing Value Handling	N of Rows in Working Data File Definition of Missing Cases Used	291 User-defined missing values are treated as missing. Statistics for each table are based on all the cases with valid data in the specified range(s) for all variables in each table.
Syntax		CROSSTABS /TABLES=kesadaran Saturasi BY Luaran /FORMAT=AVALUE TABLES /STATISTICS=CHISQ RISK /CELLS=COUNT COLUMN /COUNT ROUND CELL.
Resources	Processor Time Elapsed Time Dimensions Requested Cells Available	00:00:00.02 00:00:00.02 2 131029

### Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
kesadaran * Luaran	291	100.0%	0	0.0%	291	100.0%
saturasi * Luaran	291	100.0%	0	0.0%	291	100.0%

### kesadaran \* Luaran

#### Crosstab

				Luaran		Total
				Mati	Membaik	
kesadaran	GCS 15	Count	57	164	221	
		% within Luaran	68.7%	78.8%	75.9%	
	GCS < 15	Count	26	44	70	
		% within Luaran	31.3%	21.2%	24.1%	
Total		Count	83	208	291	
		% within Luaran	100.0%	100.0%	100.0%	

#### Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	3.360 <sup>a</sup>	1	.067	.070	.048
Continuity Correction <sup>b</sup>	2.826	1	.093		
Likelihood Ratio	3.247	1	.072		
Fisher's Exact Test					
Linear-by-Linear Association	3.348	1	.067		
N of Valid Cases	291				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 19.97.

b. Computed only for a 2x2 table

#### Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for kesadaran (GCS 15 / GCS < 15)	.588	.332	1.041
For cohort Luaran = Mati	.694	.476	1.013
For cohort Luaran = Membaik	1.181	.970	1.436
N of Valid Cases	291		

## saturasi \* Luaran

Crosstab

			Luaran		Total
			Mati	Membaik	
saturasi	< 92	Count	26	31	57
		% within Luaran	31.3%	14.9%	19.6%
	> 92	Count	57	177	234
		% within Luaran	68.7%	85.1%	80.4%
Total		Count	83	208	291
		% within Luaran	100.0%	100.0%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	10.157 <sup>a</sup>	1	.001		
Continuity Correction <sup>b</sup>	9.141	1	.002		
Likelihood Ratio	9.526	1	.002		
Fisher's Exact Test				.003	.002
Linear-by-Linear Association	10.122	1	.001		
N of Valid Cases	291				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 16.26.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for saturasi (< 92 / > 92)	2.604	1.428	4.749
For cohort Luaran = Mati	1.873	1.303	2.690
For cohort Luaran = Membaik	.719	.561	.922
N of Valid Cases	291		

## Crosstabs

Notes

Output Created		22-NOV-2021 07:36:36
Comments		
Input	Data	C:\Users\adipr\Desktop\HASIL TIKA\tika olah data 291.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	291
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each table are based on all the cases with valid data in the specified range(s) for all variables in each table.
Syntax		CROSSTABS /TABLES=Hb WBC PLT NLR ALC CRP Prokalsitonin BY Luaran /FORMAT=AVALUE TABLES /STATISTICS=CHISQ RISK /CELLS=COUNT COLUMN /COUNT ROUND CELL.
Resources	Processor Time	00:00:00.03
	Elapsed Time	00:00:00.03
	Dimensions Requested	2
	Cells Available	131029

### Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Hb * Luaran	291	100.0%	0	0.0%	291	100.0%
leukosit * Luaran	291	100.0%	0	0.0%	291	100.0%
platelet * Luaran	291	100.0%	0	0.0%	291	100.0%
kategoriNLR * Luaran	291	100.0%	0	0.0%	291	100.0%
kategoriALC * Luaran	291	100.0%	0	0.0%	291	100.0%
CRP * Luaran	291	100.0%	0	0.0%	291	100.0%
Prokalsitonin * Luaran	291	100.0%	0	0.0%	291	100.0%

### Hb \* Luaran

#### Crosstab

			Luaran		Total
			Mati	Membaik	
Hb	anemia	Count	44	112	156
		% within Luaran	53.0%	53.8%	53.6%
	normal	Count	39	96	135
		% within Luaran	47.0%	46.2%	46.4%
Total		Count	83	208	291
		% within Luaran	100.0%	100.0%	100.0%

#### Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.017 <sup>a</sup>	1	.897	.897	.500
Continuity Correction <sup>b</sup>	.000	1	1.000		
Likelihood Ratio	.017	1	.898		
Fisher's Exact Test					
Linear-by-Linear Association	.017	1	.898		
N of Valid Cases	291				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 38.51.

b. Computed only for a 2x2 table

#### Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Hb (anemia / normal)	.967	.581	1.610
For cohort Luaran = Mati	.976	.678	1.405
For cohort Luaran = Membaik	1.010	.873	1.168
N of Valid Cases	291		

### leukosit \* Luaran

#### Crosstab

			Luaran		Total
			Mati	Membaik	
leukosit	leukositosis dan leukopenia	Count	58	114	172
		% within Luaran	69.9%	54.8%	59.1%
	normal	Count	25	94	119
		% within Luaran	30.1%	45.2%	40.9%
Total		Count	83	208	291
		% within Luaran	100.0%	100.0%	100.0%

### Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	5.576 <sup>a</sup>	1	.018	.024	.012
Continuity Correction <sup>b</sup>	4.969	1	.026		
Likelihood Ratio	5.709	1	.017		
Fisher's Exact Test					
Linear-by-Linear Association	5.556	1	.018		
N of Valid Cases	291				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 33.94.

b. Computed only for a 2x2 table

### Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for leukosit (leukositosis dan leukopenia / normal)	1.913	1.112	3.291
For cohort Luaran = Mati	1.605	1.069	2.410
For cohort Luaran = Membaik	.839	.729	.966
N of Valid Cases	291		

## platelet \* Luaran

### Crosstab

			Luaran		Total
			Mati	Membaik	
platelet	trombositopenia	Count	16	45	61
		% within Luaran	19.3%	21.6%	21.0%
	tidak trombositopenia	Count	67	163	230
		% within Luaran	80.7%	78.4%	79.0%
Total		Count	83	208	291
		% within Luaran	100.0%	100.0%	100.0%

### Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.199 <sup>a</sup>	1	.656	.750	.392
Continuity Correction <sup>b</sup>	.082	1	.774		
Likelihood Ratio	.202	1	.654		
Fisher's Exact Test					
Linear-by-Linear Association	.198	1	.656		
N of Valid Cases	291				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 17.40.

b. Computed only for a 2x2 table

### Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for platelet (trombositopenia / tidak trombositopenia)	.865	.457	1.636
For cohort Luaran = Mati	.900	.565	1.436
For cohort Luaran = Membaik	1.041	.877	1.235
N of Valid Cases	291		

## kategoriNLR \* Luaran

Crosstab

			Luaran		Total
			Mati	Membaik	
kategoriNLR	>3.13	Count	50	102	152
		% within Luaran	60.2%	49.0%	52.2%
	<3.13	Count	33	106	139
		% within Luaran	39.8%	51.0%	47.8%
Total		Count	83	208	291
		% within Luaran	100.0%	100.0%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	2.984 <sup>a</sup>	1	.084	.092	.055
Continuity Correction <sup>b</sup>	2.552	1	.110		
Likelihood Ratio	3.003	1	.083		
Fisher's Exact Test					
Linear-by-Linear Association	2.974	1	.085		
N of Valid Cases	291				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 39.65.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for kategoriNLR (>3.13 / <3.13)	1.575	.939	2.640
For cohort Luaran = Mati	1.386	.953	2.015
For cohort Luaran = Membaik	.880	.761	1.017
N of Valid Cases	291		

## kategoriALC \* Luaran

Crosstab

			Luaran		Total
			Mati	Membaik	
kategoriALC	<1500	Count	43	76	119
		% within Luaran	51.8%	36.5%	40.9%
	>1500	Count	40	132	172
		% within Luaran	48.2%	63.5%	59.1%
Total		Count	83	208	291
		% within Luaran	100.0%	100.0%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	5.722 <sup>a</sup>	1	.017	.018	.012
Continuity Correction <sup>b</sup>	5.108	1	.024		
Likelihood Ratio	5.666	1	.017		
Fisher's Exact Test					
Linear-by-Linear Association	5.703	1	.017		
N of Valid Cases	291				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 33.94.

b. Computed only for a 2x2 table

### Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for kategoriALC (<1500 / >1500)	1.867	1.116	3.124
For cohort Luaran = Mati	1.554	1.082	2.231
For cohort Luaran = Membaik	.832	.710	.975
N of Valid Cases	291		

### CRP \* Luaran

#### Crosstab

			Luaran		Total
			Mati	Membaik	
CRP	>10mg/dl	Count	71	64	135
		% within Luaran	85.5%	30.8%	46.4%
	<10mg/dl	Count	12	144	156
		% within Luaran	14.5%	69.2%	53.6%
Total		Count	83	208	291
		% within Luaran	100.0%	100.0%	100.0%

#### Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	71.566 <sup>a</sup>	1	.000	.000	.000
Continuity Correction <sup>b</sup>	69.381	1	.000		
Likelihood Ratio	76.533	1	.000		
Fisher's Exact Test					
Linear-by-Linear Association	71.320	1	.000		
N of Valid Cases	291				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 38.51.

b. Computed only for a 2x2 table

### Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for CRP (>10mg/dl / <10mg/dl)	13.313	6.752	26.249
For cohort Luaran = Mati	6.837	3.879	12.050
For cohort Luaran = Membaik	.514	.428	.617
N of Valid Cases	291		

### Prokalsitonin \* Luaran

#### Crosstab

			Luaran		Total
			Mati	Membaik	
Prokalsitonin	>1	Count	61	49	110
		% within Luaran	73.5%	23.6%	37.8%
	<1	Count	22	159	181
		% within Luaran	26.5%	76.4%	62.2%
Total		Count	83	208	291
		% within Luaran	100.0%	100.0%	100.0%

### Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	62.921 <sup>a</sup>	1	.000		
Continuity Correction <sup>b</sup>	60.815	1	.000		
Likelihood Ratio	62.812	1	.000		
Fisher's Exact Test				.000	.000
Linear-by-Linear Association	62.705	1	.000		
N of Valid Cases	291				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 31.37.

b. Computed only for a 2x2 table

### Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Prokalsitonin (>1 / <1)	8.997	5.021	16.121
For cohort Luaran = Mati	4.562	2.980	6.985
For cohort Luaran = Membaik	.507	.409	.629
N of Valid Cases	291		

### Crosstabs

#### Notes

Output Created		22-NOV-2021 07:48:52
Comments		
Input	Data	C:\Users\adipr\Desktop\HASIL TIKA\tika olah data 291.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	291
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each table are based on all the cases with valid data in the specified range(s) for all variables in each table.
Syntax		CROSSTABS /TABLES=PTAPTT Ddimer BY Luaran /FORMAT=AVALUE TABLES /STATISTICS=CHISQ RISK /CELLS=COUNT COLUMN /COUNT ROUND CELL.
Resources	Processor Time	00:00:00.02
	Elapsed Time	00:00:00.01
	Dimensions Requested	2
	Cells Available	131029

### Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
PT/APTT * Luaran	291	100.0%	0	0.0%	291	100.0%
Ddimer * Luaran	291	100.0%	0	0.0%	291	100.0%

## PT/APTT \* Luaran

Crosstab

			Luaran		Total
			Mati	Membaik	
PT/APTT	memanjang	Count	60	74	134
		% within Luaran	72.3%	35.6%	46.0%
	normal	Count	23	134	157
		% within Luaran	27.7%	64.4%	54.0%
Total		Count	83	208	291
		% within Luaran	100.0%	100.0%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	32.185 <sup>a</sup>	1	.000		
Continuity Correction <sup>b</sup>	30.724	1	.000		
Likelihood Ratio	32.825	1	.000		
Fisher's Exact Test				.000	.000
Linear-by-Linear Association	32.074	1	.000		
N of Valid Cases	291				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 38.22.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for PT/APTT (memanjang / normal)	4.724	2.703	8.255
For cohort Luaran = Mati	3.056	2.005	4.660
For cohort Luaran = Membaik	.647	.548	.764
N of Valid Cases	291		

## Ddimer \* Luaran

Crosstab

			Luaran		Total
			Mati	Membaik	
Ddimer	memanjang	Count	41	45	86
		% within Luaran	49.4%	21.6%	29.6%
	normal	Count	42	163	205
		% within Luaran	50.6%	78.4%	70.4%
Total		Count	83	208	291
		% within Luaran	100.0%	100.0%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	21.964 <sup>a</sup>	1	.000		
Continuity Correction <sup>b</sup>	20.651	1	.000		
Likelihood Ratio	20.988	1	.000		
Fisher's Exact Test				.000	.000
Linear-by-Linear Association	21.889	1	.000		
N of Valid Cases	291				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 24.53.

b. Computed only for a 2x2 table

### Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Ddimer (memanjang / normal)	3.536	2.056	6.082
For cohort Luaran = Mati	2.327	1.642	3.299
For cohort Luaran = Membaik	.658	.532	.815
N of Valid Cases	291		

### Crosstabs

#### Notes

Output Created		22-NOV-2021 07:50:26
Comments		
Input	Data	C:\Users\adipr\Desktop\HASIL TIKA\tika olah data 291.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	291
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each table are based on all the cases with valid data in the specified range(s) for all variables in each table.
Syntax		CROSSTABS /TABLES=ARDS GnGA BY Luaran /FORMAT=AVALUE TABLES /STATISTICS=CHISQ RISK /CELLS=COUNT COLUMN /COUNT ROUND CELL.
Resources	Processor Time	00:00:00.02
	Elapsed Time	00:00:00.01
	Dimensions Requested	2
	Cells Available	131029

### Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
ARDS * Luaran	291	100.0%	0	0.0%	291	100.0%
GnGA * Luaran	291	100.0%	0	0.0%	291	100.0%

### ARDS \* Luaran

#### Crosstab

			Luaran		Total
			Mati	Membaik	
ARDS	ARDS	Count	32	32	64
		% within Luaran	38.6%	15.4%	22.0%
	tidak ARDS	Count	51	176	227
		% within Luaran	61.4%	84.6%	78.0%
Total		Count	83	208	291
		% within Luaran	100.0%	100.0%	100.0%

### Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	18.564 <sup>a</sup>	1	.000	.000	.000
Continuity Correction <sup>b</sup>	17.238	1	.000		
Likelihood Ratio	17.337	1	.000		
Fisher's Exact Test					
Linear-by-Linear Association	18.500	1	.000		
N of Valid Cases	291				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 18.25.

b. Computed only for a 2x2 table

### Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for ARDS (ARDS / tidak ARDS)	3.451	1.931	6.168
For cohort Luaran = Mati	2.225	1.578	3.140
For cohort Luaran = Membaik	.645	.500	.832
N of Valid Cases	291		

### GnGA \* Luaran

#### Crosstab

			Luaran		Total
			Mati	Membaik	
GnGA	GnGA	Count	21	13	34
		% within Luaran	25.3%	6.3%	11.7%
Tidak GnGA	GnGA	Count	62	195	257
		% within Luaran	74.7%	93.8%	88.3%
Total		Count	83	208	291
		% within Luaran	100.0%	100.0%	100.0%

### Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	20.867 <sup>a</sup>	1	.000	.000	.000
Continuity Correction <sup>b</sup>	19.062	1	.000		
Likelihood Ratio	18.706	1	.000		
Fisher's Exact Test					
Linear-by-Linear Association	20.796	1	.000		
N of Valid Cases	291				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 9.70.

b. Computed only for a 2x2 table

### Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for GnGA (GnGA / Tidak GnGA)	5.081	2.404	10.738
For cohort Luaran = Mati	2.560	1.819	3.604
For cohort Luaran = Membaik	.504	.327	.777
N of Valid Cases	291		

## Logistic Regression

### Notes

Output Created	22-NOV-2021 09:01:48		
Comments			
Input	Data	C:\Users\ladipr\Desktop\HASIL TIKA\tika olah data 291.sav	
	Active Dataset	DataSet1	
	Filter	<none>	
	Weight	<none>	
	Split File	<none>	
	N of Rows in Working Data File	291	
Missing Value Handling Syntax	Definition of Missing	User-defined missing values are treated as missing LOGISTIC REGRESSION VARIABLES Luaran /METHOD=ENTER statusgizi Lamaperawatan WBC Saturasi ALC CRP Prokalsitonin ARDS GnGA PTAPTT Ddimer /PRINT=CORR CI(95) /CRITERIA=PIN(0.05) POUT(0.10) ITERATE(20) CUT(0.5).	
Resources	Processor Time	00:00:00.03	
	Elapsed Time	00:00:00.03	

### Case Processing Summary

Unweighted Cases <sup>a</sup>		N	Percent
Selected Cases	Included in Analysis	291	100.0
	Missing Cases	0	.0
	Total	291	100.0
Unselected Cases		0	.0
Total		291	100.0

a. If weight is in effect, see classification table for the total number of cases.

### Dependent Variable Encoding

Original Value	Internal Value
Mati	0
Membaik	1

## Block 0: Beginning Block

Classification Table<sup>a,b</sup>

Observed		Predicted			
		Luaran		Percentage Correct	
		Mati	Membaik		
Step 0	Luaran	Mati	0	83	.0
		Membaik	0	208	100.0
Overall Percentage					71.5

a. Constant is included in the model.

b. The cut value is .500

### Variables in the Equation

	B	S.E.	Wald	df	Sig.	Exp(B)
Step 0 Constant	.919	.130	50.072	1	.000	2.506

### Variables not in the Equation

	Score	df	Sig.
Step 0 Variables statusgizi	4.904	1	.027
Lamaperawatan	5.698	1	.017
WBC	5.576	1	.018

Saturasi	10.157	1	.001
ALC	5.722	1	.017
CRP	71.566	1	.000
Prokalsitonin	62.921	1	.000
ARDS	18.564	1	.000
GnGA	20.867	1	.000
PTAPTT	32.185	1	.000
Ddimer	21.964	1	.000
Overall Statistics	126.900	11	.000

#### Omnibus Tests of Model Coefficients

		Chi-square	df	Sig.
Step 1	Step	148.745	11	.000
	Block	148.745	11	.000
	Model	148.745	11	.000

#### Model Summary

Step	-2 Log likelihood	Cox & Snell R Square	Nagelkerke R Square
1	199.186 <sup>a</sup>	.400	.574

a. Estimation terminated at iteration number 6 because parameter estimates changed by less than .001.

#### Classification Table<sup>a</sup>

Observed		Predicted			
		Luaran		Percentage Correct	
		Mati	Membaik		
Step 1	Luaran	Mati	58	25	69.9
		Membaik	18	190	91.3
	Overall Percentage				85.2

a. The cut value is .500

#### Variables in the Equation

	B	S.E.	Wald	df	Sig.	Exp(B)	
Step 1 <sup>a</sup>	statusgizi	-1.090	.401	7.385	1	.007	.336
	Lamaperawatan	.665	.387	2.964	1	.085	1.945
	WBC	.465	.382	1.483	1	.223	1.592
	Saturasi	.094	1.034	.008	1	.928	1.098
	ALC	1.294	.388	11.128	1	.001	3.647
	CRP	1.902	.457	17.292	1	.000	6.699
	Prokalsitonin	1.317	.407	10.465	1	.001	3.733
	ARDS	.969	.978	.981	1	.322	2.635
	GnGA	1.000	.527	3.597	1	.058	2.717
	PTAPTT	.981	.422	5.407	1	.020	2.667
	Ddimer	.854	.457	3.492	1	.062	2.349
	Constant	-12.387	1.994	38.592	1	.000	.000

#### Variables in the Equation

		95% C.I. for EXP(B)	
		Lower	Upper
Step 1 <sup>a</sup>	statusgizi	.153	.738
	Lamaperawatan	.912	4.149
	WBC	.753	3.364
	Saturasi	.145	8.331

ALC	1.705	7.801
CRP	2.733	16.418
Prokalsitonin	1.681	8.292
ARDS	.387	17.932
GnGA	.967	7.633
PTAPTT	1.167	6.095
Ddimer	.959	5.754
Constant		

a. Variable(s) entered on step 1: statusgizi, Lamaperawatan, WBC, Saturasi, ALC, CRP, Prokalsitonin, ARDS, GnGA, PTAPTT, Ddimer.

#### Correlation Matrix

	Constant	statusgizi	Lamaperawatan	WBC	Saturasi	ALC					
Step 1	Constant	1.000	-.122	-.197	-.213	-.270	-.526				
	statusgizi	-.122	1.000	-.179	-.027	-.014	-.006				
	Lamaperawatan	-.197	-.179	1.000	-.047	.018	-.059				
	WBC	-.213	-.027	-.047	1.000	-.079	.044				
	Saturasi	-.270	-.014	.018	-.079	1.000	.069				
	ALC	-.526	-.006	-.059	.044	.069	1.000				
	CRP	-.180	-.209	.051	.022	.016	.164				
	Prokalsitonin	-.174	-.101	.063	.079	-.091	.047				
	ARDS	.073	.009	-.021	.047	-.887	.044				
	GnGA	-.398	-.014	-.003	.024	.016	.001				
	PTAPTT	-.155	-.062	-.069	-.119	.067	.084				
	Ddimer	-.443	.075	.013	-.043	.291	.111				

#### Correlation Matrix

	CRP	Prokalsitonin	ARDS	GnGA	PTAPTT	Ddimer	
Step 1	Constant	-.180	-.174	.073	-.398	-.155	-.443
	statusgizi	-.209	-.101	.009	-.014	-.062	.075
	Lamaperawatan	.051	.063	-.021	-.003	-.069	.013
	WBC	.022	.079	.047	.024	-.119	-.043
	Saturasi	.016	-.091	-.887	.016	.067	.291
	ALC	.164	.047	.044	.001	.084	.111
	CRP	1.000	-.373	-.053	.021	.017	-.007
	Prokalsitonin	-.373	1.000	.125	-.081	-.017	-.029
	ARDS	-.053	.125	1.000	-.155	-.112	-.129
	GnGA	.021	-.081	-.155	1.000	.160	-.010
	PTAPTT	.017	-.017	-.112	.160	1.000	-.388
	Ddimer	-.007	-.029	-.129	-.010	-.388	1.000

## Frequencies

		Notes
Output Created		15-NOV-2021 23:18:27
Comments		
Input	Data	C:\Users\adipr\Desktop\HASIL TIKA\tika olah data.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	100
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data.
Syntax		FREQUENCIES VARIABLES=Luaran /ORDER=ANALYSIS.
Resources	Processor Time	00:00:00.00
	Elapsed Time	00:00:00.06

## Statistics

Luaran

N	Valid	100
	Missing	0

## Luaran

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Mati	29	29.0	29.0	29.0
	Membaik	71	71.0	71.0	100.0
	Total	100	100.0	100.0	

## Crosstabs

		Notes
Output Created		15-NOV-2021 23:39:23
Comments		
Input	Data	C:\Users\adipr\Desktop\HASIL TIKA\tika olah data.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	100
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each table are based on all the cases with valid data in the specified range(s) for all variables in each table.
Syntax		CROSSTABS /TABLES=Usia Jeniskelamin statusgizi kesadaran Lamaperawatan penyakitpenyerta penyakitpenyertainfeksi Saturasi ARDS GnGA Hb WBC PLT NLR ALC CRP Prokalsitonin PTAPTT Ddimer BY Luaran /FORMAT=AVALUE TABLES /STATISTICS=CHISQ RISK /CELLS=COUNT COLUMN /COUNT ROUND CELL.
Resources	Processor Time	00:00:00.08
	Elapsed Time	00:00:00.07
	Dimensions Requested	2
	Cells Available	131029

### Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Usia * Luaran	100	100.0%	0	0.0%	100	100.0%
Jeniskelamin * Luaran	100	100.0%	0	0.0%	100	100.0%
statusgizi * Luaran	100	100.0%	0	0.0%	100	100.0%
kesadaran * Luaran	100	100.0%	0	0.0%	100	100.0%
lama perawatan * Luaran	100	100.0%	0	0.0%	100	100.0%
penyakit penyerta * Luaran	100	100.0%	0	0.0%	100	100.0%
penyakitpenyertainfeksi * Luaran	100	100.0%	0	0.0%	100	100.0%
saturasi * Luaran	100	100.0%	0	0.0%	100	100.0%
ARDS * Luaran	100	100.0%	0	0.0%	100	100.0%
GnGA * Luaran	100	100.0%	0	0.0%	100	100.0%
Hb * Luaran	100	100.0%	0	0.0%	100	100.0%
leukosit * Luaran	100	100.0%	0	0.0%	100	100.0%
platelet * Luaran	100	100.0%	0	0.0%	100	100.0%
kategoriNLR * Luaran	100	100.0%	0	0.0%	100	100.0%
kategoriALC * Luaran	100	100.0%	0	0.0%	100	100.0%
CRP * Luaran	100	100.0%	0	0.0%	100	100.0%
Prokalsitonin * Luaran	100	100.0%	0	0.0%	100	100.0%
PT/APTT * Luaran	100	100.0%	0	0.0%	100	100.0%
Ddimer * Luaran	100	100.0%	0	0.0%	100	100.0%

### Usia \* Luaran

#### Crosstab

			Luaran		Total
			Mati	Membaik	
Usia	< 5 tahun	Count	16	33	49
		% within Luaran	55.2%	46.5%	49.0%
> 5 tahun	Count	13	38	51	
		% within Luaran	44.8%	53.5%	51.0%
Total	Count	29	71	100	
		% within Luaran	100.0%	100.0%	100.0%

#### Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.623 <sup>a</sup>	1	.430		
Continuity Correction <sup>b</sup>	.323	1	.570		
Likelihood Ratio	.623	1	.430		
Fisher's Exact Test				.511	.285
Linear-by-Linear Association	.616	1	.432		
N of Valid Cases	100				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 14.21.

b. Computed only for a 2x2 table

#### Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Usia (< 5 tahun / > 5 tahun)	1.417	.595	3.375
For cohort Luaran = Mati	1.281	.691	2.376
For cohort Luaran = Membaik	.904	.702	1.164
N of Valid Cases	100		

## Jeniskelamin \* Luaran

Crosstab

			Luaran		Total
			Mati	Membaik	
Jeniskelamin	Laki-laki	Count	16	44	60
		% within Luaran	55.2%	62.0%	60.0%
	Perempuan	Count	13	27	40
		% within Luaran	44.8%	38.0%	40.0%
Total		Count	29	71	100
		% within Luaran	100.0%	100.0%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.397 <sup>a</sup>	1	.529	.653	.341
Continuity Correction <sup>b</sup>	.164	1	.686		
Likelihood Ratio	.394	1	.530		
Fisher's Exact Test					
Linear-by-Linear Association	.393	1	.531		
N of Valid Cases	100				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 11.60.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Jeniskelamin (Laki-laki / Perempuan)	.755	.315	1.811
For cohort Luaran = Mati	.821	.445	1.514
For cohort Luaran = Membaik	1.086	.835	1.414
N of Valid Cases	100		

## statusgizi \* Luaran

Crosstab

			Luaran		Total
			Mati	Membaik	
statusgizi	gizi baik	Count	16	53	69
		% within Luaran	55.2%	74.6%	69.0%
	malnutrisi	Count	13	18	31
		% within Luaran	44.8%	25.4%	31.0%
Total		Count	29	71	100
		% within Luaran	100.0%	100.0%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	3.651 <sup>a</sup>	1	.056	.094	.049
Continuity Correction <sup>b</sup>	2.797	1	.094		
Likelihood Ratio	3.532	1	.060		
Fisher's Exact Test					
Linear-by-Linear Association	3.615	1	.057		
N of Valid Cases	100				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 8.99.

b. Computed only for a 2x2 table

**Risk Estimate**

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for statusgizi (gizi baik / malnutrisi)	.418	.169	1.035
For cohort Luaran = Mati	.553	.304	1.004
For cohort Luaran = Membaik	1.323	.955	1.833
N of Valid Cases	100		

**kesadaran \* Luaran**

**Crosstab**

			Luaran		Total
			Mati	Membaik	
kesadaran	GCS 15	Count	24	57	81
		% within Luaran	82.8%	80.3%	81.0%
	GCS < 15	Count	5	14	19
		% within Luaran	17.2%	19.7%	19.0%
Total		Count	29	71	100
		% within Luaran	100.0%	100.0%	100.0%

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.082 <sup>a</sup>	1	.774	1.000	.508
Continuity Correction <sup>b</sup>	.000	1	.996		
Likelihood Ratio	.083	1	.773		
Fisher's Exact Test					
Linear-by-Linear Association	.081	1	.776		
N of Valid Cases	100				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 5.51.

b. Computed only for a 2x2 table

**Risk Estimate**

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for kesadaran (GCS 15 / GCS < 15)	1.179	.382	3.639
For cohort Luaran = Mati	1.126	.494	2.566
For cohort Luaran = Membaik	.955	.705	1.294
N of Valid Cases	100		

**lama perawatan \* Luaran**

**Crosstab**

			Luaran		Total
			Mati	Membaik	
lama perawatan	< 10 hari	Count	25	42	67
		% within Luaran	86.2%	59.2%	67.0%
	> 10 hari	Count	4	29	33
		% within Luaran	13.8%	40.8%	33.0%
Total		Count	29	71	100
		% within Luaran	100.0%	100.0%	100.0%

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	6.815 <sup>a</sup>	1	.009		
Continuity Correction <sup>b</sup>	5.646	1	.017		
Likelihood Ratio	7.534	1	.006		

Fisher's Exact Test				.010	.007
Linear-by-Linear Association	6.747	1	.009		
N of Valid Cases	100				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 9.57.  
b. Computed only for a 2x2 table

#### Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for lama perawatan (< 10 hari / > 10 hari)	4.315	1.357	13.721
For cohort Luaran = Mati	3.078	1.167	8.118
For cohort Luaran = Membaik	.713	.570	.892
N of Valid Cases	100		

### penyakit penyerta \* Luaran

#### Crosstab

			Luaran		Total
			Mati	Membaik	
penyakit penyerta	bedah	Count	8	26	34
		% within Luaran	27.6%	36.6%	34.0%
	non bedah	Count	21	45	66
		% within Luaran	72.4%	63.4%	66.0%
Total		Count	29	71	100
		% within Luaran	100.0%	100.0%	100.0%

#### Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.749 <sup>a</sup>	1	.387		
Continuity Correction <sup>b</sup>	.400	1	.527		
Likelihood Ratio	.765	1	.382		
Fisher's Exact Test				.487	.266
Linear-by-Linear Association	.741	1	.389		
N of Valid Cases	100				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 9.86.  
b. Computed only for a 2x2 table

#### Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for penyakit penyerta (bedah / non bedah)	.659	.256	1.699
For cohort Luaran = Mati	.739	.367	1.491
For cohort Luaran = Membaik	1.122	.874	1.438
N of Valid Cases	100		

### penyakitpenyertainfeksi \* Luaran

#### Crosstab

			Luaran		Total
			Mati	Membaik	
penyakitpenyertainfeksi	pnemonia	Count	9	30	39
		% within Luaran	31.0%	42.3%	39.0%
	non pnemonia	Count	20	41	61
		% within Luaran	69.0%	57.7%	61.0%

Total	Count	29	71	100
	% within Luaran	100.0%	100.0%	100.0%

#### Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	1.089 <sup>a</sup>	1	.297		
Continuity Correction <sup>b</sup>	.669	1	.413		
Likelihood Ratio	1.110	1	.292		
Fisher's Exact Test				.369	.208
Linear-by-Linear Association	1.078	1	.299		
N of Valid Cases	100				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 11.31.

b. Computed only for a 2x2 table

#### Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for penyakitpenyertainfeksi (pnemonia / non pnemonia)	.615	.246	1.538
For cohort Luaran = Mati	.704	.358	1.384
For cohort Luaran = Membaik	1.144	.895	1.463
N of Valid Cases	100		

### saturasi \* Luaran

#### Crosstab

		Luaran		Total
		Mati	Membaik	
saturasi < 92	Count	18	15	33
	% within Luaran	62.1%	21.1%	33.0%
> 92	Count	11	56	67
	% within Luaran	37.9%	78.9%	67.0%
Total	Count	29	71	100
	% within Luaran	100.0%	100.0%	100.0%

#### Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	15.610 <sup>a</sup>	1	.000		
Continuity Correction <sup>b</sup>	13.813	1	.000		
Likelihood Ratio	15.120	1	.000		
Fisher's Exact Test				.000	.000
Linear-by-Linear Association	15.454	1	.000		
N of Valid Cases	100				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 9.57.

b. Computed only for a 2x2 table

#### Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for saturasi (< 92 / > 92)	6.109	2.382	15.670
For cohort Luaran = Mati	3.322	1.781	6.198
For cohort Luaran = Membaik	.544	.369	.802
N of Valid Cases	100		

## GnGA \* Luaran

Crosstab

			Luaran		Total
			Mati	Membaik	
GnGA	GnGA	Count	18	3	21
		% within Luaran	62.1%	4.2%	21.0%
	Tidak GnGA	Count	11	68	79
		% within Luaran	37.9%	95.8%	79.0%
Total		Count	29	71	100
		% within Luaran	100.0%	100.0%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	41.526 <sup>a</sup>	1	.000	.000	.000
Continuity Correction <sup>b</sup>	38.113	1	.000		
Likelihood Ratio	39.439	1	.000		
Fisher's Exact Test					
Linear-by-Linear Association	41.111	1	.000		
N of Valid Cases	100				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 6.09.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for GnGA (GnGA / Tidak GnGA)	37.091	9.347	147.177
For cohort Luaran = Mati	6.156	3.463	10.944
For cohort Luaran = Membaik	.166	.058	.475
N of Valid Cases	100		

## Hb \* Luaran

Crosstab

			Luaran		Total
			Mati	Membaik	
Hb anemia		Count	12	32	44
		% within Luaran	41.4%	45.1%	44.0%
normal		Count	17	39	56
		% within Luaran	58.6%	54.9%	56.0%
Total		Count	29	71	100
		% within Luaran	100.0%	100.0%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.114 <sup>a</sup>	1	.736	.826	.456
Continuity Correction <sup>b</sup>	.013	1	.908		
Likelihood Ratio	.114	1	.735		
Fisher's Exact Test					
Linear-by-Linear Association	.113	1	.737		
N of Valid Cases	100				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 12.76.

b. Computed only for a 2x2 table

### Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Hb (anemia / normal)	.860	.359	2.063
For cohort Luaran = Mati	.898	.481	1.678
For cohort Luaran = Membaik	1.044	.813	1.341
N of Valid Cases	100		

### leukosit \* Luaran

#### Crosstab

			Luaran		Total
			Mati	Membaik	
leukosit	leukositis dan leukopenia	Count	20	33	53
		% within Luaran	69.0%	46.5%	53.0%
	normal	Count	9	38	47
		% within Luaran	31.0%	53.5%	47.0%
Total		Count	29	71	100
		% within Luaran	100.0%	100.0%	100.0%

#### Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	4.180 <sup>a</sup>	1	.041	.049	.033
Continuity Correction <sup>b</sup>	3.326	1	.068		
Likelihood Ratio	4.271	1	.039		
Fisher's Exact Test					
Linear-by-Linear Association	4.138	1	.042		
N of Valid Cases	100				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 13.63.

b. Computed only for a 2x2 table

### Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for leukosit (leukositis dan leukopenia / normal)	2.559	1.025	6.386
For cohort Luaran = Mati	1.971	.997	3.896
For cohort Luaran = Membaik	.770	.599	.990
N of Valid Cases	100		

### platelet \* Luaran

#### Crosstab

			Luaran		Total
			Mati	Membaik	
platelet	trombositopenia	Count	6	6	12
		% within Luaran	20.7%	8.5%	12.0%
	tidak trombositopenia	Count	23	65	88
		% within Luaran	79.3%	91.5%	88.0%
Total		Count	29	71	100
		% within Luaran	100.0%	100.0%	100.0%

#### Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	2.921 <sup>a</sup>	1	.087		
Continuity Correction <sup>b</sup>	1.877	1	.171		

Likelihood Ratio	2.687	1	.101		
Fisher's Exact Test				.101	.089
Linear-by-Linear Association	2.891	1	.089		
N of Valid Cases	100				

a. 1 cells (25.0%) have expected count less than 5. The minimum expected count is 3.48.  
b. Computed only for a 2x2 table

#### Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for platelet (trombositopenia / tidak trombositopenia)	2.826	.828	9.644
For cohort Luaran = Mati	1.913	.983	3.723
For cohort Luaran = Membaik	.677	.379	1.208
N of Valid Cases	100		

### kategoriNLR \* Luaran

#### Crosstab

			Luaran		Total
			Mati	Membaik	
kategoriNLR	>3.13	Count	12	23	35
		% within Luaran	41.4%	32.4%	35.0%
	<3.13	Count	17	48	65
		% within Luaran	58.6%	67.6%	65.0%
Total		Count	29	71	100
		% within Luaran	100.0%	100.0%	100.0%

#### Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.731 <sup>a</sup>	1	.393		
Continuity Correction <sup>b</sup>	.389	1	.533		
Likelihood Ratio	.721	1	.396		
Fisher's Exact Test				.489	.265
Linear-by-Linear Association	.723	1	.395		
N of Valid Cases	100				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 10.15.  
b. Computed only for a 2x2 table

#### Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for kategoriNLR (>3.13 / <3.13)	1.473	.605	3.589
For cohort Luaran = Mati	1.311	.709	2.423
For cohort Luaran = Membaik	.890	.673	1.177
N of Valid Cases	100		

### kategoriALC \* Luaran

#### Crosstab

			Luaran		Total
			Mati	Membaik	
kategoriALC	<1500	Count	11	15	26
		% within Luaran	37.9%	21.1%	26.0%
	>1500	Count	18	56	74
		% within Luaran	62.1%	78.9%	74.0%
Total		Count	29	71	100
		% within Luaran	100.0%	100.0%	100.0%

### Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	3.022 <sup>a</sup>	1	.082	.130	.070
Continuity Correction <sup>b</sup>	2.212	1	.137		
Likelihood Ratio	2.896	1	.089		
Fisher's Exact Test					
Linear-by-Linear Association	2.992	1	.084		
N of Valid Cases	100				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 7.54.

b. Computed only for a 2x2 table

### Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for kategoriALC (<1500 / >1500)	2.281	.889	5.852
For cohort Luaran = Mati	1.739	.952	3.177
For cohort Luaran = Membaik	.762	.535	1.086
N of Valid Cases	100		

### CRP \* Luaran

#### Crosstab

		Luaran		Total	
		Mati	Membaik		
CRP	>10mg/dl	Count	25	29	54
		% within Luaran	86.2%	40.8%	54.0%
	<10mg/dl	Count	4	42	46
		% within Luaran	13.8%	59.2%	46.0%
Total		Count	29	71	100
		% within Luaran	100.0%	100.0%	100.0%

### Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	17.056 <sup>a</sup>	1	.000	.000	.000
Continuity Correction <sup>b</sup>	15.279	1	.000		
Likelihood Ratio	18.687	1	.000		
Fisher's Exact Test					
Linear-by-Linear Association	16.886	1	.000		
N of Valid Cases	100				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 13.34.

b. Computed only for a 2x2 table

### Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for CRP (>10mg/dl / <10mg/dl)	9.052	2.847	28.779
For cohort Luaran = Mati	5.324	1.999	14.178
For cohort Luaran = Membaik	.588	.452	.765
N of Valid Cases	100		

## Prokalsitonin \* Luaran

Crosstab

			Luaran		Total
			Mati	Membaik	
Prokalsitonin	>1	Count	18	22	40
		% within Luaran	62.1%	31.0%	40.0%
	<1	Count	11	49	60
		% within Luaran	37.9%	69.0%	60.0%
Total		Count	29	71	100
		% within Luaran	100.0%	100.0%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	8.289 <sup>a</sup>	1	.004	.006	.004
Continuity Correction <sup>b</sup>	7.044	1	.008		
Likelihood Ratio	8.210	1	.004		
Fisher's Exact Test					
Linear-by-Linear Association	8.206	1	.004		
N of Valid Cases	100				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 11.60.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Prokalsitonin (>1 / <1)	3.645	1.477	8.992
For cohort Luaran = Mati	2.455	1.301	4.629
For cohort Luaran = Membaik	.673	.496	.914
N of Valid Cases	100		

## Ddimer \* Luaran

Crosstab

			Luaran		Total
			Mati	Membaik	
Ddimer	normal	Count	10	40	50
		% within Luaran	34.5%	56.3%	50.0%
	meningkat	Count	19	31	50
		% within Luaran	65.5%	43.7%	50.0%
Total		Count	29	71	100
		% within Luaran	100.0%	100.0%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	3.934 <sup>a</sup>	1	.047	.077	.038
Continuity Correction <sup>b</sup>	3.108	1	.078		
Likelihood Ratio	3.984	1	.046		
Fisher's Exact Test					
Linear-by-Linear Association	3.895	1	.048		
N of Valid Cases	100				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 14.50.

b. Computed only for a 2x2 table

### Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Ddimer (normal / meningkat)	.408	.166	1.001
For cohort Luaran = Mati	.526	.273	1.016
For cohort Luaran = Membaik	1.290	.997	1.669
N of Valid Cases	100		

### Crosstabs

#### Notes

Output Created		16-NOV-2021 00:02:15
Comments		
Input	Data	C:\Users\adipr\Desktop\HASIL TIKA\tika olah data.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	100
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each table are based on all the cases with valid data in the specified range(s) for all variables in each table.
Syntax		CROSSTABS /TABLES=PTAPTT BY Luaran /FORMAT=AVALUE TABLES /STATISTICS=CHISQ RISK /CELLS=COUNT COLUMN /COUNT ROUND CELL.
Resources	Processor Time	00:00:00.02
	Elapsed Time	00:00:00.02
	Dimensions Requested	2
	Cells Available	131029

### Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
PT/APTT * Luaran	100	100.0%	0	0.0%	100	100.0%

### PT/APTT \* Luaran Crosstabulation

			Luaran		Total
			Mati	Membaik	
PT/APTT	normal	Count	18	57	75
		% within Luaran	62.1%	80.3%	75.0%
	memanjang	Count	11	14	25
		% within Luaran	37.9%	19.7%	25.0%
Total		Count	29	71	100
		% within Luaran	100.0%	100.0%	100.0%

### Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	3.643 <sup>a</sup>	1	.056		
Continuity Correction <sup>b</sup>	2.736	1	.098		
Likelihood Ratio	3.472	1	.062		
Fisher's Exact Test				.075	.051

Linear-by-Linear Association	3.606	1	.058	
N of Valid Cases	100			

- a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 7.25.  
b. Computed only for a 2x2 table

#### Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for PT/APTT (normal / memanjang) For cohort Luaran = Mati	.402	.155	1.040
For cohort Luaran = Membaik	.545	.300	.992
N of Valid Cases	1.357	.937	1.965
	100		

## Crosstabs

### Notes

Output Created		16-NOV-2021 00:23:01
Comments		
Input	Data	C:\Users\adipr\Desktop\HASIL TIKA\tika olah data.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data	100
	File	
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each table are based on all the cases with valid data in the specified range(s) for all variables in each table.
Syntax		CROSSTABS /TABLES=ARDS BY Luaran /FORMAT=AVALUE TABLES /STATISTICS=CHISQ RISK /CELLS=COUNT COLUMN /COUNT ROUND CELL.
Resources	Processor Time	00:00:00.05
	Elapsed Time	00:00:00.04
	Dimensions Requested	2
	Cells Available	131029

### Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
ARDS * Luaran	100	100.0%	0	0.0%	100	100.0%

### ARDS \* Luaran Crosstabulation

			Luaran		Total
			Mati	Membaik	
ARDS	ARDS	Count	24	16	40
		% within Luaran	82.8%	22.5%	40.0%
	tidak ARDS	Count	5	55	60
		% within Luaran	17.2%	77.5%	60.0%
Total		Count	29	71	100
		% within Luaran	100.0%	100.0%	100.0%

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	31.115 <sup>a</sup>	1	.000		
Continuity Correction <sup>b</sup>	28.657	1	.000		
Likelihood Ratio	32.169	1	.000		
Fisher's Exact Test				.000	.000
Linear-by-Linear Association	30.804	1	.000		
N of Valid Cases	100				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 11.60.  
 b. Computed only for a 2x2 table

**Risk Estimate**

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for ARDS (ARDS / tidak ARDS)	16.500	5.423	50.206
For cohort Luaran = Mati	7.200	2.997	17.298
For cohort Luaran = Membaik	.436	.296	.643
N of Valid Cases	100		

**Explore**

**Notes**

Output Created		16-NOV-2021 07:09:00
Comments		
Input	Data	C:\Users\adipr\Desktop\HASIL TIKA\tika olah data.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	100
Missing Value Handling	Definition of Missing	User-defined missing values for dependent variables are treated as missing.
	Cases Used	Statistics are based on cases with no missing values for any dependent variable or factor used.
Syntax		EXAMINE VARIABLES=interleukin6 BY PTAPTT Ddimer Usia Jeniskelamin statusgizi kesadaran Lamaperawatan penyakitpenyerta penyakitpenyertainfeksi Saturasi ARDS GnGA Hb WBC PLT NLR ALC CRP Prokalsitonin /PLOT NPLOT /STATISTICS DESCRIPTIVES /CINTERVAL 95 /MISSING LISTWISE /NOTOTAL.
Resources	Processor Time	00:00:20.44
	Elapsed Time	00:00:27.89

[DataSet1] C:\Users\adipr\Desktop\HASIL TIKA\tika olah data.sav

## PT/APTT

### Case Processing Summary

PT/APTT		Cases					
		Valid		Missing		Total	
		N	Percent	N	Percent	N	Percent
interleukin6	normal	75	100.0%	0	0.0%	75	100.0%
	memanjang	25	100.0%	0	0.0%	25	100.0%

### Descriptives

PT/APTT		Statistic	Std. Error		
interleukin6	normal	Mean	75.9157	3.32338	
		95% Confidence Interval for Mean	Lower Bound	69.2937	
			Upper Bound	82.5376	
		5% Trimmed Mean	74.6073		
		Median	67.9752		
		Variance	828.364		
		Std. Deviation	28.78131		
		Minimum	23.48		
		Maximum	157.29		
		Range	133.81		
		Interquartile Range	25.77		
		Skewness	.985	.277	
		Kurtosis	.816	.548	
		memanjang	memanjang	Mean	87.9571
95% Confidence Interval for Mean	Lower Bound			70.6340	
	Upper Bound			105.2803	
5% Trimmed Mean	82.0767				
Median	78.5429				
Variance	1761.231				
Std. Deviation	41.96702				
Minimum	45.08				
Maximum	252.58				
Range	207.50				
Interquartile Range	19.46				
Skewness	2.919			.464	
Kurtosis	10.095			.902	

### Tests of Normality

PT/APTT		Kolmogorov-Smirnov <sup>a</sup>			Shapiro-Wilk		
		Statistic	df	Sig.	Statistic	df	Sig.
interleukin6	normal	.162	75	.000	.910	75	.000
	memanjang	.306	25	.000	.670	25	.000

a. Lilliefors Significance Correction

## Ddimer

### Case Processing Summary

Ddimer		Cases					
		Valid		Missing		Total	
		N	Percent	N	Percent	N	Percent
interleukin6	normal	50	100.0%	0	0.0%	50	100.0%
	meningkat	50	100.0%	0	0.0%	50	100.0%

### Descriptives

Ddimer		Statistic	Std. Error	
interleukin6	normal	Mean	74.5409	
		95% Confidence Interval for Mean	Lower Bound	67.5164
			Upper Bound	81.5654
		5% Trimmed Mean	73.5666	
		Median	68.6367	
		Variance	610.927	
		Std. Deviation	24.71694	
		Minimum	25.15	
		Maximum	133.04	
		Range	107.89	
		Interquartile Range	27.11	
		Skewness	.931	.337
		Kurtosis	.656	.662
		meningkat	meningkat	Mean
95% Confidence Interval for Mean	Lower Bound			72.2349
	Upper Bound			94.3874
5% Trimmed Mean	79.9240			
Median	75.7650			
Variance	1518.955			
Std. Deviation	38.97377			
Minimum	23.48			
Maximum	252.58			
Range	229.10			
Interquartile Range	29.26			
Skewness	2.089			.337
Kurtosis	6.591			.662

### Tests of Normality

Ddimer	Kolmogorov-Smirnov <sup>a</sup>			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
interleukin6 normal	.154	50	.004	.911	50	.001
meningkat	.217	50	.000	.818	50	.000

a. Lilliefors Significance Correction

## Usia

### Case Processing Summary

Usia	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
interleukin6 < 5 tahun	49	100.0%	0	0.0%	49	100.0%
> 5 tahun	51	100.0%	0	0.0%	51	100.0%

### Descriptives

Usia		Statistic	Std. Error	
interleukin6	< 5 tahun	Mean	82.5474	
		95% Confidence Interval for Mean	Lower Bound	72.5955
			Upper Bound	92.4993
		5% Trimmed Mean	78.1450	
		Median	72.6255	

	Variance		1200.447	
	Std. Deviation		34.64747	
	Minimum		45.08	
	Maximum		252.58	
	Range		207.50	
	Interquartile Range		25.53	
	Skewness		2.952	.340
	Kurtosis		11.773	.668
> 5 tahun	Mean		75.4467	4.31167
	95% Confidence Interval for Mean	Lower Bound	66.7865	
		Upper Bound	84.1069	
	5% Trimmed Mean		74.0265	
	Median		67.9752	
	Variance		948.114	
	Std. Deviation		30.79145	
	Minimum		23.48	
	Maximum		157.29	
	Range		133.81	
	Interquartile Range		32.87	
	Skewness		.913	.333
	Kurtosis		.764	.656

#### Tests of Normality

Usia	Kolmogorov-Smirnov <sup>a</sup>			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
interleukin6 < 5 tahun	.221	49	.000	.715	49	.000
> 5 tahun	.133	51	.024	.926	51	.003

a. Lilliefors Significance Correction

## Jeniskelamin

#### Case Processing Summary

Jeniskelamin	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
interleukin6 Laki-laki	60	100.0%	0	0.0%	60	100.0%
Perempuan	40	100.0%	0	0.0%	40	100.0%

#### Descriptives

Jeniskelamin	Statistic	Std. Error
interleukin6 Laki-laki	Mean	77.3888
	95% Confidence Interval for Mean	4.14431
	Lower Bound	69.0961
	Upper Bound	85.6816
	5% Trimmed Mean	75.8508
	Median	71.2726
	Variance	1030.520
	Std. Deviation	32.10172
	Minimum	23.48
	Maximum	166.88
	Range	143.40
	Interquartile Range	25.61
	Skewness	1.051
	Kurtosis	.877

Perempuan	Mean	81.2318	5.37873
	95% Confidence Interval for Mean	Lower Bound	70.3523
		Upper Bound	92.1113
	5% Trimmed Mean	76.8456	
	Median	75.7650	
	Variance	1157.231	
	Std. Deviation	34.01810	
	Minimum	49.53	
	Maximum	252.58	
	Range	203.06	
	Interquartile Range	28.45	
	Skewness	3.462	.374
	Kurtosis	16.370	.733

#### Tests of Normality

Jeniskelamin	Kolmogorov-Smirnov <sup>a</sup>			Shapiro-Wilk			
	Statistic	df	Sig.	Statistic	df	Sig.	
interleukin6	Laki-laki	.171	60	.000	.895	60	.000
	Perempuan	.194	40	.001	.677	40	.000

a. Lilliefors Significance Correction

### Status gizi

#### Case Processing Summary

statusgizi	Cases						
	Valid		Missing		Total		
	N	Percent	N	Percent	N	Percent	
interleukin6	gizi baik	69	100.0%	0	0.0%	69	100.0%
	malnutrisi	31	100.0%	0	0.0%	31	100.0%

#### Descriptives

statusgizi	Statistic	Std. Error	
interleukin6	gizi baik		
	Mean	73.5296	2.91218
	95% Confidence Interval for Mean	Lower Bound	67.7184
		Upper Bound	79.3407
	5% Trimmed Mean	72.4030	
	Median	69.3885	
	Variance	585.175	
	Std. Deviation	24.19039	
	Minimum	23.48	
	Maximum	149.44	
	Range	125.96	
	Interquartile Range	23.22	
	Skewness	.946	.289
Kurtosis	1.454	.570	
malnutrisi	Mean	90.9375	8.03308
	95% Confidence Interval for Mean	Lower Bound	74.5318
		Upper Bound	107.3433
	5% Trimmed Mean	86.8212	
	Median	79.8487	
	Variance	2000.443	
	Std. Deviation	44.72631	
	Minimum	25.15	

Maximum	252.58	
Range	227.43	
Interquartile Range	35.36	
Skewness	1.839	.421
Kurtosis	4.644	.821

#### Tests of Normality

statusgizi	Kolmogorov-Smirnov <sup>a</sup>			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
interleukin6 gizi baik	.124	69	.011	.928	69	.001
malnutrisi	.208	31	.002	.840	31	.000

a. Lilliefors Significance Correction

## kesadaran

#### Case Processing Summary

kesadaran	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
interleukin6 GCS 15	81	100.0%	0	0.0%	81	100.0%
GCS < 15	19	100.0%	0	0.0%	19	100.0%

#### Descriptives

kesadaran	Statistic	Std. Error
interleukin6 GCS 15	Mean	78.6139
	95% Confidence Interval for Mean	3.77285
	Lower Bound	71.1057
	Upper Bound	86.1221
	5% Trimmed Mean	75.9723
	Median	71.7429
	Variance	1152.985
	Std. Deviation	33.95563
	Minimum	23.48
	Maximum	252.58
	Range	229.10
	Interquartile Range	28.92
	Skewness	2.093
	Kurtosis	.267
GCS < 15	Mean	80.2567
	95% Confidence Interval for Mean	6.39966
	Lower Bound	66.8116
	Upper Bound	93.7019
	5% Trimmed Mean	77.3988
	Median	75.2339
	Variance	778.156
	Std. Deviation	27.89545
	Minimum	45.08
	Maximum	166.88
	Range	121.80
	Interquartile Range	12.96
	Skewness	2.007
	Kurtosis	.524
		1.014

**Tests of Normality**

kesadaran		Kolmogorov-Smirnov <sup>a</sup>			Shapiro-Wilk		
		Statistic	df	Sig.	Statistic	df	Sig.
interleukin6	GCS 15	.179	81	.000	.839	81	.000
	GCS < 15	.295	19	.000	.788	19	.001

a. Lilliefors Significance Correction

**lama perawatan**

**Case Processing Summary**

lama perawatan		Cases					
		Valid		Missing		Total	
		N	Percent	N	Percent	N	Percent
interleukin6	< 10 hari	67	100.0%	0	0.0%	67	100.0%
	> 10 hari	33	100.0%	0	0.0%	33	100.0%

**Descriptives**

lama perawatan			Statistic	Std. Error	
interleukin6	< 10 hari	Mean	84.0878	4.33731	
		95% Confidence Interval for Mean	Lower Bound	75.4281	
			Upper Bound	92.7475	
		5% Trimmed Mean	81.0523		
		Median	75.2339		
		Variance	1260.422		
		Std. Deviation	35.50242		
	Minimum	25.15			
	Maximum	252.58			
	Range	227.43			
	Interquartile Range	29.60			
	Skewness	2.031	.293		
	Kurtosis	6.760	.578		
	> 10 hari	Mean	Mean	68.4460	4.09288
95% Confidence Interval for Mean			Lower Bound	60.1091	
			Upper Bound	76.7830	
5% Trimmed Mean			67.2330		
Median			67.4533		
Variance			552.805		
Std. Deviation			23.51181		
Minimum		23.48			
Maximum		157.29			
Range		133.81			
Interquartile Range		26.79			
Skewness		1.385	.409		
Kurtosis		5.661	.798		

**Tests of Normality**

lama perawatan		Kolmogorov-Smirnov <sup>a</sup>			Shapiro-Wilk		
		Statistic	df	Sig.	Statistic	df	Sig.
interleukin6	< 10 hari	.178	67	.000	.838	67	.000
	> 10 hari	.120	33	.200	.886	33	.002

\*. This is a lower bound of the true significance.

a. Lilliefors Significance Correction

**penyakit primer**

**Case Processing Summary**

		Cases					
		Valid		Missing		Total	
		N	Percent	N	Percent	N	Percent
interleukin6	bedah	34	100.0%	0	0.0%	34	100.0%
	non bedah	66	100.0%	0	0.0%	66	100.0%

**Descriptives**

penyakit primer			Statistic	Std. Error	
interleukin6	bedah	Mean	72.9040	4.35487	
		95% Confidence Interval for Mean	Lower Bound	64.0439	
			Upper Bound	81.7640	
		5% Trimmed Mean	72.1588		
		Median	67.4944		
		Variance	644.806		
		Std. Deviation	25.39303		
		Minimum	23.48		
		Maximum	129.34		
		Range	105.86		
		Interquartile Range	31.53		
		Skewness	.772	.403	
		Kurtosis	.304	.788	
		non bedah	Mean	Mean	82.0283
95% Confidence Interval for Mean	Lower Bound			73.2363	
	Upper Bound			90.8203	
5% Trimmed Mean	78.9214				
Median	72.2284				
Variance	1279.082				
Std. Deviation	35.76426				
Minimum	25.15				
Maximum	252.58				
Range	227.43				
Interquartile Range	25.01				
Skewness	2.181			.295	
Kurtosis	7.419			.582	

**Tests of Normality**

penyakit primer		Kolmogorov-Smirnov <sup>a</sup>			Shapiro-Wilk		
		Statistic	df	Sig.	Statistic	df	Sig.
interleukin6	bedah	.136	34	.115	.927	34	.026
	non bedah	.214	66	.000	.810	66	.000

a. Lilliefors Significance Correction

**penyakitpenyertainfeksi**

**Case Processing Summary**

		Cases					
		Valid		Missing		Total	
		N	Percent	N	Percent	N	
interleukin6	pnemonia	39	100.0%	0	0.0%	39	
	non pnemonia	61	100.0%	0	0.0%	61	

**Case Processing Summary**

		Cases
		Total
		Percent
interleukin6	penyakitpenyertainfeksi pnemonia non pnemonia	100.0% 100.0%

**Descriptives**

penyakitpenyertainfeksi		Statistic	Std. Error		
interleukin6	pnemonia	Mean	72.8156	3.81142	
		95% Confidence Interval for Mean	Lower Bound	65.0998	
			Upper Bound	80.5314	
		5% Trimmed Mean		71.1342	
		Median		69.2660	
		Variance		566.549	
		Std. Deviation		23.80230	
		Minimum		25.15	
		Maximum		166.88	
		Range		141.73	
		Interquartile Range		25.77	
		Skewness		1.565	.378
		Kurtosis		5.465	.741
		non pnemonia		Mean	82.8327
95% Confidence Interval for Mean	Lower Bound			73.3432	
	Upper Bound			92.3221	
5% Trimmed Mean				80.0504	
Median				72.0494	
Variance				1372.852	
Std. Deviation				37.05202	
Minimum				23.48	
Maximum				252.58	
Range				229.10	
Interquartile Range				27.83	
Skewness				1.944	.306
Kurtosis				6.316	.604

**Tests of Normality**

		Kolmogorov-Smirnov <sup>a</sup>			Shapiro-Wilk	
		Statistic	df	Sig.	Statistic	df
interleukin6	pnemonia	.119	39	.181	.894	39
	non pnemonia	.198	61	.000	.838	61

**Tests of Normality**

penyakitpenyertainfeksi		Shapiro-Wilk <sup>a</sup>
		Sig.
interleukin6	pnemonia	.001
	non pnemonia	.000

a. Lilliefors Significance Correction

**saturasi**

**Case Processing Summary**

		Cases					
		Valid		Missing		Total	
		N	Percent	N	Percent	N	Percent
interleukin6	< 92	33	100.0%	0	0.0%	33	100.0%
	> 92	67	100.0%	0	0.0%	67	100.0%

### Descriptives

saturasi			Statistic	Std. Error	
interleukin6	< 92	Mean	91.8090	6.71258	
		95% Confidence Interval for Mean	Lower Bound	78.1359	
			Upper Bound	105.4821	
		5% Trimmed Mean	86.9878		
		Median	81.0961		
		Variance	1486.939		
		Std. Deviation	38.56084		
	Minimum	45.08			
	Maximum	252.58			
	Range	207.50			
	Interquartile Range	27.26			
	Skewness	2.662	.409		
	Kurtosis	9.030	.798		
	> 92	Mean	Mean	72.5807	3.38039
95% Confidence Interval for Mean			Lower Bound	65.8315	
			Upper Bound	79.3299	
5% Trimmed Mean			71.1656		
Median			67.6011		
Variance			765.612		
Std. Deviation			27.66970		
Minimum		23.48			
Maximum		157.29			
Range		133.81			
Interquartile Range		28.64			
Skewness		1.139	.293		
Kurtosis		1.454	.578		

### Tests of Normality

saturasi	Kolmogorov-Smirnov <sup>a</sup>			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
interleukin6 < 92	.237	33	.000	.731	33	.000
> 92	.159	67	.000	.896	67	.000

a. Lilliefors Significance Correction

## ARDS

### Case Processing Summary

		Cases					
		Valid		Missing		Total	
		N	Percent	N	Percent	N	Percent
interleukin6	ARDS	40	100.0%	0	0.0%	40	100.0%
	tidak ARDS	60	100.0%	0	0.0%	60	100.0%

### Descriptives

ARDS			Statistic	Std. Error	
interleukin6	ARDS	Mean	94.4821	5.91189	
		95% Confidence Interval for Mean	Lower Bound	82.5242	
			Upper Bound	106.4400	
		5% Trimmed Mean	90.9192		
		Median	83.6572		

	Variance		1398.019	
	Std. Deviation		37.39009	
	Minimum		25.15	
	Maximum		252.58	
	Range		227.43	
	Interquartile Range		38.54	
	Skewness		2.118	.374
	Kurtosis		7.432	.733
tidak ARDS	Mean		68.5553	3.17261
	95% Confidence Interval for Mean	Lower Bound	62.2069	
		Upper Bound	74.9037	
	5% Trimmed Mean		66.4222	
	Median		67.4944	
	Variance		603.927	
	Std. Deviation		24.57493	
	Minimum		23.48	
	Maximum		157.29	
	Range		133.81	
	Interquartile Range		24.74	
	Skewness		1.703	.309
	Kurtosis		4.300	.608

#### Tests of Normality

ARDS	Kolmogorov-Smirnov <sup>a</sup>			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
interleukin6 ARDS	.195	40	.001	.819	40	.000
interleukin6 tidak ARDS	.171	60	.000	.838	60	.000

a. Lilliefors Significance Correction

## GnGA

#### Case Processing Summary

interleukin6	GnGA	Cases					
		Valid		Missing		Total	
		N	Percent	N	Percent	N	Percent
	GnGA	21	100.0%	0	0.0%	21	100.0%
	Tidak GnGA	79	100.0%	0	0.0%	79	100.0%

#### Descriptives

interleukin6	GnGA	Statistic	Std. Error
	GnGA	Mean	102.7342
		95% Confidence Interval for Mean	5.79007
		Lower Bound	90.6563
		Upper Bound	114.8121
		5% Trimmed Mean	100.5945
		Median	91.1685
		Variance	704.023
		Std. Deviation	26.53344
		Minimum	77.89
		Maximum	166.88
		Range	88.99
		Interquartile Range	40.14
		Skewness	1.222
		Kurtosis	.501
			.972

Tidak GnGA	Mean	72.5973	3.53815
	95% Confidence Interval for Mean	Lower Bound	65.5534
		Upper Bound	79.6412
	5% Trimmed Mean	69.7168	
	Median	67.6011	
	Variance	988.963	
	Std. Deviation	31.44778	
	Minimum	23.48	
	Maximum	252.58	
	Range	229.10	
	Interquartile Range	24.32	
	Skewness	2.896	.271
	Kurtosis	13.526	.535

#### Tests of Normality

GnGA	Kolmogorov-Smirnov <sup>a</sup>			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
interleukin6 GnGA	.260	21	.001	.818	21	.001
Tidak GnGA	.205	79	.000	.749	79	.000

a. Lilliefors Significance Correction

## Hb

#### Case Processing Summary

Hb		Cases					
		Valid		Missing		Total	
		N	Percent	N	Percent	N	Percent
interleukin6	anemia	44	100.0%	0	0.0%	44	100.0%
	normal	56	100.0%	0	0.0%	56	100.0%

#### Descriptives

Hb		Statistic	Std. Error
interleukin6	anemia	Mean	81.5905
		95% Confidence Interval for Mean	Lower Bound
	Upper Bound		93.3898
	5% Trimmed Mean	77.7535	
	Median	69.3272	
	Variance	1506.228	
	Std. Deviation	38.81015	
	Minimum	25.15	
	Maximum	252.58	
	Range	227.43	
	Interquartile Range	28.63	
	Skewness	2.338	.357
	Kurtosis	7.850	.702
	normal	Mean	76.8326
95% Confidence Interval for Mean		Lower Bound	69.5242
		Upper Bound	84.1409
5% Trimmed Mean		75.3003	
Median		72.2284	
Variance		744.755	
Std. Deviation		27.29021	

Minimum	23.48	
Maximum	166.88	
Range	143.40	
Interquartile Range	25.45	
Skewness	1.107	.319
Kurtosis	2.331	.628

#### Tests of Normality

Hb	Kolmogorov-Smirnov <sup>a</sup>			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
interleukin6 anemia	.228	44	.000	.780	44	.000
interleukin6 normal	.139	56	.009	.921	56	.001

a. Lilliefors Significance Correction

## leukosit

#### Case Processing Summary

leukosit	Cases				
	Valid		Missing		Total
	N	Percent	N	Percent	N
interleukin6 leukositosis dan leukopenia	53	100.0%	0	0.0%	53
interleukin6 normal	47	100.0%	0	0.0%	47

#### Case Processing Summary

leukosit		Cases
		Total
		Percent
interleukin6 leukositosis dan leukopenia		100.0%
interleukin6 normal		100.0%

#### Descriptives

leukosit	Statistic
interleukin6 leukositosis dan leukopenia	Mean
	95% Confidence Interval for Mean
	Lower Bound
	Upper Bound
	5% Trimmed Mean
	Median
	Variance
	Std. Deviation
	Minimum
	Maximum
	Range
	Interquartile Range
	Skewness
	Kurtosis
interleukin6 normal	Mean
	95% Confidence Interval for Mean
	Lower Bound
	Upper Bound
	5% Trimmed Mean
	Median
	Variance
	Std. Deviation
	Minimum
	Maximum
	Range
	Interquartile Range
	Skewness
	Kurtosis

### Descriptives

leukosit				Std. Error
interleukin6	leukositis dan leukopenia	Mean		3.84908
		95% Confidence Interval for Mean		
		Lower Bound		
		Upper Bound		
		5% Trimmed Mean		
		Median		
		Variance		
		Std. Deviation		
		Minimum		
		Maximum		
		Range		
		Interquartile Range		
		Skewness		.327
		Kurtosis		.644
normal		Mean		5.43700
		95% Confidence Interval for Mean		
		Lower Bound		
		Upper Bound		
		5% Trimmed Mean		
		Median		
		Variance		
		Std. Deviation		
		Minimum		
		Maximum		
		Range		
		Interquartile Range		
		Skewness		.347
		Kurtosis		.681

### Tests of Normality

leukosit		Kolmogorov-Smirnov <sup>a</sup>			Shapiro-Wilk		
		Statistic	df	Sig.	Statistic	df	
interleukin6	leukositis dan leukopenia	.187	53	.000	.886	53	
	normal	.220	47	.000	.761	47	

### Tests of Normality

leukosit		Shapiro-Wilk <sup>a</sup>
		Sig.
interleukin6	leukositis dan leukopenia	.000
	normal	.000

a. Lilliefors Significance Correction

## platelet

### Case Processing Summary

platelet		Cases					
		Valid		Missing		Total	
		N	Percent	N	Percent	N	Percent
interleukin6	trombositopenia	12	100.0%	0	0.0%	12	100.0%
	tidak trombositopenia	88	100.0%	0	0.0%	88	100.0%

**Descriptives**

platelet				Statistic	Std. Error		
interleukin6	trombositopenia	Mean		100.0353	17.11486		
		95% Confidence Interval for Mean		Lower Bound 62.3658	Upper Bound 137.7049		
		5% Trimmed Mean		94.2683			
		Median		80.7320			
		Variance		3515.022			
		Std. Deviation		59.28762			
		Minimum		51.30			
		Maximum		252.58			
		Range		201.29			
		Interquartile Range		74.13			
		Skewness		1.729	.637		
		Kurtosis		3.298	1.232		
		tidak trombositopenia		Mean		76.0475	2.83529
				95% Confidence Interval for Mean		Lower Bound 70.4120	Upper Bound 81.6829
5% Trimmed Mean				74.6485			
Median				71.2726			
Variance				707.420			
Std. Deviation				26.59736			
Minimum				23.48			
Maximum				166.88			
Range				143.40			
Interquartile Range				24.41			
Skewness				1.084	.257		
Kurtosis				1.837	.508		

**Tests of Normality**

platelet		Kolmogorov-Smirnov <sup>a</sup>			Shapiro-Wilk		
		Statistic	df	Sig.	Statistic	df	Sig.
interleukin6	trombositopenia	.206	12	.172	.809	12	.012
	tidak trombositopenia	.136	88	.000	.915	88	.000

a. Lilliefors Significance Correction

**kategoriNLR**

**Case Processing Summary**

kategoriNLR		Cases					
		Valid		Missing		Total	
		N	Percent	N	Percent	N	Percent
interleukin6	>3.13	35	100.0%	0	0.0%	35	100.0%
	<3.13	65	100.0%	0	0.0%	65	100.0%

**Descriptives**

kategoriNLR			Statistic	Std. Error	
interleukin6	>3.13	Mean	81.5052	5.28448	
		95% Confidence Interval for Mean		Lower Bound 70.7659	Upper Bound 92.2446
		5% Trimmed Mean		79.9910	
		Median		71.9522	

	Variance		977.401	
	Std. Deviation		31.26341	
	Minimum		23.48	
	Maximum		166.88	
	Range		143.40	
	Interquartile Range		26.85	
	Skewness		1.118	.398
	Kurtosis		1.223	.778
<3.13	Mean		77.5372	4.18035
	95% Confidence Interval for Mean	Lower Bound	69.1860	
		Upper Bound	85.8884	
	5% Trimmed Mean		74.5808	
	Median		70.8023	
	Variance		1135.895	
	Std. Deviation		33.70305	
	Minimum		25.15	
	Maximum		252.58	
	Range		227.43	
	Interquartile Range		28.09	
	Skewness		2.532	.297
	Kurtosis		10.696	.586

#### Tests of Normality

kategoriNLR	Kolmogorov-Smirnov <sup>a</sup>			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
interleukin6 >3.13	.211	35	.000	.889	35	.002
<3.13	.181	65	.000	.798	65	.000

a. Lilliefors Significance Correction

### kategoriALC

#### Case Processing Summary

kategoriALC	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
interleukin6 <1500	26	100.0%	0	0.0%	26	100.0%
>1500	74	100.0%	0	0.0%	74	100.0%

#### Descriptives

kategoriALC	Statistic	Std. Error
interleukin6 <1500 Mean	84.5727	6.13743
95% Confidence Interval for Mean	71.9324	
Lower Bound	97.2129	
Upper Bound	82.5807	
5% Trimmed Mean	80.4724	
Median	979.370	
Variance	31.29488	
Std. Deviation	40.71	
Minimum	166.88	
Maximum	126.17	
Range	26.81	
Interquartile Range		

>1500	Skewness	1.136	.456	
	Kurtosis	.899	.887	
	Mean	76.9421	3.86467	
	95% Confidence Interval for Mean	Lower Bound	69.2398	
		Upper Bound	84.6444	
	5% Trimmed Mean	74.1639		
	Median	70.0519		
	Variance	1105.242		
	Std. Deviation	33.24517		
	Minimum	23.48		
	Maximum	252.58		
	Range	229.10		
	Interquartile Range	24.11		
	Skewness	2.422	.279	
	Kurtosis	10.117	.552	

#### Tests of Normality

kategoriALC	Kolmogorov-Smirnov <sup>a</sup>			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
interleukin6 <1500	.224	26	.002	.895	26	.012
>1500	.176	74	.000	.806	74	.000

a. Lilliefors Significance Correction

## CRP

#### Case Processing Summary

CRP	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
interleukin6 >10mg/dl	54	100.0%	0	0.0%	54	100.0%
<10mg/dl	46	100.0%	0	0.0%	46	100.0%

#### Descriptives

CRP	Statistic	Std. Error	
interleukin6 >10mg/dl	Mean	87.6473	
	95% Confidence Interval for Mean	Lower Bound	78.2812
		Upper Bound	97.0135
	5% Trimmed Mean	85.0736	
	Median	79.3688	
	Variance	1177.509	
	Std. Deviation	34.31486	
	Minimum	23.48	
	Maximum	252.58	
	Range	229.10	
	Interquartile Range	29.85	
	Skewness	2.248	.325
Kurtosis	9.097	.639	
<10mg/dl	Mean	68.6880	
	95% Confidence Interval for Mean	Lower Bound	60.4120
		Upper Bound	76.9640
	5% Trimmed Mean	65.9157	
	Median	65.3073	

Variance	776.673	
Std. Deviation	27.86885	
Minimum	25.15	
Maximum	166.88	
Range	141.73	
Interquartile Range	24.14	
Skewness	2.021	.350
Kurtosis	5.298	.688

### Tests of Normality

CRP	Kolmogorov-Smirnov <sup>a</sup>			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
interleukin6 >10mg/dl	.177	54	.000	.820	54	.000
interleukin6 <10mg/dl	.206	46	.000	.787	46	.000

a. Lilliefors Significance Correction

## Prokalsitonin

### Case Processing Summary

Prokalsitonin	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
interleukin6 >1	40	100.0%	0	0.0%	40	100.0%
interleukin6 <1	60	100.0%	0	0.0%	60	100.0%

### Descriptives

Prokalsitonin	Statistic	Std. Error
interleukin6 >1	Mean	90.3009
	95% Confidence Interval for Mean	5.78159
	Lower Bound	78.6065
	Upper Bound	101.9952
	5% Trimmed Mean	86.4899
	Median	79.6974
	Variance	1337.069
	Std. Deviation	36.56596
	Minimum	45.08
	Maximum	252.58
	Range	207.50
	Interquartile Range	31.31
	Skewness	2.452
	Kurtosis	.374
interleukin6 <1	Mean	71.3428
	95% Confidence Interval for Mean	3.58574
	Lower Bound	64.1678
	Upper Bound	78.5179
	5% Trimmed Mean	69.1808
	Median	67.1700
	Variance	771.452
	Std. Deviation	27.77502
	Minimum	23.48
	Maximum	166.88
	Range	143.40
	Interquartile Range	28.12
	Skewness	1.510
	Kurtosis	.309
		.608

**Tests of Normality**

Prokalsitonin	Kolmogorov-Smirnov <sup>a</sup>			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
interleukin6 >1	.196	40	.000	.783	40	.000
<1	.151	60	.002	.865	60	.000

a. Lilliefors Significance Correction

**NPar Tests**

**Notes**

Output Created	16-NOV-2021 07:33:24	
Comments		
Input	Data	C:\Users\adipr\Desktop\HASIL TIKA\tika olah data.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	100
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each test are based on all cases with valid data for the variable(s) used in that test.
Syntax		NPART TESTS /M-W= interleukin6 BY Jeniskelamin(1 2) /MISSING ANALYSIS.
Resources	Processor Time	00:00:00.00
	Elapsed Time	00:00:00.01
	Number of Cases Allowed <sup>a</sup>	112347

a. Based on availability of workspace memory.

**Mann-Whitney Test**

**Ranks**

	Jeniskelamin	N	Mean Rank	Sum of Ranks
interleukin6	Laki-laki	60	48.26	2895.50
	Perempuan	40	53.86	2154.50
	Total	100		

**Test Statistics<sup>a</sup>**

	interleukin6
Mann-Whitney U	1065.500
Wilcoxon W	2895.500
Z	-.946
Asymp. Sig. (2-tailed)	.344

a. Grouping Variable: Jeniskelamin

**NPar Tests**

**Notes**

Output Created	16-NOV-2021 07:33:49	
Comments		
Input	Data	C:\Users\adipr\Desktop\HASIL TIKA\tika olah data.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	100
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.

	Cases Used	Statistics for each test are based on all cases with valid data for the variable(s) used in that test. NPAR TESTS /M-W= interleukin6 BY Usia(1 2) /MISSING ANALYSIS.
Syntax		
Resources	Processor Time	00:00:00.00
	Elapsed Time	00:00:00.03
	Number of Cases Allowed <sup>a</sup>	112347

a. Based on availability of workspace memory.

## Mann-Whitney Test

		Ranks		
	Usia	N	Mean Rank	Sum of Ranks
interleukin6	< 5 tahun	49	53.74	2633.50
	> 5 tahun	51	47.38	2416.50
	Total	100		

Test Statistics <sup>a</sup>	
	interleukin6
Mann-Whitney U	1090.500
Wilcoxon W	2416.500
Z	-1.096
Asymp. Sig. (2-tailed)	.273

a. Grouping Variable: Usia

## NPar Tests

		Notes
Output Created		16-NOV-2021 07:34:15
Comments		
Input	Data	C:\Users\adipr\Desktop\HASIL TIKA\tika olah data.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	100
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each test are based on all cases with valid data for the variable(s) used in that test.
Syntax		NPAR TESTS /M-W= interleukin6 BY statusgizi(1 2) /MISSING ANALYSIS.
Resources	Processor Time	00:00:00.00
	Elapsed Time	00:00:00.02
	Number of Cases Allowed <sup>a</sup>	112347

a. Based on availability of workspace memory.

## Mann-Whitney Test

		Ranks		
	statusgizi	N	Mean Rank	Sum of Ranks
interleukin6	gizi baik	69	46.86	3233.00
	malnutrisi	31	58.61	1817.00
	Total	100		

**Test Statistics<sup>a</sup>**

	interleukin6
Mann-Whitney U	818.000
Wilcoxon W	3233.000
Z	-1.875
Asymp. Sig. (2-tailed)	.061

a. Grouping Variable: statusgizi

**NPar Tests**

		Notes
Output Created		16-NOV-2021 07:34:35
Comments		
Input	Data	C:\Users\adipr\Desktop\HASIL TIKA\tika olah data.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	100
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each test are based on all cases with valid data for the variable(s) used in that test.
Syntax		NPAR TESTS /M-W= interleukin6 BY Lamaperawatan(1 2) /MISSING ANALYSIS.
Resources	Processor Time	00:00:00.02
	Elapsed Time	00:00:00.01
	Number of Cases Allowed <sup>a</sup>	112347

a. Based on availability of workspace memory.

**Mann-Whitney Test**

		Ranks		
	lama perawatan	N	Mean Rank	Sum of Ranks
interleukin6	< 10 hari	67	54.95	3681.50
	> 10 hari	33	41.47	1368.50
	Total	100		

**Test Statistics<sup>a</sup>**

	interleukin6
Mann-Whitney U	807.500
Wilcoxon W	1368.500
Z	-2.185
Asymp. Sig. (2-tailed)	.029

a. Grouping Variable: lama perawatan

**NPar Tests**

		Notes
Output Created		16-NOV-2021 07:34:57
Comments		
Input	Data	C:\Users\adipr\Desktop\HASIL TIKA\tika olah data.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	100

Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.	
	Cases Used	Statistics for each test are based on all cases with valid data for the variable(s) used in that test.	
Syntax		NPAP TESTS /M-W= interleukin6 BY penyakitpenyerta(1 2) /MISSING ANALYSIS.	
Resources	Processor Time		00:00:00.02
	Elapsed Time		00:00:00.01
	Number of Cases Allowed <sup>a</sup>		112347

a. Based on availability of workspace memory.

## Mann-Whitney Test

		Ranks		
	penyakit penyerta	N	Mean Rank	Sum of Ranks
interleukin6	bedah	34	44.54	1514.50
	non bedah	66	53.57	3535.50
	Total	100		

### Test Statistics<sup>a</sup>

	interleukin6
Mann-Whitney U	919.500
Wilcoxon W	1514.500
Z	-1.474
Asymp. Sig. (2-tailed)	.141

a. Grouping Variable: penyakit penyerta

## NPar Tests

		Notes
Output Created		16-NOV-2021 07:35:15
Comments		
Input	Data	C:\Users\adipr\Desktop\HASIL TIKA\tika olah data.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	100
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each test are based on all cases with valid data for the variable(s) used in that test.
Syntax		NPAP TESTS /M-W= interleukin6 BY penyakitpenyertainfeksi(1 2) /MISSING ANALYSIS.
Resources	Processor Time	00:00:00.00
	Elapsed Time	00:00:00.01
	Number of Cases Allowed <sup>a</sup>	112347

a. Based on availability of workspace memory.

## Mann-Whitney Test

		Ranks		
	penyakitpenyertainfeksi	N	Mean Rank	Sum of Ranks
interleukin6	pneumonia	39	46.64	1819.00
	non pneumonia	61	52.97	3231.00
	Total	100		

**Test Statistics<sup>a</sup>**

	interleukin6
Mann-Whitney U	1039.000
Wilcoxon W	1819.000
Z	-1.064
Asymp. Sig. (2-tailed)	.287

a. Grouping Variable:  
penyakitpenyertainfeksi

**NPar Tests**

**Notes**

Output Created		16-NOV-2021 07:35:34
Comments		
Input	Data	C:\Users\adipr\Desktop\HASIL TIKA\tika olah data.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	100
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each test are based on all cases with valid data for the variable(s) used in that test.
Syntax		NPARTESTS /M-W= interleukin6 BY kesadaran(1 2) /MISSING ANALYSIS.
Resources	Processor Time	00:00:00.02
	Elapsed Time	00:00:00.02
	Number of Cases Allowed <sup>a</sup>	112347

a. Based on availability of workspace memory.

**Mann-Whitney Test**

**Ranks**

	kesadaran	N	Mean Rank	Sum of Ranks
interleukin6	GCS > 15	81	50.01	4051.00
	GCS < 15	19	52.58	999.00
	Total	100		

**Test Statistics<sup>a</sup>**

	interleukin6
Mann-Whitney U	730.000
Wilcoxon W	4051.000
Z	-.347
Asymp. Sig. (2-tailed)	.729

a. Grouping Variable: kesadaran

**NPar Tests**

**Notes**

Output Created		16-NOV-2021 07:36:14
Comments		
Input	Data	C:\Users\adipr\Desktop\HASIL TIKA\tika olah data.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	100

Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing. Statistics for each test are based on all cases with valid data for the variable(s) used in that test.
	Cases Used	
Syntax		NPART TESTS /M-W= interleukin6 BY Saturasi(1 2) /MISSING ANALYSIS.
Resources	Processor Time	00:00:00.00
	Elapsed Time	00:00:00.01
	Number of Cases Allowed <sup>a</sup>	112347

a. Based on availability of workspace memory.

## Mann-Whitney Test

		Ranks		
	saturasi	N	Mean Rank	Sum of Ranks
interleukin6	< 92	33	64.06	2114.00
	> 92	67	43.82	2936.00
	Total	100		

Test Statistics <sup>a</sup>	
	interleukin6
Mann-Whitney U	658.000
Wilcoxon W	2936.000
Z	-3.281
Asymp. Sig. (2-tailed)	.001

a. Grouping Variable: saturasi

## NPar Tests

		Notes
Output Created		16-NOV-2021 07:36:35
Comments		
Input	Data	C:\Users\adipr\Desktop\HASIL TIKAtika olah data.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	100
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each test are based on all cases with valid data for the variable(s) used in that test.
Syntax		NPART TESTS /M-W= interleukin6 BY Hb(1 2) /MISSING ANALYSIS.
Resources	Processor Time	00:00:00.00
	Elapsed Time	00:00:00.01
	Number of Cases Allowed <sup>a</sup>	112347

a. Based on availability of workspace memory.

## Mann-Whitney Test

		Ranks		
	Hb	N	Mean Rank	Sum of Ranks
interleukin6	anemia	44	50.10	2204.50
	normal	56	50.81	2845.50
	Total	100		

**Test Statistics<sup>a</sup>**

	interleukin6
Mann-Whitney U	1214.500
Wilcoxon W	2204.500
Z	-.122
Asymp. Sig. (2-tailed)	.903

a. Grouping Variable: Hb

**NPar Tests**

**Notes**

Output Created		16-NOV-2021 07:36:54
Comments		
Input	Data	C:\Users\adipr\Desktop\HASIL TIKA\tika olah data.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	100
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each test are based on all cases with valid data for the variable(s) used in that test.
Syntax		NPAR TESTS /M-W= interleukin6 BY WBC(1 2) /MISSING ANALYSIS.
Resources	Processor Time	00:00:00.02
	Elapsed Time	00:00:00.03
	Number of Cases Allowed <sup>a</sup>	112347

a. Based on availability of workspace memory.

**Mann-Whitney Test**

**Ranks**

	leukosit	N	Mean Rank	Sum of Ranks
interleukin6	leukositosis dan leukopenia	53	55.98	2967.00
	normal	47	44.32	2083.00
	Total	100		

**Test Statistics<sup>a</sup>**

	interleukin6
Mann-Whitney U	955.000
Wilcoxon W	2083.000
Z	-2.006
Asymp. Sig. (2-tailed)	.045

a. Grouping Variable: leukosit

**NPar Tests**

**Notes**

Output Created		16-NOV-2021 07:37:14
Comments		
Input	Data	C:\Users\adipr\Desktop\HASIL TIKA\tika olah data.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	100
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.

Syntax	Cases Used	Statistics for each test are based on all cases with valid data for the variable(s) used in that test. NPAR TESTS /M-W= interleukin6 BY PLT(1 2) /MISSING ANALYSIS.
Resources	Processor Time	00:00:00.02
	Elapsed Time	00:00:00.01
	Number of Cases Allowed <sup>a</sup>	112347

a. Based on availability of workspace memory.

## Mann-Whitney Test

		Ranks		
	platelet	N	Mean Rank	Sum of Ranks
interleukin6	trombositopenia	12	58.21	698.50
	tidak trombositopenia	88	49.45	4351.50
	Total	100		

Test Statistics <sup>a</sup>	
	interleukin6
Mann-Whitney U	435.500
Wilcoxon W	4351.500
Z	-.981
Asymp. Sig. (2-tailed)	.326

a. Grouping Variable: platelet

## NPar Test

		Notes
Output Created		16-NOV-2021 07:37:36
Comments		
Input	Data	C:\Users\adipr\Desktop\HASIL TIKA\tika olah data.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	100
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each test are based on all cases with valid data for the variable(s) used in that test.
Syntax		NPAR TESTS /M-W= interleukin6 BY NLR(1 2) /MISSING ANALYSIS.
Resources	Processor Time	00:00:00.02
	Elapsed Time	00:00:00.01
	Number of Cases Allowed <sup>a</sup>	112347

a. Based on availability of workspace memory.

## Mann-Whitney Test

		Ranks		
	kategoriNLR	N	Mean Rank	Sum of Ranks
interleukin6	>3.13	35	54.20	1897.00
	<3.13	65	48.51	3153.00
	Total	100		

**Test Statistics<sup>a</sup>**

	interleukin6
Mann-Whitney U	1008.000
Wilcoxon W	3153.000
Z	-.936
Asymp. Sig. (2-tailed)	.349

a. Grouping Variable: kategoriNLR

**NPar Tests**

**Notes**

Output Created		16-NOV-2021 07:37:53
Comments		
Input	Data	C:\Users\adipr\Desktop\HASIL TIKA\tika olah data.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	100
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each test are based on all cases with valid data for the variable(s) used in that test.
Syntax		NPAR TESTS /M-W= interleukin6 BY ALC(1 2) /MISSING ANALYSIS.
Resources	Processor Time	00:00:00.02
	Elapsed Time	00:00:00.03
	Number of Cases Allowed <sup>a</sup>	112347

a. Based on availability of workspace memory.

**Mann-Whitney Test**

**Ranks**

	kategoriALC	N	Mean Rank	Sum of Ranks
interleukin6	<1500	26	57.13	1485.50
	>1500	74	48.17	3564.50
	Total	100		

**Test Statistics<sup>a</sup>**

	interleukin6
Mann-Whitney U	789.500
Wilcoxon W	3564.500
Z	-1.356
Asymp. Sig. (2-tailed)	.175

a. Grouping Variable: kategoriALC

**NPar Tests**

**Notes**

Output Created		16-NOV-2021 07:38:12
Comments		
Input	Data	C:\Users\adipr\Desktop\HASIL TIKA\tika olah data.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	100
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.

Syntax	Cases Used	Statistics for each test are based on all cases with valid data for the variable(s) used in that test. NPAR TESTS /M-W= interleukin6 BY CRP(1 2) /MISSING ANALYSIS.
Resources	Processor Time	00:00:00.02
	Elapsed Time	00:00:00.03
	Number of Cases Allowed <sup>a</sup>	112347

a. Based on availability of workspace memory.

## Mann-Whitney Test

		Ranks		
	CRP	N	Mean Rank	Sum of Ranks
interleukin6	>10mg/dl	54	61.41	3316.00
	<10mg/dl	46	37.70	1734.00
	Total	100		

Test Statistics <sup>a</sup>	
	interleukin6
Mann-Whitney U	653.000
Wilcoxon W	1734.000
Z	-4.074
Asymp. Sig. (2-tailed)	.000

a. Grouping Variable: CRP

## NPar Tests

		Notes
Output Created		16-NOV-2021 07:38:28
Comments		
Input	Data	C:\Users\adipr\Desktop\HASIL TIKA\tika olah data.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	100
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each test are based on all cases with valid data for the variable(s) used in that test.
Syntax		NPAR TESTS /M-W= interleukin6 BY Prokalsitonin(1 2) /MISSING ANALYSIS.
Resources	Processor Time	00:00:00.03
	Elapsed Time	00:00:00.01
	Number of Cases Allowed <sup>a</sup>	112347

a. Based on availability of workspace memory.

## Mann-Whitney Test

		Ranks		
	Prokalsitonin	N	Mean Rank	Sum of Ranks
interleukin6	>1	40	62.48	2499.00
	<1	60	42.52	2551.00
	Total	100		

**Test Statistics<sup>a</sup>**

	interleukin6
Mann-Whitney U	721.000
Wilcoxon W	2551.000
Z	-3.370
Asymp. Sig. (2-tailed)	.001

a. Grouping Variable: Prokalsitonin

**NPar Tests**

**Notes**

Output Created		16-NOV-2021 07:38:49
Comments		
Input	Data	C:\Users\adipr\Desktop\HASIL TIKA\tika olah data.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	100
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each test are based on all cases with valid data for the variable(s) used in that test.
Syntax		NPAR TESTS /M-W= interleukin6 BY PTAPTT(1 2) /MISSING ANALYSIS.
Resources	Processor Time	00:00:00.03
	Elapsed Time	00:00:00.01
	Number of Cases Allowed <sup>a</sup>	112347

a. Based on availability of workspace memory.

**Mann-Whitney Test**

**Ranks**

	PT/APTT	N	Mean Rank	Sum of Ranks
interleukin6	normal	75	47.44	3558.00
	memanjang	25	59.68	1492.00
	Total	100		

**Test Statistics<sup>a</sup>**

	interleukin6
Mann-Whitney U	708.000
Wilcoxon W	3558.000
Z	-1.827
Asymp. Sig. (2-tailed)	.068

a. Grouping Variable: PT/APTT

**NPar Tests**

**Notes**

Output Created		16-NOV-2021 07:39:18
Comments		
Input	Data	C:\Users\adipr\Desktop\HASIL TIKA\tika olah data.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	100
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.

Syntax	Cases Used	Statistics for each test are based on all cases with valid data for the variable(s) used in that test. NPAR TESTS /M-W= interleukin6 BY Ddimer(1 2) /MISSING ANALYSIS.
Resources	Processor Time	00:00:00.02
	Elapsed Time	00:00:00.02
	Number of Cases Allowed <sup>a</sup>	112347

a. Based on availability of workspace memory.

## Mann-Whitney Test

		Ranks		
Ddimer		N	Mean Rank	Sum of Ranks
interleukin6	normal	50	47.23	2361.50
	meningkat	50	53.77	2688.50
	Total	100		

Test Statistics <sup>a</sup>	
	interleukin6
Mann-Whitney U	1086.500
Wilcoxon W	2361.500
Z	-1.127
Asymp. Sig. (2-tailed)	.260

a. Grouping Variable: Ddimer

## Explore

		Notes
Output Created		16-NOV-2021 07:40:12
Comments		
Input	Data	C:\Users\ladipr\Desktop\HASIL TIKA\tika olah data.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	100
Missing Value Handling	Definition of Missing	User-defined missing values for dependent variables are treated as missing.
	Cases Used	Statistics are based on cases with no missing values for any dependent variable or factor used.
Syntax		EXAMINE VARIABLES=interleukin6 BY Luaran /PLOT NPLOT /STATISTICS DESCRIPTIVES /INTERVAL 95 /MISSING LISTWISE /NOTOTAL.
Resources	Processor Time	00:00:00.88
	Elapsed Time	00:00:00.95

## Luaran

		Case Processing Summary					
		Cases					
		Valid		Missing		Total	
Luaran		N	Percent	N	Percent	N	Percent
interleukin6	Mati	29	100.0%	0	0.0%	29	100.0%
	Membaik	71	100.0%	0	0.0%	71	100.0%

### Descriptives

Luaran		Statistic	Std. Error		
interleukin6	Mati	Mean	115.5175	6.79496	
		95% Confidence Interval for Mean	Lower Bound	101.5987	
			Upper Bound	129.4364	
		5% Trimmed Mean	111.4538		
		Median	99.6678		
		Variance	1338.973		
		Std. Deviation	36.59198		
		Minimum	77.89		
		Maximum	252.58		
		Range	174.69		
		Interquartile Range	41.05		
		Skewness	1.995	.434	
		Kurtosis	5.921	.845	
		Membalik	Membalik	Mean	63.9802
95% Confidence Interval for Mean	Lower Bound			60.6201	
	Upper Bound			67.3404	
5% Trimmed Mean	64.7694				
Median	66.8866				
Variance	201.527				
Std. Deviation	14.19603				
Minimum	23.48				
Maximum	87.39				
Range	63.92				
Interquartile Range	18.96				
Skewness	-.777			.285	
Kurtosis	.778			.563	

### Tests of Normality

Luaran		Kolmogorov-Smirnov <sup>a</sup>			Shapiro-Wilk		
		Statistic	df	Sig.	Statistic	df	Sig.
interleukin6	Mati	.185	29	.013	.814	29	.000
	Membalik	.102	71	.063	.950	71	.007

a. Lilliefors Significance Correction

### NPar Tests

#### Notes

Output Created		16-NOV-2021 07:41:54
Comments		
Input	Data	C:\Users\ladipr\Desktop\HASIL TIKA\tika olah data.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	100
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each test are based on all cases with valid data for the variable(s) used in that test.
Syntax		NPAR TESTS /M-W= interleukin6 BY GnGA(1 2) /MISSING ANALYSIS.

Resources	Processor Time	00:00:00.02
	Elapsed Time	00:00:00.01
	Number of Cases Allowed <sup>a</sup>	112347

a. Based on availability of workspace memory.

## Mann-Whitney Test

		Ranks		
	GnGA	N	Mean Rank	Sum of Ranks
interleukin6	GnGA	21	80.07	1681.50
	Tidak GnGA	79	42.64	3368.50
	Total	100		

Test Statistics <sup>a</sup>	
	interleukin6
Mann-Whitney U	208.500
Wilcoxon W	3368.500
Z	-5.256
Asymp. Sig. (2-tailed)	.000

a. Grouping Variable: GnGA

## NPar Tests

		Notes
Output Created		16-NOV-2021 07:43:25
Comments		
Input	Data	C:\Users\adipr\Desktop\HASIL TIKA\tika olah data.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	100
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each test are based on all cases with valid data for the variable(s) used in that test.
Syntax		NPAR TESTS /M-W= interleukin6 BY ARDS(1 2) /MISSING ANALYSIS.
Resources	Processor Time	00:00:00.00
	Elapsed Time	00:00:00.01
	Number of Cases Allowed <sup>a</sup>	112347

a. Based on availability of workspace memory.

## Mann-Whitney Test

		Ranks		
	ARDS	N	Mean Rank	Sum of Ranks
interleukin6	ARDS	40	67.24	2689.50
	tidak ARDS	60	39.34	2360.50
	Total	100		

Test Statistics <sup>a</sup>	
	interleukin6
Mann-Whitney U	530.500
Wilcoxon W	2360.500
Z	-4.711
Asymp. Sig. (2-tailed)	.000

a. Grouping Variable: ARDS

## Explore

### Notes

Output Created	16-NOV-2021 08:20:04	
Comments		
Input	Data	C:\Users\adipr\Desktop\HASIL TIKA\tika olah data.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	100
Missing Value Handling	Definition of Missing	User-defined missing values for dependent variables are treated as missing.
	Cases Used	Statistics are based on cases with no missing values for any dependent variable or factor used.
Syntax	EXAMINE VARIABLES=interleukin6 BY Luaran /PLOT NPLOT /STATISTICS DESCRIPTIVES /CINTERVAL 95 /MISSING LISTWISE /NOTOTAL.	
Resources	Processor Time	00:00:00.86
	Elapsed Time	00:00:00.86

## Luaran

### Case Processing Summary

		Cases					
		Valid		Missing		Total	
		N	Percent	N	Percent	N	Percent
interleukin6	Mati	29	100.0%	0	0.0%	29	100.0%
	Membaik	71	100.0%	0	0.0%	71	100.0%

### Descriptives

Luaran		Statistic	Std. Error
interleukin6	Mati	Mean	115.5175
		95% Confidence Interval for Mean	
		Lower Bound	101.5987
		Upper Bound	129.4364
		5% Trimmed Mean	111.4538
		Median	99.6678
		Variance	1338.973
	Membaik	Std. Deviation	36.59198
		Minimum	77.89
		Maximum	252.58
		Range	174.69
		Interquartile Range	41.05
		Skewness	1.995
		Kurtosis	5.921
Membaik	Mean	63.9802	
	95% Confidence Interval for Mean		
	Lower Bound	60.6201	
	Upper Bound	67.3404	
	5% Trimmed Mean	64.7694	
	Median	66.8866	
	Variance	201.527	

Std. Deviation	14.19603	
Minimum	23.48	
Maximum	87.39	
Range	63.92	
Interquartile Range	18.96	
Skewness	-.777	.285
Kurtosis	.778	.563

### Tests of Normality

Luaran	Kolmogorov-Smirnov <sup>a</sup>			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
interleukin6 Mati	.185	29	.013	.814	29	.000
Membaik	.102	71	.063	.950	71	.007

a. Lilliefors Significance Correction

### NPar Tests

#### Notes

Output Created	16-NOV-2021 08:20:44		
Comments			
Input	Data	C:\Users\adipr\Desktop\HASIL TIKA\tika olah data.sav	
	Active Dataset	DataSet1	
	Filter	<none>	
	Weight	<none>	
	Split File	<none>	
	N of Rows in Working Data File	100	
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.	
	Cases Used	Statistics for each test are based on all cases with valid data for the variable(s) used in that test.	
Syntax		NPAR TESTS /M-W= interleukin6 BY Luaran(1 2) /MISSING ANALYSIS.	
Resources	Processor Time	00:00:00.00	
	Elapsed Time	00:00:00.01	
	Number of Cases Allowed <sup>a</sup>	112347	

a. Based on availability of workspace memory.

### Mann-Whitney Test

#### Ranks

Luaran	N	Mean Rank	Sum of Ranks
interleukin6 Mati	29	84.62	2454.00
Membaik	71	36.56	2596.00
Total	100		

#### Test Statistics<sup>a</sup>

	interleukin6
Mann-Whitney U	40.000
Wilcoxon W	2596.000
Z	-7.517
Asymp. Sig. (2-tailed)	.000

a. Grouping Variable: Luaran

## ROC Curve

### Notes


Output Created		16-NOV-2021 08:20:47
Comments		
Input	Data	C:\Users\adipr\Desktop\HASIL TIKA\tika olah data.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	100
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data for all variables in the analysis.
Syntax		ROC interleukin6 BY Luaran (1) /PLOT=CURVE(REFERENCE) /PRINT=SE COORDINATES /CRITERIA=CUTOFF(INCLUDE) TESTPOS(LARGE) DISTRIBUTION(FREE) CI(95) /MISSING=EXCLUDE.
Resources	Processor Time	00:00:00.23
	Elapsed Time	00:00:00.24

### Case Processing Summary

Luaran	Valid N (listwise)
Positive <sup>a</sup>	29
Negative	71

Larger values of the test result variable(s) indicate stronger evidence for a positive actual state.

a. The positive actual state is Mati.



**Area Under the Curve**

Test Result Variable(s): interleukin6

Area	Std. Error <sup>a</sup>	Asymptotic Sig. <sup>b</sup>	Asymptotic 95% Confidence Interval	
			Lower Bound	Upper Bound
.981	.011	.000	.960	1.000

a. Under the nonparametric assumption

b. Null hypothesis: true area = 0.5

**Coordinates of the Curve**

Test Result Variable(s): interleukin6

Positive if Greater Than or Equal To <sup>a</sup>	Sensitivity	1 - Specificity
22.4789	1.000	1.000
24.3147	1.000	.986
32.9294	1.000	.958
42.5995	1.000	.930
44.7849	1.000	.915
47.3024	1.000	.901
50.4106	1.000	.873
51.3491	1.000	.845
51.6482	1.000	.817
52.0311	1.000	.803
52.8093	1.000	.775
53.8385	1.000	.746
55.0984	1.000	.718
56.9723	1.000	.704
59.1592	1.000	.690
60.4328	1.000	.676
61.0531	1.000	.662
61.7209	1.000	.648
61.8889	1.000	.620
62.1573	1.000	.592
63.3524	1.000	.577
64.5885	1.000	.563
65.3073	1.000	.549
65.9668	1.000	.535
66.5361	1.000	.521
67.1700	1.000	.493
67.4944	1.000	.479
67.5683	1.000	.465
67.6502	1.000	.437
67.8049	1.000	.423
67.9428	1.000	.408
67.9913	1.000	.394
68.6367	1.000	.380
69.3272	1.000	.366
69.9057	1.000	.352
70.5690	1.000	.338
70.7587	1.000	.324
71.2726	1.000	.310
71.7849	1.000	.296
71.8895	1.000	.282
72.0008	1.000	.268
72.2284	1.000	.254
72.5164	1.000	.239
73.9297	1.000	.225
75.7650	1.000	.197
77.0922	1.000	.183
77.8937	.966	.183
78.2209	.966	.169
78.7159	.966	.155
79.2174	.931	.155
79.6974	.931	.141
80.3526	.931	.113
80.9763	.931	.099
81.5423	.931	.085
82.0391	.897	.085

82.2179	.897	.070
82.9556	.862	.070
83.6572	.828	.070
85.4253	.828	.042
87.2477	.828	.014
88.0796	.828	.000
88.9198	.793	.000
89.9582	.759	.000
91.0053	.724	.000
91.3426	.655	.000
94.2664	.621	.000
98.0322	.586	.000
99.3575	.552	.000
99.6672	.517	.000
107.0470	.483	.000
118.0588	.448	.000
122.3916	.414	.000
125.3748	.345	.000
128.4987	.310	.000
129.3845	.276	.000
131.0066	.241	.000
132.8107	.207	.000
139.9478	.172	.000
148.1499	.138	.000
153.3658	.103	.000
162.0832	.069	.000
209.7291	.034	.000
253.5816	.000	.000

a. The smallest cutoff value is the minimum observed test value minus 1, and the largest cutoff value is the maximum observed test value plus 1. All the other cutoff values are the averages of two consecutive ordered observed test values.

## Logistic Regression

### Notes

Output Created	16-NOV-2021 08:20:54	
Comments		
Input	Data	C:\Users\ladipr\Desktop\HASIL TIKA\tika olah data.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	100
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing
Syntax		LOGISTIC REGRESSION VARIABLES Luaran /METHOD=ENTER ARDS GnGA WBC CRP Prokalsitonin kelompokinterleuikin6 Ddimer Saturasi Lamaperawatan /PRINT=CORR CI(95) /CRITERIA=PIN(0.05) POUT(0.10) ITERATE(20) CUT(0.5).
Resources	Processor Time	00:00:00.03
	Elapsed Time	00:00:00.02

### Case Processing Summary

Unweighted Cases <sup>a</sup>		N	Percent
Selected Cases	Included in Analysis	100	100.0
	Missing Cases	0	.0
	Total	100	100.0
Unselected Cases		0	.0
	Total	100	100.0

a. If weight is in effect, see classification table for the total number of cases.

**Dependent Variable Encoding**

Original Value	Internal Value
Mati	0
Membaik	1

**Block 0: Beginning Block**

**Classification Table<sup>a,b</sup>**

Observed		Predicted			
		Luaran		Percentage Correct	
		Mati	Membaik		
Step 0	Luaran	Mati	0	29	.0
		Membaik	0	71	100.0
Overall Percentage					71.0

- a. Constant is included in the model.
- b. The cut value is .500

**Variables in the Equation**

	B	S.E.	Wald	df	Sig.	Exp(B)
Step 0 Constant	.895	.220	16.507	1	.000	2.448

**Variables not in the Equation**

			Score	df	Sig.
Step 0	Variables	ARDS	31.115	1	.000
		GnGA	41.526	1	.000
		WBC	4.180	1	.041
		CRP	17.056	1	.000
		Prokalsitonin	8.289	1	.004
		kelompokinterleuikin6	63.583	1	.000
		Ddimer	3.934	1	.047
		Saturasi	15.610	1	.000
		Lamaperawatan	6.815	1	.009
Overall Statistics			75.245	9	.000

**Block 1: Method = Enter**

**Omnibus Tests of Model Coefficients**

		Chi-square	df	Sig.
Step 1	Step	99.925	9	.000
	Block	99.925	9	.000
	Model	99.925	9	.000

**Model Summary**

Step	-2 Log likelihood	Cox & Snell R Square	Nagelkerke R Square
1	20.506 <sup>a</sup>	.632	.903

- a. Estimation terminated at iteration number 10 because parameter estimates changed by less than .001.

**Classification Table<sup>a</sup>**

Observed		Predicted			
		Luaran		Percentage Correct	
		Mati	Membaik		
Step 1	Luaran	Mati	27	2	93.1
		Membaik	2	69	97.2
Overall Percentage					96.0

- a. The cut value is .500

**Variables in the Equation**

	B	S.E.	Wald	df	Sig.	Exp(B)		
Step 1 <sup>a</sup> ARDS	.921	1.913	.232	1	.630	2.512		
GnGA	3.472	1.771	3.843	1	.050	32.204		
WBC	-.101	1.751	.003	1	.954	.904		
CRP	3.168	2.491	1.618	1	.203	23.760		
Prokalsitonin	-.288	1.891	.023	1	.879	.750		
kelompokinterleukin6	9.829	4.162	5.577	1	.018	18570.693		
Ddimer	-5.687	3.609	2.483	1	.115	.003		
Saturasi	.544	2.501	.047	1	.828	1.723		
Lamaperawatan	4.623	2.221	4.333	1	.037	101.776		
Constant	-21.952	9.748	5.071	1	.024	.000		

**Variables in the Equation**

		95% C.I. for EXP(B)	
		Lower	Upper
Step 1 <sup>a</sup>	ARDS	.059	106.737
	GnGA	1.001	1036.294
	WBC	.029	27.970
	CRP	.180	3132.641
	Prokalsitonin	.018	30.527
	kelompokinterleukin6	5.322	64803656.473
	Ddimer	.000	4.002
	Saturasi	.013	231.673
	Lamaperawatan	1.310	7904.637
	Constant		

a. Variable(s) entered on step 1: ARDS, GnGA, WBC, CRP, Prokalsitonin, kelompokinterleukin6, Ddimer, Saturasi, Lamaperawatan.

**Correlation Matrix**

	Constant	ARDS	GnGA	WBC	CRP	Prokalsitonin				
Step 1	Constant	1.000	.123	-.643	-.103	-.356	-.138			
	ARDS	.123	1.000	.064	.506	-.465	.339			
	GnGA	-.643	.064	1.000	.215	.267	-.192			
	WBC	-.103	.506	.215	1.000	-.216	.331			
	CRP	-.356	-.465	.267	-.216	1.000	-.576			
	Prokalsitonin	-.138	.339	-.192	.331	-.576	1.000			
	kelompokinterleukin6	-.841	-.109	.589	.115	.513	.063			
	Ddimer	.496	-.265	-.553	-.489	-.315	-.176			
	Saturasi	-.540	-.701	.115	-.430	.278	-.141			
	Lamaperawatan	-.729	-.014	.528	-.034	.234	.104			

**Correlation Matrix**

		kelompokinterleukin6	Ddimer	Saturasi	Lamaperawatan
Step 1	Constant	-.841	.496	-.540	-.729
	ARDS	-.109	-.265	-.701	-.014
	GnGA	.589	-.553	.115	.528
	WBC	.115	-.489	-.430	-.034
	CRP	.513	-.315	.278	.234
	Prokalsitonin	.063	-.176	-.141	.104
	kelompokinterleukin6	1.000	-.790	.265	.784
	Ddimer	-.790	1.000	.257	-.620
	Saturasi	.265	.257	1.000	.168
	Lamaperawatan	.784	-.620	.168	1.000

## Crosstabs

### Notes

Output Created		16-NOV-2021 14:20:51
Comments		
Input	Data	C:\Users\adipr\Desktop\HASIL TIKA\tika olah data.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	100
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each table are based on all the cases with valid data in the specified range(s) for all variables in each table.
Syntax		CROSSTABS /TABLES=kelompokinterleuikin6 BY Luaran /FORMAT=AVALUE TABLES /STATISTICS=CHISQ RISK /CELLS=COUNT ROW /COUNT ROUND CELL.
Resources	Processor Time	00:00:00.02
	Elapsed Time	00:00:00.08
	Dimensions Requested	2
	Cells Available	131029

### Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
kelompokinterleuikin6 * Luaran	100	100.0%	0	0.0%	100	100.0%

### kelompokinterleuikin6 \* Luaran Crosstabulation

			Luaran		Total
			Mati	Membaik	
kelompokinterleuikin6	>80.97	Count	27	7	34
		% within kelompokinterleuikin6	79.4%	20.6%	100.0%
	>80.97	Count	2	64	66
		% within kelompokinterleuikin6	3.0%	97.0%	100.0%
Total		Count	29	71	100
		% within kelompokinterleuikin6	29.0%	71.0%	100.0%

### Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	63.583 <sup>a</sup>	1	.000		
Continuity Correction <sup>b</sup>	59.928	1	.000		
Likelihood Ratio	67.931	1	.000		
Fisher's Exact Test				.000	.000
Linear-by-Linear Association	62.947	1	.000		
N of Valid Cases	100				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 9.86.

b. Computed only for a 2x2 table

**Risk Estimate**

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for kelompokinterleukin6 (>80.97 / >80.97)	123.429	24.073	632.847
For cohort Luaran = Mati	26.206	6.623	103.691
For cohort Luaran = Membaik	.212	.110	.411
N of Valid Cases	100		

## Logistic Regression

### Notes

Output Created	09-DEC-2021 13:58:07	
Comments		
Input	Data	C:\Users\ladipr\Desktop\HASIL TIKA\tika olah data 291.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	291
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing
Syntax	LOGISTIC REGRESSION VARIABLES Luaran /METHOD=ENTER statusgizi Lamaperawatan kesadaran Saturasi ARDS GnGA WBC NLR ALC CRP Prokalsitonin PTAPTT Ddimer /PRINT=CORR CI(95) /CRITERIA=PIN(0.05) POUT(0.10) ITERATE(20) CUT(0.5).	
Resources	Processor Time	00:00:00.02
	Elapsed Time	00:00:00.20

### Case Processing Summary

Unweighted Cases <sup>a</sup>		N	Percent
Selected Cases	Included in Analysis	291	100.0
	Missing Cases	0	.0
	Total	291	100.0
Unselected Cases		0	.0
Total		291	100.0

a. If weight is in effect, see classification table for the total number of cases.

### Dependent Variable Encoding

Original Value	Internal Value
Mati	0
Membaik	1

## Block 0: Beginning Block

Classification Table<sup>a,b</sup>

Observed		Predicted			
		Luaran		Percentage Correct	
		Mati	Membaik		
Step 0	Luaran	Mati	0	83	.0
		Membaik	0	208	100.0
Overall Percentage					71.5

a. Constant is included in the model.

b. The cut value is .500

### Variables in the Equation

	B	S.E.	Wald	df	Sig.	Exp(B)
Step 0 Constant	.919	.130	50.072	1	.000	2.506

### Variables not in the Equation

	Score	df	Sig.
Step 0 Variables statusgizi	4.904	1	.027
Lamaperawatan	5.698	1	.017
kesadaran	3.360	1	.067

	Saturasi	10.157	1	.001
	ARDS	18.564	1	.000
	GnGA	20.867	1	.000
	WBC	5.576	1	.018
	NLR	2.984	1	.084
	ALC	5.722	1	.017
	CRP	71.566	1	.000
	Prokalsitonin	62.921	1	.000
	PTAPTT	32.185	1	.000
	Ddimer	21.964	1	.000
	Overall Statistics	129.271	13	.000

### Block 1: Method = Enter

#### Omnibus Tests of Model Coefficients

		Chi-square	df	Sig.
Step 1	Step	151.945	13	.000
	Block	151.945	13	.000
	Model	151.945	13	.000

#### Model Summary

Step	-2 Log likelihood	Cox & Snell R Square	Nagelkerke R Square
1	195.985 <sup>a</sup>	.407	.583

a. Estimation terminated at iteration number 6 because parameter estimates changed by less than .001.

#### Classification Table<sup>a</sup>

Observed		Predicted		Percentage Correct	
		Mati	Membaik		
Step 1	Luaran	Mati	63	20	75.9
		Membaik	17	191	91.8
Overall Percentage					87.3

a. The cut value is .500

#### Variables in the Equation

	B	S.E.	Wald	df	Sig.	Exp(B)		
Step 1 <sup>a</sup>								
statusgizi	-1.084	.404	7.195	1	.007	.338		
Lamaperawatan	.547	.394	1.928	1	.165	1.728		
kesadaran	-.700	.417	2.826	1	.093	.497		
Saturasi	-.170	1.068	.025	1	.874	.844		
ARDS	1.235	1.008	1.500	1	.221	3.439		
GnGA	1.045	.525	3.958	1	.047	2.844		
WBC	.511	.400	1.625	1	.202	1.666		
NLR	.182	.417	.190	1	.663	1.200		
ALC	1.195	.420	8.090	1	.004	3.305		
CRP	1.905	.463	16.921	1	.000	6.719		
Prokalsitonin	1.345	.413	10.612	1	.001	3.840		
PTAPTT	.939	.429	4.783	1	.029	2.558		
Ddimer	.827	.464	3.168	1	.075	2.286		
Constant	-11.528	2.069	31.048	1	.000	.000		

**Variables in the Equation**

		95% C.I. for EXP(B)	
		Lower	Upper
Step 1 <sup>a</sup>	statusgizi	.153	.747
	Lamaperawatan	.799	3.737
	kesadaran	.219	1.123
	Saturasi	.104	6.844
	ARDS	.476	24.821
	GnGA	1.016	7.966
	WBC	.760	3.652
	NLR	.529	2.718
	ALC	1.450	7.530
	CRP	2.711	16.654
	Prokalsitonin	1.709	8.627
	PTAPTT	1.102	5.935
	Ddimer	.920	5.680
	Constant		

a. Variable(s) entered on step 1: statusgizi, Lamaperawatan, kesadaran, Saturasi, ARDS, GnGA, WBC, NLR, ALC, CRP, Prokalsitonin, PTAPTT, Ddimer.

**Correlation Matrix**

	Constant	statusgizi	Lamaperawatan	kesadaran	Saturasi	ARDS							
Step 1 Constant	1.000	-.123	-.207	-.240	-.295	.094							
statusgizi	-.123	1.000	-.163	-.002	-.011	.006							
Lamaperawatan	-.207	-.163	1.000	.129	.042	-.047							
kesadaran	-.240	-.002	.129	1.000	.165	-.156							
Saturasi	-.295	-.011	.042	.165	1.000	-.891							
ARDS	.094	.006	-.047	-.156	-.891	1.000							
GnGA	-.339	-.018	-.014	-.087	-.012	-.126							
WBC	-.134	-.004	-.036	-.157	-.108	.053							
NLR	-.158	-.042	-.091	.085	.066	.012							
ALC	-.415	.007	-.014	-.011	.035	.040							
CRP	-.174	-.207	.029	-.026	.019	-.048							
Prokalsitonin	-.137	-.097	.047	-.091	-.120	.147							
PTAPTT	-.138	-.082	-.073	.003	.058	-.104							
Ddimer	-.435	.101	.020	.062	.293	-.133							

**Correlation Matrix**

	GnGA	WBC	NLR	ALC	CRP	Prokalsitonin		
Step 1 Constant	-.339	-.134	-.158	-.415	-.174	-.137		
statusgizi	-.018	-.004	-.042	.007	-.207	-.097		
Lamaperawatan	-.014	-.036	-.091	-.014	.029	.047		
kesadaran	-.087	-.157	.085	-.011	-.026	-.091		

Saturasi	-0.012	-0.108	.066	.035	.019	-0.120		
ARDS	-.126	.053	.012	.040	-.048	.147		
GnGA	1.000	.056	-.065	.010	.020	-.078		
WBC	.056	1.000	-.224	.116	.029	.088		
NLR	-.065	-.224	1.000	-.362	.023	-.022		
ALC	.010	.116	-.362	1.000	.144	.060		
CRP	.020	.029	.023	.144	1.000	-.368		
Prokalsitonin	-.078	.088	-.022	.060	-.368	1.000		
PTAPTT	.156	-.096	-.075	.122	.021	-.007		
Ddimer	-.025	-.079	.098	.037	-.016	-.054		

**Correlation Matrix**

		PTAPTT	Ddimer
Step 1	Constant	-.138	-.435
	statusgizi	-.082	.101
	Lamaperawatan	-.073	.020
	kesadaran	.003	.062
	Saturasi	.058	.293
	ARDS	-.104	-.133
	GnGA	.156	-.025
	WBC	-.096	-.079
	NLR	-.075	.098
	ALC	.122	.037
	CRP	.021	-.016
	Prokalsitonin	-.007	-.054
	PTAPTT	1.000	-.405
	Ddimer	-.405	1.000