

## DAFTAR PUSTAKA

- Acharya, A.=, Lalwani, T., Dutta, R., Rajaratnam, J. K., Ruducha, J., Varkey, L. C., Wunnavi, S., Menezes, L., Taylor, C., & Bernson, J. (2015). Evaluating a large-scale community-based intervention to improve pregnancy and newborn health among the rural poor in India. *American Journal of Public Health, 105*(1), 144–152. <https://doi.org/10.2105/AJPH.2014.302092>
- Agarwal, A. K., Sethi, A., Sareen, D., & Dhingra, S. (2011). Treatment Delay in Oral and Oropharyngeal Cancer in Our Population: The Role of Socio-Economic Factors and Health-Seeking Behaviour. *Indian Journal of Otolaryngology and Head and Neck Surgery, 63*(2), 145–150. <https://doi.org/10.1007/s12070-011-0134-9>
- Ahmed, S. M., Tomson, G., Petzold, M., & Kabir, Z. N. (2005). Socioeconomic status overrides age and gender in determining health-seeking behaviour in rural Bangladesh. *Bulletin of the World Health Organization, 83*(2), 109–117. <https://doi.org/S0042-96862005000200011>
- Andersen, R. M. (1995). Revisiting the behavioral model and access to medical care: does it matter? *Journal of Health and Social Behavior, 36*(1), 1–10. <https://doi.org/10.2307/2137284>
- Anwar, M., Green, J., & Norris, P. (2012). Health-seeking behaviour in Pakistan: A narrative review of the existing literature. *Public Health, 126*(6), 507–517. <https://doi.org/10.1016/j.puhe.2012.02.006>
- Arksey, H., & O'Malley, L. (2005). Scoping studies: Towards a methodological framework. *International Journal of Social Research Methodology: Theory and Practice, 8*(1), 19–32. <https://doi.org/10.1080/1364557032000119616>
- Awasthi, S., Verma, T., Agarwal, M., & Pandey, C. M. (2018). To assess the effectiveness of various communication strategies for improving childhood pneumonia case management: Study protocol of a community based behavioral open labeled trial in rural Lucknow, Uttar Pradesh, India. *BMC Pediatrics, 18*(1), 1–11. <https://doi.org/10.1186/s12887-018-1250-4>
- Bana, S., Yakoob, J., Jivany, N., Faisal, A., Jawed, H., & Awan, S. (2016). Understanding Health Seeking Behavior Of Health Care Professionals In Tertiary Care Hospitals In Pakistan. *Journal of Ayub Medical College, Abbottabad : JAMC, 28*(3), 545–549.
- Boone, P., Eble, A., Elbourne, D., Frost, C., Jayanty, C., Lakshminarayana, R., Mann, V., Mukherjee, R., Piaggio, G., & Reddy, P. (2017). Community health promotion and medical provision for neonatal health—CHAMPION cluster randomised trial in Nagarkurnool district, Telangana (formerly Andhra Pradesh),

India. *PLoS Medicine*, 14(7), 1–28.  
<https://doi.org/10.1371/journal.pmed.1002324>

Canavati, S. E., De Beyl, C. Z., Ly, P., Shafique, M., Boukheng, T., Rang, C., Whittaker, M. A., Roca-feltre, A., & Sintasath, D. (2016). Evaluation of intensified behaviour change communication strategies in an artemisinin resistance setting. *Malaria Journal*, 15(1), 1–13. <https://doi.org/10.1186/s12936-016-1276-8>

Cheatham, C. T., Barksdale, D. J., & Rodgers, S. G. (2008). Barriers to health care and health-seeking behaviors faced by Black men. *Journal of the American Academy of Nurse Practitioners*, 20(11), 555–562. <https://doi.org/10.1111/j.1745-7599.2008.00359.x>

Chibwana, A. I., Mathanga, D. P., Chinkhumba, J., & Campbell, C. H. (2009). Socio-cultural predictors of health-seeking behaviour for febrile under-five children in Mwanza-Neno district, Malawi. *Malaria Journal*, 8(1), 1–8. <https://doi.org/10.1186/1475-2875-8-219>

Cutilli, C. C. (2010). Seeking Health Information. *Orthopaedic Nursing*, 29(3), 214–219.

Das, A., Friedman, J., Kandpal, E., Ramana, G. N. V., Kumar, R., & Gupta, D. (2015). *Strengthening malaria service delivery through supportive supervision and community mobilization in an endemic Indian setting: an evaluation of nested delivery models*.

Desai, S., Mahal, A., Sinha, T., Schellenberg, J., & Cousens, S. (2017). The effect of community health worker-led education on women's health and treatment-seeking: A cluster randomised trial and nested process evaluation in Gujarat, India. *Journal of Global Health*, 7(2), 1–11. <https://doi.org/10.7189/jogh.07.020404>

Edmond, K. M., Yousifi, K., Anwari, Z., Sadat, S. M., Staniczai, S. M., Higgins-Steele, A., Bellows, A. L., & Smith, E. R. (2018). Can community health worker home visiting improve care-seeking and maternal and newborn care practices in fragile states such as Afghanistan? A population-based intervention study. *BMC Medicine*, 16(1), 1–13. <https://doi.org/10.1186/s12916-018-1092-9>

Galdas, P. M., Cheater, F., & Marshall, P. (2005). Men and health help-seeking behaviour: Literature review. *Journal of Advanced Nursing*, 49(6), 616–623. <https://doi.org/10.1111/j.1365-2648.2004.03331.x>

Gopalan, S. S., Mutasa, R., Friedman, J., & Das, A. (2014). Health sector demand-side financial incentives in low- and middle-income countries: A systematic review on demand- and supply-side effects. *Social Science and Medicine*, 100, 72–83. <https://doi.org/10.1016/j.socscimed.2013.10.030>

- Grundy, J., & Annear, P. (2010). Health-seeking behaviour studies:a literature review of study design and methods with a focus on Cambodia. *Health Policy and Health Finance Knowledge Hub*, 7(7), 1–14. <https://doi.org/10.1371/journal.pone.0073049>
- Guan, H., Wang, H., Huan, J., Du, K., Zhao, J., Boswell, M., Shi, Y., Iyer, M., & Rozelle, S. (2018). Health seeking behavior among rural left-behind children: Evidence from Shaanxi and Gansu provinces in China. *International Journal of Environmental Research and Public Health*, 15(5), 10–14. <https://doi.org/10.3390/ijerph15050883>
- Gunawan, W., & Sutrisno, B. (2021). Pemetaan sosial untuk perencanaan pembangunan masyarakat. *Sawala: Jurnal Pengabdian Masyarakat Pembangunan Sosial, Desa Dan Masyarakat*, 2(2), 94–105.
- Guttmacher, S., Kelly, P. J. (Patricia J., & Ruiz-Janecko, Y. (2010). Community-based health interventions: principles and applications. In *Community-based health interventions : principles and applications*.
- Guttmacher, S., Vana, P. K., & Ruiz-Janecko, Y. (2010). *Community-Based Health Interventions*. Jossey-Bass. <https://www.wiley.com/en-us/Community+Based+Health+Interventions-p-9780787983116>
- Hampshire, K. R., Porter, G., Owusu, S. A., Tanle, A., & Abane, A. (2011). Out of the reach of children? Young people's health-seeking practices and agency in Africa's newly-emerging therapeutic landscapes. *Social Science and Medicine*, 73(5), 702–710. <https://doi.org/10.1016/j.socscimed.2011.06.035>
- Hesketh, T., Ding, Q. J., & Tomkins, A. M. (2003). Health and health care-seeking behavior of adolescents in urban and rural China. *Journal of Adolescent Health*, 33(4), 271–274. [https://doi.org/10.1016/S1054-139X\(03\)00102-2](https://doi.org/10.1016/S1054-139X(03)00102-2)
- Hewins-Maroney, B., Schumaker, A., & Williams, E. (2005). HEALTH SEEKING BEHAVIORS OF AFRICAN AMERICANS: IMPLICATIONS FOR HEALTH ADMINISTRATION. *Journal of Health and Human Services Administration*, 28(1), 68–95. <https://www.jstor.org/stable/41288058>
- Hodgins, S., Rajbhandari, B., Joshi, D., Ban, B., Khatry, S., & Mullany, L. C. (2020). Community-based cluster randomized controlled trial: Empowering households to identify and provide appropriate care for low-birthweight newborns in Nepal. *BMC Public Health*, 20(1), 1–11. <https://doi.org/10.1186/s12889-020-09317-w>
- Igun, U. A. (1979). Stages in health-seeking: A descriptive model. *Social Science and Medicine. Part A Medical Psychology and Medical*, 13(C), 445–456. [https://doi.org/10.1016/0271-7123\(79\)90079-8](https://doi.org/10.1016/0271-7123(79)90079-8)
- Ishaq Bhatti, L., & Fikree, F. F. (2002). Health-seeking behavior of Karachi women

- with reproductive tract infections. *Social Science and Medicine*, 54(1), 105–117. [https://doi.org/10.1016/S0277-9536\(01\)00012-0](https://doi.org/10.1016/S0277-9536(01)00012-0)
- Ismail, S. A., McCullough, A., Guo, S., Sharkey, A., Harma, S., & Rutter, P. (2019). Gender-related differences in care-seeking behaviour for newborns: A systematic review of the evidence in South Asia. *BMJ Global Health*, 4(3), 1–8. <https://doi.org/10.1136/bmjgh-2018-001309>
- Ito, T., Takenoshita, R., Narumoto, K., Plegue, M., Sen, A., Crabtree, B. F., & Fetter, M. D. (2014). A community-based intervention in middle schools to improve HPV vaccination and cervical cancer screening in Japan. *Asia Pacific Family Medicine*, 13(1), 1–8. <https://doi.org/10.1186/s12930-014-0013-0>
- Jackson, M. D., Coombs, M. P., Wright, B. E., Carney, A. A., Lewis-Fuller, E., & Reizo, M. (2004). Self-reported non-communicable chronic diseases and health-seeking behaviour in rural Jamaica, following a health promotion intervention: A preliminary report. *International Congress Series*, 1267(C), 59–68. <https://doi.org/10.1016/j.ics.2004.01.061>
- Johansson, E., Long, N. H., Diwan, V. K., & Winkvist, A. (2000). Gender and tuberculosis control: Perspectives on health seeking behaviour among men and women in Vietnam. *Health Policy*, 52(1), 33–51. [https://doi.org/10.1016/S0168-8510\(00\)00062-2](https://doi.org/10.1016/S0168-8510(00)00062-2)
- Kalim, N., Anwar, I., Khan, J., Blum, L. S., Moran, A. C., Botlero, R., & Koblinsky, M. (2009). Postpartum haemorrhage and eclampsia: Differences in knowledge and care-seeking behaviour in two districts of Bangladesh. *Journal of Health, Population and Nutrition*, 27(2), 156–169. <https://doi.org/10.3329/jhpn.v27i2.3328>
- Kandpal, E., Alderman, H., Friedman, J., Filmer, D., Onishi, J., & Avalos, J. (2016). A conditional cash transfer program in the Philippines reduces severe stunting. *Journal of Nutrition*, 146(9), 1793–1800. <https://doi.org/10.3945/jn.116.233684>
- KM, S. M., & D'Souza, D. S. C. (2013). *A Review of Preventive Health Information Seeking Behavior of Common People in Developing Countries*. February, 1–30. [https://www.researchgate.net/profile/Sudheer\\_Km4/publication/271854550\\_A\\_Review\\_of\\_Preventive\\_Health\\_Information\\_Seeking\\_Behavior\\_of\\_Common\\_People\\_in\\_Developing\\_Countries/links/54d58ea60cf246475807cd2b/A-Review-of-Preventive-Health-Information-Seeking-Beh](https://www.researchgate.net/profile/Sudheer_Km4/publication/271854550_A_Review_of_Preventive_Health_Information_Seeking_Behavior_of_Common_People_in_Developing_Countries/links/54d58ea60cf246475807cd2b/A-Review-of-Preventive-Health-Information-Seeking-Beh)
- Kunda, J., Fitzpatrick, J., Kazwala, R., French, N. P., Shirima, G., MacMillan, A., Kambarage, D., Bronsvoort, M., & Cleaveland, S. (2007). Health-seeking behaviour of human brucellosis cases in rural Tanzania. *BMC Public Health*, 7, 1–7. <https://doi.org/10.1186/1471-2458-7-315>
- Lalchhuanawma, R., & Murhekar, M. V. (2012). Health-seeking behaviour for febrile

- illness in malaria-endemic Kolasib district, Mizoram, India. *International Health*, 4(4), 314–319. <https://doi.org/10.1016/j.inhe.2012.06.003>
- Latunji, O. O., & Akinyemi, O. O. (2018). Factors Influencing Health-Seeking Behaviour Among Civil Servants in Ibadan, Nigeria. *Annals of Ibadan Postgraduate Medicine*, 16(1), 52–60. <http://www.ncbi.nlm.nih.gov/pubmed/30254559%0Ahttp://www.ncbi.nlm.nih.gov/articlerender.fcgi?artid=PMC6143883>
- Li, C., Chen, Z., & Khan, M. M. (2021). Bypassing primary care facilities: health-seeking behavior of middle age and older adults in China. *BMC Health Services Research*, 21(1), 1–12. <https://doi.org/10.1186/s12913-021-06908-0>
- lingkar LSM. (2013). *Pemetaan Sosial*. <http://lingkarlsm.com/pemetaan-sosial/#:~:text=Kegiatan pemetaan sosial lazimnya memiliki,program sesuai dengan potensi serta>
- Lockwood, C., dos Santos, K. B., & Pap, R. (2019). Practical Guidance for Knowledge Synthesis: Scoping Review Methods. In *Asian Nursing Research* (Vol. 13, Issue 5, pp. 287–294). <https://doi.org/10.1016/j.anr.2019.11.002>
- Mackian, S., Bedri, N., & Lovel, H. (2004). Up The Garden Path and Over The Edge: Where Might Health-Seeking Behaviour Take Us? *Health Policy and Planning*, 19(3), 137–146. <https://doi.org/10.1093/heropol/czh017>
- Mahapatro, M. (2015). Equity in utilization of health care services: Perspective of pregnant women in southern Odisha, India. *Indian Journal of Medical Research*, 142(AUGUST), 183–189. <https://doi.org/10.4103/0971-5916.164251>
- Mashreky, S. R., Rahman, A., Chowdhury, S. M., Svanström, L., Shafinaz, S., Khan, T. F., & Rahman, F. (2010). Health seeking behaviour of parents of burned children in Bangladesh is related to family socioeconomics. *Injury*, 41(5), 528–532. <https://doi.org/10.1016/j.injury.2009.05.017>
- Mazumder, S., Taneja, S., Bahl, R., Mohan, P., Strand, T. A., Sommerfelt, H., Kirkwood, B. R., Goyal, N., Van Den Hombergh, H., Martines, J., & Bhandari, N. (2014). Effect of implementation of Integrated Management of Neonatal and Childhood Illness programme on treatment seeking practices for morbidities in infants: Cluster randomised trial. *BMJ (Online)*, 349. <https://doi.org/10.1136/bmj.g4988>
- McBride, B., O’Neil, J. D., Hue, T. T., Eni, R., Vu Nguyen, C., & Nguyen, L. T. (2018). Improving health equity for ethnic minority women in Thai Nguyen, Vietnam: Qualitative results from an mHealth intervention targeting maternal and infant health service access. *Journal of Public Health (United Kingdom)*, 40, II32–II41. <https://doi.org/10.1093/pubmed/fdy165>

- Mi, G., Wu, Z., Wang, X., Shi, C. X., Yu, F., Li, T., Zhang, L., Mcgoogan, J. M., Pang, L., Xu, J., & Rou, K. (2015). *Effects of a Quasi-Randomized Web-Based Intervention on Risk Behaviors and Treatment Seeking Among HIV-Positive Men Who Have Sex With Men in Chengdu , China*. 490–496.
- Mohiuddin, A. K. (2019). Patient behavior: an extensive review. *Nursing & Care Open Access Journal*, 6(3), 76–90. <https://doi.org/10.15406/ncoaj.2019.06.00188>
- More, N. S., Bapat, U., Das, S., Alcock, G., Patil, S., & Porel, M. (2012). *Community Mobilization in Mumbai Slums to Improve Perinatal Care and Outcomes : A Cluster Randomized Controlled Trial*. 9(7). <https://doi.org/10.1371/journal.pmed.1001257>
- Mori, R., Yonemoto, N., Noma, H., Ochirbat, T., Barber, E., Soyolgerel, G., Nakamura, Y., & Lkhagvasuren, O. (2015). The Maternal and Child Health (MCH) handbook in Mongolia:A cluster-randomized, controlled trial. *PLoS ONE*, 10(4), 1–12. <https://doi.org/10.1371/journal.pone.0119772>
- Munn, Z., Peters, M. D. J., Stern, C., Tufanaru, C., McArthur, A., & Aromataris, E. (2018). Systematic review or scoping review? Guidance for authors when choosing between a systematic or scoping review approach. *BMC Medical Research Methodology*, 18(1), 1–7. <https://doi.org/10.1186/s12874-018-0611-x>
- Murthy, N., Chandrasekharan, S., Prakash, M. P., Ganju, A., Peter, J., Kaonga, N., & Mechael, P. (2020). Effects of an mHealth voice message service (mMitra) on maternal health knowledge and practices of low-income women in India: Findings from a pseudo-randomized controlled trial. *BMC Public Health*, 20(1), 1–10. <https://doi.org/10.1186/s12889-020-08965-2>
- Nielsen, A., Lan, P. T., Marrone, G., Phuc, H. D., Chuc, N. T. K., & Stålsby Lundborg, C. (2016). Reproductive Tract Infections in Rural Vietnam, Women's Knowledge, and Health-Seeking Behavior: A Cross-Sectional Study. *Health Care for Women International*, 37(4), 392–411. <https://doi.org/10.1080/07399332.2014.920021>
- Noronha, J. A., Bhaduri, A., Bhat, H. V., & Kamath, A. (2013). Interventional study to strengthen the health promoting behaviours of pregnant women to prevent anaemia in southern India. *Midwifery*, 29(7), e35–e41. <https://doi.org/10.1016/j.midw.2012.07.014>
- Nyanchoka, L., Tudur-Smith, C., Thu, V. N., Iversen, V., Tricco, A. C., & Porcher, R. (2019). A scoping review describes methods used to identify, prioritize and display gaps in health research. In *Journal of Clinical Epidemiology* (Vol. 109, pp. 99–110). <https://doi.org/10.1016/j.jclinepi.2019.01.005>
- Oberoi, S., Chaudhary, N., Patnaik, S., & Singh, A. (2016). Understanding Health Seeking Behavior. *Journal of Family Medicine and Primary Medicine*, 5(2).

<https://doi.org/10.4103/2249-4863.192376>

- Onwujekwe, O., Chukwuogo, O., Ezeoke, U., Uzochukwu, B., & Eze, S. (2011). Asking people directly about preferred health-seeking behaviour yields invalid response: An experiment in south-east Nigeria. *Journal of Public Health*, 33(1), 93–100. <https://doi.org/10.1093/pubmed/fdq065>
- Peters, M. D., Godfrey, C., McInerney, P., Munn, Z., Tricco, A. C., & Khalil, H. (2020). JBI Manual for Evidence Synthesis. In *Chapter 11 Scoping reviews*. <https://doi.org/https://doi.org/10.46658/JBIMES-20-12>
- Peters, M. D. J., Godfrey, C. M., McInerney, P., Munn, Z., Tricco, A., & Khalil, H. (2020). Chapter 11: Scoping Reviews (2020 Version). In E. Aromataris & Z. Munn (Eds.), *Joanna Briggs Institute Reviewer's Manual*. JBI.
- Petridou, E. T., & Antonopoulos, C. N. (2016). Injury Epidemiology. In *International Encyclopedia of Public Health* (Second Edi, Vol. 3). Elsevier. <https://doi.org/10.1016/B978-0-12-803678-5.00233-2>
- Polk, D. E., King, C. M., & Heller, K. (2014). Community-based interventions. *Cambridge Handbook of Psychology, Health and Medicine, Second Edition*, 93(4), 344–348. <https://doi.org/10.1017/CBO9780511543579.075>
- Poortaghi, S., Raiesifar, A., Bozorgzad, P., Golzari, S. E. J., Parvizy, S., & Rafii, F. (2015). Evolutionary concept analysis of health seeking behavior in nursing: A systematic review. *BMC Health Services Research*, 15(1), 3. <https://doi.org/10.1186/s12913-015-1181-9>
- Quayyum, Z., Khan, M. N. U., Quayyum, T., Nasreen, H. E., Chowdhury, M., & Ensor, T. (2013). “Can community level interventions have an impact on equity and utilization of maternal health care” - Evidence from rural Bangladesh. *International Journal for Equity in Health*, 12(1), 1–13. <https://doi.org/10.1186/1475-9276-12-22>
- S Hausmann-Muela, JM Ribera, & I Nyamong. (2003). Health-seeking behavior and the health systemresponse. *Disease Control Priorities Project Working Paper*.
- Sepehri, A., Moshiri, S., Simpson, W., & Sarma, S. (2008). Taking account of context: How important are household characteristics in explaining adult health-seeking behaviour? The case of Vietnam. *Health Policy and Planning*, 23(6), 397–407. <https://doi.org/10.1093/heapol/czn034>
- Shaikh, B. T., & Hatcher, J. (2005). Health seeking behaviour and health service utilization in Pakistan: Challenging the policy makers. *Journal of Public Health*, 27(1), 49–54. <https://doi.org/10.1093/pubmed/fdh207>
- Sharma, Shantanu, Mehra, D., Akhtar, F., & Mehra, S. (2020). Evaluation of a community-based intervention for health and economic empowerment of

- marginalized women in India. *BMC Public Health*, 20(1), 1–16. <https://doi.org/10.1186/s12889-020-09884-y>
- Sharma, Sheetal, Van Teijlingen, E., Belizán, J. M., Hundley, V., Simkhada, P., & Sicuri, E. (2016). Measuring what works: An impact evaluation of women's groups on maternal health uptake in rural Nepal. *PLoS ONE*, 11(5), 1–16. <https://doi.org/10.1371/journal.pone.0155144>
- Siddiqi, D. A., Ali, R. F., Munir, M., Shah, M. T., Khan, A. J., & Chandir, S. (2020). Effect of vaccine reminder and tracker bracelets on routine childhood immunization coverage and timeliness in urban Pakistan (2017-18): A randomized controlled trial. *BMC Public Health*, 20(1), 1–15. <https://doi.org/10.1186/s12889-020-09088-4>
- Sucharew, H., & Macaluso, M. (2019). Methods for research evidence synthesis: The scoping review approach. In *Journal of Hospital Medicine* (Vol. 14, Issue 7, pp. 416–418). <https://doi.org/10.12788/jhm.3248>
- Thompson, S., Mercer, M. A., Hofstee, M., Stover, B., Vasconcelos, P., & Meyanathan, S. (2019). Connecting mothers to care: Effectiveness and scale-up of an mhealth program in timor-leste. *Journal of Global Health*, 9(2). <https://doi.org/10.7189/jogh.09.020428>
- Tobe, R. G., Islam, M. T., Yoshimura, Y., & Hossain. (2019). Strengthening the community support group to improve maternal and neonatal health seeking behaviors: A cluster-randomized controlled trial in Satkhira District, Bangladesh. *PLoS ONE*, 14(2), 1–19. <https://doi.org/10.1371/JOURNAL.PONE.0212847>
- Tricco, A. C., Lillie, E., Zarin, W., Brien, K. K. O., Colquhoun, H., Levac, D., Moher, D., Peters, M. D. J., Ma, Q., Horsley, T., Weeks, L., Hartling, L., Aldcroft, A., Hons, B. A., Wilson, M. G., & Garrity, C. (2018). *R ESEARCH AND R EPORTING METHODS PRISMA Extension for Scoping Reviews (PRISMA-ScR): Checklist and Explanation*. August 2016. <https://doi.org/10.7326/M18-0850>
- Wambui, W. M., Kimani, S., & Odhiambo, E. (2018). Determinants of Health Seeking Behavior among Caregivers of Infants Admitted with Acute Childhood Illnesses at Kenyatta National Hospital, Nairobi, Kenya. *International Journal of Pediatrics*, 2018, 1–11. <https://doi.org/10.1155/2018/5190287>
- Watson, G., Patel, K., Leng, D., Vanna, D., Khut, S., Prak, M., & Turner, C. (2020). Barriers and facilitators to neonatal health and care-seeking behaviours in rural Cambodia: a qualitative study. *BMJ Open*, 10(7), e035449. <https://doi.org/10.1136/bmjopen-2019-035449>
- Wikipedia. (2021). *List of Asian countries by area*. [https://en.wikipedia.org/wiki/List\\_of\\_Asian\\_countries\\_by\\_area](https://en.wikipedia.org/wiki/List_of_Asian_countries_by_area)

- Witter, S., Khadka, S., Nath, H., & Tiwari, S. (2011). The national free delivery policy in Nepal: Early evidence of its effects on health facilities. *Health Policy and Planning*, 26(SUPPL. 2), 84–91. <https://doi.org/10.1093/heapol/czr066>
- World Health Organization. (2018). *The top 10 causes of death*. <https://www.who.int/news-room/fact-sheets/detail/the-top-10-causes-of-death>
- World Health Organization. (2020). *No TitlePrimary health care in the South-East Asia*. <https://www.who.int/southeastasia/health-topics/primary-health-care>
- Younes, L., Houweling, T. A. J., Azad, K., Kuddus, A., Shah, S., Haq, B., Nahar, T., Hossen, M., Beard, J., Copas, A., Prost, A., Costello, A., & Fottrell, E. (2015). The effect of participatory women's groups on infant feeding and child health knowledge, behaviour and outcomes in rural Bangladesh: A controlled before-and-after study. *Journal of Epidemiology and Community Health*, 69(4), 374–381. <https://doi.org/10.1136/jech-2014-204271>
- Yurkovich, E. E., Hopkins (Lattergrass), I., & Rieke, S. (2012). Health-Seeking Behaviors of Native American Indians With Persistent Mental Illness: Completing the Circle. *Archives of Psychiatric Nursing*, 26(2), e1–e11. <https://doi.org/10.1016/j.apnu.2011.11.002>
- Zhang, T., Liu, X., Bromley, H., & Tang, S. (2007). Perceptions of tuberculosis and health seeking behaviour in rural Inner Mongolia, China. *Health Policy*, 81(2–3), 155–165. <https://doi.org/10.1016/j.healthpol.2005.12.009>
- Zhang, Y., Guan, H., Du, K., Zhao, J., Shi, Y., Wang, H., & Wang, D. (2021). Effects of vision health education and free eyeglasses on knowledge of vision and usage of spectacles among primary school students: Evidence from gansu and Shaanxi Provinces in China. *Risk Management and Healthcare Policy*, 14, 1449–1464. <https://doi.org/10.2147/RMHP.S297265>

## Lampiran 1

Item Pelaporan Pilihan untuk Tinjauan Sistematis dan ekstensi Analisis Meta untuk Tinjauan Pelingkupan (PRISMA-ScR) Daftar Periksa

SECTION	ITEM	PRISMA-ScR CHECKLIST ITEM	REPORTED ON PAGE
Judul	1	Identifikasi laporan sebagai tinjauan cakupan.	
Ringkasan terstruktur	2	Berikan ringkasan terstruktur yang mencakup (jika berlaku): latar belakang, tujuan, kriteria kelayakan, sumber bukti, metode pembuatan bagan, hasil, dan kesimpulan yang terkait dengan pertanyaan dan tujuan tinjauan..	
Alasan	3	Jelaskan alasan peninjauan dalam konteks apa yang sudah diketahui. Jelaskan mengapa pertanyaan / tujuan tinjauan cocok untuk pendekatan tinjauan lingkup.	
Tujuan	4	Berikan pernyataan eksplisit tentang pertanyaan dan tujuan yang dibahas dengan mengacu pada elemen kunci mereka (misalnya, populasi atau peserta, konsep, dan konteks) atau elemen kunci relevan lainnya yang digunakan untuk membuat konsep pertanyaan dan / atau tujuan tinjauan.	
Protokol dan registrasi	5	Tunjukkan apakah protokol tinjauan ada; sebutkan jika dan di mana itu dapat diakses (misalnya, alamat Web); dan jika tersedia, berikan informasi pendaftaran, termasuk nomor pendaftaran.	
Kriteria kelayakan	6	Tentukan karakteristik sumber bukti yang digunakan sebagai kriteria kelayakan (misalnya, tahun dipertimbangkan, bahasa, dan status publikasi), dan berikan alasan.	
Sumber informasi *	7	Jelaskan semua sumber informasi dalam pencarian (misalnya, database dengan tanggal cakupan dan kontak dengan penulis untuk mengidentifikasi sumber tambahan), serta tanggal pencarian terbaru dilakukan.	
Cari	8	Sajikan strategi pencarian elektronik lengkap untuk setidaknya 1 database, termasuk batasan apa pun yang digunakan, sehingga dapat diulang.	
Pemilihan sumber bukti	9	Sebutkan proses untuk memilih sumber bukti (yaitu, penyaringan dan kelayakan) yang termasuk dalam tinjauan pelingkupan.	
Proses pembuatan grafik data	10	Jelaskan metode pembuatan bagan data dari sumber bukti yang disertakan (misalnya, formulir yang dikalibrasi atau formulir yang telah diuji oleh tim sebelum digunakan, dan apakah pembuatan bagan data dilakukan secara mandiri atau dalam rangkap) dan proses apa pun untuk memperoleh dan mengonfirmasi data dari penyelidik.	
Item data	11	Buat daftar dan tentukan semua variabel yang datanya dicari serta asumsi dan penyederhanaan apa pun.	
Penilaian kritis sumber	12	Jika dilakukan, berikan alasan untuk melakukan penilaian kritis terhadap sumber bukti yang disertakan; menjelaskan metode yang digunakan dan bagaimana informasi ini digunakan dalam sintesis	

SECTION	ITEM	PRISMA-ScR CHECKLIST ITEM	REPORTED ON PAGE
bukti individu		data apa pun (jika sesuai).	
Sintesis hasil	13	Jelaskan metode penanganan dan ringkasan data yang dipetakan.	
Pemilihan sumber bukti	14	Berikan jumlah sumber bukti yang disaring, dinilai kelayakannya, dan dimasukkan dalam tinjauan, dengan alasan pengecualian di setiap tahap, idealnya menggunakan diagram alir.	
Karakteristik sumber bukti	15	Untuk setiap sumber bukti, tunjukkan karakteristik yang datanya dipetakan dan berikan kutipannya.	
Penilaian kritis dalam sumber bukti	16	Jika selesai, tunjukkan data tentang penilaian kritis dari sumber bukti yang disertakan (lihat item 12).	
Hasil sumber bukti individu	17	Untuk setiap sumber bukti yang disertakan, sajikan data relevan yang dibuat bagan yang terkait dengan pertanyaan dan tujuan tinjauan.	
Sintesis hasil	18	Meringkas dan / atau menyajikan hasil bagan yang berkaitan dengan pertanyaan dan tujuan tinjauan.	
Ringkasan bukti	19	Rangkum hasil utama (termasuk gambaran umum konsep, tema, dan jenis bukti yang tersedia), tautkan ke pertanyaan dan tujuan tinjauan, dan pertimbangkan relevansinya dengan kelompok kunci.	
Batasan	20	Diskusikan batasan proses tinjauan pelingkupan.	
Kesimpulan	21	Memberikan interpretasi umum dari hasil sehubungan dengan pertanyaan dan tujuan tinjauan, serta implikasi potensial dan / atau langkah selanjutnya.	
Pendanaan	22	Jelaskan sumber pendanaan untuk sumber bukti yang disertakan, serta sumber pendanaan untuk tinjauan pelingkupan. Jelaskan peran penyandang dana tinjauan pelingkupan..	

## Lampiran 2 Flow Diagram

PRISMA 2009 Flow Diagram



