

DAFTAR PUSTAKA

- Abdel-Sayed, P. *et al.* (2019) ‘Cell therapies for skin regeneration: an overview of 40 years of experience in burn units.’, *Swiss medical weekly*. Switzerland, 149, p. w20079. doi: 10.4414/smw.2019.20079.
- Abraham, J. A. and Klagsbrun, M. (1988) ‘Modulation of Wound Repair by Members of the Fibroblast Growth Factor Family’, in *The Molecular and Cellular Biology of Wound Repair*. Boston, MA: Springer US, pp. 195–248. doi: 10.1007/978-1-4899-0185-9_6.
- Aleckovic, M. and Simon, C. (2008) ‘Is teratoma formation in stem cell research a characterization tool or a window to developmental biology?’, *Reproductive biomedicine online*. Netherlands, 17(2), pp. 270–280. doi: 10.1016/s1472-6483(10)60206-4.
- Anderson, J. H., Mandell, S. P. and Gibran, N. S. (2019) ‘Burns’, in Brunnicardi, F. C. *et al.* (eds) *Schwartz’s Principles of Surgery*. Eleventh. New York: McGraw-Hill, pp. 251–270.
- ANZBA (2016) *Emergency Management of Severe Burns (EMSB)*. 18th edn. AlbanyCreek: THE EDUCATION COMMITTEE OF AUSTRALIA AND NEW ZEALAND BURN ASSOCIATION LTD.
- Baglioni, S. *et al.* (2009) ‘Characterization of human adult stem-cell populations isolated from visceral and subcutaneous adipose tissue.’, *FASEB journal : official publication of the Federation of American Societies for Experimental Biology*. United States, 23(10), pp. 3494–3505. doi: 10.1096/fj.08-126946.
- Baird, A. (1997) ‘The Regulation of Basic Fibroblast Growth Factor (FGF-2) Through Limited Bioavailability’, in Ziegler, T. R., Pierce, G. F., and Herndon, D. N. (eds) *Growth Factors and Wound Healing*. New York, NY: Springer New York, pp. 27–36.
- Bakacak, M. *et al.* (2016) ‘Protective Effect of Platelet Rich Plasma on Experimental Ischemia/Reperfusion Injury in Rat Ovary.’, *Gynecologic and obstetric investigation*. Switzerland, 81(3), pp. 225–231. doi: 10.1159/000440617.
- Barret-Nerin, J. (2004) *Principles and Practice of Burn Surgery*. CRC Press. doi: 10.1201/b21634.
- Benson, A., Dickson, W. A. and Boyce, D. E. (2006) ‘ABC of wound healing: Burns’, *BMJ*, 333(Suppl S3), p. 609324. doi: 10.1136/sbmj.0609324.
- Beccia, E. *et al.* (2021) ‘Adipose Stem Cells and Platelet-Rich Plasma Induce Vascular-Like Structures in a Dermal Regeneration Template’, *Tissue Engineering - Part A*, 27(9–10), pp. 631–641. doi: 10.1089/ten.tea.2020.0175.

- Borrione, P. *et al.* (2010) 'Platelet-rich plasma in muscle healing.', *American journal of physical medicine & rehabilitation*. United States, 89(10), pp. 854–861. doi: 10.1097/PHM.0b013e3181f1c1c7.
- Bourin, P. *et al.* (2013) 'Stromal cells from the adipose tissue-derived stromal vascular fraction and culture expanded adipose tissue-derived stromal/stem cells: a joint statement of the International Federation for Adipose Therapeutics and Science (IFATS) and the International Society of Cytotherapy', *Cytotherapy*. England, 15(6), pp. 641–648. doi: 10.1016/j.jcyt.2013.02.006.
- Braund, R., Hook, S. and Medicott, N. J. (2007) 'The role of topical growth factors in chronic wounds.', *Current drug delivery*. United Arab Emirates, 4(3), pp. 195–204. doi: 10.2174/156720107781023857.
- Cerqueira, M. T., Pirraco, R. P. and Marques, A. P. (2016) 'Stem Cells in Skin Wound Healing: Are We There Yet?', *Advances in Wound Care*, 5(4), pp. 164–175. doi: 10.1089/wound.2014.0607.
- Cervelli, V. *et al.* (2009) 'Application of platelet-rich plasma in plastic surgery: Clinical and in vitro evaluation', *Tissue Engineering - Part C: Methods*, 15(4), pp. 625–634. doi: 10.1089/ten.tec.2008.0518.
- Cervelli, V. *et al.* (2010) 'Tissue regeneration in loss of substance on the lower limbs through use of platelet-rich plasma, stem cells from adipose tissue, and hyaluronic acid.', *Advances in skin & wound care*. United States, 23(6), pp. 262–272. doi: 10.1097/01.ASW.0000363551.82058.36.
- Chen, Z. *et al.* (2020) 'Efficacy and safety of platelet-rich plasma in the treatment of severe burns', *Medicine*, 99(45), p. e23001. doi: 10.1097/md.00000000000023001.
- Chicharro-Alcántara, D. *et al.* (2018) 'Platelet rich plasma: New insights for cutaneous wound healing management', *Journal of Functional Biomaterials*, 9(1). doi: 10.3390/jfb9010010.
- Chieragato, K. *et al.* (2011) 'Epidermal growth factor, basic fibroblast growth factor and platelet-derived growth factor-bb can substitute for fetal bovine serum and compete with human platelet-rich plasma in the ex vivo expansion of mesenchymal stromal cells derived from adipose tissue', *Cytotherapy*. England, 13(8), pp. 933–943. doi: 10.3109/14653249.2011.583232.
- Choi, J., Minn, K. W. and Chang, H. (2012) 'The efficacy and safety of platelet-rich plasma and adipose-derived stem cells: an update', *Archives of plastic surgery*. 2012/11/14. The Korean Society of Plastic and Reconstructive Surgeons, 39(6), pp. 585–592. doi: 10.5999/aps.2012.39.6.585.
- Comella, K., Silbert, R. and Parlo, M. (2017) 'Effects of the intradiscal implantation of stromal vascular fraction plus platelet rich plasma in

- patients with degenerative disc disease', *Journal of translational medicine*. BioMed Central, 15(1), p. 12. doi: 10.1186/s12967-016-1109-0.
- Dailey, L. *et al.* (2005) 'Mechanisms underlying differential responses to FGF signaling.', *Cytokine & growth factor reviews*. England, 16(2), pp. 233–247. doi: 10.1016/j.cytogfr.2005.01.007.
- Darinskas, A. *et al.* (2017) 'Stromal vascular fraction cells for the treatment of critical limb ischemia: a pilot study.', *Journal of translational medicine*. England, 15(1), p. 143. doi: 10.1186/s12967-017-1243-3.
- El-Sharkawy, H. *et al.* (2007) 'Platelet-rich plasma: growth factors and pro- and anti-inflammatory properties.', *Journal of periodontology*. United States, 78(4), pp. 661–669. doi: 10.1902/jop.2007.060302.
- Eppley, B. L., Pietrzak, W. S. and Blanton, M. (2006) 'Platelet-rich plasma: a review of biology and applications in plastic surgery.', *Plastic and reconstructive surgery*. United States, 118(6), pp. 147e-159e. doi: 10.1097/01.prs.0000239606.92676.cf.
- Eswarakumar, V. P., Lax, I. and Schlessinger, J. (2005) 'Cellular signaling by fibroblast growth factor receptors.', *Cytokine & growth factor reviews*. England, 16(2), pp. 139–149. doi: 10.1016/j.cytogfr.2005.01.001.
- Ferraro, G. A., Mizuno, H. and Pallua, N. (2016) 'Adipose Stem Cells: From Bench to Bedside', *Stem Cells International*. Hindawi Publishing Corporation, 2016, p. 6484038. doi: 10.1155/2016/6484038.
- Finch, P. W. *et al.* (1989) 'Human KGF is FGF-Related with Properties of a Paracrine Effector of Epithelial Cell Growth', *Science*. American Association for the Advancement of Science, 245(4919), pp. 752–755. Available at: <http://www.jstor.org/stable/1704044>.
- Foubert, P. *et al.* (2016) 'Adipose-derived regenerative cell therapy for burn wound healing: A comparison of two delivery methods', *Advances in Wound Care*, 5(7), pp. 288–298. doi: 10.1089/wound.2015.0672.
- Fu, Y.-S. *et al.* (2006) 'Conversion of human umbilical cord mesenchymal stem cells in Wharton's jelly to dopaminergic neurons in vitro: potential therapeutic application for Parkinsonism.', *Stem cells (Dayton, Ohio)*. United States, 24(1), pp. 115–124. doi: 10.1634/stemcells.2005-0053.
- Gentile, P. *et al.* (2017) 'Concise Review: The Use of Adipose-Derived Stromal Vascular Fraction Cells and Platelet Rich Plasma in Regenerative Plastic Surgery.', *Stem cells (Dayton, Ohio)*. United States, 35(1), pp. 117–134. doi: 10.1002/stem.2498.
- Ghadially, R., Halkier-Sorensen, L. and Elias, P. M. (1992) 'Effects of petrolatum on stratum corneum structure and function', *Journal of the American Academy of Dermatology*, 26(3), pp. 387–396. doi: [https://doi.org/10.1016/0190-9622\(92\)70060-S](https://doi.org/10.1016/0190-9622(92)70060-S).

- Ghieh, F. *et al.* (2015) 'The Use of Stem Cells in Burn Wound Healing: A Review', *BioMed Research International*. Edited by C. Kasper. Hindawi Publishing Corporation, 2015, p. 684084. doi: 10.1155/2015/684084.
- Gillenwater, J. and Garner, W. L. (2020) 'Thermal, Chemical, and Electrical Injuries', in Kevin C. Chung (ed.) *Grabb and Smith's plastic surgery*. Eighth. Philadelphia: Wolters Kluwer Health.
- Gimble, J. and Guilak, F. (2003) 'Adipose-derived adult stem cells: isolation, characterization, and differentiation potential.', *Cytotherapy*. England, 5(5), pp. 362–369. doi: 10.1080/14653240310003026.
- Gimble, J. M., Katz, A. J. and Bunnell, B. A. (2007) 'Adipose-derived stem cells for regenerative medicine.', *Circulation research*. United States, 100(9), pp. 1249–1260. doi: 10.1161/01.RES.0000265074.83288.09.
- Goldfarb, M. (2005) 'Fibroblast growth factor homologous factors: evolution, structure, and function', *Cytokine & growth factor reviews*. 2005/03/23, 16(2), pp. 215–220. doi: 10.1016/j.cytogfr.2005.02.002.
- Grigore, T. V. and Cozma, C. (2018) 'Platelet-rich plasma as a site-targeted approach in wound healing: a molecular perspective', *Discoveries*, 6(4), pp. 1–8. doi: 10.15190/d.2018.8.
- Guo, H.-F. *et al.* (2017) 'A new model for studying deep partial-thickness burns in rats.', *International journal of burns and trauma*. United States, 7(6), pp. 107–114.
- Han, J. *et al.* (2010) 'Adipose tissue is an extramedullary reservoir for functional hematopoietic stem and progenitor cells.', *Blood*. United States, 115(5), pp. 957–964. doi: 10.1182/blood-2009-05-219923.
- Harrison, D. A. (2012) 'The Jak/STAT pathway.', *Cold Spring Harbor perspectives in biology*. United States, 4(3). doi: 10.1101/cshperspect.a011205.
- Hayes, M. *et al.* (2012) 'Clinical review: Stem cell therapies for acute lung injury/acute respiratory distress syndrome - hope or hype?', *Critical care (London, England)*. England, 16(2), p. 205. doi: 10.1186/cc10570.
- Herndon, D. N. *et al.* (1997) 'Growth Hormone Therapy in Human Burn Injury', in Ziegler, T. R., Pierce, G. F., and Herndon, D. N. (eds) *Growth Factors and Wound Healing*. New York, NY: Springer New York, pp. 231–244.
- Hirase, T. *et al.* (2018) 'Topical application of platelet-rich plasma for diabetic foot ulcers: A systematic review', *World Journal of Diabetes*, 9(10), pp. 172–179. doi: 10.4239/wjd.v9.i10.172.
- Holland, E. C. and Varmus, H. E. (1998) 'Basic fibroblast growth factor induces cell migration and proliferation after glia-specific gene transfer in mice.',

- Proceedings of the National Academy of Sciences of the United States of America*. United States, 95(3), pp. 1218–1223. doi: 10.1073/pnas.95.3.1218.
- Hombach-Klonisch, S. *et al.* (2008) ‘Adult stem cells and their trans-differentiation potential--perspectives and therapeutic applications’, *Journal of molecular medicine (Berlin, Germany)*. 2008/07/16, 86(12), pp. 1301–1314. doi: 10.1007/s00109-008-0383-6.
- Horwitz, E. M. *et al.* (2005) ‘Clarification of the nomenclature for MSC: The International Society for Cellular Therapy position statement.’, *Cytotherapy*. England, 7(5), pp. 393–395. doi: 10.1080/14653240500319234.
- Hosni Ahmed, H. *et al.* (2017) ‘Can mesenchymal stem cells pretreated with platelet-rich plasma modulate tissue remodeling in a rat with burned skin?’, *Biochemistry and Cell Biology*, 95(5), pp. 537–548. doi: 10.1139/bcb-2016-0224.
- Hu, Z. *et al.* (2009) ‘Platelet-rich plasma induces mRNA expression of V and PDGF in rat bone marrow stromal cell differentiation.’, *Oral surgery, oral medicine, oral pathology, oral radiology, and endodontics*. United States, 107(1), pp. 43–48. doi: 10.1016/j.tripleo.2008.06.023.
- Itoh, N. and Ornitz, D. M. (2004) ‘Evolution of the Fgf and Fgfr gene families’, *Trends in Genetics*. Department of Genetic Biochemistry, Kyoto University Graduate School of Pharmaceutical Sciences, Yoshida-Shimoadachi, Sakyo, Kyoto 606-8501, Japan. itohnobu@pharm.kyoto-u.ac.jp, 20(11), pp. 563–569. doi: 10.1016/j.tig.2004.08.007.
- Itoh, N. and Ornitz, D. M. (2008) ‘Functional evolutionary history of the mouseFgf gene family’, *Developmental Dynamics*, 237(1), pp. 18–27. doi: 10.1002/dvdy.21388.
- Josh, F. *et al.* (2012) ‘Accelerated and safe proliferation of human adipose-derived stem cells in medium supplemented with human serum.’, *Journal of Nippon Medical School = Nippon Ika Daigaku zasshi*. Japan, 79(6), pp. 444–452. doi: 10.1272/jnms.79.444.
- Josh, F. *et al.* (2021) ‘The Combination of Stromal Vascular Fraction Cells and Platelet-Rich Plasma Reduces Malondialdehyde and Nitric Oxide Levels in Deep Dermal Burn Injury’, *Journal of Inflammation Research*, 14, pp. 3049–3061.
- Karagergou, E. *et al.* (2018) ‘Adipose-derived stromal vascular fraction aids epithelialisation and angiogenesis in an animal model’, *Journal of Wound Care*, 27, pp. 637–644. doi: 10.12968/jowc.2018.27.10.637.
- Karina *et al.* (2019) ‘Combination of the stromal vascular fraction and platelet-rich plasma accelerates the wound healing process: pre-clinical study in a

- Sprague-Dawley rat model', *Stem cell investigation*. AME Publishing Company, 6, p. 18. doi: 10.21037/sci.2019.06.08.
- Kevy, S., Jacobson, M. and Benoit, P. (2001) 'The biology of platelet concentrate as prepared by the Harvest Technologies Smart-PReP System', in *Proceedings of the 3rd Annual Meeting of Techvest Conference on Tissue Repair, Replacement, and Regeneration*.
- Kim, D.-Y. *et al.* (2014) 'Effects of platelet-rich plasma, adipose-derived stem cells, and stromal vascular fraction on the survival of human transplanted adipose tissue', *Journal of Korean medical science*. 2014/11/21. The Korean Academy of Medical Sciences, 29 Suppl 3(Suppl 3), pp. S193–S200. doi: 10.3346/jkms.2014.29.S3.S193.
- Kirschstein, R. (2001) 'Stem cells: scientific progress and future directions', *National Institutes of Health*, pp. 1–222.
- Kolkova, K. *et al.* (2000) 'Neural cell adhesion molecule-stimulated neurite outgrowth depends on activation of protein kinase C and the Ras-mitogen-activated protein kinase pathway', *The Journal of neuroscience: the official journal of the Society for Neuroscience*. Protein Laboratory, Institute of Molecular Pathology, University of Copenhagen, DK-2200, Copenhagen N, Denmark., 20(6), pp. 2238–2246. doi: 10.1523/JNEUROSCI.20-06-02238.2000.
- Komi-Kuramochi, A. *et al.* (2005) 'Expression of fibroblast growth factors and their receptors during full-thickness skin wound healing in young and aged mice', *Journal of Endocrinology*, 186(2), pp. 273–289. doi: 10.1677/joe.1.06055.
- Kotani, T. *et al.* (2017) 'Anti-inflammatory and anti-fibrotic effects of intravenous adipose-derived stem cell transplantation in a mouse model of bleomycin-induced interstitial pneumonia', *Scientific Reports*. Springer US, 7(1), pp. 1–10. doi: 10.1038/s41598-017-15022-3.
- Laidding, S. R. *et al.* (2021) 'Combination of platelet rich plasma and stromal vascular fraction on the level of vascular endothelial growth factor in rat subjects experiencing deep dermal burn injury', *Annals of Medicine and Surgery*, 64(March). doi: 10.1016/j.amsu.2021.102254.
- Lawrence, W. T. (1998) 'Physiology of the acute wound.', *Clinics in plastic surgery*. United States, 25(3), pp. 321–340.
- Le, T. M. *et al.* (2019) 'The sustained release of basic fibroblast growth factor accelerates angiogenesis and the engraftment of the inactivated dermis by high hydrostatic pressure', *PLOS ONE*. Edited by F. Zhao. Public Library of Science, 14(2), p. e0208658. doi: 10.1371/journal.pone.0208658.
- Li, H. *et al.* (2009) '[Experimental research of the promotion effect of autogenic PRP on osteogenic differentiation of human adipose-derived stem cells in

vitro].’, *Zhongguo xiu fu chong jian wai ke za zhi = Zhongguo xiufu chongjian waike zazhi = Chinese journal of reparative and reconstructive surgery*. China, 23(6), pp. 732–736.

- Lo, B. and Parham, L. (2009) ‘Ethical issues in stem cell research’, *Endocrine reviews*. 2009/04/14. The Endocrine Society, 30(3), pp. 204–213. doi: 10.1210/er.2008-0031.
- Lykov, A. P., Poveshchenko, O. V. and Bondarenko, N. A. (2019) ‘Therapeutic Potential of Fibroblast Combined with Platelet-Rich Plasma on Burn Skin Wound Healing’, 8(1), pp. 1–5. doi: 10.15412/J.JBTW.01070201.
- MacLeod, A. S. and Mansbridge, J. N. (2016) ‘The Innate Immune System in Acute and Chronic Wounds’, *Advances in wound care*. Mary Ann Liebert, Inc., 5(2), pp. 65–78. doi: 10.1089/wound.2014.0608.
- Maddaluno, L., Urwyler, C. and Werner, S. (2017) ‘Fibroblast growth factors: key players in regeneration and tissue repair.’, *Development (Cambridge, England)*. England, 144(22), pp. 4047–4060. doi: 10.1242/dev.152587.
- Mansoub, N. H. *et al.* (2018) ‘The role of PRP and adipose tissue-derived keratinocytes on burn wound healing in diabetic rats’, *BioImpacts*, 8(1), pp. 5–12. doi: 10.15171/bi.2018.02.
- Marck, R., Middelkoop, M. and Breederveld, R. (2018) ‘Considerations on the use of platelet rich plasma, specifically for burn treatment: Journal of burn care & research May-Jun 2014;35(3):219-227’, in *On PLATELETS and burns*, pp. 20–34.
- McGee, G. S. *et al.* (1988) ‘Recombinant basic fibroblast growth factor accelerates wound healing.’, *The Journal of surgical research*. United States, 45(1), pp. 145–153. doi: 10.1016/0022-4804(88)90034-0.
- Moenadjat, Y. *et al.* (2013) ‘The application of human umbilical cord blood mononuclear cells in the management of deep partial thickness burn’, *Medical Journal of Indonesia*, 22(2 SE-Clinical Research). doi: 10.13181/mji.v22i2.534.
- Mohamed, S. *et al.* (2017) ‘Cell-based skin substitutes accelerate regeneration of extensive burn wounds in rats’, *American Journal of Surgery*, 214(4), pp. 762–769. doi: 10.1016/j.amjsurg.2017.04.010.
- Nauta, A. *et al.* (2013) ‘Adipose-derived stromal cells overexpressing vascular endothelial growth factor accelerate mouse excisional wound healing.’, *Molecular therapy : the journal of the American Society of Gene Therapy*. United States, 21(2), pp. 445–455. doi: 10.1038/mt.2012.234.
- Nazzal, M. *et al.* (2019) ‘Wound Healing’, in F. Charles Brunicaardi *et al.* (eds) *Schwartz’s Principles of Surgery*. Eleventh. New York: McGraw-Hill, pp. 271–304.


- Nikolidakis, D. and Jansen, J. A. (2008) 'The biology of platelet-rich plasma and its application in oral surgery: literature review.', *Tissue engineering. Part B, Reviews*. United States, 14(3), pp. 249–258. doi: 10.1089/ten.teb.2008.0062.
- Oryan, A., Alemzadeh, E. and Moshiri, A. (2017) 'Burn wound healing: Present concepts, treatment strategies and future directions', *Journal of Wound Care*, 26(1), pp. 5–19. doi: 10.12968/jowc.2017.26.1.5.
- Ozcelik, U. *et al.* (2016) 'Effect of topical platelet-rich plasma on burn healing after partial-thickness burn injury', *Medical Science Monitor*, 22, pp. 1903–1909. doi: 10.12659/MSM.895395.
- Park, J. W., Hwang, S. R. and Yoon, I.-S. (2017) 'Advanced Growth Factor Delivery Systems in Wound Management and Skin Regeneration', *Molecules (Basel, Switzerland)*. MDPI, 22(8), p. 1259. doi: 10.3390/molecules22081259.
- Patel, D. P. *et al.* (2015) 'High-grade renal injuries are often isolated in sports-related trauma', *Injury*. 2015/03/01, 46(7), pp. 1245–1249. doi: 10.1016/j.injury.2015.02.008.
- Patel, P., Duttaroy, D. and Kacheriwala, S. (2014) 'Management of renal injuries in blunt abdominal trauma', *Journal of Research in Medical and Dental Science*, 2(2), p. 38. doi: 10.5455/jrmds.2014229.
- Pearson, G. *et al.* (2001) 'Mitogen-activated protein (MAP) kinase pathways: regulation and physiological functions.', *Endocrine reviews*. United States, 22(2), pp. 153–183. doi: 10.1210/edrv.22.2.0428.
- Petry, T. *et al.* (2017) 'Review of data on the dermal penetration of mineral oils and waxes used in cosmetic applications', *Toxicology Letters*, 280, pp. 70–78. doi: <https://doi.org/10.1016/j.toxlet.2017.07.899>.
- Van Pham, P. *et al.* (2013) 'Activated platelet-rich plasma improves adipose-derived stem cell transplantation efficiency in injured articular cartilage.', *Stem cell research & therapy*. England, 4(4), p. 91. doi: 10.1186/scrt277.
- Plichta, J. K. and Radek, K. A. (2012) 'Sugar-Coating Wound Repair: A Review of FGF-10 and Dermatan Sulfate in Wound Healing and Their Potential Application in Burn Wounds', *Journal of Burn Care & Research*, 33(3), pp. 299–310. doi: 10.1097/BCR.0b013e318240540a.
- Powers, C. J., McLeskey, S. W. and Wellstein, A. (2000) 'Fibroblast growth factors, their receptors and signaling.', *Endocrine-related cancer*. England, 7(3), pp. 165–197. doi: 10.1677/erc.0.0070165.
- Raposio, E. *et al.* (2016) 'Adipose-derived Stem Cells Added to Platelet-rich Plasma for Chronic Skin Ulcer Therapy.', *Wounds: a compendium of clinical research and practice*. United States, 28(4), pp. 126–131.

- Rigotti, G., Marchi, A. and Sbarbati, A. (2009) 'Adipose-derived mesenchymal stem cells: past, present, and future.', *Aesthetic plastic surgery*. United States, pp. 271–273. doi: 10.1007/s00266-009-9339-7.
- Rohovsky, S. and D'Amore, P. A. (1997) 'Growth Factors and Angiogenesis in Wound Healing', in Thomas R. Ziegler, Pierce, G. F., and Herndon, D. N. (eds) *Growth Factors and Wound Healing*. New York, NY: Springer New York, pp. 8–26. doi: 10.1007/978-1-4612-1876-0_2.
- Rose, L. F. and Chan, R. K. (2016) 'The Burn Wound Microenvironment', *Advances in Wound Care*, 5(3), pp. 106–118. doi: 10.1089/wound.2014.0536.
- Rosenstrauch, D. *et al.* (2005) 'Stem celltherapy for ischemic heart failure', *Texas Heart Institute journal*, 32(3), pp. 339–347. Available at: <https://pubmed.ncbi.nlm.nih.gov/16392214>.
- Rumalla, V. K. and Borah, G. L. (2001) 'Cytokines, growth factors, and plastic surgery.', *Plastic and reconstructive surgery*. United States, 108(3), pp. 719–733. doi: 10.1097/00006534-200109010-00019.
- Said, A. *et al.* (2019) 'Sauromatum guttatum extract promotes wound healing and tissue regeneration in a burn mouse model via up-regulation of growth factors', *Pharmaceutical Biology*. Taylor & Francis, 57(1), pp. 736–743. doi: 10.1080/13880209.2019.1676266.
- Schaffer, C. J. and Nanney, L. B. (1996) 'Cell biology of wound healing.', *International review of cytology*. United States, 169, pp. 151–181. doi: 10.1016/s0074-7696(08)61986-5.
- Schöler, H. R. (2016) 'The Potential of Stem Cells: An Inventory', in Schipanski, D., Knoepfle, N., and S L Sorgner (eds) *Humanbiotechnology as Social Challenge An Interdisciplinary Introduction to Bioethics*. First. London: Taylor & Francis, pp. 1–28.
- Sethi, A. *et al.* (2016) 'Moisturizers: The Slippery Road', *Indian journal of dermatology*. Medknow Publications & Media Pvt Ltd, 61(3), pp. 279–287. doi: 10.4103/0019-5154.182427.
- Seyhan, N. *et al.* (2015) 'The Effect of Combined Use of Platelet-Rich Plasma and Adipose-Derived Stem Cells on Fat Graft Survival', *Annals of Plastic Surgery*, 74(5), pp. 615–620. doi: 10.1097/SAP.0000000000000480.
- Shpichka, A. *et al.* (2019) 'Skin tissue regeneration for burn injury', *Stem Cell Research and Therapy*. Stem Cell Research & Therapy, 10(1), pp. 1–16. doi: 10.1186/s13287-019-1203-3.
- Shukla, S. K. *et al.* (2020) 'Can miRNAs serve as potential markers in thermal burn injury: An in silico approach', *Journal of Burn Care and Research*, 41(1), pp. 57–64. doi: 10.1093/jbcr/irz183.

- Singh, V. K. *et al.* (2016) 'Describing the Stem Cell Potency: The Various Methods of Functional Assessment and In silico Diagnostics.', *Frontiers in cell and developmental biology*. Switzerland, 4, p. 134. doi: 10.3389/fcell.2016.00134.
- Sirowanto, I. *et al.* (2021) 'The effect of Platelet-Rich Plasma and Stromal Vascular Fraction combination on Epidermal Growth Factor serum level for anal trauma healing in the Wistar rat model', *Annals of Medicine and Surgery*, 70(August), p. 102773. doi: 10.1016/j.amsu.2021.102773.
- Tajima, S. *et al.* (2014) 'Direct and Indirect Effects of a Combination of Adipose-Derived Stem Cells and Platelet-Rich Plasma on Bone Regeneration', *Tissue engineering. Part A*, 21. doi: 10.1089/ten.TEA.2014.0336.
- Tantuway, V. *et al.* (2016) 'Autologous grafting of non manipulated freshly isolated - adipose tissue derived stromal vascular fraction in single surgical sitting for treatment of knee osteoarthritis', *International Journal of Research in Orthopaedics*, 3, p. 107. doi: 10.18203/issn.2455-4510.IntJResOrthop20164834.
- Tavares Pereira, D. dos S. *et al.* (2012) 'Development of Animal Model for Studying Deep Second-Degree Thermal Burns', *Journal of Biomedicine and Biotechnology*. Edited by M. Fedele. Hindawi Publishing Corporation, 2012, p. 460841. doi: 10.1155/2012/460841.
- Thisse, B. and Thisse, C. (2005) 'Functions and regulations of fibroblast growth factor signaling during embryonic development.', *Developmental biology*. United States, 287(2), pp. 390–402. doi: 10.1016/j.ydbio.2005.09.011.
- Tohidnezhad, M. *et al.* (2011) 'Platelet-released growth factors can accelerate tenocyte proliferation and activate the anti-oxidant response element', *Histochemistry and Cell Biology*, 135(5), pp. 453–460. doi: 10.1007/s00418-011-0808-0.
- Toussaint, J. and Singer, A. J. (2014) 'The evaluation and management of thermal injuries: 2014 update', *Clinical and experimental emergency medicine*. The Korean Society of Emergency Medicine, 1(1), pp. 8–18. doi: 10.15441/ceem.14.029.
- Tsien, L. (2006) 'Stem Cell Basics', *Postgraduate Obstetrics & Gynecology*, 26(24), pp. 1–6. doi: 10.1097/00256406-200612310-00001.
- Turner, N. and Grose, R. (2010) 'Fibroblast growth factor signalling: from development to cancer.', *Nature reviews. Cancer*. England, 10(2), pp. 116–129. doi: 10.1038/nrc2780.
- Vaghardoost, R. *et al.* (2018) 'The Healing Effect of Sesame Oil, Camphor and Honey on Second Degree Burn Wounds in Rat.', *World journal of plastic surgery*, 7(1), pp. 67–71.

- Wang, Y. *et al.* (2018) 'Burn injury: Challenges and advances in burn wound healing, infection, pain and scarring', *Advanced Drug Delivery Reviews*. Elsevier B.V., 123, pp. 3–17. doi: 10.1016/j.addr.2017.09.018.
- Werner, S. (1998) 'Keratinocyte growth factor: a unique player in epithelial repair processes.', *Cytokine & growth factor reviews*. England, 9(2), pp. 153–165. doi: 10.1016/s1359-6101(98)00010-0.
- Werner, S. and Grose, R. (2003) 'Regulation of wound healing by growth factors and cytokines.', *Physiological reviews*. United States, 83(3), pp. 835–870. doi: 10.1152/physrev.2003.83.3.835.
- Widowati, W. and Widyanto, R. M. (2013) 'Sel Punca sebagai Transformasi Alternatif Terapi', *Zenit*, 2(1), pp. 1–5.
- Witte, M. B. and Barbul, A. (1997) 'General principles of wound healing.', *The Surgical clinics of North America*. United States, 77(3), pp. 509–528. doi: 10.1016/s0039-6109(05)70566-1.
- Wobus, A. M. and Boheler, K. R. (2005) 'Embryonic Stem Cells: Prospects for Developmental Biology and Cell Therapy', *Physiological Reviews*. American Physiological Society, 85(2), pp. 635–678. doi: 10.1152/physrev.00054.2003.
- Wong, A. *et al.* (2002) 'FRS2 alpha attenuates FGF receptor signaling by Grb2-mediated recruitment of the ubiquitin ligase Cbl.', *Proceedings of the National Academy of Sciences of the United States of America*. United States, 99(10), pp. 6684–6689. doi: 10.1073/pnas.052138899.
- Xu, P. *et al.* (2021) 'Platelet-rich plasma accelerates skin wound healing by promoting re-epithelialization', *Burns and Trauma*, 8, pp. 1–14. doi: 10.1093/BURNST/TKAA028.
- Yun, Y.-R. *et al.* (2010) 'Fibroblast growth factors: biology, function, and application for tissue regeneration', *Journal of tissue engineering*. SAGE-Hindawi Access to Research, 2010, p. 218142. doi: 10.4061/2010/218142.
- Zakrzewski, W. *et al.* (2019) 'Stem cells: past, present, and future', *Stem Cell Research & Therapy*, 10(1), p. 68. doi: 10.1186/s13287-019-1165-5.
- Zhang, Y. *et al.* (2011) '[Effect of platelet-rich plasma on the proliferation and adipogenic differentiation of human adipose-derived stem cells in vitro].', *Nan fang yi ke da xue xue bao = Journal of Southern Medical University*. China, 31(3), pp. 525–528.
- Zuk, P. A. *et al.* (2002) 'Human adipose tissue is a source of multipotent stem cells', *Molecular biology of the cell*. The American Society for Cell Biology, 13(12), pp. 4279–4295. doi: 10.1091/mbc.e02-02-0105.

DAFTAR LAMPIRAN


KEMENTERIAN PENDIDIKAN, KEBUDAYAAN, RISET DAN TEKNOLOGI
UNIVERSITAS HASANUDDIN
FAKULTAS KEDOKTERAN
 Jl. Perintis Kemerdekaan Kampus Tamalanrea Km. 10 Makassar 90245 Telp. (0411) 5077912, 586010 (0411) 586200
 Fax. 586010 Email : fkuhas@imed.unhas.ac.id

SURAT KEPUTUSAN
DEKAN FAKULTAS KEDOKTERAN UNIVERSITAS HASANUDDIN
No.5151/UN4.6.1/KEP/2021
TENTANG
PENGANGKATAN PEMBIMBING SEMINAR USUL, HASIL DAN UJIAN AKHIR BAGI MAHASISWA
Sdr. : dr. JEFRI WIJAYA NOMOR POKOK : C104216107
PROGRAM PENDIDIKAN DOKTER SPESIALIS ILMU BEDAH
FAKULTAS KEDOKTERAN UNIVERSITAS HASANUDDIN

DEKAN FAKULTAS KEDOKTERAN UNIVERSITAS HASANUDDIN

Membaca : Surat Program Pendidikan Dokter Spesialis Ilmu Bedah Fakultas Kedokteran Unhas Nomor : 22277/UN4.6.8/DI.03/2021 tanggal 21 Oktober 2021 perihal SK Pembimbing Karya Akhir bagi Sdr. **dr. Jefri Wijaya** dengan Judul Penelitian: **"Efek Antioksidan N-Asetilistein dan Asam Askorbat Dalam Menilai Stres Oksidatif Pada Luka Bakar"**

Menimbang : a. Bahwa dalam rangka pelaksanaan Bimbingan Karya Akhir bagi Sdr. **dr. Jefri Wijaya** Mahasiswa Program Pendidikan Dokter Spesialis Ilmu Bedah Fakultas Kedokteran Universitas Hasanuddin, dipandang perlu mengangkat Tim Pembimbing Karya Akhir
 b. Bahwa untuk keperluan huruf (a) di atas, maka dipandang perlu menerbitkan surat Keputusannya.

Mengingat : 1. Keputusan Rektor Unhas No. 977/J04/O/2005
 2. Keputusan Rektor Unhas No. 2283/H4/P/2007
 3. Keputusan Rektor Unhas No. 1784/H4.2/K/2010
 4. Keputusan Rektor Unhas No. 1282/H4.2/K/2011
 5. Keputusan Rektor Unhas No. 8650/UN4.2/KU.10/2012
 6. Keputusan Rektor Unhas No. 8765/UN4.2/KU.10/2013


MEMUTUSKAN

Menetapkan :
 Pertama : Membentuk Tim Pembimbing Karya Akhir bagi Sdr. **dr. Jefri Wijaya** Mahasiswa Program Pendidikan Dokter Spesialis Ilmu Bedah Fakultas Kedokteran Universitas Hasanuddin dengan susunan sebagai berikut :
 1. Dr. dr. Fenny Josh, Sp.BP-RE(K)Mikro Pembimbing Utama
 2. dr. Sachraswaty R. Laidding, Sp.B, Sp.BP-RE Pembimbing Pendamping
 3. dr. Joko Hendarto, M.Biomed, Ph.D Pembimbing Pendamping

Kedua : Segala biaya yang timbul sehubungan dengan Surat Keputusan ini dibebankan pada Anggaran DPA PTN Badan Hukum Tahun 2021 alokasi Fakultas Kedokteran Universitas Hasanuddin.

Ketiga : Surat Keputusan ini berlaku terhitung mulai tanggal ditetapkannya, dengan ketentuan apabila dikemudian hari ternyata terdapat kesalahan atau kekeliruan didalamnya akan diadakan perbaikan sebagaimana mestinya.

Ditetapkan di : Makassar
 Pada tanggal : 22 Oktober 2021


Wakil Dekan Bid. Akademik, Riset dan Inovasi
Dr. dr. Irfan Idris, M.Kes
NIP. 19671103 199802 1 001

Tembusan :
 1. Ketua Program Studi Ilmu Bedah
 2. Masing-masing yang bersangkutan untuk dilaksanakan
 3. **dr. Jefri Wijaya**



KEMENTERIAN PENDIDIKAN, KEBUDAYAAN, RISET DAN TEKNOLOGI
UNIVERSITAS HASANUDDIN
FAKULTAS KEDOKTERAN

Jl. Paralel Kementerian Kampus Tennesse Km. 10 Makassar 90245 Telp. (0411) 5077912, 194610 (0411) 586200
Fax. 586110 Email : hasan@unhas.ac.id

SURAT KEPUTUSAN
DEKAN FAKULTAS KEDOKTERAN UNIVERSITAS HASANUDDIN
No.5152/UN4.6.1/KEP/2021

TERTANG
PENGANGKATAN PENILAI SEMINAR USUL, HASIL DAN UJIAN AKHIR BAGI MAHASISWA
Sdr. : dr. JEFRI WIJAYA NOMOR POKOK : C104216107
PROGRAM PENDIDIKAN DOKTER SPESIALIS ILMU BEDAH
FAKULTAS KEDOKTERAN UNIVERSITAS HASANUDDIN
DEKAN FAKULTAS KEDOKTERAN UNIVERSITAS HASANUDDIN

- Membaca** : Surat Program Pendidikan Dokter Spesialis Ilmu Bedah Fakultas Kedokteran Unhas Nomor : 22276/UN4.6.2/DI.03/2021 tanggal 21 Oktober 2021 tentang Penilai Seminar Usul dan Hasil Penelitian bagi dr. Jefri Wijaya dengan Judul Penelitian: "Efek Antikoagulan N-Asetilsistein dan Asam Askorbat Dalam Meneliti Stres Oksidatif Pada Luka Bakar"
- Memimbang** : a. Bahwa dalam rangka pelaksanaan Seminar Usul dan Hasil Penelitian Sdr. dr. Jefri Wijaya Mahasiswa Program Pendidikan Dokter Spesialis Ilmu Bedah Fakultas Kedokteran Universitas Hasanuddin, dipandang perlu mengangkat Tim Penilai.
b. Bahwa untuk keperluan huruf (a) di atas, maka dipandang perlu menerbitkan surat keputusannya.
- Mengingat** : 1. Keputusan Rektor Unhas No. 1067/J04/P/2002
2. Keputusan Rektor Unhas No. 977/J04/O/2005
3. Keputusan Rektor Unhas No. 3083/H4/P/2007
4. Keputusan Rektor Unhas No. 1784/H4.2/K/2010
5. Keputusan Rektor Unhas No. 1282/H4.2/K/2011
6. Keputusan Rektor Unhas No. 8650/UN4.2/KU.10/2012
7. Keputusan Rektor Unhas No. 8765/UN4.2/KU.10/2013
- MEMUTUSKAN**
- Menetapkan** :
Pertama : Membentuk Tim Penilai Seminar Usul dan Hasil Penelitian bagi Sdr. dr. Jefri Wijaya Nomor Pokok : C104216107 Mahasiswa Program Pendidikan Dokter Spesialis Ilmu Bedah Fakultas Kedokteran Universitas Hasanuddin dengan susunan sebagai berikut:
1. Dr. dr. Fenny Josh, Sp.BP-REKIMikro Pengaji Utama
2. dr. Sachnaswaty R. Laiding, Sp.B, Sp.BP-RE Penguji Pendamping
3. dr. Joko Hendarto, M.Biomed, Ph.D Penguji Pendamping
4. Dr. dr. Prihantono, Sp.BKQOnk, M.Kes Penguji Pendamping
5. dr. Tomie Hermawan Soekanto, Sp.BP-RE Penguji Pendamping
- Kedua** : Segala biaya yang timbul sehubungan dengan Surat Keputusan ini dibebankan pada Anggaran DPA PTN Badan Hukum Tahun 2021 alokasi Fakultas Kedokteran Universitas Hasanuddin.
- Ketiga** : Surat Keputusan ini berlaku terhitung mulai tanggal ditetapkannya, dengan ketentuan apabila dikemudian hari ternyata terdapat kesalahan atau kekeliruan di dalamnya akan diadakan perbaikan sebagaimana mestinya.

Ditetapkan di : Makassar
Pada tanggal : 22 Oktober 2021



- Terselenggara** :
- Ketua Program Studi Ilmu Bedah
 - Masing-masing yang bersangkutan untuk dilaksanakan
 - dr. Jefri Wijaya

REKOMENDASI PERSETUJUAN ETIK

Nomor : 499/UN4.6.4.5.31/ PP36/ 2021

Tanggal: 9 Agustus 2021

Dengan ini Menyatakan bahwa Protokol dan Dokumen yang Berhubungan Dengan Protokol berikut ini telah mendapatkan Persetujuan Etik :

No Protokol	UH21070461	No Sponsor Protokol	
Peneliti Utama	dr. Jefry Wijaya	Sponsor	
Judul Peneliti	Efek Penambahan Platelet-Rich Plasma (PRP) dan Stromal Vascular Fraction (SVFs) Terhadap Kadar Serum Epidermal Growth Factor (EGF) Pada Penyembuhan Luka Bakar Fullthickness Tikus		
No Versi Protokol	1	Tanggal Versi	17 Juli 2021
No Versi PSP		Tanggal Versi	
Tempat Penelitian	Laboratorium Animal Fakultas Kedokteran Universitas Hasanuddin Makassar		
Jenis Review	<input type="checkbox"/> Exempted <input checked="" type="checkbox"/> Expedited <input type="checkbox"/> Fullboard Tanggal	Masa Berlaku 9 Agustus 2021 sampai 9 Agustus 2022	Frekuensi review lanjutan
Ketua Komisi Etik Penelitian Kesehatan FKUH	Nama Prof.Dr.dr. Suryani As'ad, M.Sc.,Sp.GK (K)	Tanda tangan	
Sekretaris Komisi Etik Penelitian Kesehatan FKUH	Nama dr. Agussalim Bukhari, M.Med.,Ph.D.,Sp.GK (K)	Tanda tangan	

Kewajiban Peneliti Utama:

- Menyerahkan Amandemen Protokol untuk persetujuan sebelum di implementasikan
- Menyerahkan Laporan SAE ke Komisi Etik dalam 24 jam dan dilengkapi dalam 7 hari dan Laporan SUSAR dalam 72 Jam setelah Peneliti Utama menerima laporan
- Menyerahkan Laporan Kemajuan (progress report) setiap 6 bulan untuk penelitian resiko tinggi dan setiap setahun untuk penelitian resiko rendah
- Menyerahkan laporan akhir setelah Penelitian berakhir
- Melaporkan penyimpangan dari protokol yang disetujui (protocol deviation / violation)
- Mematuhi semua peraturan yang ditentukan