

DAFTAR PUSTAKA

- Abdelrahman, G. E., 2010. Lightweight Fill Using Sand, Polystyrene Beads and Cement. *Proceedings of the Institution of Civil Engineers*, I63(G12), pp. 95-100.
- Abdelrahman, G., Mohamed, H. & Ahmed, H., 2013. *New Replacement Formations on Expansive Soils Using Recycled EPS Beads*. Paris, The 18 International Conference on Soil Mechanics and Geotechnical Engineering.
- Alhaji, M. M. & Alhassan, M., 2018. Effect of Reclaimed Asphalt Pavement Stabilization on the Microstructure and Strength of Black Cotton Soil. Volume 4.
- Amiruddin, A. & Yaurentius, A., 2001. *Studi Penggunaan Asbuton sebagai Bahan Stabilisasi*, Makassar: s.n.
- Arellano, D., Stark, T. D., Horvath, J. S. & and Leshchinsky, D., 2011. *Guidelines for geofoam applications in slope stability projects: Final*, s.l.: s.n.
- Azhar & Arisona, 2002. Pengukuran Sifat Fisis Asbuton (Aspal Buton) Berdasarkan Metode Resistivitas. *Jurnal Penelitian Sains*, Volume 12, pp. 1-8.
- Babu, G. L. S. & Pallepati, R. R., 2016. *Forensic analysis of failure of retaining wall*. 2514-2519, Japanese Geotechnical Society Special Publication .
- Bolton, M. D. & Pang, P. L. R., 1982. Collapse Limit States of Reinforced Earth Retaining Walls. 32(4).
- Braja M. Das, K. S., 2014. *Principles Of Geotechnical Engineering*. Stamford: Cengage Learning.
- Broms, B. B., 1988. *Design and Construction of Anchored and Strutted Sheet Pile Walls in Soft Clay*. St. Louis, International Conference on Case Histories in Geotechnical Engineering. 20. .
- Budhu, M., 2010. *Soil Mechanics and Foundations*. Hoboken, New Jersey: John Wiley & Sons, INC..
- Çalışıcı, M., 2018. The Effect of Bitumen Stabilized Subgrade on Cost of the Flexible Pavement. 5(11).

- Chungsik Yoo, A. & Jung, H.-Y., 2006. Case History of Geosynthetic Reinforced Segmental Retaining Wall Failure.
- Circeo, L., Davidson, D. & David, H., 1962. Strength-Maturity Relations of Soil-Cement Mixture.
- Cui, Y. J. & Delage, P., 1996. Yielding and plastic behaviour of an unsaturated compacted silt. *Geotechnique*, pp. 291-311.
- Das, B. M., 2012. *Principles Of Geotechnical Engineering 8th Edition*. Stamford: Cengage Learning.
- Das, B. M., 2013. Chemical and Mechanical Stabilization. In: *Transportation in the New Era Millennium*. s.l.:s.n.
- Devipriya, V. P. & Chandrakaran, S., 2017. *Effect of Phosphogypsum as a Stabilizing Agent for Swelling Clays*. Coimbatore, NCAG.
- Engstrom, G. M. & Lamb, R., 1994. *Using Shredded Waste Ties as a Lightweight Fill Material April For Road Subgrades*, Maplewood: Minnesota Department of Transportation.
- Ertugrul, O. I. & Trandafir, A., 2013. Lateral Earth Pressures On Flexible Cantilever Retaining Walls With Deformable Geofoam Inclusions. *Engineering Geology*, Volume 158, pp. 23 - 33 .
- Farshid Vahedifard, M. et al., 2017. Resilience of MSE Walls with Marginal Backfill under a Changing Climate: Quantitative Assessment for Extreme Precipitation Events.
- FHWA, F. H. A., 2006. *Soils And Foundations*, Washington, D.C: U.S. Depertement of Transportation.
- Firooz, A. A., Olgun, C. & Baghini, M., 2017. Fundamentals of Soil Stabilization. *International Journal of Geo-Engineering*, 26(8), pp. 1-16.
- Fok, P. et al., 2012. Limiting Values Of Retaining Wall Displacements And Impact To The Adjacent Structures. *The IES Journal Part A: Civil & Structural Engineering*, 5(3), pp. 134-139.
- Friedrich, K., Chang, L. & Haupert, F., 2011. Current and Future Applications of Polymer Composites in the Field of Tribology. In: *Composite Materials*. London: Springer-Verlag , pp. 129-167.

- Golait, Y. S. & Patode, A. S., 2015. *A New Eps Beads Based Lightweight Geomaterial For Backfilling And Embankment Construction*. Pune, Maharashtra, s.n.
- Graettinger, A. J. et al., 2005. Recycling of Plastic Bottles for Use as A Lightweight Geotechnical Material. 16(6).
- Hadiwisastra, S., 2009. Kondisi Aspal Alam dalam Cekungan Buton. 19(1).
- Hamid, G., Khelifa, H. & Mohamed, G., 2016. Effect of Calcium Sulphate on the Geotechnical Properties of Stabilized Clayey Soils. 61(2).
- Hardiyatmo, H. C., 2010. *Stabilisasi Tanah untuk Perkerasan Jalan*. Yogyakarta: Gadjah Mada University Press.
- Hardiyatmo, H. C., 2012. *Stabilisasi Tanah Untuk Perkerasan Jalan*. Yogyakarta: Gadjah Mada University Press.
- Hasanah, T. I. T. N., Wijeyesekera, D. C., Ismail, B. & Saidin, W., 2014. New Lightweight Construction Material: Cellular Mat using Recycled Plastic. *Key Engineering Materials*, Volume 594-595, pp. 503-510.
- HCED, 1993. *Guide to Retaining Wall Design*. Hongkong: Geotechnical Engineering Office.
- Hermadi, M., Ronny, Y. & Pravanto, W., n.d. *Teknologi Perkerasan Jalan Campuran Beraspal Panas ASBUTON Lawele*, Bandung: Puslitbang Jalan dan Jembatan, Kementerian PUPR.
- Hidayat, D., Purwana, Y. M. & Pramesti, F. P., 2016. *Analisis Material Ringan Dengan Mortar Busa Pada Konstruksi Timbunan Jalan*. Jakarta, UMJ, pp. 1-10.
- Horpibulsuk, S., Rachan, R., Suddeepong, A. & Chinkulkijniwat, A., 2011. Strength Development in Cement Admixed Bangkok Clay: Laboratory and Field Investigations. 51(2).
- Horpibulsuk, S., Phetchuay, C., Chinkulkijniwat, A. & Cholaphatsorn, A., 2013. Strength development in silty clay stabilized with calcium carbide residue and fly ash. *Soils and Foundations*, 53(4), pp. 477-486.

- Horvath, J., 1994. Expanded Polystyrene (EPS) Geofoam: An Introduction to Material Behavior. *Geotextiles and Geomembranes*, pp. 263-280.
- Horvath, J. S., 1997. The Compressible Inclusion Function of EPS Geofoam. *Geotextiles and Geomembranes*, pp. 77-120.
- Horvath, J. S., 2008. *Seismic Lateral Earth Pressure Reduction on Earth-Retaining Structures Using Geofoams*. s.l., American Society of Civil Engineers Geo-Institute.
- Ibrahim, K. M. H. I., 2014. Seismic Displacement of Gravity Retaining Walls. Volume 11.
- Illuri, H. K., 2007. *Thesis : Development Of Soil-EPS For Geotechnical Application*, Australia: s.n.
- Janz, M. & Johansson, S.-E., 2002. *The Function of Different Binding Agents in Deep Stabilization*, Swedia: Swedish Deep Stabilization Research Centre.
- Kliche, C. A., 1999. *Rock Slope Stability*. Colorado: Society for Mining, Metallurgy, and Exploration.
- Koerner, R. M. & Koerner, G. R., 2013. A data base, statistics and recommendations regarding 171 failed geosynthetic reinforced mechanically stabilized earth (MSE) walls. Volume 40.
- Kusnianti, N., 2008. Pemanfaatan Mineral Asbuton Sebagai Bahan Stabilisasi Tanah.
- Lahande, S. R., 2016. Analytical Study Of Cantilever Retaining Wall Including Effect Of Soil Structure Interaction. *International Research Journal of Engineering and Technology (IRJET)*, pp. 1579-1585.
- Linares-Unamunzaga, A., Pérez-Acebo, H. & Gonzalo-Orden, H., 2019. Flexural Strength Prediction Models for Soil–Cement from Unconfined Compressive Strength at Seven Days. *Materials*, 12(387), pp. 1-16.
- Liu, J., 2009. *A New Light-weight Geomaterial – EPS Composite Soil*. Nova Scotia, Canada, Geosynthetica.
- Minegishi, K., Makiuchi, K. & Takahashi, R. J., 2002. *Strength-Deformational Characteristics Of Eps Beads-Mixed Lightweight*

- Geomaterial Subjected To Cyclic Loadings.* Tokyo, International Workshop on Lightweight Geo-Materials he first International Workshop on Lightweight Geo-Materials.
- Murthy, G., Kavya, K. S., Krishna, A. V. & Ganesh, B., 2016. Chemical Stabilization Of Sub-Grade Soil With Gypsum And Nacl. 9(5).
- Nagaraj, T. S., Miura, N., Yamadera, A. & Prakash, Y., 1997. Strength Assessment of Cement Admixtured Soft Clays Parametric Study.
- Nasr, A. M., 2014. Behavior of Strip Footing on Fiber-Reinforced Cemented Sand Adjacent to Sheet Pile Wall. *Geotextiles and Geomembranes*, pp. 599-610.
- Nasr, A. M. & Nazir, A., 2013. Effect of Geosynthetic Reinforcement in Active Zone on the Behavior of Sheet Pile. *Geotechnical Testing Journal*, pp. 331-344.
- Nataatmadja, A. & and Illuri, H., 2009. *Sustainable backfill materials made of clay and recycled EPS*. Delft, Netherlands, s.n.
- Negussey, D. & Jahanandish, M., 1993. Comparison of Some Engineering Properties of Expanded Polyesterene with Those of Soils. Volume 1418.
- Okonta, F., 2013. Preliminary Laboratory Assessments of a Lightweight Geocomposite Material for Embankment Fill Application. *South African Journal of Science* , 111(3/4), pp. 1-9.
- O'Rourke, T. D. & Jones, C. J. F. P., 1990. Overview of Earth Retaining Systems: 1970 – 1990. *Design and performance of earth retaining structures: proceedings of a conference / sponsored by the Geotechnical Engineering Division of the American Society of Civil Engineers in cooperation with the Ithaca Section*, pp. 22-51.
- Padede, A. & Mandal, J., 2014. Expanded Polystyrene-Based Geomaterial with Fly Ash. *International Journal of Geomechanics*, Issue 7, pp. 1-7.
- Porbaha, A., Shibuya, S. & Kishida, T., 2000. State of The Art in Deep Mixing Technology. Part III : Geomaterial Characterization. *Ground Improvement*, Volume 3, pp. 91-110.

- Pradel, D., 1994. *Active Pressure Distribution In Cohesive Soils*. New Delhi, India, XIII ICSMFE.
- Pradhan, T., Hirano, S., Tanabe, T. & Natori, H., 1993. *Failure Criterion of Light Geotechnical Material SLS*. Singapore, s.n.
- Rygg, N. & Sorlie, A., 1981. Polystyrene Foam for Lightweight Road Embankment. *ISSMGE*, pp. 247-252.
- Saadeldin, R. & Siddiqua, S., 2013. *Evaluation of Strength Development in a Clay Cement Mix*. Montreal, s.n.
- Sha, L., 2016. Analysis of Slope Instability Factors and Protection. 3(4).
- Sharma, B. & Deka, A., 2016. *Static Compaction Test and Determination of Equivalent Static Pressure*. India, s.n., pp. 1-4.
- Sinnathamby, G., Korkiala-Tanttu, L. & Gustavsson, H., 2018. *Post-use Examination of EPS Block Characteristics: Finnish Case Histories*. s.l., Springer.
- Skempton, A., 1953. *The Colloidal "Activity" of Clays*. London: s.n.
- Soni, K. K. & Sagane, S. C., 2014. Use of Shredded Tyres in Embankment Construction – An Overview. 2(4).
- Suaryana, N., Susanto, I., Ronny, Y. & Sembayang, I. R., 2018. Evaluasi Kinerja Campuran Beraspal dengan Bitumen Hasil Ekstraksi Penuh dari Asbuton. *Media Komunikasi Teknik Sipil*, pp. 62-70.
- Tanari, B., 2013. *Perbaikan Kapasitas Subgrade Tanah Lempung Dengan ASBUTON Jenis Lawele Granular Aspal (LGA)*, Makassar: Universitas Hasanuddin.
- Venkatarama Reddy, B. & Jagadish, K., 1993. The Static Compaction of Soils. *Geotechnique*, pp. 337-341.
- Widhiyatna, D., Hutamadi, R. & Sutrisno, n.d. *Tinjauan Konservasi Sumber Daya Aspal Buton*, s.l.: s.n.
- Y.Y. Liu, Y. et al., 2016. *Research on Swelling Characteristics of a Mixture of Waste EPS Particles and Expansive Soil Impacted by Initial Water Content*. Zhuhai, China, Atlantis Press.

Zou, Y., Small, C. & Leo, C., 2000. Behavior Of EPS Geofoam As Flexible Pavement Subgrade Material In Model Tests. *Geosynthetics International*, 7(1), pp. 1-22.

Zuhri, M. A. et al., 2017. *Estimasi Cadangan Asbuton Menggunakan Block Model Berdasarkan Penaksiran Kriging Pada Pt. Wijaya Karya Bitumen Kecamatan Pasarwajo, Kabupaten Buton, Provinsi Sulawesi Tenggara*. Yogyakarta, 1019-1060.