

DAFTAR PUSTAKA

- Arisandi. 2020. Komposisi Ukuran dan Jenis Kelamin Ikan Hiu Karang Sirip Hitam (*Carcharhinus Melanopterus*) Komoditas Ekspor Bali. Universitas Hindu Indonesia. Denpasar.
- Bahtiar, A., Barata, A. & Novianto, D. 2013. Sebaran laju pancing rawai tuna di Samudera Hindia. *J. Lit. Perikan. Ind*, 19 (4), 195 – 202.
- Bal, D. V. & K. V Rao. 1984. Marine fisheries. Tata Mc. Graw-Hill Publishing Company Limited. New Delhi.: 5-24.
- Barata. 2016. Some fishing and biological aspects of crocodile shark *Pseudocarcharias kamoharai* in tuna longline in Indian Ocean. *Jurnal Iktiologi Indonesia*.16 (2), <https://media.neliti.com/media/publicat>. Akses: 17 Januari 2021.
- Baum, J., Clarke, S., Domingo, A., Ducrocq, M., Lamónaca, A.F., Gaibor, N., Graham, R., Jorgensen, S., Kotas, J.E., Median, E., Martinez-Ortiz, J., Monzini Taccone di Sitizano, J., Morales, M.R., Navarro, S.S., Pérez-Jiménez, J.C., Ruiz, C., Smith, W., Valenti, S.V. and Vooren, C.M. 2007. *Sphyrna lewini*. In IUCN 2017. IUCN Red List of Threatened Species. Version 2017.3 www.iucnredlist.org. Downloaded on 17 January 2021.
- Bigelow, K.A., C.H. Boggs, and X He. 1999. Environmental Effects in Swordfish and Blue Shark Catch Rates in the U.S. North Pacific Longline Fishery. *Fisheries Oceanography* 8: 178–98.
- Blaber, S.J.M, C.M. Dichmont, W. White, R. Buckworth, L. Sadiyah, B. Iskandar, S. Nurhakim, R. Pillans, R. Andamari, Dharmadi, and Fahmi. 2009. "Elasmobranchs in Southern Indonesian Fisheries: The Fisheries, the Status of the Stocks and Management Options." *Reviews in Fish Biology and Fisheries* 19 (3): 367–91. doi:10.1007/s11160-009-9110-9.
- Blanchard, J.L, Dulvy, N, K, Jennngs, S., Ellis, J.R., Pinnegar, J.K., Tidd, A, & Kell. L.T. 2005. Do climate and fishing influence size-based indicators of Celtic Sea fish community structure. *ICES Journal of Marine Science*, 62: 405e411 doi:10.1016/j.icesjms.2005.01.006. Downloaded on 02 January 2021.
- Candramila, W. & Junardi. 2006. Komposisi, keanekaragaman dan rasio kelamin ikan elasmobranchii asal sungai kakap Kalimantan Barat. *Biospecies*, 1(2), 41 – 46.
- Castro, J.I., Woodley, C.M., & Brudek, R.L. wi. 1999. A preliminary evaluation of the status of shark species (p. 72). FAO. Fisheries Technical Paper No. 380. Rome: Food and Agricultural Organization.
- Castro, J.L. 1993. The biology of the finetooth shark, *Carcharhinus isodon*. *Environ. Bio. Fishes* 38: 219-232.
- Chodrijah, U & R. Faizah. 2012. Beberapa aspek biologi cucut lanjaman (*Carcharhinus falciformis*) dari perairan Samudera Hindia. *Prosiding Seminar Nasional Perikanan Indonesia. Sekolah Tinggi Perikanan. Jakarta*.p. 491-496.

- Chodrijah, U., Prihatiningsih, P., Panggabean, A. S., & Herlisman, H. 2020. Struktur Ukuran Dan Parameter Populasi Hiu Monyet (*Alopias Superciliosus* Lowe, 1839) Di Perairan Samudera Hindia Selatan Jawa. *Jurnal Penelitian Perikanan Indonesia*, 26(1), 21.
- Clarke, T.M. 1971. The ecology of scalloped hammerhead shark *Sphyrna lewini*, in Hawaii. *Pacific Science*, 5, 133-144.
- Compagno, L.J.V. 2002. Review of the biodiversity of sharks and chimaeras in the South China Sea and adjacent areas. In: Fowler, S.L., Reed, T.M. And Dipper, (eds). 2002. Elasmobranch biodiversity, conservation and management: Proceedings of the International Seminar and Workshop, Sabah, Malaysia, July 1997. IUCN SSC Shark Specialist Group.
- Compagno, L.J.V. and V.H. Niem, 1998. Carcharhinidae. Requiem sharks. p. 1312-1360. In K.E. Carpenter and V.H. Niem (eds.) *FAO Identification Guide for Fishery Purposes. The Living Marine Resources of the Western Central Pacific*. FAO, Rome.
- Compagno, L.J.V., Last, P.R., Stevens, J.D., & Alava, M.N.R. 2005. Checklist of Philippine chondrichthyes. *CSIROMARINE LABORATORIES, Report 243*. p. 109. IUCN, Gland, Switzerland and Cambridge, UK, 52-63.
- Donaldson, W. E. & Donaldson, W. K. 1992. A review of the history and justification for size limits in Alaskan king, tanner, and snowcrab fisheries. *Fish. Res. Bull.* 92-02, 22. URI: <http://www.sf.adfg.state.ak.us/fedaidpdfs/FRB.1992.02.pdf>.
- Dulvy, N. K., S. L. Fowler, J. A. Musick, R. D. Cavanagh, P. M. Kyne, L.R. Harrison, J. K. Carlson, L.N. Davidson, S. V. Fordham, M. P. Francis, C. M. Pollock, C. A. Simpfendorfer, G. H. Burgess, K. E. Carpenter, L.J. Compagno, D. A. Ebert, C. Gibson, M. R. Heupel, S. R. Livingstone, J. C. Sanciangco, J. D. Stevens, S. Valenti and W. T. White. 2014. Extinction risk and conservation of the world's sharks and rays. *eLife*, 3, e00590.
- Efendi H., Dhewi R., Ricky. 2018. Keragaman Jenis dan Distribusi Panjang Ikan Hiu di Perairan Selat Makassar. *Balai Pengelolaan Sumberdaya Pesisir dan Laut Pontianak*. Balikpapan.
- Emilya. 2016. Identifikasi Jenis Hiu Hasil Tangkapan Nelayan di Pulau Bintan Provinsi Kepulauan Riau. *Universitas Maritim Raja Ali Haji*. Riau.
- Fahmi & Dharmadi. 2005. Status perikanan hiu dan aspek pengelolaannya. *Oseana*. 30 (1). 1-8.
- Fahmi dan Dharmadi. 2013. Pengenalan jenis-jenis hiu Indonesia. *Direktorat Konservasi Kawasan dan Jenis Ikan, Kementerian Kelautan dan Perikanan*, Jakarta: 63 pp.
- FAO. 2016. Identification guide to common sharks and rays of the Caribbean, by Ramón Bonfil. *FishFinder Programme*. Rome, Italy.
- Garcia, V.B., Lucifora, L. O., & Myers, R.A. 2008. The importance of habitat and life history to extinction risk in sharks, skates, rays and chimaeras. *Proc. R. Soc. London, Ser. B: Biol. Sci.* 275, 83–89.

- Gilman, E., M. Chaloupka, A. Read, P. Dalzell, J. Holetschek, and C. Curtice. 2012. Hawaii Longline Tuna Fishery Temporal Trends in Standardized Catch Rates and Length Distributions and Effects on Pelagic and Seamount Ecosystems. *Aquatic Conservation*. 22 (4): 446–88.
- Harry, A. V., Macbeth, W. G., Gutteridge, A. N., & Simpfendorfer, C. A. 2011. The life histories of endangered hammerhead sharks (*Carcharhiniformes*, *Sphyrnidae*) from the east coast of Australia. *Journal of Fish Biology*, 78, 2026–2051.
- Hart J.L. 1973. Pacific fishes of Canada. Fish Res Board Canada Bull 180:740
- Heupel, M.R., Williams, A.J., Welch, D.J., Davies, C.R., Penny, A., Kritzer, J.P., Marriott, R.J., & Mapstone, B.D., (2010). Demographic characteristics of exploited tropical lutjanids: a comparative analysis. *Fish. Bull*, 108, 420-432.
- <http://repository.ipb.ac.id>, Didi Sadili Blogs, Urgensi dari Rencana Pengelolaan dan Rencana Aksi Nasional: Hiu dan Pari, diunduh pada 10 Januari 2021
- Klimley, A. P. 2013. *The Biology of Sharks and Rays* (p. 512). Chicago: The University of Chicago Press, Ltd.
- Krebs. J.L. 1989. *Ekologi Metodologi*, Harper and Row Publisher New York.
- Kyne, P.M. and Simpfendorfer, C.A. 2010. Deepwater chondrichthyans. In: *The Biology of Sharks and their Relatives*, volume 2. (Eds.) Carrier, J.C., J.A. Musick, & M.R. Heithaus. CRC Press, Chapter 2: 37-114.
- Last, P. R., & Stevens, J. D. 1994. *Sharks and Rays of Australia* (p. 513). Melbourne: CSIRO.
- Last, P.R. & Stevens, J.D.; 2009; *Sharks and Rays of Australia*.; CSIRO Publishing, Collingwood, Vic.
- McAuley, R., Lenanton, R., Chidlow, J., Allison, R., and Heist, E. 2005. Biology and stock assessment of the thickskin (sandbar) shark, *Carcharhinus plumbeus*, in Western Australia and further refinement of the dusky shark. Fisheries Research Report Western Australia.
- Montealegre-Quijano, Santiago, and Carolus M. Vooren. 2010. "Distribution and Abundance of the Life Stages of the Blue Shark *Prionace glauca* in the Southwest Atlantic." *Fisheries Research* 101 (3): 168–179. doi:10.1016/j.fishres.2009.10.001.
- Mucientes, G.R., N. Queiroz, L.L. Sousa, P. Tarroso, and D.W. Sims. 2009. "Sexual Segregation of Pelagic Sharks and the Potential Threat from Fisheries." *Biology Letters*. 5: 156–159.
- Muslih, Mahdiana, A., Syakti, A. D., Hidayati, N. V., Riyanti, & Yuneni, R. R. 2016. Beberapa Parameter Populasi Ikan Hiu Martil (*Sphyrna lewini*) Di Perairan Laut Jawa dan Kalimantan. In Dharmadi & Fahmi (Eds.), *Prosiding Simposium Hiu dan Pari di Indonesia* (pp. 51–56). Jakarta: Kementerian Kelautan dan Perikanan bekerjasama dengan WWF.
- Pemkab Majene. 2018. Geografis Kabupaten Majene. <https://majenekab.go.id>.

- Pollock, S. C. 1995. Changes in maturation ages and sizes in crustacean and fish populations. *S. Afr. J. Mar. Sci.* 15, 99–103. DOI: <https://doi.org/10.2989/02577619509504836>.
- Pratt HL Jr. 1979. Reproduction of the blue shark, *Prionace glauca*. *Fishery Bulletin* 77: 445-470.
- Prihatiningsih. 2019. Komposisi Jenis, Hasil Tangkapan Per Upaya, Musim dan Daerah Penangkapan Ikan Hiu di Perairan Samudera Hindia Selatan Jawa. *Jurnal Perikanan Indonesia*. Jawa Barat.
- Rahmat, E. 2007. Penangkapan Ikan Demersal Dengan Pancing Rawai Dasar Di Perairan Kabupaten Barru, Sulawesi Selatan. *Teknisi Litkayasa pada Balai Riset Perikanan Laut*. Jakarta.
- Simpfendorfer and Kyne, 2009 Simpfendorfer C.A., Kyne P.M. Limited potential to recover from overfishing raises concerns for deep-sea sharks, rays and chimaeras *Environmental Conservation*, 36 (2009), pp. 97-103.
- Sparre, P., & Venema, S. 1999. *Introduksi Pengkajian Stok Ikan Tropis (Buku 1: Manual)* (p. 438). Jakarta: Organisasi Pangan dan Pertanian Perserikatan Bangsa-Bangsa dengan Badan Penelitian dan Pengembangan Pertanian.
- Sybersma, S. 2015. Review of shark legislation in Canada as a conservation tool. *Marine Policy*, 61, 121 – 126.
- Tavares, R., M. Ortiz, and F. Arocha. 2012. "Population Structure, Distribution and Relative Abundance of the Blue Shark (*Prionace glauca*) in the Caribbean Sea and Adjacent Waters of the North Atlantic." *Fisheries Research* 129-130. doi:10.1016/j.fishres.2012.06.018.
- Van Der Elst, R., 1981. *A guide to the common sea fishes of southern Africa*. C. Struik, Cape Town. 367 p.
- Watters, G., & Hobday, A. J. 1998. A new method for estimating the morphometric size at maturity of crabs. *Can. J. Fish. Aquat. Sci.* 55,704–714 DOI: <https://doi.org/10.1139/f97-266>.
- Weigmann, S. 2016. Annotated checklist of the living sharks, batoids and chimaeras (Chondrichthyes) of the world, with a focus on biogeographical diversity. *Journal of Fish Biology*, 88 (3): 837–1037 DOI: 10.1111/jfb.12874.
- White, W. T., Last, P. R., Stevens, J. D., Yearsley, G. K., Fahmi, & Dharmadi. 2006. *Economically important sharks and rays of Indonesia (Hiu dan pari yang bernilai ekonomis penting di Indonesia)*. ACIAR monograph series; no. 124(p. 329). Canberra: Australian Centre for International Agricultural Research. <http://doi.org/10.1007/s13398-014-0173-7.2>.
- Widodo, A. A. & Mahulette, R. T. 2012. Jenis, ukuran dan daerah penangkapan hiu Thresher (famili Alopiidae) yang tertangkap rawai tuna di Samudera Hindia. *BAWAL*, 4 (2), 75 – 82.
- WWF. 2019. *Endangered Marine Species Guide* WWF's recommendations for at-risk marine life in seafood supply chains.

- Zainudin, I.M., 2011. Pengelolaan Perikanan Hiu berbasis ekosistem di Indonesia. Thesis Pasca Sarjana. Universitas Indonesia, Depok.
- Zamroni, A., Kuswoyo, A., & Chodrijah, U. 2019. Aspek Biologi Dan Dinamika Populasi Ikan Layang Biru (*Decapterus Macarellus* Cuvier, 1833) Di Perairan Laut Sulawesi. Bawal Widya Riset Perikanan Tangkap, 11(3), 137.

LAMPIRAN

Lampiran 1. Uji-t ukuran panjang ikan hiu jantan dan betina

```

DATASET NAME DataSet1 WINDOW=FRONT.
SAVE OUTFILE='D:\@TUGAS KULIAH\Semester 7\DATA PENELITIAN\uji t sex c brev\uji t semua spesies.sav'
/COMPRESSED.
T-TEST GROUPS=sex(1 2)
/MISSING=ANALYSIS
/VARIABLES=t1
/CRITERIA=CI(.9500).
    
```

T-Test

[DataSet1] D:\@TUGAS KULIAH\Semester 7\DATA PENELITIAN\uji t sex c brev\uji t semua spesies.sav

Group Statistics

sex	N	Mean	Std. Deviation	Std. Error Mean
t1 jantan	126	125.071	70.31633	6.26428
betina	206	119.575	72.26992	5.03528

Independent Samples Test

		Levene's Test for Equality of Variances		t-test for Equality of Means						
		F	Sig.	t	df	Sig. (2-tailed)	Mean Difference	Std. Error Difference	95% Confidence Interval of the Difference	
									Lower	Upper
t1	Equal variances assumed	.251	.617	.679	330	.497	5.49619	8.09051	-10.41930	21.41167
	Equal variances not assumed			.684	269.985	.495	5.49619	8.03712	-10.32721	21.31958

Lampiran 2. Uji-t *Carcharhinus brevipinna*

```
T-TEST GROUPS=jeniskelamin(1 2)
/MISSING=ANALYSIS
/VARIABLES=panjang
/CRITERIA=CI (.95) .
```

→ T-Test

Group Statistics

	jeniskelamin	N	Mean	Std. Deviation	Std. Error Mean
panjang	1	44	104.0909	69.11023	10.41876
	2	89	113.6742	77.70995	8.23724

Independent Samples Test

		Levene's Test for Equality of Variances		t-test for Equality of Means						
		F	Sig.	t	df	Sig. (2-tailed)	Mean Difference	Std. Error Difference	95% Confidence Interval of the Difference	
									Lower	Upper
panjang	Equal variances assumed	2.832	.095	-.693	131	.489	-9.58325	13.82109	-36.92466	17.75816
	Equal variances not assumed			-.722	95.353	.472	-9.58325	13.28167	-35.94943	16.78293

Lampiran 3. Uji-t *Carcharhinus sealei*

Your temporary usage period for IBM SPSS Statistics will expire in 5506 days.

```
T-TEST GROUPS=jeniskelamin(1 2)
/MISSING=ANALYSIS
/VARIABLES=panjang
/CRITERIA=CI(.95).
```

► T-Test

[DataSet0]

Group Statistics

	jeniskelamin	N	Mean	Std. Deviation	Std. Error Mean
panjang	1	23	70.9130	3.30169	.68845
	2	46	71.8478	2.43098	.35843

Independent Samples Test

		Levene's Test for Equality of Variances		t-test for Equality of Means						
panjang		F	Sig.	t	df	Sig. (2-tailed)	Mean Difference	Std. Error Difference	95% Confidence Interval of the Difference	
									Lower	Upper
panjang	Equal variances assumed	3.120	.082	-1.332	67	.187	-.93478	.70164	-2.33527	.46571
	Equal variances not assumed			-1.204	34.310	.237	-.93478	.77617	-2.51162	.64205

Lampiran 4. Uji-t *Prionace glauca*

➔ T-Test

Group Statistics

	jeniskelamin	N	Mean	Std. Deviation	Std. Error Mean
panjang	1	48	174.7500	62.67189	9.04591
	2	58	169.8966	65.77545	8.63674

Independent Samples Test

		Levene's Test for Equality of Variances		t-test for Equality of Means						
		F	Sig.	t	df	Sig. (2-tailed)	Mean Difference	Std. Error Difference	95% Confidence Interval of the Difference	
									Lower	Upper
panjang	Equal variances assumed	.465	.497	.386	104	.700	4.85345	12.56453	-20.06249	29.76938
	Equal variances not assumed			.388	101.914	.699	4.85345	12.50687	-19.95412	29.66101

Lampiran 5. Uji-t *Carcharhinus plumbeus*

T-Test

[DataSet0]

Group Statistics

	jeniskelamin	N	Mean	Std. Deviation	Std. Error Mean
	2	4	115.75	6.397	3.198

Independent Samples Test

		Levene's Test for Equality of Variances		t-test for Equality of Means						
		F	Sig.	t	df	Sig. (2-tailed)	Mean Difference	Std. Error Difference	95% Confidence Interval of the Difference	
									Lower	Upper
panjang	Equal variances assumed	3.942	.087	.940	7	.378	21.450	22.816	-32.501	75.401
	Equal variances not assumed			1.061	4.204	.346	21.450	20.223	-33.639	76.539

Lampiran 6. Uji-t *Triaenodon obesus*

T-Test

Group Statistics

	jeniskelamin	N	Mean	Std. Deviation	Std. Error Mean
panjang	1	5	76.80	15.353	6.866
	2	5	72.00	4.743	2.121

Independent Samples Test

		Levene's Test for Equality of Variances		t-test for Equality of Means						
		F	Sig.	t	df	Sig. (2-tailed)	Mean Difference	Std. Error Difference	95% Confidence Interval of the Difference	
									Lower	Upper
panjang	Equal variances assumed	3.959	.082	.668	8	.523	4.800	7.186	-11.771	21.371
	Equal variances not assumed			.668	4.757	.535	4.800	7.186	-13.960	23.560

Carcharhinus amblyrhynchos

Betina 2 ekor. Panjang rata-rata 123.5 cmTL dengan SD = 8.839

Carcharhinus dussumieri

Jantan 90 cmTL dan betina 103 cmTL

Galeocerdo cuvier

Betina 270 cmTL

Descriptives

panjang

	N	Mean	Std. Deviation	Std. Error	95% Confidence Interval for Mean		Minimum	Maximum
					Lower Bound	Upper Bound		
Carcharhinus brevipinna	133	110.50	74.848	6.490	97.67	123.34	37	320
Prionace glauca	106	172.09	64.130	6.229	159.74	184.45	72	270
Carcharhinus sealei	69	71.54	2.763	.333	70.87	72.20	61	77
Trienodon obesus	10	74.40	11.007	3.481	66.53	82.27	63	102
Carcharhinus plumbeus	9	127.67	33.764	11.255	101.71	153.62	109	217
Carcharhinus amblyrhynchos	2	80.25	8.839	6.250	.84	159.66	74	87
Galeocerdo cuvier	1	270.00	270	270
Carcharhinus dussumieri	2	96.50	9.192	6.500	13.91	179.09	90	103
Total	332	121.66	71.478	3.923	113.94	129.38	37	320

Lampiran 7. Uji Anova

Test of Homogeneity of Variances

		Levene Statistic	df1	df2	Sig.
panjang	Based on Mean	38.938	6	324	.000
	Based on Median	16.593	6	324	.000
	Based on Median and with adjusted df	16.593	6	170.883	.000
	Based on trimmed mean	34.347	6	324	.000

ANOVA

panjang

	Sum of Squares	df	Mean Square	F	Sig.
Between Groups	508892.640	7	72698.949	19.924	.000
Within Groups	1182220.489	324	3648.829		
Total	1691113.129	331			

Lampiran 8. Data hasil tangkapan

No	Jenis Hiu	Panjang (cm)
1	<i>Carcharhinus amblyrhynchos</i>	74
2	<i>Carcharhinus amblyrhynchos</i>	86.5
3	<i>Carcharhinus brevipinna</i>	37
4	<i>Carcharhinus brevipinna</i>	37
5	<i>Carcharhinus brevipinna</i>	39
6	<i>Carcharhinus brevipinna</i>	39
7	<i>Carcharhinus brevipinna</i>	39
8	<i>Carcharhinus brevipinna</i>	40
9	<i>Carcharhinus brevipinna</i>	41
10	<i>Carcharhinus brevipinna</i>	41
11	<i>Carcharhinus brevipinna</i>	41
12	<i>Carcharhinus brevipinna</i>	42
13	<i>Carcharhinus brevipinna</i>	42
14	<i>Carcharhinus brevipinna</i>	42
15	<i>Carcharhinus brevipinna</i>	42
16	<i>Carcharhinus brevipinna</i>	42
17	<i>Carcharhinus brevipinna</i>	42
18	<i>Carcharhinus brevipinna</i>	43
19	<i>Carcharhinus brevipinna</i>	43
20	<i>Carcharhinus brevipinna</i>	49
21	<i>Carcharhinus brevipinna</i>	49
22	<i>Carcharhinus brevipinna</i>	50
23	<i>Carcharhinus brevipinna</i>	50
24	<i>Carcharhinus brevipinna</i>	50
25	<i>Carcharhinus brevipinna</i>	53
26	<i>Carcharhinus brevipinna</i>	53
27	<i>Carcharhinus brevipinna</i>	53
28	<i>Carcharhinus brevipinna</i>	53
29	<i>Carcharhinus brevipinna</i>	55
30	<i>Carcharhinus brevipinna</i>	56
31	<i>Carcharhinus brevipinna</i>	57
32	<i>Carcharhinus brevipinna</i>	58
33	<i>Carcharhinus brevipinna</i>	58
34	<i>Carcharhinus brevipinna</i>	58
35	<i>Carcharhinus brevipinna</i>	58
36	<i>Carcharhinus brevipinna</i>	58
37	<i>Carcharhinus brevipinna</i>	58
38	<i>Carcharhinus brevipinna</i>	58
39	<i>Carcharhinus brevipinna</i>	58
40	<i>Carcharhinus brevipinna</i>	59
41	<i>Carcharhinus brevipinna</i>	60

42	<i>Carcharhinus brevipinna</i>	60
43	<i>Carcharhinus brevipinna</i>	61
44	<i>Carcharhinus brevipinna</i>	61
45	<i>Carcharhinus brevipinna</i>	61
46	<i>Carcharhinus brevipinna</i>	62
47	<i>Carcharhinus brevipinna</i>	62
48	<i>Carcharhinus brevipinna</i>	62
49	<i>Carcharhinus brevipinna</i>	63
50	<i>Carcharhinus brevipinna</i>	63
51	<i>Carcharhinus brevipinna</i>	63
52	<i>Carcharhinus brevipinna</i>	65
53	<i>Carcharhinus brevipinna</i>	66
54	<i>Carcharhinus brevipinna</i>	67
55	<i>Carcharhinus brevipinna</i>	67
56	<i>Carcharhinus brevipinna</i>	68
57	<i>Carcharhinus brevipinna</i>	68
58	<i>Carcharhinus brevipinna</i>	68
59	<i>Carcharhinus brevipinna</i>	70
60	<i>Carcharhinus brevipinna</i>	70
61	<i>Carcharhinus brevipinna</i>	72
62	<i>Carcharhinus brevipinna</i>	72
63	<i>Carcharhinus brevipinna</i>	72
64	<i>Carcharhinus brevipinna</i>	73
65	<i>Carcharhinus brevipinna</i>	73
66	<i>Carcharhinus brevipinna</i>	73
67	<i>Carcharhinus brevipinna</i>	73
68	<i>Carcharhinus brevipinna</i>	74
69	<i>Carcharhinus brevipinna</i>	75
70	<i>Carcharhinus brevipinna</i>	76
71	<i>Carcharhinus brevipinna</i>	76
72	<i>Carcharhinus brevipinna</i>	76
73	<i>Carcharhinus brevipinna</i>	77
74	<i>Carcharhinus brevipinna</i>	78
75	<i>Carcharhinus brevipinna</i>	78
76	<i>Carcharhinus brevipinna</i>	78
77	<i>Carcharhinus brevipinna</i>	79
78	<i>Carcharhinus brevipinna</i>	81
79	<i>Carcharhinus brevipinna</i>	82
80	<i>Carcharhinus brevipinna</i>	82
81	<i>Carcharhinus brevipinna</i>	83
82	<i>Carcharhinus brevipinna</i>	86
83	<i>Carcharhinus brevipinna</i>	87
84	<i>Carcharhinus brevipinna</i>	87

85	<i>Carcharhinus brevipinna</i>	87
86	<i>Carcharhinus brevipinna</i>	89
87	<i>Carcharhinus brevipinna</i>	90
88	<i>Carcharhinus brevipinna</i>	92
89	<i>Carcharhinus brevipinna</i>	110
90	<i>Carcharhinus brevipinna</i>	112
91	<i>Carcharhinus brevipinna</i>	114
92	<i>Carcharhinus brevipinna</i>	116
93	<i>Carcharhinus brevipinna</i>	117
94	<i>Carcharhinus brevipinna</i>	118
95	<i>Carcharhinus brevipinna</i>	119
96	<i>Carcharhinus brevipinna</i>	119
97	<i>Carcharhinus brevipinna</i>	130
98	<i>Carcharhinus brevipinna</i>	134
99	<i>Carcharhinus brevipinna</i>	135
100	<i>Carcharhinus brevipinna</i>	136
101	<i>Carcharhinus brevipinna</i>	163
102	<i>Carcharhinus brevipinna</i>	163
103	<i>Carcharhinus brevipinna</i>	163
104	<i>Carcharhinus brevipinna</i>	166
105	<i>Carcharhinus brevipinna</i>	172
106	<i>Carcharhinus brevipinna</i>	180
107	<i>Carcharhinus brevipinna</i>	187
108	<i>Carcharhinus brevipinna</i>	190
109	<i>Carcharhinus brevipinna</i>	192
110	<i>Carcharhinus brevipinna</i>	192
111	<i>Carcharhinus brevipinna</i>	210
112	<i>Carcharhinus brevipinna</i>	210
113	<i>Carcharhinus brevipinna</i>	210
114	<i>Carcharhinus brevipinna</i>	210
115	<i>Carcharhinus brevipinna</i>	210
116	<i>Carcharhinus brevipinna</i>	210
117	<i>Carcharhinus brevipinna</i>	210
118	<i>Carcharhinus brevipinna</i>	213
119	<i>Carcharhinus brevipinna</i>	217
120	<i>Carcharhinus brevipinna</i>	240
121	<i>Carcharhinus brevipinna</i>	240
122	<i>Carcharhinus brevipinna</i>	242
123	<i>Carcharhinus brevipinna</i>	242
124	<i>Carcharhinus brevipinna</i>	250
125	<i>Carcharhinus brevipinna</i>	258
126	<i>Carcharhinus brevipinna</i>	260
127	<i>Carcharhinus brevipinna</i>	265

128	<i>Carcharhinus brevipinna</i>	270
129	<i>Carcharhinus brevipinna</i>	270
130	<i>Carcharhinus brevipinna</i>	270
131	<i>Carcharhinus brevipinna</i>	270
132	<i>Carcharhinus brevipinna</i>	270
133	<i>Carcharhinus brevipinna</i>	271
134	<i>Carcharhinus brevipinna</i>	280
135	<i>Carcharhinus brevipinna</i>	320
136	<i>Carcharhinus sealei</i>	61
137	<i>Carcharhinus sealei</i>	63
138	<i>Carcharhinus sealei</i>	68
139	<i>Carcharhinus sealei</i>	68
140	<i>Carcharhinus sealei</i>	68
141	<i>Carcharhinus sealei</i>	68
142	<i>Carcharhinus sealei</i>	69
143	<i>Carcharhinus sealei</i>	69
144	<i>Carcharhinus sealei</i>	69
145	<i>Carcharhinus sealei</i>	69
146	<i>Carcharhinus sealei</i>	69
147	<i>Carcharhinus sealei</i>	69
148	<i>Carcharhinus sealei</i>	70
149	<i>Carcharhinus sealei</i>	70
150	<i>Carcharhinus sealei</i>	70
151	<i>Carcharhinus sealei</i>	70
152	<i>Carcharhinus sealei</i>	70
153	<i>Carcharhinus sealei</i>	70
154	<i>Carcharhinus sealei</i>	70
155	<i>Carcharhinus sealei</i>	70
156	<i>Carcharhinus sealei</i>	70
157	<i>Carcharhinus sealei</i>	70
158	<i>Carcharhinus sealei</i>	70
159	<i>Carcharhinus sealei</i>	70
160	<i>Carcharhinus sealei</i>	71
161	<i>Carcharhinus sealei</i>	71
162	<i>Carcharhinus sealei</i>	71
163	<i>Carcharhinus sealei</i>	71
164	<i>Carcharhinus sealei</i>	71
165	<i>Carcharhinus sealei</i>	71
166	<i>Carcharhinus sealei</i>	71
167	<i>Carcharhinus sealei</i>	71
168	<i>Carcharhinus sealei</i>	72
169	<i>Carcharhinus sealei</i>	72
170	<i>Carcharhinus sealei</i>	72

171	<i>Carcharhinus sealei</i>	72
172	<i>Carcharhinus sealei</i>	72
173	<i>Carcharhinus sealei</i>	72
174	<i>Carcharhinus sealei</i>	72
175	<i>Carcharhinus sealei</i>	72
176	<i>Carcharhinus sealei</i>	72
177	<i>Carcharhinus sealei</i>	73
178	<i>Carcharhinus sealei</i>	73
179	<i>Carcharhinus sealei</i>	73
180	<i>Carcharhinus sealei</i>	73
181	<i>Carcharhinus sealei</i>	73
182	<i>Carcharhinus sealei</i>	73
183	<i>Carcharhinus sealei</i>	73
184	<i>Carcharhinus sealei</i>	73
185	<i>Carcharhinus sealei</i>	73
186	<i>Carcharhinus sealei</i>	73
187	<i>Carcharhinus sealei</i>	73
188	<i>Carcharhinus sealei</i>	73
189	<i>Carcharhinus sealei</i>	73
190	<i>Carcharhinus sealei</i>	73
191	<i>Carcharhinus sealei</i>	73
192	<i>Carcharhinus sealei</i>	73
193	<i>Carcharhinus sealei</i>	73
194	<i>Carcharhinus sealei</i>	73
195	<i>Carcharhinus sealei</i>	74
196	<i>Carcharhinus sealei</i>	74
197	<i>Carcharhinus sealei</i>	75
198	<i>Carcharhinus sealei</i>	75
199	<i>Carcharhinus sealei</i>	76
200	<i>Carcharhinus sealei</i>	76
201	<i>Carcharhinus sealei</i>	76
202	<i>Carcharhinus sealei</i>	76
203	<i>Carcharhinus sealei</i>	77
204	<i>Carcharhinus sealei</i>	77
205	<i>Galeocerdo cuvier</i>	270
206	<i>Prionace glauca</i>	72
207	<i>Prionace glauca</i>	72
208	<i>Prionace glauca</i>	72
209	<i>Prionace glauca</i>	75
210	<i>Prionace glauca</i>	84
211	<i>Prionace glauca</i>	85
212	<i>Prionace glauca</i>	85
213	<i>Prionace glauca</i>	87

214	<i>Prionace glauca</i>	87
215	<i>Prionace glauca</i>	92
216	<i>Prionace glauca</i>	93
217	<i>Prionace glauca</i>	94
218	<i>Prionace glauca</i>	94
219	<i>Prionace glauca</i>	95
220	<i>Prionace glauca</i>	95
221	<i>Prionace glauca</i>	97
222	<i>Prionace glauca</i>	97
223	<i>Prionace glauca</i>	98
224	<i>Prionace glauca</i>	100
225	<i>Prionace glauca</i>	100
226	<i>Prionace glauca</i>	101
227	<i>Prionace glauca</i>	102
228	<i>Prionace glauca</i>	102
229	<i>Prionace glauca</i>	106
230	<i>Prionace glauca</i>	108
231	<i>Prionace glauca</i>	108
232	<i>Prionace glauca</i>	108
233	<i>Prionace glauca</i>	108
234	<i>Prionace glauca</i>	109
235	<i>Prionace glauca</i>	110
236	<i>Prionace glauca</i>	110
237	<i>Prionace glauca</i>	112
238	<i>Prionace glauca</i>	114
239	<i>Prionace glauca</i>	114
240	<i>Prionace glauca</i>	116
241	<i>Prionace glauca</i>	118
242	<i>Prionace glauca</i>	118
243	<i>Prionace glauca</i>	120
244	<i>Prionace glauca</i>	128
245	<i>Prionace glauca</i>	130
246	<i>Prionace glauca</i>	130
247	<i>Prionace glauca</i>	136
248	<i>Prionace glauca</i>	140
249	<i>Prionace glauca</i>	149
250	<i>Prionace glauca</i>	152
251	<i>Prionace glauca</i>	154
252	<i>Prionace glauca</i>	157
253	<i>Prionace glauca</i>	160
254	<i>Prionace glauca</i>	162
255	<i>Prionace glauca</i>	164
256	<i>Prionace glauca</i>	165

257	<i>Prionace glauca</i>	166
258	<i>Prionace glauca</i>	167
259	<i>Prionace glauca</i>	170
260	<i>Prionace glauca</i>	174
261	<i>Prionace glauca</i>	175
262	<i>Prionace glauca</i>	180
263	<i>Prionace glauca</i>	185
264	<i>Prionace glauca</i>	187
265	<i>Prionace glauca</i>	200
266	<i>Prionace glauca</i>	200
267	<i>Prionace glauca</i>	210
268	<i>Prionace glauca</i>	214
269	<i>Prionace glauca</i>	215
270	<i>Prionace glauca</i>	218
271	<i>Prionace glauca</i>	220
272	<i>Prionace glauca</i>	222
273	<i>Prionace glauca</i>	223
274	<i>Prionace glauca</i>	224
275	<i>Prionace glauca</i>	224
276	<i>Prionace glauca</i>	226
277	<i>Prionace glauca</i>	228
278	<i>Prionace glauca</i>	229
279	<i>Prionace glauca</i>	232
280	<i>Prionace glauca</i>	233
281	<i>Prionace glauca</i>	233
282	<i>Prionace glauca</i>	235
283	<i>Prionace glauca</i>	235
284	<i>Prionace glauca</i>	236
285	<i>Prionace glauca</i>	237
286	<i>Prionace glauca</i>	239
287	<i>Prionace glauca</i>	240
288	<i>Prionace glauca</i>	240
289	<i>Prionace glauca</i>	240
290	<i>Prionace glauca</i>	240
291	<i>Prionace glauca</i>	240
292	<i>Prionace glauca</i>	242
293	<i>Prionace glauca</i>	243
294	<i>Prionace glauca</i>	243
295	<i>Prionace glauca</i>	243
296	<i>Prionace glauca</i>	245
297	<i>Prionace glauca</i>	245
298	<i>Prionace glauca</i>	245
299	<i>Prionace glauca</i>	245

300	<i>Prionace glauca</i>	245
301	<i>Prionace glauca</i>	248
302	<i>Prionace glauca</i>	248
303	<i>Prionace glauca</i>	250
304	<i>Prionace glauca</i>	252
305	<i>Prionace glauca</i>	254
306	<i>Prionace glauca</i>	256
307	<i>Prionace glauca</i>	257
308	<i>Prionace glauca</i>	260
309	<i>Prionace glauca</i>	264
310	<i>Prionace glauca</i>	265
311	<i>Prionace glauca</i>	270
312	<i>Triaenodon obesus</i>	63
313	<i>Triaenodon obesus</i>	68
314	<i>Triaenodon obesus</i>	69
315	<i>Triaenodon obesus</i>	69
316	<i>Triaenodon obesus</i>	70
317	<i>Triaenodon obesus</i>	71
318	<i>Triaenodon obesus</i>	72
319	<i>Triaenodon obesus</i>	80
320	<i>Triaenodon obesus</i>	80
321	<i>Triaenodon obesus</i>	102
322	<i>Carcharhinus dussumieri</i>	90
323	<i>Carcharhinus dussumieri</i>	103
324	<i>Carcharhinus plumbeus</i>	109
325	<i>Carcharhinus plumbeus</i>	113
326	<i>Carcharhinus plumbeus</i>	115
327	<i>Carcharhinus plumbeus</i>	116
328	<i>Carcharhinus plumbeus</i>	117
329	<i>Carcharhinus plumbeus</i>	118
330	<i>Carcharhinus plumbeus</i>	120
331	<i>Carcharhinus plumbeus</i>	124
332	<i>Carcharhinus plumbeus</i>	217

PANJANG SELURUHNYA

interval	frekuensi	Tl
30-50	22	40
50-70	65	60
70-90	88	80
90-110	27	100
110-130	25	120
130-150	6	140
150-170	14	160
170-190	9	180
190-210	12	200
210-230	14	220
230-250	30	240
250-270	17	260
270-290	2	280
290-320	1	305

PANJANG BETINA

interval	frekuensi	Tl
30-50	15	40
50-70	40	60
70-90	61	80
90-110	15	100
110-130	13	120
130-150	1	140
150-170	8	160
170-190	6	180
190-210	10	200
210-230	6	220
230-250	20	240
250-270	9	260
270-290	1	280
290-320	1	305

PANJANG JANTAN

interval	frekuensi	Tl
30-50	7	40
50-70	25	60
70-90	27	80
90-110	12	100
110-130	12	120
130-150	5	140
150-170	6	160
170-190	3	180
190-210	2	200
210-230	8	220
230-250	10	240
250-270	8	260
270-290	1	280

Lampiran 9. Titik koordinat lokasi penangkapan ikan hiu

X	Y
117.998	-0.588
119.2	-1.696
119.461	-0.536
117.653	-0.149
117.454	-3.588
118.165	-3.191
117.381	-2.867
117.12	-1.613

Lampiran 10. Hasil tangkapan ikan hiu









Lampiran 11. Dokumentasi penelitian

 **PAS KECIL** REPUBLIK INDONESIA

NoAL.520/ 5 / 17 /UPP.Mjn-2020
Diterbitkan berdasarkan ketentuan Pasal 57
Permenhub Nomor 39 Tahun 2017

Yang bertanda tangan di bawah ini : KEPALA KANTOR UPP KLAS III MAJENE
menyatakan bahwa : KAPAL MOTOR NELAYAN

NAMA KAPAL	TANDA PAS KECIL	TONASE KOTOR (GT)	TONASE BERSIH (NT)	TAHUN PEMBANGUNAN
" JABAL RAHMA 02 "	SWB 1 NO. 229	6	2	2019

PENGERAK UTAMA	UKURAN P X L X D (M)	MEREK DAN DAYA	BAHAN UTAMA KAPAL
MESIN	15.57 X 1.97 X 0.96	JIANDONG 35 PK RATNA 29.5 PK	KAYU

Dipergunakan sebagai : NELAYAN
Nama dan alamat pemilik : H. BAHARULLAH DI TAPPA BANUA KEC. PAMBOANG KAB. MAJENE
Telah didaftarkan dalam Register Pas Kecil di M A J E N E dengan Nomor 229 SWB 1 Dan oleh karena itu berhak berlayar dengan mengibarkan bendera Indonesia sebagai bendera kebangsaan kapal.
epada seluruh pejabat yang berwenang dan pejabat-pejabat Republik Indonesia maupun mereka yang bersangkutan dan berkewajiban supaya memperlakukan nahkoda, kapal dan muatannya sesuai dengan ketentuan peraturan perundang-undangan Republik Indonesia dan perjanjian dengan negara-negara lain.

Diberikan di : M A J E N E
Pada Tanggal : 05 JUNI 2020

An. MENTERI PERHUBUNGAN
DIREKTUR JENDERAL PERHUBUNGAN LAUT
KEPALA KANTOR
UNIT PENYELANGGARA PELABUHAN
KELAS III MAJENE


H. ANWARO S.Sos.MM
Bambina (IV/a)
NIP. 19650914 198903 1 001

Didaftarkan dalam Register
Pas Kecil di : MAJENE
No. Urut : 229
No. Halaman : 07
Buku Register : I







