

DAFTAR PUSTAKA

- Amody, Z., Anggreani, K., 2017. Identification of Glycoside Compounds of Gebang Roots (*Corypha utan*) Origin of Village Landayya of Bantaeng. *Maj. Farm.* 14, 8–13.
- Amrutha, K., Nanjan, P., Shaji, S.K., Sunilkumar, D., Subhalakshmi, K., Rajakrishna, L., Banerji, A., 2014. Discovery of lesser known flavones as inhibitors of NF- κ B signaling in MDA-MB-231 breast cancer cells--A SAR study. *Bioorg Med Chem* 24, 4735–4742.
- Applová, L., Karlíčková, J., Říha, M., Filipský, T., Macáková, K., Spilková, J., Mladěnka, P., 2017. The isoflavanoid tectorigenin has better antiplatelet potential than acetylsalicylic acid. *Phytomedicine* 35, 11–17.
- Arifin, B., Ibrahim, S., 2018. Struktur, Bioaktivitas dan Antioksidan Flavonoid. *J. Zarah* 6, 21–29.
- Armstrong, A.W., Golan, D.E., 2014. Pharmacology of Hemostasis and Thrombosis, in: *Principles of Pharmacology: The Pathophysiologic Basis of Drug Therapy*. Wolters Kluwer, Philadelphia, pp. 387–415.
- Arsianti, A., Bahtiar, A., Wangsaputra, V.K., Azizah, N.N., Fachri, W., Nadapdap, L.D., Fajrin, A.M., Tanimoto, H., Kakiuchi, K., 2020. Phytochemical composition and evaluation of marine algal *Sargassum polycystum* for antioxidant activity and in vitro cytotoxicity on hela cells. *Pharmacogn. J.* 12, 88–94.
- Atrahimovich, D., Vaya, J., Khatib, S., 2013. The effects and mechanism of flavonoid-rePON1 interactions. Structure-activity relationship study. *Bioorganic Med. Chem.* 21, 3348–3355.
- Azis, S., 2014. *Senyawa Alam Metabolit Sekunder: Teori, Konsep dan Teknik Pemurnian*. Deepublish Publisher, Yogyakarta.
- Brodowska, K.M., 2017. Natural flavonoids: classification, potential role, and application of flavonoid analogues. *J. Biol. Res.* 7, 108–123.
- Chan, M. V., Armstrong, P.C., Warner, T.D., 2018. 96-well plate-based aggregometry. *Platelets* 29, 650–655.
- Clark, M.A., Finkel, R., Rey, J.A., Whalen, K., 2012. *Lippincott's Illustrated Reviews: Pharmacology*, 5th ed. Wolters Kluwer, Philadelphia.

- D'Mello, P., Gadhwal, M.K., Joshi, U., Shetgiri, P., 2011. Modeling of COX-2 Inhibitory Activity of Flavonoids. *Int. J. Pharm. Pharm. Sci.* 3.
- Eghorn, L.F., Hoestgaard-Jensen, K., Kongstad, K.T., Bay, T., Higgins, D., Frolund, B., Wellendorph, P., 2014. Positive allosteric modulation of the GHB high-affinity binding site by the GABA_A receptor modulator monastrol and the flavonoid catechin. *Eur J Pharmacol* 740, 570–577.
- Faggio, C., Sureda, A., Morabito, S., Sanches-Silva, A., Mocan, A., Nabavi, S.F., Nabavi, S.M., 2017. Flavonoids and platelet aggregation: A brief review. *Eur. J. Pharmacol.* 91–101.
- Fried, B., Sherma, J., 1996. *Practical Thin-Layer Chromatography: A Multidisciplinary Approach*. CRC Press, Florida.
- Gandjar, I.G., Rohman, A., 2007. *Kimia Farmasi Analisis*. Pustaka Pelajar, Yogyakarta.
- Gazali, M., Nurjanah, Zamani, N.P., 2018. Eksplorasi Senyawa Bioaktif Alga Cokelat Sargassum sp. AGARDH Sebagai Antioksidan dari Pesisir Barat Aceh. *JPHPI* 21, 167–178.
- Gopinath, K., Sudhandiran, G., 2012. Naringin modulates oxidative stress and inflammation in 3-nitropropionic acid-induced neurodegeneration through the activation of nuclear factor-erythroid 2-related factor-2 signalling pathway. *Neuroscience* 227, 134–143.
- Harborne, J.B., 1987. *Metode Fitokimia: Penuntun cara modern menganalisis tumbuhan*, 2nd ed. ITB, Bandung.
- Harborne, J.B., Mabry, T.J., Mabry, H., 1975. *The Flavonoids*. Springer Science+Business Media Dordrecht, Berlin.
- Heti, M., Geldermann, J., 2017. Managing Risks in the Indonesia Seaweed Supply Chain. *Clean Techn Env. Policy* 19, 175–98.
- Hummel, C.S., Chuan Lu, Jie Liu, Ghezzi, C., Hirayama, B.A., Loo, D.D.F., Kepe, V., Barrio, J.R., Wright, E.M., 2012. Structural Selectivity of Human SGLT Inhibitors. *Am J Physiol Cell Physiol* 373–382.
- Ibrahim, S., Sitorus, M., 2013. *Teknik Laboratorium Kimia Organik*. Graha Ilmu, Yogyakarta.
- Ikawati, Z., 2018. *Farmakologi molekuler: Target aksi obat dan mekanisme molekulernya*. Gadjah Mada University Press, Yogyakarta.

- Inayah, P.W., 2015. *Uji Aktivitas Antiplatelet, Antikoagulan dan Trombolisis Ekstrak Etanol Daun Belimbing Wuluh (Averrhoa bilimbi L.) In Vitro*. Universitas Jember.
- Jin Jian Guo, Quinton, T.M., Zhang Jin, Rittenhouse, S.E., Kunapuli, S.P., 2002. Adenosine diphosphate (ADP)-induced thromboxane A2 generation in human platelets requires coordinated signaling through integrin αIIβ3 and ADP receptors. *Blood* 99, 193–198.
- Johnson, M., Kanimozhi, S.A., Malar, T.R.J.J., 2015. Phytochemical composition of sargassum polycystum C. Agardh and sargassum duplicatum J. Agardh. *Int. J. Pharm. Pharm. Sci.* 7, 393–397.
- Kadi, A., 2014. Rumput Laut Sebagai Produk Alam dari Perairan Indonesia. *Oseana* 39, 31–40.
- Kartiningsih, Fitria, Abdillah, S., 2018. Preparation of nanoparticles of the extract of the extract of brown seaweed (Sargassum polycystum) and in vivo anti platelet testing. *Int. J. ChemTech Res.* 11, 190–195.
- Kathiravan, V., Panneerselvam, N., Palanikumar, L., 2015. An Untapped Resource for Natural Anti-Inflammatory Compounds from Marine Microalgae. *J Pharm Bio Sci* 6, 579–95.
- Kristanti, A.N., Aminah, N.S., Tanjung, M., Kurniadi, B., 2008. *Buku Ajar Fitokimia*. Airlangga University Press, Surabaya.
- Kumar, S., Pandey, A.K., 2013. Chemistry and Biological Activities of Flavonoids: An Overview. *Sci. World J.* 1–16.
- Kusmana, C., Hikmat, A., 2015. Keanekaragaman Hayati Flora di Indonesia. *J. Pengelolaan Sumberd. Alam dan Lingkung.* 5, 187–198.
- Li Guilan, Zhu Yanna, Zhang Yuan, Lang Jing, Chen Yuming, Ling Wenhua, 2013. Estimated daily flavonoid and stilbene intake from fruits, vegetables, and nuts and associations with lipid profiles in Chinese adults. *J Acad Nutr Diet.* 113, 786–794.
- Mabry, T.J., Markham, K.R., Thomas, M.R., 1970. *The Systematic Identification of Flavonoid*. Springer-Verlag, Berlin.
- Manggau, M.A., Stephanie, Kasim, S., Ismail, Malina, A.C., Nurdin, W.B., 2019. Antiplatelet activity of brown seaweed Sargassum ilicifolium lyophilized fraction. *Proceeding 4th Indones. Seaweed Forum*.

- Marjoni, M.R., 2016. *Dasar-Dasar Fitokimia untuk Diploma III Farmasi*. Trans Info Media, Jakarta.
- Mierziak, J., Kostyn, K., Kulma, A., 2014. Flavonoids as important molecules of plant interactions with the environment. *Mol. Basel Switz* 19, 16240–16265.
- Moriyama, H., Hosoe, T., Wakana, D., Itabashi, T., Kawai, K., Iizuka, T., Hoshi, K., Fukushima, K., Lau, F.C., 2009. Assay-guided informatory screening method for antiplatelet effect of adenosine isolated from *Malbranchea filamentosa* IFM 41300: Inhibitory behaviors of adenosine in different solvents. *J. Heal. Sci.* 55, 103–108.
- Munoz, Y., Garrido, A., Valladares, L., 2009. Equol is more active than soy isoflavone itself to compete for binding to thromboxane A(2) receptor in human platelets. *Thromb Res.* 123, 740–744.
- Namvar, F., Mohamad, R., Baharara, J., Balanejad, S.-Z., Fargahi, F., Rahman, H.S., 2013. Antioxidant, Antiproliferative, and Antiangiogenesis Effects of Polyphenol-Rich Seaweed (*Sargassum muticum*). *Biomed Res. Int.* 1–9.
- Navarro-Nunez, L., Castillo, J., Lozano, M.L., Martinez, C., Benavente-Garcia, O., Vicente, V., Rivera, J., 2009. Thromboxane A2 Receptor Antagonism by Flavonoids: Structure-Activity Relationships. *J. Agric. Food Chem.* 57, 1589–1594.
- Neal, M.J., 2006. *At a Glance Farmakologi Medis*, 5th ed. Erlangga, Jakarta.
- Nguyen-thi-thanh-hanh, Moon Young-Hwan, Ryu Young-Bae, Kim Young-Min, Nam Seung-Hee, Kim Mi-Sook, Kimura, A., Kim Doman, 2013. The influence of flavonoid compounds on the in vitro inhibition study of a human fibroblast collagenase catalytic domain expressed in E.coli. *Enzym. Microb Technol.* 52, 26–31.
- Ningrum, D.W., Kusrini, D., Fachriyah, E., 2017. Uji Aktivitas Antioksidan Senyawa Flavonoid dari Ekstrak Etanol Daun Johar (*Senna siamea* Lamk). *J. Kim. Sains dan Apl.* 20, 123–129.
- Orhan, I.E., Senol, F.S., Ercetin, T., Kahraman, A., Celep, F., Akaydin, G., Sener, B., Dogan, M., 2013. Assessment of anticholinesterase and antioxidant properties of selected sage (*Salvia*) species with their total phenol and flavonoid contents. *Ind. Crops Prod.* 41, 21–30.
- Panche, A.N., Diwan, A.D., Chandra, S.R., 2016. Flavonoid: An Overview. *J. Nutr. Sci.* 5, 47.

- Pansing, J., Gerung, G.S., Sondak, C.F.A., Wagey, B.T., Ompi, M., Kondoy, K.I.F., 2017. Morfologi *Sargassum* sp. di Kepulauan Raja Ampat, Papua Barat. *J. Pesisir dan Laut Trop.* 1, 13–17.
- Pasanda, O.S., Azis, A., 2018. The Extraction of Brown Algae (*Sargassum* sp) Through Calcium Path to Produce Sodium Alginate. *J. Bahan Alam Terbaharukan* 7, 1–6.
- Pastore, J.J., Funaki, M., Janmey, P.A., Bucki, R., 2005. Flavonoid-mediated inhibition of actin polymerization in cold-activated platelets. *Platelets* 16, 362–367.
- Pati, M., Sharma, S., Nayak, L., Panda, C., 2016. Uses of Seaweed and Its Application to Human Welfare: A Review. *Int. J Pharm Sci* 8, 12–20.
- Pignatelli, P., Pulcinelli, F.M., Celestini, A., Lenti, L., Ghiselli, A., Gazzaniga, P.P., Violi, F., 2000. The Flavonoids Quercetin and Catechin Synergistically Inhibit Platelet Function by Antagonizing the Intracellular Production of Hydrogen Peroxide. *Am J Clin Nutr.* 72, 1150–1155.
- Ramakrishna, A., Ravishankar, G.A., 2011. Influence of Abiotic Stress Signals on Secondary Metabolites in Plants. *Plant Signal. Behav.* 6, 1720–1731.
- Riwanti, P., Izazih, F., Amaliyah, 2020. Pengaruh Perbedaan Konsentrasi Etanol pada Kadar Flavonoid Total Ekstrak Etanol 50, 70 dan 96% *Sargassum polycystum* dari Madura. *J. Pharm. Care Anwar Med.* 2, 35–48.
- Rohim, A., Yunianta, Estiasih, T., 2019. Senyawa-Senyawa Bioaktif pada Rumput Laut Cokelat *Sargassum* sp.: Ulasan Ilmiah. *J. Teknol. Pertan.* 20, 115–126.
- Russel, P.J., Hertz, P.E., McMillan, B., Benington, J.H., 2020. *Biology: The Dynamic Science*, 5th ed. Nelson Education, Boston.
- Sa'adah, L., 2010. *Isolasi dan Identifikasi Senyawa Tanin dari Daun Belimbing Wuluh (Averrhoa bilimbi L.)*. Universitas Islam Negeri (UIN) Maulana Malik Ibrahim.
- Sandhiutami, N.M.D., Desmiaty, Y., Noviyanti, 2018. Inhibitory Effect of *Lantana camara* L., *Eclipta prostrata* (L.) L. and *Cosmos caudatus* Kunth. Leaf Extracts on ADP-Induced Platelet Aggregation. *Pharmacogn. J.* 10, 581–585.
- Saraf, F., Benzalha, I., Gorog, D., 2009. Antiplatelet Resistance-Does It Exist and How to Measure it. *Clin. Med. Cardiol.* 3, 77–91.

- Satyarsa, A.B.S., 2019. Studi Pustaka: Potensi Fucoidan dari Rumput Laut Coklat (*Sargassum* sp.) sebagai Inovasi Terapi pada Kanker Payudara. *J. Med. Heal.* 2, 911–919.
- Sedjati, S., Suryono, Santosa, A., Supriyantini, E., Ridio, A., 2017. Aktivitas Antioksidan dan Kandungan Senyawa Fenolik Makroalga Coklat *Sargassum* sp. *J. Kelaut. Trop.* 20, 117–123.
- Setiabudi, D.A., Tukiran, 2017. Uji Skrining Fitokimia Ekstrak Metanol Kulit Batang Tumbuhan Klampok Watu (*Syzygium litorale*). *UNESA J. Chem.* 6, 155–160.
- Sjahid, L.R., 2008. *Isolasi dan Identifikasi Flavonoid dari Daun Dewadaru (Eugenia uniflora L.)*. Universitas Muhammadiyah Surakarta.
- Soe-Htun, U., Yoshida, T., 1986. Studies on morphological variations in *Sargassum cristaefolium* C. Agardh (Phaeophyta, Fucales). *Jap. J. Physicol.* 34, 275–281.
- Suhendi, A., Sjahid, L.R., Hanwar, D., 2011. Isolasi dan Identifikasi Flavonoid dari Daun Dewandaru (*Eugenia uniflora* L.). *Pharmacon* 12, 73–81.
- Sultana, B., Anwar, F., Ashraf, M., 2009. Effect of Extraction Solvent/Technique on the Antioxidant Activity of Selected Medicinal Plant Extracts. *Molecules* 14, 2167–2180.
- Svehla, G., 1985. *Vogel: Buku Teks Analisis Anorganik Kualitatif Makro dan Semimikro*. Kalman Media Pustaka, Jakarta.
- Syad, A.N., Shunmugiah, K.P., Kasi, P.D., 2013. Seaweeds as nutritional supplements: Analysis of nutritional profile, physicochemical properties and proximate composition of *G.acerosa* and *S.wightii*. *Biomed. Prev. Nutr.* 3, 139–144.
- Tangdilitin, F., 2020. *Uji Aktivitas Antiagregasi Platelet Fraksi dari Ekstrak Etanol Alga Cokelat *Sargassum ilicifolium* (Tuner) C. Agardh Mengandung Flavonoid Secara In-Vitro*. Universitas Hasanuddin.
- Theodora, C.T., Gunawan, I.W.G., Swantara, I.M.D., 2019. Isolasi dan Identifikasi Golongan Flavonoid pada Ekstrak Etil Asetat Daun Gedé (*Abelmoschus manihot* L.). *J. Kim. (Journal Chem.* 13, 131–138.
- Tsujino, T., Isobe, K., Kawabata, H., Aizawa, H., Yamaguchi, S., Kitamura, Y., Masuki, H., Taisuki, W., Okudera, H., Nakata, K., Kawase, T., 2019. Spectrophotometric Determination of the Aggregation Activity of Platelets in Platelet-Rich Plasma for Better Quality Control. *Dent. J.* 7, 1–10.


- Vallance, T.M., Ravishankar, D., Albadawi, D.A.I., Osborn, H.M.I., Vaiyapuri, S., 2019. Synthetic Flavonoids as Novel Modulators of Platelet Function and Thrombosis. *Int. J. Mol. Sci.* 20, 1–16.
- Vogel, H.G., 2008. *Drug Discovery and Evaluation: Pharmacological Assays*. Springer, New York.
- Waksmundzka-Hajnos, M., Sherma, J., Kowalska, T., 2008. *Thin Layer Chromatography in Phytochemistry*. CRC Press, London.
- Wang Tian-yang, Li Qing, Kai-shun, B., 2018. Bioactive Flavonoids in Medicinal Plants: Structure, Activity and Biological Fateasian. *Asian J. Pharm. Sci.* 13, 12–23.
- Warner, T.D., Nylander, S., Whatling, C., 2011. Anti-platelet Therapy: Cyclooxygenase Inhibition and The Use of Aspirin With Particular Regard to Dual Anti-platelet Therapy. *Br. J. Clin. Pharmacol.* 72, 619–633.
- Weisheng Feng, Zhiyou Han, Meng Li, 2017. Isolation and structure identification of flavonoids, in: *Flavonoids: From Biosynthesis to Human Health*. Dajana Pemac, Croatia, pp. 17–43.
- Wirawan, R., 2007. Nilai rujukan pemeriksaan agregasi trombosit dengan adenosis difosfat pada orang Indonesia dewasa normal di Jakarta. *Maj. Kedokt. Indones.* 57, 212–219.
- Wu Ting, He Mengying, Zang Xixi, Zhou Ying, Qiu Tianfu, Pan Siyi, Xu Xiaoyun, 2013. A structure-activity relationship study of flavonoids as inhibitors of E.coli by membrane interaction effect. *Biochim. Biophys. Acta* 1828, 2751–2756.
- Yende, S.R., Harle, U.N., Chaugule, B.B., 2014. Therapeutic Potential and Health Benefits of Sargassum Species. *Pharmacogn. Rev.* 8, 1–8.
- Zeind, C.S., Carvalho, M.G., 2018. Cardiac and Vascular Disorders, in: *Applied Therapeutics: The Clinical Use of Drugs*. Wolters Kluwer, Philadelphia, pp. 582–646.
- Zhang Jiukai, Wu Yeping, Zhao Xiaoyong, Luo Fenglei, Li Xian, Hong Zhu, Sun Chongde, Chen KunSong, 2014. Chemopreventive effect of flavonoids from Ougan (*Citrus reticulata* cv. *Suavissima*) fruit against cancel cell proliferation and migration. *J. Funct. Foods* 10, 511–519.

Zhang Xianan, Huang Huizhong, Zhao Xiaoyong, Lv Qiang, Sun Chongde, Li Xian, Chen Kunsong, 2015. Effects of flavonoids-rich Chinese bayberry (*Myrica rubra* Sieb. et Zucc.) pulp extracts on glucose consumption in human HepG2 cells. *J. Funct. Foods* 14, 144–153.

LAMPIRAN


Lampiran 1

Skema Kerja Penelitian



Lampiran 2

Skema Kerja Uji Aktivitas Antigregasi Platelet



Lampiran 3

Prosedur Pembuatan Reagen

1. Pembuatan reagen H₂SO₄ 10%

Larutan yang dibuat sebanyak 30 mL. Reagen H₂SO₄ pekat dengan konsentrasi 96% dengan volume 3,2 mL yang diencerkan dengan aquadest sebanyak 26,8 mL (Marjoni, 2016).

2. Pembuatan reagen sitroborat

Reagen sitroborat dibuat dengan melarutkan 0,5 gram asam borat dan 0,5 gram asam sitrat ke dalam 50 mL etanol 70% (Marjoni, 2016).

3. Pembuatan reagen FeCl₃

Sebanyak 1 g besi (III) klorida dilarutkan dalam air suling hingga 100 mL kemudian disaring (Marjoni, 2016).

4. Pembuatan reagen dragendorff

Sebanyak 8 g bismut nitrat dilarutkan ke dalam 20 mL HNO₃, kemudian dicampur dengan larutan kalium iodida sebanyak 27,2 g dalam 50 mL air suling. Campuran dibiarkan sampai memisah secara sempurna. Ambil larutan jernih dan diencerkan dengan air secukupnya hingga 100 mL (Marjoni, 2016).

5. Pembuatan reagen Lieberman-Burchard

Larutan pereaksi Lieberman-Burchard dibuat dengan mencampurkan 20 bagian asam asetat anhidrat dengan 1 bagian asam sulfat pekat dan 50 bagian kloroform. Larutan pereaksi ini harus dibuat baru (Marjoni, 2016).

Lampiran 4

Perhitungan

1. Perhitungan rendemen ekstrak

$$\begin{aligned}\% \text{ rendemen ekstrak} &= \frac{\text{Berat ekstrak (g)}}{\text{Berat simplisia (g)}} \times 100\% \\ &= \frac{150,95 \text{ g}}{1650 \text{ g}} \times 100\% \\ &= 9,14\%\end{aligned}$$

2. Perhitungan nilai Rf ekstrak dan fraksi

$$\text{Rf fraksi heksan} = \frac{4,25}{4,5} = 0,94$$

$$\text{Rf fraksi etil asetat} = \frac{4,05}{4,5} = 0,9; \text{ Rf fraksi etil asetat } 2 = \frac{3,1}{4,5} = 0,68$$

$$\text{Rf ekstrak awal} = \frac{4,3}{4,5} = 0,95$$

$$\text{Rf fraksi kloroform} = \frac{4,2}{4,5} = 0,93$$

$$\text{Rf fraksi metanol} = \frac{4,3}{4,5} = 0,95$$

3. Perhitungan nilai Rf isolat

$$\text{Rf} = \frac{5,2}{5,5} = 0,94$$

Lampiran 5

Data Antiagregasi Platelet

Tabel 7. Data Absorbansi Agregasi Platelet

No.	Sampel	Absorbansi (457 nm)	% Agregasi platelet
1	Aspirin 80 ppm (1) sebelum penambahan ADP	0.959	
	Aspirin 80 ppm (1) setelah penambahan ADP	0.907	9.697
2	Aspirin 80 ppm (2) sebelum penambahan ADP	0.954	
	Aspirin 80 ppm (2) setelah penambahan ADP	0.904	10.062
3	Aspirin 80 ppm (3) sebelum penambahan ADP	0.965	
	Aspirin 80 ppm (3) setelah penambahan ADP	0.928	7.461
4	Aspirin 80 ppm (4) sebelum penambahan ADP	0.969	
	Aspirin 80 ppm (4) setelah penambahan ADP	0.928	7.430
5	Air deionisasi (1) sebelum penambahan ADP	0.996	
	Air deionisasi (1) setelah penambahan ADP	0.351	65.160
6	Air deionisasi (2) sebelum penambahan ADP	0.990	
	Air deionisasi (2) setelah penambahan ADP	0.369	63.737
7	Air deionisasi (3) sebelum penambahan ADP	0.997	
	Air deionisasi (3) setelah penambahan ADP	0.493	50.852

No.	Sampel		Absorbansi (457 nm)	% Agregasi platelet
8	Air deionisasi	(4)	sebelum penambahan ADP	0.985
	Air deionisasi	(4)	setelah penambahan ADP	0.617 38.883
9	Isolat 62,5 ppm	(1)	sebelum penambahan ADP	0.849
	Isolat 62,5 ppm	(1)	setelah penambahan ADP	0.869 15.429
10	Isolat 62,5 ppm	(2)	sebelum penambahan ADP	0.876
	Isolat 62,5 ppm	(2)	setelah penambahan ADP	0.859 16.095
11	Isolat 62,5 ppm	(3)	sebelum penambahan ADP	0.844
	Isolat 62,5 ppm	(3)	setelah penambahan ADP	0.867 15.758
12	Isolat 62,5 ppm	(4)	sebelum penambahan ADP	0.845
	Isolat 62,5 ppm	(4)	setelah penambahan ADP	0.858 16.804
13	Isolat 25 ppm	(1)	sebelum penambahan ADP	0.877
	Isolat 25 ppm	(1)	setelah penambahan ADP	0.86 15.963
14	Isolat 25 ppm	(2)	sebelum penambahan ADP	0.868
	Isolat 25 ppm	(2)	setelah penambahan ADP	0.848 17.511
15	Isolat 25 ppm	(3)	sebelum penambahan ADP	0.868
	Isolat 25 ppm	(3)	setelah penambahan ADP	0.858 16.359
16	Isolat 25 ppm	(4)	sebelum penambahan ADP	0.875 17.485

No.	Sampel	Absorbansi (457 nm)	% Agregasi platelet
	Isolat 25 ppm (4) setelah penambahan ADP	0.847	
17	Isolat 10 ppm (1) sebelum penambahan ADP	0.876	
	Isolat 10 ppm (1) setelah penambahan ADP	0.864	15.525
18	Isolat 10 ppm (2) sebelum penambahan ADP	0.863	
	Isolat 10 ppm (2) setelah penambahan ADP	0.864	15.758
19	Isolat 10 ppm (3) sebelum penambahan ADP	0.874	
	Isolat 10 ppm (3) setelah penambahan ADP	0.865	15.446
20	Isolat 10 ppm (4) sebelum penambahan ADP	0.885	
	Isolat 10 ppm (4) setelah penambahan ADP	0.855	16.384

Lampiran 6

Data Statistik

Tabel 8. Uji Normalitas Shapiro-Wilk

Tests of Normality

	Grup	Kolmogorov-Smirnov ^a			Shapiro-Wilk		
		Statistic	df	Sig.	Statistic	df	Sig.
Agregasi	Aspirin	.302	4	.	.794	4	.092
	Air deionisasi	.269	4	.	.895	4	.406
	Isolat 62,5 ppm	.200	4	.	.965	4	.812
	Isolat 25 ppm	.297	4	.	.839	4	.192
	Isolat 10 ppm	.269	4	.	.862	4	.267

a. Lilliefors Significance Correction

Tabel 9. Uji Deskriptif One Way Anova

Descriptives

Agregasi

	N	Mean	Std. Deviation	Std. Error	95% Confidence Interval for Mean		Minimum	Maximum
					Lower Bound	Upper Bound		
Aspirin	4	8.66250	1.413205	.706603	6.41377	10.91123	7.430	10.062
Air deionisasi	4	54.65775	12.330018	6.165009	35.03794	74.27756	38.882	65.160
Isolat 62,5 ppm	4	16.02150	.588273	.294137	15.08543	16.95757	15.429	16.804
Isolat 25 ppm	4	16.82950	.788736	.394368	15.57444	18.08456	15.963	17.511
Isolat 10 ppm	4	15.77825	.424998	.212499	15.10198	16.45452	15.446	16.384
Total	20	22.38990	17.539283	3.921903	14.18126	30.59854	7.430	65.160

Tabel 10. Uji One Way Anova

ANOVA

Agregasi

	Sum of Squares	df	Mean Square	F	Sig.
Between Groups	5379.377	4	1344.844	43.333	.000
Within Groups	465.526	15	31.035		
Total	5844.902	19			

Tabel 11. Uji Signifikansi Post-Hoc Tukey

Multiple Comparisons						
		Mean Difference (I-J)	Std. Error	Sig.	95% Confidence Interval	
(I) Grup	(J) Grup				Lower Bound	Upper Bound
Aspirin	Air deionisasi	-45.995250*	3.939230	.000	-58.15929	-33.83121
	Isolat 62,5 ppm	-7.359000	3.939230	.374	-19.52304	4.80504
	Isolat 25 ppm	-8.167000	3.939230	.281	-20.33104	3.99704
	Isolat 10 ppm	-7.115750	3.939230	.406	-19.27979	5.04829
Air deionisasi	Aspirin	45.995250*	3.939230	.000	33.83121	58.15929
	Isolat 62,5 ppm	38.636250*	3.939230	.000	26.47221	50.80029
	Isolat 25 ppm	37.828250*	3.939230	.000	25.66421	49.99229
	Isolat 10 ppm	38.879500*	3.939230	.000	26.71546	51.04354
Isolat 62,5 ppm	Aspirin	7.359000	3.939230	.374	-4.80504	19.52304
	Air deionisasi	-38.636250*	3.939230	.000	-50.80029	-26.47221
	Isolat 25 ppm	-.808000	3.939230	1.000	-12.97204	11.35604
	Isolat 10 ppm	.243250	3.939230	1.000	-11.92079	12.40729
Isolat 25 ppm	Aspirin	8.167000	3.939230	.281	-3.99704	20.33104
	Air deionisasi	-37.828250*	3.939230	.000	-49.99229	-25.66421
	Isolat 62,5 ppm	.808000	3.939230	1.000	-11.35604	12.97204
	Isolat 10 ppm	1.051250	3.939230	.999	-11.11279	13.21529
Isolat 10 ppm	Aspirin	7.115750	3.939230	.406	-5.04829	19.27979
	Air deionisasi	-38.879500*	3.939230	.000	-51.04354	-26.71546
	Isolat 62,5 ppm	-.243250	3.939230	1.000	-12.40729	11.92079
	Isolat 25 ppm	-1.051250	3.939230	.999	-13.21529	11.11279

*. The mean difference is significant at the 0.05 level.

Tabel 12. Uji Signifikansi Tukey secara Keseluruhan

Agregasi			
Tukey HSD ^a			
Grup	N	Subset for alpha = 0.05	
		1	2
Aspirin	4	8.66250	
Isolat 10 ppm	4	15.77825	
Isolat 62,5 ppm	4	16.02150	
Isolat 25 ppm	4	16.82950	
Air deionisasi	4		54.65775
Sig.		.281	1.000

Means for groups in homogeneous subsets are displayed.

a. Uses Harmonic Mean Sample Size = 4.000.

Lampiran 7

Dokumentasi Penelitian




Gambar 21. Sampel *Sargassum polycystum*



Gambar 22. Pencucian sampel



Gambar 23. Sortasi basah sampel



Gambar 24. Pengeringan sampel



Gambar 25. Perajangan simplisia



Gambar 26. Simplisia diblender



Gambar 27. Maserasi simplisia



Gambar 28. Ekstrak dievaporasi




Gambar 29. Fraksinasi ekstrak




Gambar 31. Proses pengembangan lempeng




Gambar 30. Hasil fraksinasi ekstrak



Gambar 32. Uji identifikasi menggunakan UV 254 dan 366 nm




Gambar 33. Hasil uji identifikasi senyawa fraksinasi



Gambar 34. Hasil uji identifikasi isolat



Gambar 35. Preparasi bahan pengujian antiagregasi platelet



Gambar 36. Pengambilan sampel PRP dari PMI Makassar




Gambar 37. Proses inkubasi sampel PRP



Gambar 38. Pengujian uji aktivitas antiagregasi dengan spektrofotometer UV-Vis

Lampiran 8

Identifikasi Sampel



Lampiran 9

Rekomendasi Pembelian Darah dari PMI



KEMENTERIAN PENDIDIKAN DAN KEBUDAYAAN
 UNIVERSITAS HASANUDDIN
 FAKULTAS FARMASI
 Jalan Perintis kemerdekaan Km.10, Makassar 90245
 Telepon (0411) 588556, Faksimili (0411) 590663
 Laman: farmasi.unhas.ac.id

Nomor : 039/UN4.17.I/KP.06.07/2021
 Perihal : Permohonan Pembelian Darah

05 Januari 2021

Yth. Kepala Unit Transfusi Darah PMI
 Kota Makassar
 di
 Makassar

Dengan hormat, sehubungan dengan pelaksanaan penelitian mahasiswa Fakultas Farmasi Unhas yang dilakukan oleh :

Nama Mahasiswa : Amelia Horas
 Nomor Pokok : N011171303
 Program Studi : SI Farmasi

Dengan ini kami mengajukan permohonan agar mahasiswa tersebut dapat diizinkan untuk melakukan pembelian darah di UPT PMI Kota Makassar.

Demikian permohonan kami, atas perhatian dan kerjasamanya disampaikan terima kasih.



Tembusan :

1. Ketua Gugus Penjaminan Mutu
2. Kabag. Tata Usaha
3. Arsip

