

## DAFTAR PUSTAKA

- A. Yesil, E. Seneates, I. V. Bayoglu, E. D. Erdem, R. Demirtunc, and A.O. K. Ovunc, (2011). "Red cell distributionwidth: a novel marker of activity in inflammatory bowel disease," *Gut and Liver*, vol. 5, no. 4, pp. 460–467.
- Arnold, M., Sierra, M. S., Laversanne, M., Soerjomataram, I., Jemal, A., & Bray, F. (2016). Global patterns and trends in colorectal cancer incidence and mortality. *Gut*, gutjnl–2015–310912. doi:10.1136/gutjnl-2015-310912.
- Beckmann, K. R., Bennett, A., Young, G. P., Cole, S. R., Joshi, R., Adams, J., ... Roder, D. (2015). Sociodemographic disparities in survival from colorectal cancer in South Australia: a population-wide data linkage study. *BMC Health Services Research*, 16(1). doi:10.1186/s12913-016-1263-3.
- Boyle P, Ferlay J. (2005). Cancer Incidence and Mortality in Europe 2004. *Annals of Oncology*. 16:481 - 8.
- Bray F, Ferlay J, Soerjomataram I, Siegel RL, Torre LA, Jemal A. (2018). Global cancer statistics 2018: GLOBOCAN estimates of incidence and mortality worldwide for 36 cancers in 185 countries. *CA Cancer J Clin.* 2018;68(6):394–424. doi:10.3322/caac.21492
- Brooke, H. L., Talbäck, M., Martling, A., Feychting, M., & Ljung, R. (2016). Socioeconomic position and incidence of colorectal cancer in the Swedish population. *Cancer Epidemiology*, 40, 188–195. doi:10.1016/j.canep.2016.01.004.

Bullard K.M., Rothenberger DA. (2015). Colon, Rektum, and Anus. In: Brunicardi FC, editor. Schwartz's Principles of Surgery. New York: The McGraw-Hill Companies; p. 1175 - 230.

Casciato D. A. (2004). Manual of Clinical Oncology. 5th ed. USA: Lippincott Williams & Wilkins;

Chao A., Thun M.J., Connell C.J., McCullough ML, Jacobs EJ, Flanders WD, et al. (2005). Meat consumption and risk of colorectal cancer. *JAMA*. 293: 172-82.

Chu K.M. (2011). Epidemiology and risk factors of colorectal cancer. In: Susan G, Ahuja L, editors. Early Diagnosis and Treatment of Cancer Colorectal Cancer. Philadelphia: Saunders Elseviers. p. 1-11.

Clarke, N., Gallagher, P., Kearney, P. M., McNamara, D., & Sharp, L. (2016). Impact of gender on decisions to participate in faecal immunochemical test-based colorectal cancer screening: a qualitative study: Impact of gender on decision to participate in FIT screening. *Psycho-Oncology*, n/a–n/a. doi:10.1002/pon.4085.

Clarke K, Sagunarthy R, Kansal S. (2008). RDW is an additional marker in inflammatory bowel disease. *Digestive Dis Sci* 2008;53:2521-3

Clèries, R., Buxó, M., Martínez, J. M., Espinàs, J. A., Dyba, T., & Borràs, J. M. (2016). Contribution of changes in demography and in the risk factors to the predicted pattern of cancer mortality among Spanish women by 2022. *Cancer Epidemiology*, 40, 113–118. doi:10.1016/j.canep.2015.12.002.

Cooper GS, Yuan Z, Landefeld CS, Johanson JF, Rimm AA. (1995). A national-population based study of incidence of colorectal cancer and age. Implication of screening in older Americans. *Cancer*. 75(3).

- Cordain L, Latin RW, Behnke JJ. (2006). The effects of an aerobic running program on bowel transit time. *J Sports Med Phys Fitness*. 26:101-4.
- Deng G, Bell I, Crawley S et al. (2004) BRAF mutation is frequently present in sporadic colorectal cancer with methylated hMLH1, but not in hereditary nonpolyposis colorectal cancer. *Clin Cancer Res*; 10: 191–195.
- Fearon E.R., Bommer G.T. (2008). *Molecular biology of colorectal cancer*. In : Devita VT, Lawrence TS, Rosenberg SA, Eds.; *Cancer Principles & Practice of Oncology*, 8<sup>th</sup> ed.; Lippincott Williams & Wilkins, Philadelphia,; 1218 – 1231.
- Gangopadhyay A. et al. (1998). Adhesion of colorectal carcinoma cells to the endothelium is mediated by cytokines from CEA stimulated Kupffer cells.
- Glynne-Jones, R. (2015). Early rectal cancer: opening the door to change. *The Lancet Oncology*, 16(15), 1449–1451.
- Hammarstrom S. (1999). The carcinoembryonic antigen CEA family: structures, suggested functions and expression in normal and malignant tissues ;Vol 9,(seminars in Cancer Biology):67-81.
- Handaya A.Y. (2017). Deteksi Dini & Atasi 31 Penyakit Bedah Saluran Cerna (Digestif). Penerbit Andi. Yogyakarta. p.178
- Hart J. (2006). Nonneoplastic diseases of the small and large intestine. In Silverberg SG, DeLellis RA, Frable WJ, et al, editors: *Silverberg's principles and practice of surgical pathology and cytopathology*, vol 2, ed 4. Edinburgh, Churchill Livingstone, p 1391.
- Hilska, M., Collan, Y. U., O Laine, J. V., Kössi, J., Hirsimäki, P., Laato, M., & Roberts, P. J. (2005). The Significance of Tumor Markers for Proliferation and Apoptosis in

Predicting Survival in Colorectal Cancer: *Diseases of the Colon & Rectum*, 48(12), 2197–2208. doi:10.1007/s10350-005-0202-x.

Hotta T, Takifuji K, Yokoyama S, et al. (2014) Impact of the post/preoperative serum CEA ratio on the survival of patients with rectal cancer. *Surg Today*.44(11):2106–2115. doi:10.1007/s00595-014-0852-1

Itzkowitz SH, Yio X. (2004). Colorectal cancer in inflammatory bowel disease: the role of inflammation: the role of inflammation. *Am J Physiol Gastrointest Liver Physiol*. 287:G7 - G17.

Kahi, C. J., Boland, C. R., Dominitz, J. A., Giardiello, F. M., Johnson, D. A., Kaltenbach, T., ... Rex, D. K. (2016). Colonoscopy surveillance after colorectal cancer resection: recommendations of the US multi-society task force on colorectal cancer. *Gastrointestinal Endoscopy*, 83(3), 489–498.e10. doi:10.1016/j.gie.2016.01.020.

Krok KL, Lichtenstein GR: Inflammatory bowel disease. In Ginsberg GG, Kochman ML, Norton ID, et al, editors: *Clinical gastrointestinal endoscopy*. Philadelphia, 2005, Saunders, p 317.)

Lin J-K, Lin -C-C, Yang S-H, et al. (2011). Early postoperative CEA level is a better prognostic indicator than is preoperative CEA level in predicting prognosis of patients with curable colorectal cancer. *Int J Colorectal Dis*;26(9):1135–1141. doi:10.1007/s00384-011-1209-5

Li Ka Shing, Pokfulam, Hong Kong, Leung, W. C., Foo, D. C., Chan, T., Chiang, M., Lam, A. H., ... Cheung, C. C. (2016). Alternatives to colonoscopy for population-wide colorectal cancer screening. *Hong Kong Medical Journal*. doi:10.12809/hkmj154685

- Lukman, K., Yuniasari, L., & Hernowo, B. S. (2012). Hubungan faktor risiko, status instabilitas mikrosatelite, dan ekspresi p53 dengan karsinogenesis adenokarsinoma kolorektal pada orang indonesia. *Majalah Kedokteran Bandung*, 44(4), 245–252
- Lusikoooy,R.E. (2013) *Faktor Resiko Terjadinya Kanker Kolorektal di Indonesia*, Tesis Doktor, Universitas Hasanuddin, Makassar.
- National Cancer Institute. Cancer Definition. NCI Dictionary of Cancer Terms. Diunduh dari <https://www.cancer.gov/publications/dictionaries/cancer-terms/def/cancer>. Accessed 02 August 2019.
- NCCN (2018) Clinical Practice Guidelines in Oncology, version 2. 2019.
- M. Montagnana and E. Danese, (2016). “Red cell distributionwidth and cancer,” *Annals of Translational Medicine*, vol. 4, no. 20, p. 399,.
- Michael J. D. (2001). Carcinoembryonic Antigen as a Marker for Colorectal Cancer: Is it Clinically Useful? *Clinical Chemistry*. 47: pp 624-630.
- Pedoman Nasional Pelayanan Kedokteran Kanker Kolorektal .(2017). Kementerian Kesehatan Republik Indonesia, pp.7-10.
- Pedrazzani C., et al.(2020). Prognostic value of red cell distribution width (RDW) in colorectal cancer. Results from a single-center cohort on 591 patients. *Scientific Reports*. 2020.10:1072 diunduh dari <http://doi.org/10.1038/s41598-020-57721-4>.
- Polat E. et al. (2014). Diagnostic value of preoperative serum carcinoembryonic antigen and carbohydrate antigen 19-9in colorectal cancer. *Current Oncology*; Vol. 21: 1-7.
- Pollock PM, Harper UL, Hansen KS, et al. High frequency of BRAF mutations in nevi. *Nat Genet*. 2003;33(1):19–20.
- Phipps, A. I., Passarelli, M. N., Chan, A. T., Harrison, T. A., Jeon, J., Hutter, C. M., ... Newcomb, P. A. (2016). Common genetic variation and survival after colorectal

cancer diagnosis: a genome-wide analysis. *Carcinogenesis*, 37(1), 87–95.  
doi:10.1093/carcin/bgv161

Puig-LaCalle,J.,J.G.Guillem. (2010). *Genetic Screening and Chemoprevention*, In:Audisio,R.A, J.G. Gerathy,W.E. Longo, (eds), *Modern Management of Cancer of the rectum*,Springer,London.

Rama A., Hernandez, R., Perazzoli, G., Burgos, M., Melguizo, C., Vélez, C., & Prados, J. (2015). Specific Colon Cancer Cell Cytotoxicity Induced by Bacteriophage E Gene Expression under Transcriptional Control of Carcinoembryonic Antigen Promoter. *International Journal of Molecular Sciences*, 16(6), 12601–12615.  
doi:10.3390/ijms160612601.

Redwood, D., Provost, E., Lopez, E. D., Skewes, M., Johnson, R., Christensen, C., ... Haverkamp, D. (2016). A Process Evaluation of the Alaska Native Colorectal Cancer Family Outreach Program. *Health Education & Behavior*, 43(1), 35–42.

Sakuma, kazuhiko, & fujimori, takuhiro. (1999). COX 2 immunoreactivity and relationship to p53 and Ki67 in colorectal. *J gastroenterol*.

Sali, L., Mascalchi, M., Falchini, M., Ventura, L., Carozzi, F., Castiglione, G., ... For the SAVE study investigators. (2016). Reduced and Full-Preparation CT Colonography, Fecal Immunochemical Test, and Colonoscopy for Population Screening of Colorectal Cancer: A Randomized Trial. *Journal of the National Cancer Institute*, 108(2), djv319. doi:10.1093/jnci/djv319

Salvagno GL, Sanchis-Gomar F, Picanza A, Lippi G. (2015). Red blood cell distribution width: a simple parameter with multiple clinical applications. *Crit Rev Clin Lab Sci*. 2015;52:86

- Soeripto, Indrawati, Indrayanti. (2003). Gastro-intestinal Cancer in Indonesia. *Asian Pacific J Cancer Prev*;4:289-96.
- Sottoriva A, Kang H, Ma Z, et al. (2015). A big bang model of human colorectal tumor growth. *Nat Genet.*;47(3):209–216.
- Sugarbaker P.H. (1976). Carcinoembryonic antigen (CEA) assays in obstructive colorectal cancer.
- Su LK. (2004). Molecular Biology of Colorectal Cancer. In Abbruzzese JL., Eds.; *Gastrointestinal Oncology*; Oxford University Press; 635-644.
- Thompson A. J. *et al.* (2001). Carcinoembryonic Antigen Gene Family: Molecular Biology and Clinical Perspectives. *Clinical Laboratory Analysis*; 5:366-5344.
- Valera, V., Yokoyama, N., Walter, B., Okamoto, H., Suda, T., & Hatakeyama, K. (2005). Clinical significance of Ki-67 proliferation index in disease progression and prognosis of patients with resected colorectal carcinoma. *British Journal of Surgery*, 92(8), 1002–1007. doi:10.1002/bjs.4858.
- Wancata, L. M., Banerjee, M., Muenz, D. G., Haymart, M. R., & Wong, S. L. (2016). Conditional survival in advanced colorectal cancer and surgery. *Journal of Surgical Research*, 201(1), 196–201. doi:10.1016/j.jss.2015.10.021.
- Wei C. *et al.* (2013). Association between carcinoembryonic antigen, carbohydrate antigen 19-9 and body mass index in colorectal cancer patients. *Molecular And Clinical Oncology*; 1:879-86.
- Weiser M. R., Posner M.C, et al. (2013). Adenocarcinoma of the Colon and Rectum. *Shackelford's Surgery of the Alimentary tract*. Vol.2. p.2051. Elsevier Saunders.

Yanfang Song, Zhengyuan Huang, et al. (2018). Clinical Usefulness and Prognostic Value of Red Cell Distribution Width in Colorectal Cancer. Hindawi BioMed Research International. p.2.

Ying L. *et al.* (2010). Carcinoembryonic antigen interacts with TGF- $\beta$  receptor and inhibits TGF- $\beta$  signaling in colorectal cancers. *Cancer Res.*, 70(20):8159–68.