

DAFTAR PUSTAKA

- Achebak, H., Devolder, D., & Ballester, J. (2019). Trends in temperature-related age-specific and sex-specific mortality from cardiovascular diseases in Spain: a national time-series analysis. *The Lancet Planetary Health*, 3(7), e297–e306. [https://doi.org/10.1016/S2542-5196\(19\)30090-7](https://doi.org/10.1016/S2542-5196(19)30090-7)
- Ahmed, Q. A., Arabi, Y. M., & Memish, Z. A. (2006). Health risks at the Hajj. *Lancet*, 367(9515), 1008–1015. [https://doi.org/10.1016/S0140-6736\(06\)68429-8](https://doi.org/10.1016/S0140-6736(06)68429-8)
- Al-Abiad, S. (2015, September 26). Hajj stampede caused by Iranian pilgrims “not following instructions”: Hajj mission official. *Asharq Al Awsat - Sub Division of SRPC*. <https://eng-archive.aawsat.com/saed-alabyadh/news-middle-east>
- Al-Ghamdi, S. M., Akbar, H. O., Qari, Y. A., Fathaldin, O. A., & Al-Rashed, R. S. (2003). Pattern of admission to hospitals during muslim pilgrimage (Hajj). *Saudi Medical Journal*, 24(10), 1073–1076.
- Al Shimemeri, A. (2012). Cardiovascular disease in Hajj pilgrims. In *Journal of the Saudi Heart Association* (Vol. 24, Issue 2, pp. 123–127). King Saud University. <https://doi.org/10.1016/j.jsha.2012.02.004>
- Alibhai, F. J., Tsimakouridze, E. V., Reitz, C. J., Pyle, W. G., & Martino, T. A. (2015). Consequences of Circadian and Sleep Disturbances for the Cardiovascular System. *Canadian Journal of Cardiology*, 31(7), 860–872. <https://doi.org/10.1016/j.cjca.2015.01.015>
- Alwi, A., & Dwinata, I. (2019). *Manajemen Data Statistik dengan STATA*.
- Amani, R., & Nasrin Sharifi. (2012). Cardiovascular disease risk factors, the cardiovascular system physiology, diagnostics and clinical implications. In D. Gaze (Ed.), *InTech* (pp. 279–310). InTech.
- Berry, J. D., Dyer, A., Cai, X., Garside, D. B., Ning, H., Thomas, A., Greenland, P., Van Horn, L., Tracy, R. P., & Lloyd-Jones, D. M. (2012). Lifetime risks of cardiovascular disease. *New England Journal of Medicine*, 366(4), 321–329. <https://doi.org/>
- Biswas, A., Singh, S. K., & Singh, R. K. (2017). Linkages between hypertension and coronary heart disease in India: Evidence from India human development survey-2 (2011–2012). *Indian J Community Med*, 42(4), 200–203. https://doi.org/10.4103/ijcm.IJCM_168_16

- Brotman, D. J., Golden, S. H., & Wittstein, I. S. (2007). The cardiovascular toll of stress. *Lancet*, 370(9592), 1089–1100. [https://doi.org/10.1016/S0140-6736\(07\)61305-1](https://doi.org/10.1016/S0140-6736(07)61305-1)
- Bustan, M. N. (2015). *Manajemen Pengendalian Penyakit Menular*. Rineka Cipta.
- Chang, K. T., Chen, C. H., Chuang, H. H., Tsao, Y. C., Lin, Y. A., Lin, P., Chen, Y. H., Yeh, W. C., Tzeng, I. S., & Chen, J. Y. (2018). Which obesity index is the best predictor for high cardiovascular disease risk in middle-aged and elderly population? *Archives of Gerontology and Geriatrics*, 78(June), 165–170. <https://doi.org/10.1016/j.archger.2018.06.002>
- Chilton, R. J. (2004). Pathophysiology of coronary heart disease: a brief review. *The Journal of the American Osteopathic Association*, 104(9 Suppl 7), 7–10.
- Donkor, N., Farrell, K., Ocho, O., Sheppard, C., Caesar, L. A., Andrews, L., Modeste, S., Otieno, P., & Acquah, S. (2020). Correlates of obesity indices and cardiovascular disease risk factors among Trinidadian nurses. *International Journal of Africa Nursing Sciences*, 12, 100194. <https://doi.org/10.1016/j.ijans.2020.100194>
- Einarson, T. R., Acs, A., Ludwig, C., & Panton, U. H. (2018). Prevalence of cardiovascular disease in type 2 diabetes: A systematic literature review of scientific evidence from across the world in 2007-2017. *Cardiovascular Diabetology*, 17(1), 1–19. <https://doi.org/10.1186/s12933-018-0728-6>
- Escobar, E. (2002). Hypertension and coronary heart disease. *Journal of Human Hypertension*, 16, S61–S63. <https://doi.org/10.1038/sj/jhh/1001345>
- Fahham, A. M. (2015). Penyelenggaraan Ibadah Haji: Masalah dan Penanganannya Hajj : Problems and Its Solutions. *Kajian*, 20(3), 201–218.
- Farshidi, H., Rahimi, S., Abdi, A., Salehi, S., & Madani, A. (2013). Factors associated with pre-hospital delay in patients with acute myocardial infarction. *Iranian Red Crescent Medical Journal*, 15(4), 312–316. <https://doi.org/10.5812/ircmj.2367>
- Gao, S., & Liu, J. (2017). Association between circulating oxidized low-density lipoprotein and atherosclerotic cardiovascular disease. *Chronic Diseases and Translational Medicine*, 3(2), 89–94.

<https://doi.org/10.1016/j.cdtm.2017.02.008>

Gao, Z., Chen, Z., Sun, A., & Deng, X. (2019). Gender differences in cardiovascular disease. *Medicine in Novel Technology and Devices*, 4(October), 100025. <https://doi.org/10.1016/j.medntd.2019.100025>

Ghani, L., Susilawati, M. D., & Novriani, H. (2016). Faktor risiko dominan penyakit jantung koroner di Indonesia. *Buletin Penelitian Kesehatan*, 44(3). <https://doi.org/10.22435/bpk.v44i3.5436.153-164>

Global atlas on cardiovascular disease prevention and control. (2011). In S. Mendis, P. Puska, & B. Norrving (Eds.), *World Health Organization*. World Health Organization.

Hajar, R. (2017). Risk factors for coronary artery disease: Historical perspectives. *Heart Views: The Official Journal of the Gulf Heart Association*, 18(3), 109–114. https://doi.org/10.4103/HEARTVIEWS.HEARTVIEWS_106_17

Hashimoto, H., Maruhashi, T., Yamaji, T., Harada, T., Han, Y., Takaeko, Y., Kihara, Y., Chayama, K., Goto, C., Aibara, Y., Yusoff, F. M., Kishimoto, S., Kajikawa, M., Nakashima, A., & Higashi, Y. (2021). Smoking status and endothelial function in Japanese men. *Scientific Reports*, 11(1), 1–8. <https://doi.org/10.1038/s41598-020-80012-x>

Hermida, N., & Balligand, J. L. (2014). Low-density lipoprotein-cholesterol-induced endothelial dysfunction and oxidative stress: The role of statins. *Antioxidants and Redox Signaling*, 20(8), 1216–1237. <https://doi.org/10.1089/ars.2013.5537>

Huxley, R., Barzi, F., & Woodward, M. (2006). Excess risk of fatal coronary heart disease associated with diabetes in men and women: Meta-analysis of 37 prospective cohort studies. *British Medical Journal*, 332(7533), 73–76. <https://doi.org/10.1136/bmj.38678.389583.7C>

KMA No.50 Tahun 2015 tentang Penetapan Embarkasi Haji Antara Tahun 1436H/2015M, (2015).

Kivimäki, M., Kuosma, E., Ferrie, J. E., Luukkonen, R., Nyberg, S. T., Alfredsson, L., Batty, G. D., Brunner, E. J., Fransson, E., Goldberg, M., Knutsson, A., Koskenvuo, M., Nordin, M., Oksanen, T., Pentti, J., Rugulies, R., Shipley, M. J., Singh-Manoux, A., Steptoe, A., ... Jokela, M. (2017). Overweight, obesity, and risk of cardiometabolic multimorbidity: pooled analysis of individual-level data for 120 813 adults from 16 cohort studies from the USA and Europe. *The Lancet Public Health*, 2(6), e277–e285. [https://doi.org/10.1016/S2468-2657\(17\)30070-2](https://doi.org/10.1016/S2468-2657(17)30070-2)

2667(17)30074-9

- Lassale, C., Tzoulaki, I., Moons, K. G. M., Sweeting, M., Boer, J., Johnson, L., Huerta, J. M., Agnoli, C., Freisling, H., Weiderpass, E., Wennberg, P., Van Der A, D. L., Arriola, L., Benetou, V., Boeing, H., Bonnet, F., Colorado-Yohar, S. M., Engström, G., Eriksen, A. K., ... Butterworth, A. S. (2018). Separate and combined associations of obesity and metabolic health with coronary heart disease: A pan-European case-cohort analysis. *European Heart Journal*, 39(5), 397–406. <https://doi.org/10.1093/eurheartj/ehx448>
- Liu, C., Yavar, Z., & Sun, Q. (2015). Cardiovascular response to thermoregulatory challenges. *American Journal of Physiology - Heart and Circulatory Physiology*, 309(11), H1793–H1812. <https://doi.org/10.1152/ajpheart.00199.2015>
- Maas, A. H. E. M., & Appelman, Y. E. A. (2010). Gender differences in coronary heart disease. *Netherlands Heart Journal*, 18(12), 598–603. <https://doi.org/10.1007/s12471-010-0841-y>
- Majid, A. (2007). *Penyakit Jantung Koroner: patofisiologi, pencegahan dan pengobatan terkini*. Universitas Sumatera Utara.
- Martino, T. A., & Sole, M. J. (2009). Molecular time: An often overlooked dimension to cardiovascular disease. *Circulation Research*, 105(11), 1047–1061. <https://doi.org/10.1161/CIRCRESAHA.109.206201>
- Matsunaga, M., Yatsuya, H., Iso, H., Yamashita, K., Li, Y., Yamagishi, K., Tanabe, N., Wada, Y., Wang, C., Ota, A., Tamakoshi, K., & Tamakoshi, A. (2017). Similarities and differences between coronary heart disease and stroke in the associations with cardiovascular risk factors: The Japan Collaborative Cohort Study. *Atherosclerosis*, 261, 124–130. <https://doi.org/10.1016/j.atherosclerosis.2017.03.003>
- Memish, Z. A. (2018). Health of the Hajj. *Science*, 361(6402), 533. <https://doi.org/10.1126/science.aau9617>
- Permenkes No. 15 tahun 2016 tentang Istithi'ah Kesehatan Jemaah Haji, (2016).
- Permenkes No.62 Tahun 26 Tentang Penyelenggaraan Kesehatan Haji, (2016).
- Moda, P. A., Rosandi, R., Manaf, A., Budhiarta, A., Permana, H., Sucipta, K. W., Lindarto, D., Adi, S., Pramono, B., Harbuwono, D. S., Shahab, A., Sugiarto, Karimi, J., Purnomo, L. B., Yuwono, A., & Suhartono, T.

- (2015). *Panduan Pengelolaan Dislipidemia di Indonesia-2015*. PB PERKENI.
- Nakamura, K., Fuster, J. J., & Walsh, K. (2014). Adipokines: A link between obesity and cardiovascular disease. In *Journal of Cardiology*. <https://doi.org/10.1016/j.jcc.2013.11.006>
- Nelwan, E. J., Widjajanto, E., Andarini, S., & Djati, M. S. (2016). Modified risk factors for coronary heart disease (CHD) in Minahasa ethnic group from Manado city Indonesia. *The Journal of Experimental Life Sciences*, 6(2), 88–94. <https://doi.org/10.21776/ub.jels.2016.006.02.06>
- Oshunbade, A. A., Kassahun-Yimer, W., Valle, K. A., Hamid, A., Kipchumba, R. K., Kamimura, D., Clark, D., White, W. B., Defilippis, A. P., Blaha, M. J., Benjamin, E. J., O'brien, E. C., Mentz, R. J., Rodriguez, C. J., Fox, E. R., Butler, J., Keith, R. J., Bhatnagar, A., Robertson, R. M., ... Hall, M. E. (2021). Cigarette smoking, incident coronary heart disease, and coronary artery calcification in black adults: The jackson heart study. *Journal of the American Heart Association*, 10(7). <https://doi.org/10.1161/JAHA.120.017320>
- Pane, M., Imari, S., Alwi, Q., Nyoman Kandun, I., Cook, A. R., & Samaan, G. (2013). Causes of mortality for Indonesian hajj pilgrims: Comparison between routine death certificate and verbal autopsy findings. *PLoS ONE*, 8(8), 1–7. <https://doi.org/10.1371/journal.pone.0073243>
- Pizzi, C., Santarella, L., & Bugiardini, R. (2014). Epidemiology and the physiopathological link between depression and cardiovascular disease. *IJC Metabolic and Endocrine*. <https://doi.org/10.1016/j.ijcme.2014.10.004>
- Keppres No. 7 Tahun 2018 tentang Biaya Penyelenggaraan Ibadah Haji Tahun 1439H/2018M, (2018).
- UU No.8 Tahun 2019 Tentang Penyelenggaraan Haji dan Umrah, (2019).
- Psaltopoulou, T., Hatzis, G., Papageorgiou, N., Androulakis, E., Briasoulis, A., & Tousoulis, D. (2017). Socioeconomic status and risk factors for cardiovascular disease: Impact of dietary mediators. *Hellenic Journal of Cardiology*, 58(1), 32–42. <https://doi.org/10.1016/j.hjc.2017.01.022>
- Puig-Cotado, F., Tursan d'Espagnet, E., St Claire, S., Bianco, E., Bhatti, L., Schotte, K., & Al., E. (2020). Tobacco and coronary heart disease: WHO tobacco knowledge summaries. *World Health Organization, September*, 10.

Pusat Kesehatan Haji Kemenkes RI. (2020). *Siskohatkes Shar'i*. Portal Siskohatkes. <https://siskohatkes.kemkes.go.id/>

Qamariah. (2001). Angka kematian Jemaah haji Indonesia. *Media of Health Research and Development*, 11(2 Jun), 44–50. <https://doi.org/10.22435/mpk.v11i2Jun.919>.

Rana, J. S., Liu, J. Y., Moffet, H. H., Sanchez, R. J., Khan, I., & Karter, A. J. (2020). Risk of Cardiovascular Events in Patients With Type 2 Diabetes and Metabolic Dyslipidemia Without Prevalent Atherosclerotic Cardiovascular Disease. *American Journal of Medicine*, 133(2), 200–206. <https://doi.org/10.1016/j.amjmed.2019.07.003>

Rosengren, A., Smyth, A., Rangarajan, S., Ramasundarahettige, C., Bangdiwala, S. I., AlHabib, K. F., Avezum, A., Bengtsson Boström, K., Chifamba, J., Gulec, S., Gupta, R., Igumbor, E. U., Iqbal, R., Ismail, N., Joseph, P., Kaur, M., Khatib, R., Kruger, I. M., Lamelas, P., ... Yusuf, S. (2019). Socioeconomic status and risk of cardiovascular disease in 20 low-income, middle-income, and high-income countries: the Prospective Urban Rural Epidemiologic (PURE) study. *The Lancet Global Health*, 7(6), e748–e760. [https://doi.org/10.1016/S2214-109X\(19\)30045-2](https://doi.org/10.1016/S2214-109X(19)30045-2)

Sanchis-Gomar, F., Perez-Quilis, C., Leischik, R., & Lucia, A. (2016). Epidemiology of coronary heart disease and acute coronary syndrome. *Annals of Translational Medicine*, 4(13), 1–12. <https://doi.org/10.21037/atm.2016.06.33>

Sarwat, A. (2019). *Ensiklopedia fikih Indonesia 6: Haji dan umrah* (1st ed.). Gramedia Pustaka Utama.

Sastroasmoro, S., & Ismael, S. (2011). *Dasar-dasar Metode Penelitian Klinis* (IV). CV. Sagung Seto.

Schubert, J., Lindahl, B., Melhus, H., Renlund, H., Leosdottir, M., Yari, A., Ueda, P., James, S., Reading, S. R., Dluzniewski, P. J., Hamer, A. W., Jernberg, T., & Hagström, E. (2021). Low-density lipoprotein cholesterol reduction and statin intensity in myocardial infarction patients and major adverse outcomes: A Swedish nationwide cohort study. *European Heart Journal*, 42(3), 243–252. <https://doi.org/10.1093/eurheartj/ehaa1011>

Severino, P., D'Amato, A., Netti, L., Pucci, M., De Marchis, M., Palmirotta, R., Volterrani, M., Mancone, M., & Fedele, F. (2018). Diabetes mellitus and ischemic heart disease: The role of ion channels. *International Journal of Molecular Sciences*, 19(3).

<https://doi.org/10.3390/ijms19030802>

Shafi, S., Booy, R., Haworth, E., Rashid, H., & Memish, Z. A. (2008). Hajj: Health lessons for mass gatherings. In *Journal of Infection and Public Health* (Vol. 1, Issue 1, pp. 27–32). <https://doi.org/10.1016/j.jiph.2008.08.008>

Song, W., Guan, J., He, P., Fan, S., Zhi, H., & Wang, L. (2020). Mediating effects of lipids on the association between smoking and coronary artery disease risk among Chinese. *Lipids in Health and Disease*, 19(1), 1–7. <https://doi.org/10.1186/s12944-020-01325-4>

Stouffer, G. A., Runge, M. S., Patterson, C., & Rossi, J. S. (Eds.). (2019). *Netter's cardiology* (3rd ed.). Elsevier.

WHO. (2018). *Noncommunicable Country Profiles 2018*. World Health Organization.

WHO. (2020). *Global Health Estimates 2020: Deaths by Cause, Age, Sex, by Country and by Region, 2000-2019*. <https://www.who.int/data/gho/data/themes/mortality-and-global-health-estimates/ghe-leading-causes-of-death>

Xu, J., Lee, E. T., Peterson, L. E., Devereux, R. B., Rhoades, E. R., Umans, J. G., Best, L. G., Howard, W. J., Paranilam, J., & Howard, B. V. (2012). Differences in risk factors for coronary heart disease among diabetic and nondiabetic individuals from a population with high rates of diabetes: the Strong Heart Study. *The Journal of Clinical Endocrinology and Metabolism*, 97(10), 3766–3774. <https://doi.org/10.1210/jc.2012-2110>

Yang, B. Y., Guo, Y., Morawska, L., Bloom, M. S., Markevych, I., Heinrich, J., Dharmage, S. C., Knibbs, L. D., Lin, S., Yim, S. H. L., Chen, G., Li, S., Zeng, X. W., Liu, K. K., Hu, L. W., & Dong, G. H. (2019). Ambient PM1 air pollution and cardiovascular disease prevalence: Insights from the 33 Communities Chinese Health Study. *Environment International*, 123(November 2018), 310–317. <https://doi.org/10.1016/j.envint.2018.12.012>

Zhu, D., Chung, H. F., Dobson, A. J., Pandeya, N., Giles, G. G., Bruinsma, F., Brunner, E. J., Kuh, D., Hardy, R., Avis, N. E., Gold, E. B., Derby, C. A., Matthews, K. A., Cade, J. E., Greenwood, D. C., Demakakos, P., Brown, D. E., Sievert, L. L., Anderson, D., ... Mishra, G. D. (2019). Age at natural menopause and risk of incident cardiovascular disease: a pooled analysis of individual patient data. *The Lancet Public Health*, 4(11), e553–e564. [https://doi.org/10.1016/S2468-2667\(19\)30155-0](https://doi.org/10.1016/S2468-2667(19)30155-0)

Lampiran 1. Master tabel hasil penelitian

NO	KODE RESPONDEN	JK	UMUR	KLP UMUR	PEKERJAAN	PENDIDIKAN	TKT PENDIDIKAN	TD		GDP	LDL	IMT	MEROKOK
								sistole	diastole				
1	kasus1	2	52	1	IRT	S1	1	120	80	91	20	26,1	2
2	kasus2	2	49	1	IRT	S1	1	110	70	83	164	29,2	2
3	kasus3	2	54	1	IRT	S1	1	140	90	98	214	30,4	2
4	kasus4	2	54	1	PEGAWAI BUMN/BUMD	SLTP	0	150	90	369	29	26,6	2
5	kasus5	1	45	1	TANI	SD	0	110	80	75	145	21,4	2
6	kasus6	1	52	1	PEGAWAI SWASTA	SLTP	0	169	89	88	111	34,2	1
7	kasus7	1	48	1	PNS	SM/D3	1	154	109	100	144	29,1	2
8	kasus8	1	45	1	PEGAWAI SWASTA	SM/D3	1	130	80	90	188	26,1	1
9	kasus9	1	53	1	TANI	SLTP	0	130	80	85	144	21,3	1
10	kasus10	1	54	1	PEGAWAI BUMN/BUMD	SM/D3	1	117	79	140	62	26,1	1
11	kasus11	1	52	1	TANI	S1	1	130	80	142	106	22,8	2
12	kasus12	1	54	1	TANI	SM/D3	1	140	80	199	138	30,8	2
13	kasus13	1	47	1	DAGANG	SD	0	120	70	89	101	27,8	1
14	kasus14	1	53	1	PEGAWAI SWASTA	SLTP	0	140	80	78	126	28,7	1
15	kasus15	1	49	1	TANI	SD	0	160	90	100	110	35	1
16	kasus16	1	52	1	PEGAWAI SWASTA	SLTA	1	130	80	77	143	27,1	2

NO	KODE RESPONDEN	JK	UMUR	KLP UMUR	PEKERJAAN	PENDIDIKAN	TKT PENDIDIKAN	TD		GDP	LDL	IMT	MEROKOK
								Sistole	diastole				
17	kasus17	1	54	1	PEGAWAI SWASTA	SD	0	130	80	133	121	27	2
18	kasus18	1	47	1	PEGAWAI SWASTA	SLTP	0	110	80	135	68	27,3	2
19	kasus19	1	54	1	PNS	S3	1	130	80	96	126	24,1	2
20	kasus20	1	54	1	DAGANG	SM/D3	1	150	80	120	171,8	25,7	2
21	kasus21	1	54	1	PNS	SM/D3	1	152	98	285	36	21,5	1
22	kasus22	1	50	1	PEGAWAI SWASTA	SD	0	170	100	102	103	23,4	2
23	kasus23	1	54	1	TANI	SD	0	130	90	82	145	22,8	2
24	kasus24	1	48	1	PEGAWAI SWASTA	SLTP	0	120	80	87	105	27,7	1
25	kasus25	1	53	1	PNS	SLTP	0	140	90	103	105	26,9	2
26	kasus26	2	57	2	DAGANG	S1	1	140	80	92	159	26,3	2
27	kasus27	2	64	2	DAGANG	SD	0	170	90	170,23	35,56	24,8	2
28	kasus28	2	55	2	DAGANG	S1	1	140	70	75	125	27	2
29	kasus29	2	55	2	PNS	S2	1	130	70	153	68	28,2	2
30	kasus30	2	58	2	IRT	S1	1	140	90	88	67	26,3	2
31	kasus31	2	63	2	IRT	S1	1	100	60	94	162,4	24,5	2
32	kasus32	2	59	2	IRT	SD	0	140	90	262	134	23,3	2
33	kasus33	2	62	2	IRT	S1	1	130	60	79	96,8	21,3	2
34	kasus34	2	62	2	TANI	SD	0	140	90	108	150	35,1	2

NO	KODE RESPONDEN	JK	UMUR	KLP UMUR	PEKERJAAN	PENDIDIKAN	TKT PENDIDIKAN	TD		GDP	LDL	IMT	MEROKOK
								sistole	diastole				
35	kasus35	2	60	2	DAGANG	S1	1	130	80	113	142	24,9	2
36	kasus36	2	64	2	IRT	S1	1	140	80	88	106	25,8	2
37	kasus37	2	63	2	PNS	SLTP	0	125	59	68	97	17,9	2
38	kasus38	2	60	2	PNS	SM/D3	1	140	80	92	112	30	2
39	kasus39	2	62	2	IRT	S1	1	160	90	78	153	21,8	2
40	kasus40	2	64	2	IRT	SD	0	141	80	119	244	21,2	2
41	kasus41	2	55	2	PNS	SM/D3	1	99	60	120	72	17,8	2
42	kasus42	2	64	2	IRT	SD	0	120	80	85	90	16,7	2
43	kasus43	2	61	2	PNS	SM/D3	1	140	93	96	101	24,7	2
44	kasus44	2	55	2	PNS	SM/D3	1	110	80	221	42	23,4	2
45	kasus45	2	59	2	IRT	S1	1	156	90	304	71	22,3	2
46	kasus46	2	60	2	DAGANG	S1	1	165	80	306	218	24,3	2
47	kasus47	2	56	2	IRT	S1	1	110	70	82	108	27,3	1
48	kasus48	2	55	2	PNS	SM/D3	1	130	90	129	169	22,9	2
49	kasus49	2	58	2	PNS	SLTP	0	110	70	94	98	24,1	2
50	kasus50	2	64	2	IRT	S1	1	130	80	89	201	31,1	2
51	kasus51	2	55	2	PEGAWAI SWASTA	SLTP	0	135	80	94	238	21,6	2
52	kasus52	2	57	2	IRT	S1	1	120	70	87	123	21,5	2
53	kasus53	1	64	2	PEGAWAI SWASTA	SLTP	0	100	90	120	130	20,1	2
54	kasus54	1	64	2	PNS	SLTA	1	120	65	83	63	21,9	2

NO	KODE RESPONDEN	JK	UMUR	KLP UMUR	PEKERJAAN	PENDIDIKAN	TKT PENDIDIKAN	TD		GDP	LDL	IMT	MEROKOK
								sistole	diastole				
55	kasus55	1	64	2	PENSIUNAN	SM/D3	1	139	82	85	72	24,8	2
56	kasus56	1	60	2	PNS	SLTP	0	120	160	165	185	26,9	2
57	kasus57	1	58	2	PEGAWAI SWASTA	SLTA	1	130	80	117	125	26,9	2
58	kasus58	1	59	2	PEGAWAI SWASTA	SM/D3	1	110	70	93	158	31,1	2
59	kasus59	1	59	2	PEGAWAI SWASTA	S1	1	120	70	372	161	22,6	1
60	kasus60	1	58	2	PNS	SM/D3	1	120	80	102	86	27,4	1
61	kasus61	1	62	2	TANI	SD	0	140	80	120	120	27,2	2
62	kasus62	1	61	2	PENSIUNAN	S2	1	110	80	109	93	26,3	2
63	kasus63	1	57	2	PEGAWAI BUMN/BUMD	SD	0	160	90	68	93	22,5	2
64	kasus64	1	63	2	PENSIUNAN	SM/D3	1	130	90	98	110	24,2	2
65	kasus65	1	64	2	DAGANG	SLTP	0	180	100	83	113	23	2
66	kasus66	1	63	2	PNS	S2	1	110	70	199	94	24,2	2
67	kasus67	1	64	2	PNS	SM/D3	1	150	90	88	111	23,2	2
68	kasus68	1	60	2	PNS	SM/D3	1	140	70	78	128,2	22,9	1
69	kasus69	1	61	2	PEGAWAI SWASTA	SLTP	0	100	80	40	88	16,4	1
70	kasus70	1	59	2	DAGANG	S1	1	120	70	89	75	22	2

NO	KODE RESPONDEN	JK	UMUR	KLP UMUR	PEKERJAAN	PENDIDIKAN	TKT PENDIDIKAN	TD		GDP	LDL	IMT	MEROKOK
								Sistole	diastole				
71	kasus71	1	63	2	PNS	SMP	0	130	80	125	106	28	2
72	kasus72	1	56	2	PNS	S2	1	88	57	73	71	23	2
73	kasus73	1	61	2	PNS	S2	1	130	70	114	56	23,9	2
74	kasus74	1	63	2	TANI	SD	0	120	80	160	170	18,3	2
75	kasus75	1	59	2	PNS	S1	1	170	110	100	127	19,6	2
76	kasus76	1	57	2	TANI	S1	1	110	70	97	81,2	24,7	1
77	kasus77	1	62	2	DAGANG	SLTP	0	140	90	152	146	26	2
78	kasus78	1	59	2	DAGANG	SLTP	0	122	82	81	102	27,7	1
79	kasus79	1	63	2	PNS	SM/D3	1	130	80	105	29	27,7	1
80	kasus80	1	64	2	PNS	SD	0	156	78	89	74	31,2	1
81	kasus81	1	60	2	PNS	S1	1	130	90	271	147	25	2
82	kasus82	1	56	2	PENSIUNAN	SLTA	1	145	84	93	166	23,4	2
83	kasus83	1	57	2	PNS	S2	1	120	80	213	161	26,4	2
84	kasus84	1	64	2	PNS	S1	1	120	80	156	120	28,2	2
85	kasus85	1	61	2	PNS	S1	1	204	118	103	180	32,3	2
86	kasus86	1	62	2	DAGANG	SD	0	150	70	179	87,2	22,9	2
87	kasus87	1	58	2	DAGANG	S1	1	110	80	143	134	23,9	1
88	kasus88	1	64	2	PNS	SM/D3	1	120	80	108	72	26,7	2
89	kasus89	1	58	2	POLRI	SLTP	0	130	80	268	90	24	2
90	kasus90	1	58	2	PEGAWAI SWASTA	S1	1	110	70	104	81	25,2	1
91	kasus91	1	64	2	PNS	SM/D3	1	138	77	103	95	27,7	2

NO	KODE RESPONDEN	JK	UMUR	KLP UMUR	PEKERJAAN	PENDIDIKAN	TKT PENDIDIKAN	TD		GDP	LDL	IMT	MEROKOK
								Sistole	diastole				
92	kasus92	1	60	2	PEGAWAI SWASTA	SM/D3	1	120	70	81	108	22,4	1
93	kasus93	1	61	2	PNS	SM/D3	1	120	80	91	127	21,9	1
94	kasus94	1	61	2	PEGAWAI SWASTA	SM/D3	1	130	80	137	176	26,4	2
95	kasus95	1	60	2	PNS	SM/D3	1	138	94	108	195	31,2	2
96	kasus96	1	55	2	PNS	S1	1	140	70	100	130	27	2
97	kasus97	2	84	3	IRT	SD	0	170	100	103	130	19,1	2
98	kasus98	2	73	3	IRT	SLTP	0	120	80	109	159	21,9	2
99	kasus99	2	73	3	IRT	SD	0	140	90	76	128	21,1	2
100	kasus100	2	70	3	TANI	SD	0	160	90	92	127,88	16	1
101	kasus101	2	69	3	IRT	S1	1	125	110	119	81	17,7	2
102	kasus102	2	65	3	IRT	SLTP	0	100	70	105	143	22,2	2
103	kasus103	2	72	3	IRT	SD	0	130	80	112	185	32,4	2
104	kasus104	2	69	3	IRT	SD	0	160	90	110	73	24,2	2
105	kasus105	2	93	3	IRT	SD	0	120	80	148	87	19	2
106	kasus106	2	91	3	TANI	SD	0	170	90	82	138	21,5	2
107	kasus107	2	75	3	IRT	SD	0	170	100	59	150	22,2	2
108	kasus108	2	87	3	PENSIUNAN	LAINLAIN	0	130	90	83	81	15,3	2
109	kasus109	2	70	3	IRT	SD	0	150	70	100	105	23,1	2
110	kasus110	2	72	3	IRT	SD	0	120	80	261	140	27,5	2

NO	KODE RESPONDEN	JK	UMUR	KLP UMUR	PEKERJAAN	PENDIDIKAN	TKT PENDIDIKAN	TD		GDP	LDL	IMT	MEROKOK
								Sistole	diastole				
111	kasus111	2	65	3	DAGANG	SLTA	1	131	71	104	100	16,9	2
112	kasus112	2	76	3	TANI	SD	0	160	90	96	97	36,1	2
113	kasus113	2	69	3	PENSIUNAN	SM/D3	1	116	69	266	189	27,3	2
114	kasus114	2	66	3	TANI	S1	1	140	90	75,2	143,9	19,3	2
115	kasus115	2	72	3	IRT	SD	0	200	110	80	106	14,5	2
116	kasus116	2	69	3	TANI	S1	1	130	80	81	107	19,5	2
117	kasus117	2	68	3	PEGAWAI SWASTA	SD	0	130	70	90	145	29,3	2
118	kasus118	2	88	3	IRT	SD	0	120	70	87	285	18,1	2
119	kasus119	2	76	3	TANI	SD	0	157	68	99	129	22,4	2
120	kasus120	2	67	3	IRT	SLTA	1	160	100	100	124	24,2	2
121	kasus121	2	73	3	PEGAWAI SWASTA	S1	1	130	80	74	218,5	27,6	2
122	kasus122	2	69	3	IRT	SD	0	140	93	126	77	21,6	2
123	kasus123	2	91	3	IRT	SD	0	160	100	90	139	18,5	2
124	kasus124	2	70	3	IRT	SD	0	150	90	300	108	27,6	2
125	kasus125	2	70	3	PENSIUNAN	SLTA	1	120	70	96	160	24,6	2
126	kasus126	2	67	3	DAGANG	S1	1	150	100	94	351	32,7	2
127	kasus127	2	73	3	DAGANG	SD	0	183	93	76	122	18,1	2
128	kasus128	2	66	3	IRT	SD	0	140	90	134	95	23,9	2
129	kasus129	2	73	3	TANI	SD	0	120	80	146	138,67	24,9	2
130	kasus130	2	67	3	TANI	SD	0	120	80	111	130	28,8	2

NO	KODE RESPONDEN	JK	UMUR	KLP UMUR	PEKERJAAN	PENDIDIKAN	TKT PENDIDIKAN	TD		GDP	LDL	IMT	MEROKOK
								Sistole	diastole				
131	kasus131	2	107	3	IRT	SLTP	0	160	80	123	120	17,3	2
132	kasus132	2	78	3	TANI	SD	0	165	90	99	154	22,3	2
133	kasus133	2	104	3	DAGANG	SD	0	160	90	69	79	30,7	2
134	kasus134	2	69	3	TANI	SD	0	188	68	77	117	23,1	2
135	kasus135	2	84	3	IRT	SD	0	170	90	80	206	17,4	2
136	kasus136	1	86	3	TANI	SLTP	0	172	85	100	103	21,1	2
					PEGAWAI SWASTA	SD							
137	kasus137	1	65	3	PEGAWAI SWASTA	SD	0	167	72	100	87	25	2
138	kasus138	1	75	3	TANI	SD	0	140	80	119	150	21,6	2
					PEGAWAI SWASTA	SLTA							
139	kasus139	1	66	3	PEGAWAI SWASTA	SLTA	1	130	90	107	159	24,1	2
140	kasus140	2	71	3	IRT	SD	0	96	57	102	16	22,6	2
					PEGAWAI SWASTA	SLTP							
141	kasus141	1	77	3	PEGAWAI SWASTA	SLTP	0	150	90	118	58	27,1	2
142	kasus142	1	69	3	DAGANG	S1	1	167	83	112	98	22,2	2
					PEGAWAI SWASTA	S1							
143	kasus143	1	77	3	PEGAWAI SWASTA	S1	1	160	90	96	139	20	2
144	kasus144	1	71	3	PENSIUNAN	SLTP	0	161	84	155	137	21,8	2
					PEGAWAI SWASTA	SD							
145	kasus145	1	66	3	PEGAWAI SWASTA	SD	0	180	100	101	161	24	2
146	kasus146	1	83	3	PENSIUNAN	S1	1	130	80	122	110	20	2
147	kasus147	1	90	3	TANI	SD	0	160	90	135	107	17	2
					PEGAWAI SWASTA	S1							
148	kasus148	1	65	3	PEGAWAI SWASTA	S1	1	130	70	91	111	19,1	2

NO	KODE RESPONDEN	JK	UMUR	KLP UMUR	PEKERJAAN	PENDIDIKAN	TKT PENDIDIKAN	TD		GDP	LDL	IMT	MEROKOK
								Sistole	diastole				
149	kasus149	1	75	3	PENSIUNAN	SLTA	1	150	90	125	137	22,1	2
150	kasus150	1	79	3	PEGAWAI SWASTA	SD	0	170	88	74	122,6	19,8	1
151	kasus151	1	69	3	PENSIUNAN	SM/D3	1	110	70	106	103	24,1	2
152	kasus152	1	69	3	DAGANG	S1	1	110	80	71	106	24,2	2
153	kasus153	1	69	3	PENSIUNAN	SM/D3	1	180	90	98	147,4	22,9	1
154	kasus154	1	65	3	PNS	SLTA	1	130	90	99	207	28,9	2
155	kasus155	1	92	3	TANI	SLTP	0	130	80	117	99	16,8	1
156	kasus156	1	66	3	DAGANG	S1	1	122	68	109	215	27,7	2
157	kasus157	1	87	3	PENSIUNAN	SD	0	120	80	94	89	21,6	2
158	kasus158	1	65	3	PNS	SM/D3	1	130	80	166	109	23,4	2
159	kasus159	1	82	3	TANI	SD	0	130	80	87	116	21,8	2
160	kasus160	1	69	3	PENSIUNAN	SLTP	0	140	80	91	142	24	2
161	kasus161	1	71	3	PEGAWAI SWASTA	SLTA	1	77	52	76	69	19,2	1
162	kasus162	1	67	3	PEGAWAI SWASTA	SD	0	140	90	159	88	32	2
163	kasus163	1	66	3	DAGANG	S1	1	150	90	80	97	19,1	2
164	kasus164	1	69	3	TANI	S1	1	130	80	98	76	21,3	2
165	kasus165	1	74	3	PENSIUNAN	LAINLAIN	0	120	80	122	159	29	2
166	kasus166	1	76	3	PENSIUNAN	SM/D3	1	140	80	246	93	22,6	2
167	kasus167	1	81	3	PENSIUNAN	SLTP	0	142	68	90	96,2	18,1	2
168	kasus168	1	91	3	TANI	SD	0	120	80	112	95	23,1	1

NO	KODE RESPONDEN	JK	UMUR	KLP UMUR	PEKERJAAN	PENDIDIKAN	TKT PENDIDIKAN	TD		GDP	LDL	IMT	MEROKOK
								Sistole	diastole				
169	kasus169	1	73	3	PEGAWAI SWASTA	S1	1	160	90	106	190	24,4	2
170	kasus170	1	72	3	DAGANG	SLTA	1	170	90	97	137	25,6	2
171	kasus171	1	67	3	PENSIUNAN	SLTP	0	120	70	127	45	23,3	2
172	kasus172	1	75	3	PEGAWAI SWASTA	SD	0	110	82	88	113	19,9	1
173	kasus173	1	79	3	TANI	SD	0	140	90	113	48,2	21,9	1
174	kasus174	1	77	3	DAGANG	SD	0	120	90	65	136	20,8	2
175	kasus175	1	71	3	PENSIUNAN	S1	1	140	80	76	105	21,8	2
176	kasus176	1	79	3	PENSIUNAN	SLTA	1	140	90	107	104	25,3	2
177	kasus177	1	79	3	PENSIUNAN	S1	1	124	60	116	155	31,2	2
178	kasus178	1	79	3	TANI	S1	1	120	80	84	90	17,2	2
179	kasus179	1	83	3	TANI	SD	0	140	90	109	121	18,4	1
180	kasus180	1	67	3	PNS	S1	1	130	80	99	97	27,1	2
181	kasus181	1	75	3	PENSIUNAN	SLTP	0	170	100	98	206	22,8	2
182	kasus182	1	69	3	PEGAWAI SWASTA	SM/D3	1	120	80	125	155	26,2	1
183	kasus183	1	79	3	PNS	S1	1	153	90	90	88	29,7	1
184	kasus184	1	67	3	PENSIUNAN	SLTP	0	130	80	234	72	25,1	2
185	kasus185	1	69	3	PENSIUNAN	SD	0	180	90	83	127	25	1
186	kasus186	1	68	3	PENSIUNAN	S2	1	120	80	123	174	19,8	2

Lampiran 2. Output hasil penelitian

1. Karakteristik responden

. sum umur

Variable	Obs	Mean	Std. Dev.	Min	Max
umur	372	66.12366	11.12006	45	107

. sum umurcase

Variable	Obs	Mean	Std. Dev.	Min	Max
umurcase	186	65.94086	10.95108	45	107

. sum umurkontrol

Variable	Obs	Mean	Std. Dev.	Min	Max
umurkontrol	186	66.30645	11.31312	45	93

. tab klp_umur statusresponden, col

Key
<i>frequency</i> <i>column percentage</i>

klp_umur	status responden		Total
	kasus	kontrol	
1	25 13.44	25 13.44	50 13.44
2	71 38.17	71 38.17	142 38.17
3	90 48.39	90 48.39	180 48.39
Total	186 100.00	186 100.00	372 100.00

. tab JK statusresponden, col

Key
<i>frequency</i> <i>column percentage</i>

JK	status responden		Total
	kasus	kontrol	
1	115 61.83	115 61.83	230 61.83
2	71 38.17	71 38.17	142 38.17
Total	186 100.00	186 100.00	372 100.00

pekerjaan	status responden		Total
	kasus	kontrol	
DAGANG	23 12.37	21 11.29	44 11.83
IRT	36 19.35	42 22.58	78 20.97
PEGAWAI BUMN/BUMD	3 1.61	3 1.61	6 1.61
PEGAWAI SWASTA	31 16.67	32 17.20	63 16.94
PENSIUNAN	25 13.44	14 7.53	39 10.48
PNS	37 19.89	29 15.59	66 17.74
TANI	30 16.13	43 23.12	73 19.62
TNI/POLRI	1 0.54	2 1.08	3 0.81
Total	186 100.00	186 100.00	372 100.00

pendidikan	status responden		Total
	kasus	kontrol	
LAIN-LAIN	2 1.08	3 1.61	5 1.34
S1	46 24.73	61 32.80	107 28.76
S2	7 3.76	2 1.08	9 2.42
S3	1 0.54	1 0.54	2 0.54
SD	57 30.65	62 33.33	119 31.99
SLTA	13 6.99	22 11.83	35 9.41
SLTP	30 16.13	20 10.75	50 13.44
SM/D3	30 16.13	15 8.06	45 12.10
Total	186 100.00	186 100.00	372 100.00

2. Analisis Univariat

. tab statusresponden

status responden	Freq.	Percent	Cum.
kasus	186	50.00	50.00
kontrol	186	50.00	100.00
Total	372	100.00	

. tab klp_umur JK, col row

Key
frequency
row percentage
column percentage

klp_umur	JK		Total
	1	2	
1	42	8	50
	84.00	16.00	100.00
	18.26	5.63	13.44
2	88	54	142
	61.97	38.03	100.00
	38.26	38.03	38.17
3	100	80	180
	55.56	44.44	100.00
	43.48	56.34	48.39
Total	230	142	372
	61.83	38.17	100.00
	100.00	100.00	100.00

. tab tkt_pndidikan statusresponden, col

Key
frequency
column percentage

tkt_pndidi kan	status responden		Total
	kasus	kontrol	
0	97	101	198
	52.15	54.30	53.23
1	89	85	174
	47.85	45.70	46.77
Total	186	186	372
	100.00	100.00	100.00

. tab HT statusresponden, col

Key
<i>frequency</i>
<i>column percentage</i>

HT	status responden		Total
	kasus	kontrol	
0	89 47.85	126 67.74	215 57.80
1	97 52.15	60 32.26	157 42.20
Total	186 100.00	186 100.00	372 100.00

. tab DM statusresponden, col

Key
<i>frequency</i>
<i>column percentage</i>

DM	status responden		Total
	kasus	kontrol	
0	146 78.49	163 87.63	309 83.06
1	40 21.51	23 12.37	63 16.94
Total	186 100.00	186 100.00	372 100.00

. tab HYPERCHOL statusresponden, col

Key
<i>frequency</i> <i>column percentage</i>

HYPERCHOL	status responden		Total
	kasus	kontrol	
0	114 61.29	140 75.27	254 68.28
1	72 38.71	46 24.73	118 31.72
Total	186 100.00	186 100.00	372 100.00

. tab overweight statusresponden, col

Key
<i>frequency</i> <i>column percentage</i>

OBESITAS	status responden		Total
	kasus	kontrol	
0	114 61.29	137 73.66	251 67.47
1	72 38.71	49 26.34	121 32.53
Total	186 100.00	186 100.00	372 100.00

. tab MEROKOK statusresponden, col

Key
frequency column percentage

MEROKOK	status responden		Total
	kasus	kontrol	
0	151 81.18	151 81.18	302 81.18
1	35 18.82	35 18.82	70 18.82
Total	186 100.00	186 100.00	372 100.00

3. Analisis Bivariat

. cc PJK tkt_pndidikan

	Exposed	Unexposed	Proportion	
			Total	Exposed
Cases	89	97	186	0.4785
Controls	85	101	186	0.4570
Total	174	198	372	0.4677
Point estimate			[95% Conf. Interval]	
Odds ratio	1.090237		.710629	1.672766 (exact)
Attr. frac. ex.	.0827678		-.4072041	.4021877 (exact)
Attr. frac. pop	.039604			

chi2(1) = 0.17 Pr>chi2 = 0.6777

. cc PJK HT

	Exposed	Unexposed	Total	Proportion Exposed
Cases	97	89	186	0.5215
Controls	60	126	186	0.3226
Total	157	215	372	0.4220
Point estimate			[95% Conf. Interval]	
Odds ratio	2.288764		1.47051	3.566891 (exact)
Attr. frac. ex.	.563083		.3199638	.7196438 (exact)
Attr. frac. pop	.2936508			

chi2(1) = 15.09 Pr>chi2 = 0.0001

. cc PJK DM

	Exposed	Unexposed	Total	Proportion Exposed
Cases	40	146	186	0.2151
Controls	23	163	186	0.1237
Total	63	309	372	0.1694
Point estimate			[95% Conf. Interval]	
Odds ratio	1.941632		1.074246	3.564215 (exact)
Attr. frac. ex.	.4849693		.0691142	.7194333 (exact)
Attr. frac. pop	.1042945			

chi2(1) = 5.52 Pr>chi2 = 0.0188

. cc PJK HYPERCHOL

	Exposed	Unexposed	Total	Proportion Exposed
Cases	72	114	186	0.3871
Controls	46	140	186	0.2473
Total	118	254	372	0.3172
Point estimate			[95% Conf. Interval]	
Odds ratio	1.922197		1.203666	3.079348 (exact)
Attr. frac. ex.	.4797619		.169205	.675256 (exact)
Attr. frac. pop	.1857143			

chi2(1) = 8.39 Pr>chi2 = 0.0038

. cc PJK overweight

	Exposed	Unexposed	Total	Proportion Exposed
Cases	72	114	186	0.3871
Controls	49	137	186	0.2634
Total	121	251	372	0.3253
Point estimate			[95% Conf. Interval]	
Odds ratio	1.765843		1.111669	2.811916 (exact)
Attr. frac. ex.	.4336983		.1004518	.6443705 (exact)
Attr. frac. pop	.1678832			

chi2(1) = 6.48 Pr>chi2 = 0.0109

. cc PJK MEROKOK

	Exposed	Unexposed	Total	Proportion Exposed
Cases	35	151	186	0.1882
Controls	35	151	186	0.1882
Total	70	302	372	0.1882
Point estimate			[95% Conf. Interval]	
Odds ratio	1		.5745717	1.740295 (exact)
Attr. frac. ex.	0		-.7404268	.4253848 (exact)
Attr. frac. pop	0			

chi2(1) = 0.00 Pr>chi2 = 1.0000

4. Analisis Multivariat

. xi:stepwise, pr(0.05): logistic PJK HT DM HYPERCHOL overweight
begin with full model
p < 0.0500 for all terms in model

Logistic regression	Number of obs	=	372
	LR chi2(4)	=	33.51
	Prob > chi2	=	0.0000
Log likelihood = -241.09621	Pseudo R2	=	0.0650

PJK	Odds Ratio	Std. Err.	z	P> z	[95% Conf. Interval]
HT	2.317447	.5111765	3.81	0.000	1.504021 3.570801
DM	1.90051	.5634369	2.17	0.030	1.062962 3.397994
HYPERCHOL	1.816158	.426893	2.54	0.011	1.145714 2.878929
overweight	1.695679	.3956173	2.26	0.024	1.073373 2.678778
_cons	.4413345	.0811261	-4.45	0.000	.3078223 .6327552

```
. logit PJK HT DM HYPERCHOL overweight

Iteration 0:  log likelihood = -257.85075
Iteration 1:  log likelihood = -241.12774
Iteration 2:  log likelihood = -241.09622
Iteration 3:  log likelihood = -241.09621

Logistic regression                                         Number of obs      =      372
                                                               LR chi2(4)        =     33.51
                                                               Prob > chi2       =    0.0000
                                                               Pseudo R2        =    0.0650

Log likelihood = -241.09621
```

PJK	Coef.	Std. Err.	z	P> z	[95% Conf. Interval]
HT	.8404661	.2205774	3.81	0.000	.4081422 1.27279
DM	.6421222	.2964662	2.17	0.030	.0610591 1.223185
HYPERCHOL	.5967233	.2350528	2.54	0.011	.1360282 1.057418
overweight	.5280834	.233309	2.26	0.024	.0708061 .9853607
_cons	-.8179522	.18382	-4.45	0.000	-1.178233 -.4576717

