

## DAFTAR PUSTAKA

- Association, A. D. (2021) '2. Classification and Diagnosis of Diabetes: Standards of Medical Care in Diabetes—2021', *Diabetes Care*, 44(Supplement 1), pp. S15–S33. doi: 10.2337/DC21-S002.
- Bangun, P., Hanafie, A., Wijaya, D.W., 2016. Perbandingan Chlorhexidine 2% - Alkohol 70% Dengan Povidone Iodine 10% - Alkohol 70% Terhadap Penurunan Kepadatan Kuman Dalam Mengurangi CRBSI Pada Pemasangan CVC. *JAI (Jurnal Anestesiologi Indones.)* 8, 93. <https://doi.org/10.14710/jai.v8i2.19808>
- Basri, N.S., Patrianef, P., 2017. Infection of Double Lumen Catheter as Hemodialysis Access. *New Ropanasuri J. Surg.* 2, 25–28. <https://doi.org/10.7454/nrjs.v2i1.18>
- Battistella, M. *et al.* (2010) 'Antibiotik lock: In vitro stability of gentamicin and sodium citrate stored in dialysis catheters at 37 °C', *Hemodialysis International*. doi: 10.1111/j.1542-4758.2010.00440.x.
- Benghanem Gharbi, M., Elseviers, M., Zamd, M., Belghiti Alaoui, A., Benahadi, N., Trabelssi, E.H., Bayahia, R., Ramdani, B., De Broe, M.E., 2016. Chronic kidney disease, hypertension, diabetes, and obesity in the adult population of Morocco: how to avoid “over”- and “under”-diagnosis of CKD. *Kidney Int.* 89, 1363–1371. <https://doi.org/10.1016/j.kint.2016.02.019>
- Benjamin, O., Lappin, S.L., 2020. End-Stage Renal Disease, in: *StatPearls [Internet]*. StatPearls Publishing, Treasure Island (FL), hal. 4–7.
- Bleyer, A. J. (2007) 'Use of antimicrobial catheter lock solutions to prevent catheter-related bacteremia', *Clinical journal of the American Society of Nephrology : CJASN*. *Clin J Am Soc Nephrol*, 2(5), pp. 1073–1078. doi: 10.2215/CJN.00290107.
- Bond, A., Chadwick, P., Smith, T.R., Nightingale, J.M.D., Lal, S., 2020. Diagnosis and management of catheter-related bloodstream infections in patients on home parenteral nutrition. *Frontline Gastroenterol.* 11, 48–54. <https://doi.org/10.1136/flgastro-2018-101094>
- Brück, K., Stel, V.S., Gambaro, G., Hallan, S., Völzke, H., Ärnlöv, J., Kastarinen, M., Guessous, I., Vinhas, J., Stengel, B., Brenner, H., Chudek, J., Romundstad, S., Tomson, C., Gonzalez, A.O., Bello, A.K., Ferrieres, J., Palmieri, L., Browne, G., Capuano, V., Van Biesen, W., Zoccali, C., Gansevoort, R., Navis, G., Rothenbacher, D., Ferraro, P.M., Nitsch, D., Wanner, C., Jager, K.J., 2016. CKD Prevalence Varies across the European General Population. *J. Am. Soc. Nephrol.* 27, 2135–2147. <https://doi.org/10.1681/ASN.2015050542>

- Chen, I.C., Yang, S.C., Liu, K.T., Wu, Y.H., 2019. Delayed malposition of a double-lumen hemodialysis catheter that caused hemorrhage and hypovolemic shock: A case report. *Medicine (Baltimore)*. 98, e14192. <https://doi.org/10.1097/MD.00000000000014192>
- Clements, J., Rosca, M., Cavallin, C., Falkenhagen, S., Ittoop, T., Jung, C., Mazzella, M., Reed, J., Schluentz, M., VanDyke, C., 2020. Type 2 Diabetes and Chronic Conditions Disparities in Medicare Beneficiaries in the State of Michigan. *Am. J. Med. Sci.* 359, 218–225.
- D'Agati, V.D., Chagnac, A., de Vries, A.P.J., Levi, M., Porrini, E., Herman-Edelstein, M., Praga, M., 2016. Obesity-related glomerulopathy: clinical and pathologic characteristics and pathogenesis. *Nat. Rev. Nephrol.* 12, 453–471. <https://doi.org/10.1038/nrneph.2016.75>
- Denic, A., Lieske, J.C., Chakkera, H.A., Poggio, E.D., Alexander, M.P., Singh, P., Kremers, W.K., Lerman, L.O., Rule, A.D., 2017. The Substantial Loss of Nephrons in Healthy Human Kidneys with Aging. *J. Am. Soc. Nephrol.* 28, 313–320. <https://doi.org/10.1681/ASN.2016020154>
- Depkes, 2017. InfoDATIN Pusat Data dan Informasi Kementerian Kesehatan RI: Situasi Penyakit Ginjal Kronis 1–10.
- Deshpande, K. S. *et al.* (2005) 'The incidence of infectious complications of central venous catheters at the subclavian, internal jugular, and femoral sites in an intensive care unit population', *Critical Care Medicine*. doi: 10.1097/01.CCM.0000149838.47048.60.
- Dewiasty, E., Alwi, I., Dharmeizar, Harimurti, K., 2016. Peran Estimasi Laju Filtrasi Glomerulus ( eGFR ) sebagai Prediktor Mortalitas pada Pasien Sindrom Koroner Akut selama Perawatan di ICCU Estimated Glomerular Filtration Rate ( eGFR ) as an In-Hospital. *J. Penyakit Dalam Indones.* 3, 193–199.
- Dogra, G. K. *et al.* (2002) 'Prevention of tunneled hemodialysis catheter-related infections using catheter-restricted filling with gentamicin and citrate: A randomized controlled study', *Journal of the American Society of Nephrology*. doi: 10.1097/01.ASN.0000022890.29656.22.
- Ene-Iordache, B., Perico, N., Bikbov, B., Carminati, S., Remuzzi, A., Perna, A., Islam, N., Bravo, R.F., Aleckovic-Halilovic, M., Zou, H., Zhang, L., Gouda, Z., Tchokhanelidze, I., Abraham, G., Mahdavi-Mazdeh, M., Gallieni, M., Codreanu, I., Togtokh, A., Sharma, S.K., Koirala, P., Uprety, S., Ulasi, I., Remuzzi, G., 2016. Chronic kidney disease and cardiovascular risk in six regions of the world (ISN-KDDC): a cross-sectional study. *Lancet Glob. Heal.* 4, e307–e319. [https://doi.org/10.1016/S2214-109X\(16\)00071-1](https://doi.org/10.1016/S2214-109X(16)00071-1)
- Fernandez-Gallego, J., Cermeño, L. and Rudas, E. (2015) 'Gentamicin-based prophylaxis in tunnelled indwelling central venous catheter limbs for haemodialysis do not result in bacterial resistances after a 9 year follow up

- period.’, *Nefrologia: publicacion oficial de la Sociedad Espanola Nefrologia*. Spain, pp. 418–419. doi: 10.1016/j.nefro.2015.02.005.
- Fraser, S.D.S., Aitken, G., Taal, M.W., Mindell, J.S., Moon, G., Day, J., O’Donoghue, D., Roderick, P.J., 2015. Exploration of Chronic Kidney Disease Prevalence Estimates Using New Measures of Kidney Function in the Health Survey for England. *PLoS One* 10, e0118676. <https://doi.org/10.1371/journal.pone.0118676>
- Gahlot, R. *et al.* (2014) ‘Catheter-related bloodstream infections’, *International journal of critical illness and injury science*. Medknow Publications & Media Pvt Ltd, 4(2), pp. 162–167. doi: 10.4103/2229-5151.134184.
- Gajee, 2017. Antibiotik Lock Therapy. NHS Found. Trust. <https://doi.org/10.32388/6ydpou>
- Girndt, M., Trocchi, P., Scheidt-Nave, C., Markau, S., Stang, A., 2016. The Prevalence of Renal Failure. *Dtsch. Aerzteblatt Online*. <https://doi.org/10.3238/arztebl.2016.0085>
- Glassock, R.J., 2016. Evaluation of proteinuria redux. *Kidney Int.* 90, 938–940. <https://doi.org/10.1016/j.kint.2016.07.044>
- Glassock, R.J., Warnock, D.G., Delanaye, P., 2017. The global burden of chronic kidney disease: estimates, variability and pitfalls. *Nat. Rev. Nephrol.* 13, 104–114. <https://doi.org/10.1038/nrneph.2016.163>
- Goksu, S., Khattar, D., 2020. Cystic Kidney Disease, in: StatPearls [Internet]. StatPearls Publishing, Treasure Island (FL).
- Goh, T. L. *et al.* (2017) ‘The incidence and costs of bacteremia due to lack of gentamicin lock solutions for dialysis catheters’, *Nephrology*. doi: 10.1111/nep.12960.
- Golestaneh, L., Mokrzycki, M.H., 2018. Prevention of hemodialysis catheter infections: Ointments, dressings, locks, and catheter hub devices. *Hemodial. Int.* 22, S75–S82. <https://doi.org/10.1111/hdi.12703>
- Gopalakrishnan, R. and Sureshkumar, D. (2010) ‘Changing trends in antimicrobial susceptibility and hospital acquired infections over an 8 year period in a tertiary care hospital in relation to introduction of an infection control programme.’, *The Journal of the Association of Physicians of India*. India, 58 Suppl, pp. 25–31.
- Grudzinski, A. *et al.* (2015) ‘Benefits and harms of citrate locking solutions for hemodialysis catheters: a systematic review and meta-analysis’, *Canadian journal of kidney health and disease*. BioMed Central, 2, p. 13. doi: 10.1186/s40697-015-0040-2.
- Harding, J., Pavkov, M., Magliano, D., Shaw, J., Gregg, E., 2019. Global trends in diabetes complications: a review of current evidence. *Diabetologia* 62, 3–16.

- Hill, N.R., Fatoba, S.T., Oke, J.L., Hirst, J.A., O’Callaghan, C.A., Lasserson, D.S., Hobbs, F.D.R., 2016. Global Prevalence of Chronic Kidney Disease – A Systematic Review and Meta-Analysis. *PLoS One* 11, e0158765. <https://doi.org/10.1371/journal.pone.0158765>
- Hodgin, J.B., Bitzer, M., Wickman, L., Afshinnia, F., Wang, S.Q., O’Connor, C., Yang, Y., Meadowbrooke, C., Chowdhury, M., Kikuchi, M., Wiggins, J.E., Wiggins, R.C., 2015. Glomerular Aging and Focal Global Glomerulosclerosis: A Podometric Perspective. *J. Am. Soc. Nephrol.* 26, 3162–3178. <https://doi.org/10.1681/ASN.2014080752>
- InformedHealth.org [Internet], 2018. Cologne, Germany: Institute for Quality and Efficiency in Health Care (IQWiG); 2006-. Dial. chronic kidney Dis.
- Ishigami, J., Matsushita, K., 2019. Clinical epidemiology of infectious disease among patients with chronic kidney disease. *Clin. Exp. Nephrol.* 23, 437–447.
- Jia, L. *et al.* (2015) ‘Epidemiological characteristics and risk factors for patients with catheter-related bloodstream infections in intensive care unit’, *National Medical Journal of China*. doi: 10.3760/cma.j.issn.0376-2491.2015.09.004.
- Kemenkes RI, 2020. Pedoman Pencegahan dan Pengendalian Coronavirus Disease (COVID-19). *Gemas* 4, 0–115.
- Kidney Disease: Improving Global Outcomes (KDIGO) CKD Work Group., 2013. KDIGO 2012 clinical practice guideline for the evaluation and management of chronic kidney disease. *Kidney Int. Suppl* 3, 1–150.
- Kriz, W., Lemley, K. V., 2015. A Potential Role for Mechanical Forces in the Detachment of Podocytes and the Progression of CKD. *J. Am. Soc. Nephrol.* 26, 258–269. <https://doi.org/10.1681/ASN.2014030278>
- Landry, D. L. *et al.* (2010) ‘Emergence of gentamicin-resistant bacteremia in hemodialysis patients receiving gentamicin lock catheter prophylaxis.’, *Clinical journal of the American Society of Nephrology : CJASN*, 5(10), pp. 1799–1804. doi: 10.2215/CJN.01270210.
- Lee, K.-Y., 2017. A unified pathogenesis for kidney diseases, including genetic diseases and cancers, by the protein-homeostasis-system hypothesis. *Kidney Res. Clin. Pract.* 36, 132–144. <https://doi.org/10.23876/j.krcp.2017.36.2.132>
- Lees, J.S., McQuarrie, E.P., Mordi, N., Geddes, C.C., Fox, J.G., Mackinnon, B., 2017. Risk factors for bleeding complications after nephrologist-performed native renal biopsy. *Clin. Kidney J.* 10, 573–577. <https://doi.org/10.1093/ckj/sfx012>
- Li, J., An, C., Kang, L., Mitch, W.E., Wang, Y., 2017. Recent Advances in Magnetic Resonance Imaging Assessment of Renal Fibrosis. *Adv. Chronic Kidney Dis.* 24, 150–153. <https://doi.org/10.1053/j.ackd.2017.03.005>
- Lorente, L. *et al.* (2005) ‘Central venous catheter-related infection in a prospective

- and observational study of 2,595 catheters.’, *Critical care (London, England)*. doi: 10.1186/cc3824.
- McIntyre, C. W. *et al.* (2004) ‘Locking of tunneled hemodialysis catheters with gentamicin and heparin’, *Kidney International*. doi: 10.1111/j.1523-1755.2004.00806.x.
- Miller, L.M., Clark, E., Dipchand, C., Hiremath, S., Kappel, J., Kiaii, M., Lok, C., Luscombe, R., Moist, L., Oliver, M., MacRae, J., 2016. Hemodialysis tunneled catheter-related infections. *Can. J. Kidney Heal. Dis.* 3. <https://doi.org/10.1177/2054358116669129>
- Moore, C. L. *et al.* (2014) ‘Comparative effectiveness of two catheter locking solutions to reduce catheter-related bloodstream infection in hemodialysis patients’, *Clinical Journal of the American Society of Nephrology*, 9(7), pp. 1232–1239. doi: 10.2215/CJN.11291113.
- Moran, J. *et al.* (2012a) ‘A randomized trial comparing gentamicin/citrate and heparin locks for central venous catheters in maintenance hemodialysis patients.’, *American journal of kidney diseases : the official journal of the National Kidney Foundation*. United States, 59(1), pp. 102–107. doi: 10.1053/j.ajkd.2011.08.031.
- Moran, J. *et al.* (2012b) ‘A randomized trial comparing gentamicin/citrate and heparin locks for central venous catheters in maintenance hemodialysis patients’, *American journal of kidney diseases : the official journal of the National Kidney Foundation*. *Am J Kidney Dis*, 59(1), pp. 102–107. doi: 10.1053/J.AJKD.2011.08.031.
- National Institute of Diabetes and Digestive and Kidney Diseases (NIDDK), 2018. Hemodialysis [WWW Document].
- Nori, U. S. *et al.* (2006) ‘Comparison of Low-Dose Gentamicin With Minocycline as Catheter Lock Solutions in the Prevention of Catheter-Related Bacteremia’, *American Journal of Kidney Diseases*. doi: 10.1053/j.ajkd.2006.06.012.
- Padilla-Orozco, M. *et al.* (2019) ‘Generalized and Prolonged Use of Gentamicin-Lock Therapy Reduces Hemodialysis Catheter-Related Infections Due to Gram Negatives’, *Nephron*. doi: 10.1159/000500549.
- Parameswaran, R. *et al.* (2011) ‘Intravascular catheter-related infections in an Indian tertiary care hospital.’, *Journal of infection in developing countries*. Italy, 5(6), pp. 452–458. doi: 10.3855/jidc.1261.
- Romagnani, P., Remuzzi, G., Glassock, R., Levin, A., Jager, K.J., Tonelli, M., Massy, Z., Wanner, C., Anders, H.J., 2017. Chronic kidney disease. *Nat. Rev. Dis. Prim.* 3. <https://doi.org/10.1038/nrdp.2017.88>
- Schnaper, H.W., 2017. The Tubulointerstitial Pathophysiology of Progressive Kidney Disease. *Adv. Chronic Kidney Dis.* 24, 107–116.

<https://doi.org/10.1053/j.ackd.2016.11.011>

- Silva, J. *et al.* (2012) 'Efficacy of preventing hemodialysis catheter infections with citrate lock', *Hemodialysis International*. doi: 10.1111/j.1542-4758.2012.00691.x.
- Soelistijo, S. A. *et al.* (2021) *Pedoman Pengelolaan dan Pencegahan Diabetes Melitus Tipe 2 di Indonesia 2021*, PB. PERKENI. Available at: <https://pbperkeni.or.id/wp-content/uploads/2021/11/22-10-21-Website-Pedoman-Pengelolaan-dan-Pencegahan-DMT2-Ebook.pdf> (Accessed: 2 December 2021).
- Stanifer, J.W., Kilonzo, K., Wang, D., Su, G., Mao, W., Zhang, Lei, Zhang, La, Nayak-Rao, S., Miranda, J.J., 2017. Traditional Medicines and Kidney Disease in Low- and Middle-Income Countries: Opportunities and Challenges. *Semin. Nephrol.* 37, 245–259. <https://doi.org/10.1016/j.semnephrol.2017.02.005>
- Stanifer, J.W., Muiru, A., Jafar, T.H., Patel, U.D., 2016. Chronic kidney disease in low- and middle-income countries. *Nephrol. Dial. Transplant.* 31, 868–874. <https://doi.org/10.1093/ndt/gfv466>
- Staplin, N., Haynes, R., Herrington, W.G., Reith, C., Cass, A., Fellström, B., Jiang, L., Kasiske, B.L., Krane, V., Levin, A., Walker, R., Wanner, C., Wheeler, D.C., Landray, M.J., Baigent, C., Emberson, J., Baigent, C., Landray, M.J., Reith, C., Emberson, J., Wheeler, D.C., Tomson, C., Wanner, C., Krane, V., Cass, A., Craig, J., Neal, B., Jiang, L., Hooi, L.S., Levin, A., Agodoa, L., Gaziano, M., Kasiske, B.L., Walker, R., Massy, Z.A., Feldt-Rasmussen, B., Krairittichai, U., Ophascharoensuk, V., Fellström, B., Holdaas, H., Tesar, V., Wiecek, A., Grobbee, D., de Zeeuw, D., Grönhagen-Riska, C., Dasgupta, T., Lewis, D., Herrington, W.G., Mafham, M., Majoni, W., Wallendszus, K., Grimm, R., Pedersen, T., Tobert, J., Armitage, J., Baxter, A., Bray, C., Chen, Y., Chen, Z., Hill, M., Knott, C., Parish, S., Simpson, D., Sleight, P., Young, A., Collins, R., 2016. Smoking and Adverse Outcomes in Patients With CKD: The Study of Heart and Renal Protection (SHARP). *Am. J. Kidney Dis.* 68, 371–380. <https://doi.org/10.1053/j.ajkd.2016.02.052>
- Stegmayr, B., 2017. Dialysis Procedures Alter Metabolic Conditions. *Nutrients* 9, 548. <https://doi.org/10.3390/nu9060548>
- Sumida, K., Kovesdy, C.P., 2017. Disease Trajectories Before ESRD: Implications for Clinical Management. *Semin. Nephrol.* 37, 132–143. <https://doi.org/10.1016/j.semnephrol.2016.12.003>
- Tonneijck, L., Muskiet, M.H.A., Smits, M.M., van Bommel, E.J., Heerspink, H.J.L., van Raalte, D.H., Joles, J.A., 2017. Glomerular Hyperfiltration in Diabetes: Mechanisms, Clinical Significance, and Treatment. *J. Am. Soc. Nephrol.* 28, 1023–1039. <https://doi.org/10.1681/ASN.2016060666>
- Vadakedath, S., Kandi, V., 2017. Dialysis: A Review of the Mechanisms Underlying Complications in the Management of Chronic Renal Failure.

Cureus 9. <https://doi.org/10.7759/cureus.1603>

- Wazny, L., Walker, S. and Moist, L. (2005) 'Visual compatibility of gentamicin sulfate and 4% sodium citrate solutions', *American Journal of Health-System Pharmacy*. doi: 10.2146/ajhp050047.
- Weir, C. B. and Jan, A. (2021) 'BMI Classification Percentile And Cut Off Points', *StatPearls*. Available at: <https://www.ncbi.nlm.nih.gov/books/NBK541070/> (Accessed: 4 December 2021).
- WHO (2021) *Body mass index - BMI*. Available at: [https://www.euro.who.int/en/health-topics/disease-prevention/nutrition/a-healthy-lifestyle/body-mass-index-bmi?source=post\\_page-----](https://www.euro.who.int/en/health-topics/disease-prevention/nutrition/a-healthy-lifestyle/body-mass-index-bmi?source=post_page-----) (Accessed: 2 December 2021).
- Wyld, M., Morton, R., Aouad, L., Magliano, D., Polkinghorne, K., Chadban, S., 2020. The impact of comorbid chronic kidney disease and diabetes on health-related quality-of-life: a 12-year community cohort study. *Nephrol. Dial. Transplant*.
- Xu, D., Chen, M., Zhou, F., Zhao, M., 2017. Risk Factors for Severe Bleeding Complications in Percutaneous Renal Biopsy. *Am. J. Med. Sci.* 353, 230–235. <https://doi.org/10.1016/j.amjms.2016.12.019>
- Zhao, Y. *et al.* (2014a) 'Citrate versus heparin lock for hemodialysis catheters: a systematic review and meta-analysis of randomized controlled trials.', *American journal of kidney diseases : the official journal of the National Kidney Foundation*. United States, 63(3), pp. 479–490. doi: 10.1053/j.ajkd.2013.08.016.
- Zhao, Y. *et al.* (2014b) 'Citrate versus heparin lock for hemodialysis catheters: a systematic review and meta-analysis of randomized controlled trials', *American journal of kidney diseases : the official journal of the National Kidney Foundation*. *Am J Kidney Dis*, 63(3), pp. 479–490. doi: 10.1053/J.AJKD.2013.08.016.
- Zoccali, C., Vanholder, R., Massy, Z.A., Ortiz, A., Sarafidis, P., Dekker, F.W., Fliser, D., Fouque, D., Heine, G.H., Jager, K.J., Kanbay, M., Mallamaci, F., Parati, G., Rossignol, P., Wiecek, A., London, G., 2017. The systemic nature of CKD. *Nat. Rev. Nephrol.* 13, 344–358. <https://doi.org/10.1038/nrneph.2017.52>