

DAFTAR PUSTAKA

1. Mawaddah CA, A. LSD, Prijatmoko D. Perbedaan Defleksi Kawat Ortodonti Nikel-Titanium dan NiTi Epoxy Resin Coated pada Perendaman dalam Saliva Buatan dan Minuman Berkarbonasi. *Pustaka Kesehat.* 2016;4(3):519-524.
2. Chakravarthi S, Chitharanjan A, Padmanabhan S. Allergy and orthodontics. *J Orthod Sci.* 2012;1(4):83. doi:10.4103/2278-0203.105871
3. Arab S, Hormozdiari Cham M, Morsaghian M, Ghamari M, Mortezaei O. Evaluation of Nickel and Chromium Ion Release from Stainless Steel, HANT and NiTi Arch Wires in Two 28-day Time Spans. *Iran J Orthod.* 2015;10(1):13-16. doi:10.17795/ijo-4863
4. Machfudzoh PA, Amin MN PL. Efektifitas ekstrak daun belimbing wuluh sebagai bahan *inhibitor* korosi pada kawat ortodonti berbahan dasar nikel-titanium. 2014;(hal 140).
5. Setiawan A, Mayangsari NE, Dermawan D. CHEESA: Chemical Engineering Research Articles. *Chem Eng Res Artic.* 2018;1(1):21-25.
6. Charles A, Gangurde P, Jacob S, Jatol-Tekade S, Senkutvan R, Vadgaonkar V. Evaluation of nickel ion release from various orthodontic arch wires: An in vitro study. *J Int Soc Prev Community Dent.* 2014;4(1):12. doi:10.4103/2231-0762.130921
7. pattireuw Kevin J, Rauf F. A LR. Analisis Laju Korosi Pada Baja Karbon Dengan Menggunakan Air Laut Dan H₂ So₄. *Univ Sam Ratulangi Manad.* 2013;(1):10. doi:10.1097/00012272-200209000-00004
8. Sidiq MF. Analisa korosi dan pengendaliannya. 2013;3(1).
9. Ziębowicz a, Walke W, Barucha-ķępka A, Kiel M. Corrosion behaviour of metallic biomaterials used as orthodontic wires. *J Achiev Mater Manuf Eng.* 2008;27(2):151-154.

10. Krishna Alla R, Mohammed S, Sekhar Kotha R, Shammam M, Krishna Ravi R. An Overview of Orthodontic Wires. *Trends Biomater Artif Organs*. 2014;28(1):32-36. <http://www.sbaoi.org/tibao>
11. Kristianingsih R, Joelijanto R, Praharani D. Analisis Pelepasan Ion Ni dan Cr Kawat Ortodonti Stainless Steel yang Direndam dalam Minuman Berkarbonasi. *Artik Ilm Has Penelit Mhs 2014*. Published online 2014:Universitas Jember.
12. Khamatkar A. Ideal Properties of Orthodontic Wires and Their Clinical Implications -A Review. *IOSR J Dent Med Sci*. 2015;14(1):47-50. doi:10.9790/0853-14114750
13. Lakshmi pathy R, Vinod A V., Sarada NC. Watermelon rind as biosorbent for removal of Cd²⁺ from aqueous solution: FTIR, EDX and kinetic studies. *J Indian Chem Soc*. 2013;90(8):1147-1154.
14. Castro SM, Ponces MJ, Lopes JD, Vasconcelos M, Pollmann MCF. Orthodontic wires and its corrosion - The specific case of stainless steel and beta-titanium. *J Dent Sci*. 2015;10(1):1-7. doi:10.1016/j.jds.2014.07.002
15. Solanki G, Lohra N, Lohra J, Solanki R. Asian Pacific Journal of Nursing. *Asian Pacific J Nurs*. 2014;1(1):24-26.
16. Arango S, Peláez-Vargas A, García C. Coating and surface treatments on orthodontic metallic materials. *Coatings*. 2013;3(1):1-15. doi:10.3390/coatings3010001
17. De Almeida PDV, Grégio AMT, Machado MÂN, De Lima AAS, Azevedo LR. Saliva composition and functions: A comprehensive review. *J Contemp Dent Pract*. 2008;9(3):072-080. doi:10.5005/jcdp-9-3-72
18. Eliades T, Athanasiou AE. In Vivo Aging of Orthodontic Alloys: Implications for Corrosion Potential, Nickel Release, and Biocompatibility. *Angle Orthod*. 2002;72(3):222-237. doi:10.1043/0003-3219(2002)072<0222:IVAOOA>2.0.CO;2

19. Ramazanzadeh BA, Ahrari F, Sabzevari B, Habibi S. Nickel Ion Release from Three Types of Nickel-titanium-based Orthodontic Archwires in the As-received State and After Oral Simulation. *J Dent Res Dent Clin Dent Prospects*. 2014;8(2):71-716. doi:10.5681/joddd.2014.013
20. Rani BEA, Basu BBJ. Green *inhibitors* for corrosion protection of metals and alloys: An overview. *Int J Corros*. 2012;2012(i). doi:10.1155/2012/380217
21. Yatiman P. Penggunaan *inhibitor* organik untuk pengendalian korosi logam dan paduan logam. *Pros Semin Nas Penelitian, Pendidik dan Penerapan MIPA*. Published online 2009:134-142.
22. Indriana KR. Produksi Bersih Pada Efisiensi Dosis Pupuk N Dan Umur Panen Daun Tembakau Terhadap Kadar Nikotin Dan Gula Pada Tembakau Virginia. *J Agrotek Indones*. Published online 2016. doi:10.33661/jai.v1i2.339
23. Tumbel M. Analisis Kadar Nikotin dalam Tembakau Tongka Kabupaten Bantaeng (Analysis on The Concentrate of Nicotine i n “ Tembakau Tongka ” of District Bantaeng). *Bionature*. 2010;11(2):89-94.
24. Susilowati EY. Ekstrak daun tembakau sebagai insektisida penggerak batang padi (*Scirpophaga innonata*). *Skripsi*. Published online 2006.
25. Nur R., Oediyana S., dan Priyotomo G. Pengaruh Penambahan *Inhibitor* Ekstrak Tambakau Terhadap Laju Korosi Internal. *LIPI*. 2016; 31(3): 150-6
26. Elawady Y, Habouba S., dan Fouda S. Tobacco Plant Extracts as Save Corrosion *Inhibitor* for Carbon Steel in Hydrochloric Acid Solutions. *International Journal of Advanced Research*. 2014; 2(3): 817-832
27. Eka N., Dermawan D., dan Eka N. Pemanfaatan Ekstrak Daun Tembakau sebagai *Inhibitor* pada Logam Baja Karbon dan Aluminium. *CHEESA*. 2018; 1(2): 82-91

28. Agung B., Mitha V., dan Fikri N. Effect of Fluid Flow, pH and Tobacco Extracts Concentration as Organic *Inhibitors* to Corrosion Characteristics of AISI 1045 Steel in 3.5% NaCl Environment Containing CO₂ Gas. AIP. 2018; 1(1): 1-7
29. Nahusona DR., Koriston P. The effectiveness of watermelon rind extract as corrosion *inhibitor* in stainless steel orthodontic wire. Int J App Pharm. 2019; 11(4): 22-5.
30. Roeswahjuni N., Fitriani D., Wardanianti AD. The efficacy of green tea (*Camellia sinensis*) leaves extract as corrosion *inhibitor* for orthodontics stainless-steel wire. Dentino Jur Ked Gigi. 2019; 4(1): 77-82.