

## DAFTAR PUSTAKA

- Adam, S., dan Clark, D. 2009. Landfill Biodegradation An in-depth Look at Biodegradation in Landfill Environment. *Bio-tec Environmental, Alburquerque & ENSO Bottles, LCC, Phoenix.* 9-11.
- Akinmulewo, A.B. dan O.C. Nwinyi. 2019. Polyhydroxyalkanoate: a biodegradable polymer (a mini review). *Journal of Physics: Conference Series.* 1378(4); 042007.
- Albuquerque, P. B., dan Malafaia, C. B. 2018. Perspectives on the production, structural characteristics and potential applications of bioplastics derived from polyhydroxyalkanoates. *International journal of biological macromolecules,* 107: 615-625.
- Arikan, E.B. dan H.D. Ozsoy. 2015. A review: investigation of bioplastics. *Journal of Civil Engineering and Architecture.* 9: 188-192.
- Averous, L. 2008. Polylactic Acid; Synthesis, Properties and Applications, in monomers, Polymers and Composites from Renewable Resource (Ed Mohamed Naceur Belgacem and Alessandro Gandini). 1st Edition, Chapter 21. Elsevier Ltd. Amsterdam.
- Bhuwal, A. K., Singh, G., Aggarwal, N. K., Goyal, V., and Yadav, A. 2013. Isolation and screening of polyhydroxyalkanoates producing bacteria from pulp, paper, and cardboard industry wastes. *International journal of biomaterials,* 2013.
- Borghei, M.A., Karbassi, S., Khoramnejadian, A., Oramiehie dan Javid, A.H. 2010. Microbial Biodegradable Potato Starch Based Low Density Polyethylene. *African Journal of Biotechnology.* 9(26): 4075-4080.
- Castilho, L. R., Mitchell, D. A., dan Freire, D. M. 2009. Production of polyhydroxyalkanoates (PHAs) from waste materials and by-products by submerged and solid-state fermentation. *Bioresource technology,* 100(23): 5996-6009.
- Chaudhry, W. N., Jamil, N., Ali, I., Ayaz, M. H., and Hasnain, S. 2010. Screening for polyhydroxyalkanoate (PHA)-producing bacterial strains and comparison of PHA production from various inexpensive carbon sources. *Annals of microbiology,* 61(3), 623-629.
- Chee, J. Y., Tan, Y., Samian, M. R., and Sudesh, K. 2010. Isolation and characterization of a *Burkholderia* sp. USM (JCM15050) capable of

- producing polyhydroxyalkanoate (PHA) from triglycerides, fatty acids and glycerols. *Journal of Polymers and the Environment*, 18(4), 584-592.
- Coles, R., M. Kay, dan J. Song. 2011. Bioplastics. In R. Coles and M. Kirwan (Eds.) *Food and Beverage Packaging Technology*. Blackwell Publishing Ltd.
- Coniwanti, P., Laila, L., dan Alfira, M. R. 2014. Pembuatan Film Plastik Biodegradabel dari Pati Jagung dengan Penambahan Kitosan dan Pemplastis Gliserol. *Jurnal Teknik Kimia*, 20(4); 22-30.
- Djamaan, A., Fitra, F., Pusmegdewi., Dillasamola, D., Asiska, P.D., dan Anthoni, A. 2016. Isolation and Identification of Polyhydroxyalkanoates Producing Bacteria from Soil Sample in Tropical Forest of Anai Valley, West Sumatra, Indonesia. *Der Pharmacia Lettre*. 8 (7):169-174.
- Fajriani, B., Budiharjo, A., Pujiyanto, S., 2018. Isolasi dan Identifikasi Molekuler Bakteri Antagonis Terhadap *Vibrio parahaemolyticus* Patogen pada Udang *Litopenaeus vannamei* dari Produk Probiotik dan Sedimen Mangrove Di Rembang. *Jurnal Biologi*. 7(1); 52-63.
- Garcia-Nunez, J.A., N.E. Ramirez-Contreras, D.T. Rodriguez, E. Silva-Lora, C.S. Frear, C. Stockle, dan M. Garcia-Perez. 2016. Evolution of palm oil mills into bio-refineries: Literature review on current and potential uses of residual biomass and effluents. *Resources, Conservation and Recycling*. 110: 99–114.
- Garside, M. 2019. Global plastic production statistics. Diakses pada 10 September 2020, dari <https://www.statista.com/statistics/282732/global-production-of-plastics-since-1950/>
- Gumel, A.M., M.S.M. Annuar, and T. Heidelberg. 2012. Effects of carbon substrates on biodegradable polymer composition and stability produced by *Delftia tsuruhatensis* Bet002 isolated from palm oil mill effluent. *Polymer Degradation and Stability*. 97(8): 1224–1231.
- Haedar, N., Fahruddin, Firdaus, Z., dan Nurlaela, N., 2014. Produksi Poli-B-Hidroksi Butirat (Phb) Pada Isolat Bakteri Dari Molasses Dan Tanah Pabrik Gula. Publikasi Jurusan Biologi dan Kimia. *Fakultas Matematika dan Ilmu Pengetahuan Alam. Universitas Hasanuddin*.
- Haedar, N., Gobel, R. B., Umar, M. R., dan Ambeng. 2014. Isolation and characterization of bacteria from Waste Sugar Mill Arasoe-Kab. Bon As Raw Material Producing Bioplastics Degraded (Poly-B-hydroxybutyrate). *Jurnal Alam dan Ilmu Lingkungan*. 5(8): 2086-4604.

- Hanson, R.S. and Philips J.A., 1981. Chemical Composition In Manual of Method or General Bacteriology. American Society for Microbiology. USA. pp, 343-344.
- Hasibuan, H. A. 2020. Peluang Limbah Kelapa Sawit Untuk Produksi Polihidroksialkanoat Sebagai Bioplastik (The Opportunities of Oil Palm Waste for Production of Polyhydroxyalkanoate as Bioplastic). *Perspektif*, 19(2): 79-94.
- Hassanpour, M., Dan Unnisa, S. A., 2017. plastics applications materials processing and techniques. *Plastic Surgery and Modern Techniques*. 2017: PSMT-109.
- Hidayat, N., Alamsyah, R., Roslan, A. M., Hermansyah, H., & Gozan, M. (2019). Production of polyhydroxybutyrate from oil palm empty fruit bunch (OPEFB) hydrolysates by *Bacillus cereus* suaeda B-001. *Biocatalysis and Agricultural Biotechnology*. 18: 101019.
- Hopewell, J., Dvorak, R., dan Kosior, E. 2009. Plastics recycling: challenges and opportunities. *Philosophical Transactions of the Royal Society B: Biological Sciences*. 364(1526), 2115-2126.
- Ivanov, V., V. Stabnikov, Z. Ahmed, S. Dobrenko, and A. Saliuk. 2015. Production and applications of crude polyhydroxyalkanoate-containing bioplastic from the organic fraction of municipal solid waste. *International Journal of Environmental Science and Technology*. 12(2): 725–738.
- Jiang, G., Hill, D. J., Kowalcuk, M., Johnston, B., Adamus, G., Irorere, V., dan Radecka, I. 2016. Carbon sources for polyhydroxyalkanoates and an integrated biorefinery. *International journal of molecular sciences*. 17(7): 1157.
- Jinda, N., dan Paniticharoenwong, T. 2016. The Isolation And Screening Of Polyhydroxyalkanoates Producing Bacteria From Wastewater And Soil From Palm Oil Manufacturing Plant. *Journal of Biotechnology*, 14(1A), 547-555.
- Kamsiati, E., Herawati, H., dan Purwani, E. Y. 2017. Potensi pengembangan plastik biodegradable berbasis pati sagu dan ubikayu di indonesia. *Jurnal Penelitian dan Pengembangan Pertanian*, 36(2): 67-76.
- Keskin, G., G. Kızıl, M. Bechelany, C. Pochat-Bohatier, dan M. Oner. 2017. Potential of polyhydroxyalkanoate (PHA) polymers family as substitutes of petroleum based polymers for packaging applications and solutions brought by their composites to form barrier materials. *Pure Appl. Chem.* 89(12): 1841–1848.

- Klein, R. 2012. *Laser welding of plastics: Materials, processes and industrial applications*. John Wiley & Sons.
- Kourmentza, C. dan M. Kornaros. 2016. Biotransformation of volatile fatty acids to polyhydroxyalkanoates by employing mixed microbial consortia: the effect of pH and carbon source. *Bioresource Technology*. 222: 388–398.
- Kresnawaty, I., Mulyatni, A. S., Eris, D. D., and Prakoso, H. T. (2014). Karakterisasi PHA dari Pseudomonas aeruginosa dan Bacillus subtilis yang ditumbuhkan dalam media cair pabrik kelapa sawit. *Menara Perkebunan*, 82(2), 57-63.
- Kresnawaty, I., Prakoso, H. T., Eris, D. D., dan Mulyatni, A. S. 2016. Penapisan bakteri penghasil bioplastik polihidroksi alkanoat dari tanah tempat pembuangan sampah dan limbah cair pabrik kelapa sawit Screening of bioplastics polyhydroxy alkanoic producing bacteria from landfill and palm oil mill effluents. *E-Jurnal Menara Perkebunan*. 82(1): 25-31.
- Kumar, S., dan Thakur, K. S. 2017. Bioplastics-classification, production and their potential food applications. *Journal of Hill Agriculture*. 8(2): 118-129.
- Kustarianingsih, I. W., dan Nawfa, R. 2015. Produksi Polihidroksialkanoat oleh Bakteri *Ralstoniapickettii* dengan Fruktosa sebagai Sumber Karbon. *Jurnal Sains dan Seni ITS*. 4(2); 2337-3520.
- Liu, F., Li, J., dan Zhang, X. L. 2019. Bioplastic production from wastewatersludge and application. In *IOP Conference Series: Earth and Environmental Science*. 344(1).
- Możejko-Ciesielska, J. dan R. Kiewisz. 2016. Bacterial polyhydroxyalkanoates: Still fabulous. *Microbiological Research* 192: 271–282.
- Mumtaz, T., N.A. Yahaya, S. Abd-Aziz, N. Abdul Rahman, P.L. Yee, Y. Shirai, dan M.A. Hassan. 2010. Turning waste to wealth biodegradable plastics polyhydroxyal-kanoates from palm oil mill effluenta Malaysian perspective. *Journal of Cleaner Production*. 18(14): 1393–1402.
- Novitasari, D. A., Elvyra, R., dan Roslim, D. I., 2014. Teknik Isolasi dan Elektroforesis DNA Total pada *Kryptopterus apogon* (Bleeker 1851) dari Sungai Kampar Kiri dan Tapung Hilir Kabupaten Kampar Provinsi Riau. *JOM FMIPA*. 1(2): 258-261.
- Nurhayati, N., Radjasa, O. K., dan Prijambada, I. D. 2017. Seleksi Isolat Bakteri Amilolitik dari Rhizosfer Canna edulis, Kerr. untuk Produksi Poli

- Hidroksi Alkanoat dari Limbah Cair Tapioka. *Jurnal Rekayasa Proses*, 11(2): 101-104.
- Nursanti, I. 2017. Karakteristik limbah cair pabrik kelapa sawit pada proses pengolahan anaerob dan aerob. *Jurnal Ilmiah Universitas Batanghari Jambi*, 13(4): 67-73.
- Ohimain E. L., C Daokoru-Olukule., C Sylvester, Izah, A Rita AC Eke., dan J Okonkwo. 2012. Microbiology of palm oil mill effluents. *Microbiol Biotech Res.* 2(6); 852-857.
- Pakalapati, H., C.K. Chang, P.L. Show, S.K. Arumugasamy, and J.C.-W. Lan. 2018. Development of polyhydroxyalkanoates production from waste feedstocks and applications. *Journal of Bioscience and Bioengineering* 126(3): 282–292.
- Pakalapati, H., Chang, C. K., Show, P. L., Arumugasamy, S. K., and Lan, J. C. W. 2018. Development of polyhydroxyalkanoates production from waste feedstocks and applications. *Journal of bioscience and bioengineering*, 126(3), 282-292.
- Peña, C., Castillo, T., García, A., Millán, M., and Segura, D. 2014. Biotechnological strategies to improve production of microbial poly-(3-hydroxybutyrate): a review of recent research work. *Microbial biotechnology*, 7(4), 278-293.
- Rai, R., T. Keshavarz, J.A. Roether, A.R. Boccaccini, dan I. Roy. 2011. Medium chain length polyhydroxyalkanoates, promising new biomedical materials for the future. *Materials Science and Engineering: R: Reports*. 72(3): 29–47.
- Ramsay, B. A., Lomaliza, K., Chavarie, C., Dube, B., Bataille, P., dan Ramsay, J. A. (1990). Production of poly-(beta-hydroxybutyric-co-beta-hydroxyvaleric) acids. *Applied and Environmental Microbiology*. 56(7): 2093-2098.
- Ratnaningrum, D., Saraswaty, V., Priatni, S., Lisdiyanti, P., Purnomo, A., and Pudjiraharti, S. 2019. Screening of polyhydroxyalkanoates (PHA)-producing bacteria from soil bacteria strains. In *IOP Conference Series: Earth and Environmental Science* . 277(1); 012003.
- Raza, Z.A., S. Abid, dan I.M. Banat. 2018. Polyhydroxyalkanoates: characteristics, production, recent developments and applications. *International Biodeterioration and Biodegradation* 126: 45–56.

- Sadasivam, S., Sigamani, S., Venkatachalam, H., and Ramamurthy, D. 2018. A New Method for the Production of Polyhydroxyalkanoates by *Bacillus* sp. and Detect the Presence of PHA Synthase. *Smart Science*, 6(2), 105-116.
- Sanjaya, G. I., dan Puspita, T. 2010. Pengaruh Penambahan Khitosan dan Plasticizer Gliserol pada Karakteristik Plastik Biodegradable dari Pati Limbah Kulit Singkong. *ITS*, Surabaya.
- Shen, L., E. Worrell, dan M. Patel. 2010. Present and future development in plastics from biomass. *Biofuels Bioprod Bioref.* 4(1): 25-40
- Stephen, C. S., dan Temitope, D. F. 2018. Trends on Bio-Synthesis of Plastics. *Advanced in Biotechnology and Microbiology (AIBM)*, 10(5); 1-10.
- Suandi, A., Supardi, N. I., dan Puspawan, A. 2016. Analisa Pengolahan Kelapa Sawit dengan Kapasitas Olah 30 ton/jam Di PT. BIO Nusantara Teknologi. *Teknosia*, 2(17), 12-19.
- Sudesh, K., K. Bhubalan, J.A. Chuah, Y.K. Kek, H. Kamilah, N. Sridewi, dan Y.F. Lee. 2011. Synthesis of polyhydroxyalkanoate from palm oil and some new applications. *Applied Microbiology and Biotechnology*. 89(5): 1373–1386.
- Susanti, S., Malago, J. D., dan Junaedi, S. 2015. Sintesis Komposit Bioplastic Berbahan Dasar Tepung Tapioka Dengan Penguat Serat Bambu. *Jurnal Sains dan Pendidikan Fisika*. 11(2); 173-178.
- Tufail, S., Munir, S., dan Jamil, N. 2017. Variation analysis of bacterial polyhydroxyalkanoates production using saturated and unsaturated hydrocarbons. *brazilian journal of microbiology*. 48(4): 629-636.
- Urtuvia, V., Villegas, P., González, M., dan Seeger, M. 2014. Bacterial production of the biodegradable plastics polyhydroxyalkanoates. *International journal of biological macromolecules*. 70: 208-213.
- Varsha, Y.M. dan R. Savitha. 2011. Overview on polyhydroxyalkanoates: a promising Biopol. *J Microbial Biochem Technol.* 3(5): 099-105.
- Wagle, A. R., Dixit, Y. M., and Vakil, B. V. 2019. Scale Up Studies for Polyhydroxyalkanoate Production by a *Bacillus flexus* Strain with Industrial Potential. *Indian journal of microbiology*, 59(3), 383-386.
- Wirdateti, W., Indriana, E., and Handayani, H. 2016. Analisis sekuen DNA mitokondria Cytochrome Oxidase I (COI) mtDNA pada kukang Indonesia

(Nycticebus spp) sebagai penanda guna pengembangan identifikasi spesies. *Jurnal biologi indonesia*, 12(1). 119-128.

Wong, Y. M., Brigham, C. J., Rha, C., Sinskey, A. J., dan Sudesh, K. 2012. Biosynthesis and characterization of polyhydroxyalkanoate containing high 3-hydroxyhexanoate monomer fraction from crude palm kernel oil by recombinant Cupriavidus necator. *Bioresource Technology*. 121; 320-327.

Yuniarti, L. I., Hutomo, G. S., dan Rahim, A. 2014. Sintesis Dan Karakterisasi Bioplastik Berbasis Pati Sagu (Metroxylon sp). *e-Journal Agrotekbis*. 2(1): 38-46.

Yustinah, N. Hidayat, R. Alamsyah, A.M. Roslan, H. Hermansyah, dan M. Gozan. 2019. Production of polyhydroxybutyrate from oil palm empty fruit bunch (OPEFB) hydrolysates by *Bacillus cereus* suaeda B-001. *Biocatalysis and Agricultural Biotechnology*. 18: 101-19.