

DAFTAR PUSTAKA

1. Frölich MA. Obstetric anesthesia. In: Morgan & Mikhail's clinical anesthesiology. 6th ed. New York: McGraw Hill Education; 2018. p. 862–79.
2. Hawkins JL, Koonin LM, Palmer SK, Gibbs CP. Anesthesia related deaths during obstetric delivery in the United States, 1979–1990. Am Soc Anesthesiol Publ. 1997;86:277–84.
3. Apfelbaum JL, Hawkins JL, Agarkar M, Bucklin BA, Connis RT, Gambling DR, et al. An updated report by the american society of anesthesiologists task force on obstetric anesthesia and the society for obstetric anesthesia and perinatology. Am Soc Anesthesiol Publ. 2016;124:270–300.
4. Irawan D. Kejadian menggigil pasien pasca seksio dengan anestesi spinal yang ditambahkan klonidin 30 mcg intratekal di RSUD Arifin Achmad Pekanbaru Indonesia. J Kesehat Melayu. 2018;1(2):88–92.
5. Braveman FR, Scavone BM, Blessing ME, Wong CA. Obstetric anesthesia. In: Clinical anesthesia. 8th ed. USA: Wolters Kluwer; 2017. p. 2867–8.
6. Borgeat A, Ekatodramis G, Schenker CA. Postoperative nausea and vomiting in regional anesthesia a review. Anesthesiology. 2003;98:530–47.
7. Chin A, Zundert A van. Spinal anesthesia. In: Hadzic's textbook of regional anesthesia and acute pain management. 2nd ed. New York: McGraw Hill Education; 2017. p. 344–5.
8. Sudjito MH, Mulyata, Setyawati T. Kejadian mual muntah pasca-laparotomi (PONV) setelah pemberian granisetron dibandingkan setelah pemberian kombinasi ondansetron-deksametason. Cermin Dunia Kedokt. 2018;45(3):172–5.
9. Jelting Y, Klein C, Harlander T, Eberhart L, Roewer N, Kranke P. Preventing nausea and vomiting in women undergoing regional anesthesia for cesarean

- section: challenges and solutions. Dove Press J Local Reg Anesth. 2017;10:83–90.
10. Mahardieni K, Wisudarti CFR, Sari D. Perbandingan daya guna kombinasi ondansetron 4mg dan dexamethasone 8 mg dengan granisetron 3 mg dalam mencegah mual muntah pada pasien berisiko tinggi pascaoperasi traktus gastrointestinal. J Komplikasi Anestesi. 2018;5(2):15–6.
 11. Kushwaha B, Chakraborty A, Agarwal J, Malick A, Bhushan S, Bhattacharya P. Comparative study of granisetron and ondansetron alone and their combination with dexamethasone, for prevention of ponv in middle ear surgery. Internet J Anesthesiol. 2006;13(2):1–6.
 12. Fatoni AZ, Jaya W. Perbandingan efek pemberian ondansetron dan petidin intravena untuk mencegah menggil pasca anestesi umum. 2014;89–100.
 13. Fauzi NA, Rahimah SB, Yulianti AB. Gambaran kejadian menggil (shivering) pada pasien dengan tindakan operasi yang menggunakan anestesi spinal di RSUD Karawang periode Juni 2014. Pros Pendidik Dr. 2015;1(2):275–80.
 14. Mansur IMY, Pradian E, Bisri T. Perbandingan penambahan klonidin intratekal 15 µg dan 30 µg pada 12,5 mg bupivakain 0,5% terhadap kejadian menggil pascaanestesi spinal pada seksio sesarea. J Anestesi Perioper. 2015;3(1):24–32.
 15. Thangavelu R, George SK, Kandasamy R. Prophylactic low dose ketamine infusion for prevention of shivering during spinal anesthesia: a randomized double blind clinical trial. J Anaesthesia Clin Pharmacol. 2020;36:506–10.
 16. Ma J, Si B, Liang X, Cui D, Pan D, Wang Z. Prophylactic granisetron for prevention of postoperative shivering: a meta-analysis of randomized controlled trials. Int J Clin Exp Med. 2019;12(9):11027–36.

17. Jain A, Gray M, Slisz S, Haymore J, Badjatia N, Kulstad E. Shivering treatments for targeted temperature management: a review. Wolters Kluwer Health. 2017;0(0):1–4.
18. Dehghani A, Anvari HMP. High dose but not low dose granisetron decreases incidence and severity of post anesthesia shivering (PAS) and postoperative nausea and vomiting (PONV) following lower abdominal surgeries under spinal anesthesia. Arch Anesthesiol Crit Care. 2017;3(2):304–7.
19. Manunggal HW, Oktaliyah E, Maskoen TT. Perbandingan pengaruh pemberian granisetron 1 mg intravena dengan plasebo (salin) untuk mencegah kejadian menggil pascaanestesi spinal pada seksio sesarea. J Anestesi Perioper. 2014;2(2):96–104.
20. Tsen LC. Anesthesia for obstetric care and gynecologic surgery. In: Anesthesiology David E Longnecker. 3rd ed. New York: McGraw Hill Education; 2018. p. 1063–82.
21. Guirguis GF, Apuzzio JJ. Cesarean delivery. In: Operative obstetrics. 4th ed. USA: CRC Press; 2017. p. 394–412.
22. Achmad MR, Marwoto. Pengelolaan nyeri pasca seksio sesarea. In: Anestesi Obstetri. Bandung: Saga Olahcitra; 2013. p. 301–14.
23. Javed S, Hamid S, Amin F, Mahmood KT. Spinal anesthesia induced complications in Caesarean section. J Pharm Sci. 2011;3(10):1530–8.
24. Norris MC. Neuraxial anesthesia. In: Clinical anesthesia. 8th ed. USA: Wolters Kluwer; 2017. p. 2273–85.
25. Butterworth JF, Mackey DC, Wasnick JD. Spinal, epidural, & caudal blocks. In: Morgan & Mikhail's clinical anesthesiology. 6th ed. New York: McGraw Hill Education; 2018. p. 959–78.

26. Tantri AR, Sukmono RB. Blok neuraksial. In: Anestesiologi dan terapi intensif. 1st ed. Jakarta: PT Gramedia pustaka utama; 2019. p. 426–9.
27. Wong CA. Neuraxial anesthesia. In: Spinal and epidural anesthesia. New York: McGraw Hill Education; 2007. p. 119–37.
28. Suwondo BS, Sukmono RB. Anatomi dan fisiologi pada kehamilan. In: Anestesiologi dan terapi intensif. 1st ed. Jakarta: PT Gramedia pustaka utama; 2019. p. 596–7.
29. Nathan N, Wong CA. Spinal, epidural, and caudal anesthesia: anatomy, physiology, and technique. In: Chestnut's obstetric anesthesia principles and practice. 6th ed. Chicago: Elsevier; 2019. p. 238–41.
30. Gyermek L. Pharmacology of serotonin as related to anesthesia. *J Clin Anesth*. 1996;8:403–17.
31. Watts SW, Morrison SF, Davis RP, Barman SM. Serotonin and blood pressure regulation. *Pharmacol Rev*. 2012;64(2):362–70.
32. Barrett KE, Barman SM, Brooks HL, Yuan JXJ. Neurotransmitters & neuromodulators. In: Ganong's review of medical physiology. 26th ed. New York: McGraw Hill Education; 2019. p. 135–49.
33. Sibley DR, Hazelwood LA, Amara SG. 5-Hydroxytryptamine (serotonin) and dopamine. In: Goodman & Gilman's the pharmacological basis of therapeutics. 13th ed. New York: McGraw Hill Education; 2018. p. 228–9.
34. Barrett KE, Barman SM, Brooks HL, Yuan JXJ. Gastrointestinal motility. In: Ganong's review of medical physiology. 26th ed. New York: McGraw Hill Education; 2019. p. 491.
35. Altamirano JLC, Hernández AO, Jaime HB, Mora PC, Bandala C, Long SR, et al. Review: 5-HT₁, 5-HT₂, 5-HT₃ and 5-HT₇ receptors and their role in the

- modulation of pain response in the central nervous system. *Bentham Sci Publ.* 2018;16(2):213–4.
36. Polter AM, Li X. 5-HT1A receptor-regulated signal transduction pathways in brain. *Natl Inst Health.* 2010;22(10):2–3.
 37. Sahoo T, SenDasgupta C, Goswami A, Hazra A. Reduction in spinal-induced hypotension with ondansetron in parturients undergoing Caesarean section: a double-blind randomised, placebo-controlled study. *Int J Obstet Anesth.* 2012;21:26–8.
 38. Sommer C. Serotonin in pain and analgesia. *Humana Press.* 2004;30(2):117–8.
 39. Grundy D, Blackshaw LA, Hillsley K. Role of 5-hydroxytryptamine in gastrointestinal chemosensitivity. *Dig Dis Sci.* 1994;39(12):44–5.
 40. Nallam SR, Cherukuru K, Sateesh G. Efficacy of intravenous ondansetron for prevention of postspinal shivering during lower segment Cesarean section: a double-blinded randomized trial. *Wolters Kluwer - Medknow.* 2017;11(2):508–9.
 41. Noaman M, Mohamed FI, Diab AA-HA. Ondansetron versus pethidine for the prevention of postoperative shivering. *Int J Med Arts.* 2019;1(1):53–4.
 42. Spelina KR, Gerber HR, Pagels IL. Nausea and vomiting during spinal anesthesia. *Assoc Anaesth Gt Br Irel.* 1984;39:132–7.
 43. Habib AS, Gan TJ. What is the best strategy for prevention of postoperative nausea and vomiting? In: Evidence-based practice of anesthesiology. 3rd ed. Philadelphia: Elsevier; 2013. p. 294–7.
 44. Gan TJ, Belani KG, Bergese S, Chung F, Diemunsch P, Habib AS, et al. Fourth consensus guidelines for the management of postoperative nausea and vomiting. *Int Anesth Res Soc.* 2020;30(30):1–38.

45. Tewu H, Posangi I, Kumaat L. Perbandingan mual-muntah pada premedikasi dengan pemberian ondansetron dan dengan deksametason pasca operasi sectio Caesarea dengan anestesi regional. *J E-Clin.* 2015;3(3):800–4.
46. Sharma S, Khanna S, Das J, Mehta Y, Handa KK. A randomized study to compare palonosetron with ondansetron for prevention of postoperative nausea and vomiting following middle ear surgeries. *J Anaesthesiol Clin Pharmacol.* 2019;35(2):182–4.
47. Wang TJC, Fontenla S, McCann P, Young RJ, McNamara S, Rao S, et al. Correlation of planned dose to area postrema and dorsal vagal complex with clinical symptoms of nausea and vomiting in oropharyngeal cancer (OPC) patients treated with radiation alone using IMRT. *J Radiat Oncol.* 2013;5.
48. King TL, Murphy PA. Evidence-based approaches to managing nausea and vomiting in early pregnancy. *J Midwifery Womens Health.* 2009;54(6):430–2.
49. Flood P, Shafer S. Neurophysiology. In: Stoelting's pharmacology and physiology in anesthetic practice. 5th ed. USA: Wolters Kluwer; 2015. p. 89–91.
50. Sharkey KA, MacNaughton WK. Gastrointestinal motility and water flux, emesis, and biliary and pancreatic disease. In: Goodman & Gilman's the pharmacological basis of therapeutics. 13th ed. New York: McGraw Hill Education; 2018. p. 935–6.
51. Butterworth JF, Mackey DC, Wasnick JD. Postanesthesia care. In: Morgan & Mikhail's clinical anesthesiology. 6th ed. New York: McGraw Hill Education; 2018. p. 1291–2.
52. Koren G. Is ondansetron safe for use during pregnancy? *Can Fam Physician.* 2012;58:1092–3.

53. Giglio A del, Soares HP, Caparroz C, Castro PC. Granisetron is equivalent to ondansetron for prophylaxis of chemotherapy-induced nausea and vomiting. Am Cancer Soc. 2000;89(11):2301–7.
54. Butterworth JF, Mackey DC, Wasnick JD. Adjuncts to anesthesia. In: Morgan & Mikhail's clinical anesthesiology. 6th ed. New York: McGraw Hill Education; 2018. p. 281–6.
55. Moitra VK. Other endocrine drugs. In: Stoelting's pharmacology and physiology in anesthetic practice. 5th ed. USA: Wolters Kluwer; 2015. p. 763–6.
56. Brenner GM, Stevens CW. Adrenal steroids and related drugs. In: Pharmacology. 5th ed. Philadelphia: Elsevier; 2018. p. 375–9.
57. Pradhan R, Mishra S, Khanal K, Regmi G. Effectiveness of dexamethasone for prevention of intraoperative shivering in Caesarean delivery under subarachnoid block. Birat J Health Sci. 2020;5(11):927–30.
58. Hafez IBAE, Ali O, Sayed GA. Efficacy of dexamethasone on prevention of post-operative spinal shivering in comparison with intravenous ketamine plus midazolam during elective Cesarean section. Med J Cairo Univ. 2019;87(4):2285–94.
59. Entezariasl M, Isazadehfar K. Dexamethasone for prevention of postoperative shivering: a randomized double-blind comparison with pethidine. Int J Prev Med. 2013;4(7):818–24.
60. Gholami H, Moradi Y, Khazaei Z, Tehrani S. A comparison of the effect of dexamethasone and pethidine for prevention of shivering after spinal anesthesia in Caesarean section: randomization clinical trial. Biomed Res Ther. 5(9):2646–50.

61. El-Deeb A, motlb EA el. Prophylactic multimodal antiemetic in women undergoing Cesarean section under spinal anesthesia. Egypt J Anaesth. 2011;27:107–11.
62. Balki M, Kasodekar S, Dhumne S, Carvalho JCA. The prophylactic granisetron does not prevent postdelivery nausea and vomiting during elective Cesarean delivery under spinal anesthesia. Int Anesth Res Soc. 2007;104(3):679–82.
63. Gupta S, Choudhary R. A comparative clinical study of prevention of post-operative nausea And vomiting using granisetron and ondansetron in laparoscopic surgeries. Internet J Anesthesiol. 2009;26(1):1–5.
64. Megahed MAB, Hady AMA, Sayed AEDM, Ali M. Clinical comparative study of the effects of intravenous ondansetron and granisetron on hemodynamic changes, shivering, and motor & sensory blockade induced by spinal anesthesia in women undergoing Cesarean section. N Y Sci J. 2017;10(6):7–13.
65. Zhu M, Zhou C, Huang B, Ruan L, Liang R. Granisetron plus dexamethasone for prevention of postoperative nausea and vomiting in patients undergoing laparoscopic surgery: a meta-analysis. J Int Med Res. 2017;0(0):1–8.
66. Nanjundaswamy NH, Sridhara RB. A comparative study of ondansetron and granisetron in combination with dexamethasone in prophylaxis for postoperative nausea and vomiting (PONV) in laproscopic cholecystectomies. Int J Res Med Sci. 2018;6(2):503–8.
67. Daria U, Kumar V. Qualitative comparison of metoclopramide, ondansetron and granisetron alone and in combination with dexamethasone in the prevention of postoperative nausea and vomiting in day care laparoscopic gynaecological surgery under general anaesthesia. Asian J Pharm Clin Res. 2012;5(2):165–7.
68. Babu NJ, Penchalaiah Ch. A comparative study of the efficacy of granisetron and ondansetron in the prevention of post operative nausea and vomiting in

- LSCS patients under spinal anaesthesia. *J Evid Based Med Healthc.* 2015;2(34):5293–301.
69. Jabalameli M, Soltani HA, Hashemi J, Behdad S, Soleimani B. Prevention of post-spinal hypotension using crystalloid, colloid and ephedrine with three different combinations: a double blind randomized study. *Adv Biomed Res.* 2012;1(2):1–6.