

DAFTAR PUSTAKA

- Afrianto, E., E, Liviawaty., Z, Jamaris, dan Hendi. 2015. *Penyakit Ikan*. Penebar Swadaya. Jakarta Timur.
- Ahmed, F., Aziz, M. A., Alam, M. J., Hakim, M. A., Khan, M. A. S., & Rahman, M. A. 2015. Impact on Aquatic Environment for Water Pollution in the Vahirab River. *The International Journal Of Engineering And Science*, 4(8). 56-62.
- Alifuddin, M., Hadiroseyani. Y., dan Ohoiulun. I. 2003. Parasit Pada Ikan Hias Air Tawar (Ikan Cupang, Guppy, dan Rainbow). *Jurnal Aquakultur Indonesia*. Vol. 2.93-100.
- Amalyah, R., Kasim, M., & Muhammad I. 2019. Daya Ramban (Grazing) Ikan Baronang (*Siganus guttatus*) yang Dipelihara Dengan Rumput Laut *Kappaphycus Alvarezii* di Perairan Tanjung Tiram Kabupaten Konawe Selatan. Program Studi Ilmu Perikanan. Pasca Sarjana Universitas Halu Oleo. Kendari. Sulawesi Tenggara. Indonesia.
- Anshary, H., Sriwulan., & Haryati. 2009. Pengendalian Multiple Infeksi Ektoparasit Pada Ikan Beranong (*Siganus Sp*) Melalui Stimulasi Sistem Kekebalan Non-Spesifik. Fakultas Ilmu Kelautan dan Perikanan. Universitas Hasanuddin. Makassar.
- Anshary, H. 2011. Identifikasi Molekuler Dengan Teknik PCR-RFLP Larva Parasit *Anisakis spp* (*Nematoda : Anisakidae*) Pada Ikan Tongkol (*Auxis thazard*) dan Kembung (*Rastrelliger kanagurta*) dari Perairan Makassar. Fakultas Ilmu Kelautan dan Perikanan. Universitas Hasanuddin. Makassar. Vol. XIII(2). 70-77.
- Anshary, H. 2016. *Parasitologi Ikan (Biologi, Identifikasi dan Pengendaliannya)*. Penerbit Deepublish. Yogyakarta.
- Anshary, H. 2008. Tingkat Infeksi Parasit Pada Ikan Mas Koi (*Cyprinus carpio*) Pada Beberapa Lokasi Budidaya Ikan Hias di Makassar dan Gowa. *Sains dan Teknologi*. Vol. 8. No. 2.
- Anam, R, O., Chirisestom, M, M., and Nina, W. 2020. Morphological and meristic characters of six rabbitfish species (Family: Siganidae) in Kenya. *WIO Journal of Marine Science* 19 (2). 89-103.
- Anggraini, R, D., Abdullah. A. D., dan Qadar H. 2017. Analisis Kesesuaian Perairan Untuk Budidaya Ikan Kerapu Bebek (*cromileptes altivelis*) di Perairan Pulau Tegal Teluk Lampung. Vol. 6. No. 2.
- Azmi, H., Dyah. R. I., & Nana. K. 2013. Identifikasi Ektoparasit Pada Ikan Koi (*Cyprinus carpio* L) di Pasar Ikan Hias Jurnatan Semarang. Fakultas MIPA. Universitas Negeri Semarang. Vol. 2(2).
- Basson, L., & Van-As, J. G. 2006. Trichodinidae and Other Ciliophorans (Phylum Ciliophora). In: Woo PTK (ed.). *Fish Diseases and Disorders*, Vol. 1: Protozoan and Metazoan. 2nd ed. CAB International Publishing. London.
- Basson, L. 2010. First Records of Tricodinid Ectoparasites (Ciliophora: Peritrichia) From Included Freshwaterfishes in Tasmania, Australia, With Comments Of Pathogenety. *Acta Parasitologica*. Vol. 49. No. 3. Pages : 253-265.

- Baeza, J. A., & Maria, T. G. 2021. A First Look At The “Repeatome” of *Benedenia humboldti*, a Major Pathogen in Yellowtail Aquaculture: Repetitive Element Characterization, Nuclear rRNA Operon Assembly, And Microsatellite Discovery. Clemson University.
- Ben-Chioma, Jack, A. E., & Philipokere. 2015. A Comparative Study on the Measurement of pH of Water, Using pH Metre and Water Testing Kit [Testube Method] In Port Harcourt. International Journal Of Applied Chemistry, 1(3). 1-5.
- Bharadhirajan, P., Ayyaru, G., Kuzhanthaivel, R., Sambanthan, M., Ramalingam, V., and Mohammad, M, R. 2013. Prevalence of Copepod parasite (*Lernaeenicus polynemi*) infestation on *Eleutheronema tetradactylum* from Pazhayar coastal waters, southeast coast of India. Journal of Coastal Life Medicine. Vol. 1. Pages : 278-281.
- Budiarto, B. R. M. B. 2015. Polymerase Chain Reaction (PCR) : Perkembangan dan Perannya Dalam Diagnostik Kesehatan. Cibinong Science Center. Bogor. Jawa Barat. Vol.6(2).
- Buchmann, K., & Bresciani. J. 2006. Dispersal of The Skin Fluke *Benedenia seriolae* (Monogenea: Capsalidae) by Tidal Currents and Implications For Sea-Cage Farming of *Seriola* spp. Aquaculture. Vol 250. Pages: 60-69.
- Bush, A. O., Lafferty, K. D., Lotz, J. M. and Shostak, A. W. 1997. Parasitology meets ecology on its own terms: Margolis et al. revisited. Journal of Parasitology, 83, 575–583.
- Boxshall, G. A. and Defaye, D. eds. 1993. Pathogens of wild and farmed fish: sea lice. Ellis Horwood, Chichester.
- Bondad-Reantaso, M. G., & Arthur, J. R. 1989. Trichodinid (Protozoa: Ciliophora: Peritrichida) Of Nile Tilapia (*Oreochromis niloticus*) in The Philipinnes. Asian Fisheries Science. Vol. 3. Pages : 27-44.
- Bondad-Reantaso, M.G., K. Ogawa, M. Fukudome, and II. Wakabayashi. 1995. Reproduction and growth of *Neobenedenia girellae* (Monogenea: Capsalidae), a skin parasite of cultured marine fishes of Japan. Fish Pathology, 30(3): 227 -231.
- Candra, T., Gunanti. M., Woro. N. E. S., & Dudung. D. 2011. Identifikasi dan Penentuan Derajat Kerusakan Akibat Infeksi *Myxobolus sp.* Pada Ikan Mas (*Cyprinus carpio*). Balai Karantina Ikan Kelas II Tanjung Emas, Semarang. Fakultas Kedokteran Hewan, Universitas Airlangga, Surabaya. Vol. 6B : 1-6.
- Costa, C. R., Costa, M. F., Dantas, D. V., & Barletta, M. 2018. Interannual and Seasonal Variations in Estuarine Water Quality. Frontiers in Marine Science, 5. 1-12.
- Cruz-Lacierda, E.R., Pagador, G.E., Yamamoto, A. and Nagasawa, K. 2011. Parasitic caligid copepods of farmed marine fishes in the Philippines, pp. 53-62. In Bondad-Reantaso, M.G., Jones, J.B., Corsin, F. and Aoki, T. (eds.). Diseases in Asian Aquaculture VII. Fish Health Section, Asian Fisheries Society, Selangor, Malaysia.
- Dastin, I, L., Rudy, A, n., Nova, H., Retno, A., Hetty, M., and Rudianto. 2021. Prevalence, Intensity, and Dominance Of Ectoparasites in The Gourami (*Osphronemus gorami* Lacepede, 1801) reared in the Floating Net Cage in Cirata Reservoir, West Java, Indonesia. Aceh Journal of Animal Science. Vol. 1. Pages : 27-33.

- Eldeen, S. Y. M.H., Omer. F. I., Murwan. K. S., & Mohamed. I. 2014. Histopatological Alterations In Small Intestine Of Rabbit Fish (*Siganus Rivulatus*) Infected By Helminth Parasite (*Sclerocollum sp.*) Red Sea Coast, Sudan. International Journal Of Environment. Faculty of Marine Science and Fisheries Red Sea University. Faculty of Science and Technology University of El Neelain Sudan). Vol. 3(2).
- El-Latif, M, E., and Mohammed, T, A, A. 2014. Digenetic Trematodes From Siganid Fish *Amphacanthus sigan* at Macady Bay, Southern Hurghada, Red Sea, Egypt. National Institute of Oceanography and Fisheries Egyptian Journal of Aquatic Research.
- Fakhri, A.S., I. Riyantini, D.P. Juliandri & H. Hamdani. 2016. Korelasi Kelimpahan Ikan Baronang, *Siganus spp.* dengan Ekosistem Padang Lamun di Perairan Pulau Pramuka Taman Nasional Kepulauan Seribu. Jurnal Perikanan Kelautan, 7(1).
- Feranisa, A. 2016. Komparasi Antara Polymerase Chain Reaction (PCR) dan Loopmediated Isothermal Amplification (LAMP) dalam Diagnosis Molekuler. Fakultas Kedokteran Gigi. Universitas Islam Sultan Agung. Vol.3(2).
- Freeman, M, A., Anshary, H., and Ogawa, K. 2013. Multiple gene analyses of caligid copepods indicatetehtz the reduction of a thoracic appendage in *Pseudocaligus* represents convergent evolution. Institute of Ocean and earth Science, University of Malaysia, Kuala Lumpur.
- Geets, A., Coene, H., & Ollevier, F. 1997. Ectoparasite of The Whitespotted Rabbitfish, *Siganus sutor* (Valenciennes, 1835) off The Kenyan Coast : Distribution Within The Host Population and Site Selection On The Gills. Parasitology. 115. 69-79.
- Gorospe, J, G., and Cesar, G. D. 2013. Population variability of the Golden rabbit fish (*Siganus guttatus* Bloch) (Pisces: Siganidae) in Northern Mindanao, Philippines. Aquaculture, Aquarium, Conservation & Legislation International Journal of the Bioflux Society. , Volume 6, Issue 3.
- González, M.P., Muñoz, J.L.P., Valerio, V., & L.V.- Chacoff. 2016. Short Communication: Effects of the ectoparasite *Caligus rogercresseyi* on *Salmo salar* blood parameters under farm conditions. Aquaculture. (457) 29–34.
- Gusrina. 2008. Fish Aquaculture. PT. Macanan Jaya Cemerlang. Jakarta.
- Johnson, S.C., Treasurer, J.W., Bravo, S., Nagasawa, K. and Kabata, Z. 2004. A review of the impact of parasitic copepods on marine aquaculture. Zoological Science 43:229-243.
- Justine, J., Ian, B., Geoffery, A, B., Rodney, A, B., Terrence, L, M., Frantisek, M., and Whittington. 2012. An Annotated List of Fish Parasites (Isopoda, Copepoda, Monogenea, Digenea, Cestoda, Nematoda) Collected From Snappers and Bream (Lutjanidae, Nemipteridae, Caesionidae) In New Caledonia Confirms High Parasite Biodiversity On Coral Reef Fish. Aquatic Biosystem.
- Hashemi, S., Ghorbani, R., Kymaram, F., Hossini, S. A., Eskandari, G., & Hedayati, A. 2016. Relationship of Physicochemical Factors with Fish Biomass and Production in Shadegan Wetland, Iran. Biodiversitas, 17(2). 515-522.
- Hafidloh, U., & Sari, P. D. W. 2019. Protozoan Parasites of Vannamei Shrimp (*Litopenaeus vannamei*) in Farmed Fish From Pasuruan, Indonesia. International Conference on Fisheries and Marine Science.

- Hassan, M. A. H. 1999. Trichodiniasis in Farmed Freshwater Tilapia in Eastern Saudi Arabia. *J. KAU Marine Science*. Vol. 10. Pages : 157-168.
- Hassan, L., Paramasvaran, S., Sani, R, A., Kaur, H., Krishnasamy, M., Jefiery, S., raj, S, M., and Gazali, L, K. 2009. Endo Parasites Fauna of Rodens Caught In Five Wet Markets in Kuala Lumpur and Its Potential Zoonotic Implication. *Tropical Biomediance*. Vol. 1. Number. 26. Pages : 67-72.
- Hadiroseyani, Y., Hariyadi, P., & Nuryati, S. 2006. Inventarisasi Parasit Lele Dumbo Clarias sp. di daerah Bogor. *Akuakultur Indonesia*. Vol. 5. No. 2. Hal: 167-177.
- Hadiroseyani, Y., Effendii, I., Rahayu, A, M., and Arianty, H, S. 2010. Infestasi Parasite Pada Benih Ikan Kerapu Macan (*Epinephelus fuscoguttatus*) di Keramba Jaring Apung Balai Sea Farming, Kepulauan Seribu Jakarta. *Jurnal Akuakultur Indonesia*. Vol. 9. Pages : 140-145.
- Hardi, E. H. 2016. *Parasit Biota Akuatik dan Penanggulangan*. Mulawarman University Press. Kalimantan Timur.
- Hussein, N, M. 2017. First Description Of Three Species of Dactylogyrids (Monogenea) Infecting Three Species Of Perciformes Marine Fishes From The Red Sea, Egypt. *Journal of Pharmacy and Biological Sciences*. Vol. 12. Issue. 6. Pages 21-27.
- Ho, J, S., Wei-Cheng, L., and Ching-Leong, L. 2011. Six Species of the Lernanthropidae (Crustacea : Copepoda) Parasitic on Marine Fishes Taiwan, With a Key to 18 Spesies of The Family Known From Taiwan. *Zoological Studies*. Vol. 5. Number. 50. Pages : 611-635.
- Jithendran, K. P., Vijayan. K. K., Alavandi. S. V., & Kailasam. M. 2005. *Benedenia epinepheli* (Yamaguti 1937), A Monogenean Parasites in Captive Broodstock of Grouper, *Epinephelus tauvina* (Forskål). *Asian Fisheries Science*. Vol. 18. Pages: 121-126.
- Kale, V. S. 2016. Consequence of Temperature, pH, Turbidity and Dissolved Oxygen Water Quality Parameters. *International Advanced Research Journal in Science, Engineering and Technology*, 3(8). 186-190.
- Kabata, Z. 1985. *Parasites and Disease Of Fish Cultured In The Tropics*. Tailor and Feancis Inc, London and Philadelphia.
- Kabata, Z. 1979. *Parasitic Copepoda of British Fishes*. Ray Society, London, pp. 1-468.
- Khalifah, R., Hassan, H,A., Mohammadain, H,S., & Karar, Y,F,M. 2018. Molecular Phylogenetic Taxonomy and Descriptive Analysis on Hexangium sigani Goto & Ozaki, 1929 (Digenea: Microscaphidiidae) from Three Different Siganus spp. Fishes from Red Sea, Egypt. Department of Medical Parasitology, Faculty of Medicine, Assiut University, Assiut, Egypt.
- Krisky, D. C., and Galli, P. 2007. *Dactylogyrids* (Monogenoidea) Parasitizing The Gills Of Spinefoots (Teleostei, Signidae) : Revision of Tetrancistrum Goto & Kikuchi, With Descriptions Of Two New Species From *Siganus* spp. Of The Red Sea and Celebes. *Journal of Natural History*. Vol 41. Pages : 1513-1551.

- Kim, K.H., Hwang, Y.J., Cho, J.B., Park, S.I., 2000. Immunization of cultured rockfish *Sebastes schlegeli* against *Microcotyle sebastis* (Monogenea). *Dis. Aquat. Org.* 40, 29–32
- Latuconsina, H., M.N. Nessa & R. Ambo-Rappe. 2012. Komposisi Spesies dan Struktur Komunitas Ikan Padang Lamun di Perairan Tanjung Tiram–Teluk Ambon Dalam. *Jurnal Ilmu dan Teknologi Kelautan Tropis*, 4(1): 35-46.
- Laining, A., Mulyaningrum, S.R.H., Usman, Sahrijanna, A., Tampangallo, B.R., Syah, R., Undu, M.C., Fahrur, M., Ramadhan, & Rosni. 2021. Laporan teknis akhir kegiatan: Pengembangan Budidaya Ikan Baronang emas, *Siganus* sp (PHLN-ACIAR: Accelerating the development of finfish mariculture in Cambodia through south-south research cooperation with Indonesia FIS/2016/130). Balai Riset Perikanan Budidaya Air Payau dan Penyuluhan Perikanan, Badan Riset dan Sumber Daya Manusia, Kementerian Kelautan dan Perikanan. 89 hal.
- Laining, A., Trismawanti, I., Usman & Masruri, M.H. 2019. Influence of squid liver meal in maturation diet on gonadosomatic index and gonadal amino acid content of golden spotted rabbitfish, *Siganus guttatus*. *Indonesian Aquaculture Journal* Volume 14 No.1, 31-38.
- Leong, T. S. 2001. Chronology of Diseases in Cultured Marine Finfishes. *Aquaculture Asia*. Vol. 6. Pages : 10-13.
- Leong, T. S., & Wong, S. Y. 1998. A Comparative Study Of The Parasite Fauna of Wild and Cultured Grouper (*Epinephelus malabaricus* Bloch et Schneider) in Malaysia. *Aquaculture*. Vol. 68. Pages : 203-207.
- Lester, R.J.G. and Hayward, C.J. 2006. Phylum Arthropoda, pp. 463-562. In Woo, P. T. K. (ed.). *Fish Diseases and Disorders*, Vol. 1. Protozoan and Metazoan Infections, 2nd edition. CABI Publishing, Oxford.
- Lim, L. H. S. 2002. Three New Species of *Pseudohaliotrema* Yamaguti, 1953 (Monogenea: *Ancyrocephalidae*) From *Siganus* Species (Signidae) and The Description of a Mechanism For Cross-Insemination. *Journal of Natural History*. Vol 36. Pages :1639 1660.
- Makori, A. J., Abuom, P. O., Kapiyo, R., Anyona, D. N., & Dida, G. O. 2016. Effects of Water Physico-Chemical Parameters on Tilapia (*Oreochromis niloticus*) Growth in Earthen Ponds in Teso North Sub-County, Busia County. *Fisheries and Aquatic Sciences*, 20(30). 1-10.
- Mahrus & A. Syukur. 2020. Karakter Morfologi dan Identifikasi Molekuler dengan Menggunakan Marka Gen 12S rRNA pada Ikan Baronang (*Siganus spp.*) di Perairan Laut Selatan Pulau Lombok. *Jurnal Sains Teknologi dan Lingkungan*. Vol. 6(1).
- Maharani, G., Sunarti., Juni, T., & Tutik, J. 2009. Kerusakan Dan Jumlah Hemosit Udang Windu (*Penaeus monodon* Fab.) yang Mengalami Zoothamniosis. *Jurnal Ilmiah Perikanan dan Kelautan*. Vol. 1. No. 1.
- Mahasri, G., Putri. D. W., & Indah. H. I. 2019. Intensitas Cacing Ektoparasit Ikan Kerapu Tikus *Cromileptes altivelis* Pada Keramba Jaring Apung di Perairan Situbondo Jawa Timur. *Jurnal Kelautan Tropis*. Fakultas Perikanan dan Kelautan Universitas Airlangga. Vol. 22(2) : 135-140.

- Martins, M. J., Shoemaker, C. A., Xu, D., & Klesius, P. H. 2011. Effect of Parasitism On Vaccine Efficacy Against *Streptococcus iniae* in Nile Tilapia. *Aquaculture*.
- Ministry of Marine Affairs and Fisheries of Indonesia. 2014. Marine and fisheries in figures. Center for data statistics and information. 120 p.
- Militz, T.A., Southgate, P.C., Carton, A.G., & Hutson, K.S. 2013. Dietary supplementation of garlic (*Allium sativum*) to prevent monogenean infection in aquaculture. *Aquaculture*. (408–409), 95–99.
- Muliati, F. Yasidi & H. Arami. 2017. Studi Kebiasaan Makanan Ikan Baronang, *Signanus canaliculatus* di Perairan Tondonggeu Kecamatan Abeli Sulawesi Tenggara. *Jurnal Manajemen Sumber Daya Perairan*, 2(4): 287-294.
- Muttaqin, I., Pande, G. S. J., & Alfi, H. W. S. 2018. Identifikasi dan Predileksi Ektoparasit Kepiting Bakau (*Scylla* spp.) dari Ekosistem Mangrove Taman Hutan Raya (TAHURA) Ngurah Rai, Bali. *Current Trend in Aquatic Science*. Vol. 1. Hal : 24-31.
- Nasser, N., Jessica. B., Samer, M., dan Imad. P. S. 2017. Toxicity of Four Chemotherapeutic Agents to Rabbitfish *Signanus rivulatus*. Departemen of Biology. American University of Beirut. Lebanon.
- Nurchahyo, W. 2018. *Parasit Pada Ikan*. Gadjah Mada University Press. Yogyakarta.
- Nofasari, N., Tengku. S. R., & Rika. W. 2019. Identifikasi dan Prevalensi Ektoparasit Pada Ikan Air Tawar dan Laut Dilokasi Budidaya Perikanan Bintan Kepulauan Riau. *Intek Akuakultur*. Fakultas Ilmu Kelautan dan Perikanan. Universitas Maritim Raja Ali Haji. Vol. 3(1) : 92-104.
- Novita, D., Teuku, R. F., & Zainal, A. M. 2016. Intensitas dan Prevalensi Ektoparasit Pada Udang Pisang (*Penaeus* sp.) Yang Berasal Dari Tambak Budidaya di Pantai Barat Aceh. *Jurnal Ilmiah Mahasiswa Kelautan dan Perikanan Unsyiah*. Vol. 1. No. 3. Hal: 268-279.
- Obe, Akin-Obasola, & Adeosun. 2013. Physico-Chemical Parameters of Fish Ponds Aas it Affects Fish Production in Ado-Ekiti, Ekiti State, Nigeria. *Proceedings of 28th Annual Conference*. 97-100.
- Ode, I. 2011. Ektoparasit Pada Ikan Budidaya di Perairan Teluk Ambon. Staf Pengajar FPIK UNIDAR-Ambon.
- Ode, I. 2014. Ektoparasit Pada Ikan Budidaya di Perairan Teluk Ambon. Staf Pengajar FPIK UNIDAR-Ambon.
- Omeji, S. Solomon, S.G., & Idoga, E.S. 2011. A comparative study of the common protozoan parasites of *Clarias gariepinus* from the wild and cultured environments in Benue State, Nigeria. *J Parasitol Res* 2011: 1-8.
- Oni, S.K., Olayemi, J.Y. and Adegboye, J.D. 1983. Comparative physiology of three ecologically distinct fresh water fishes, *Alestes nurse* Ruppell, *Synodontis schall* Bloch and *S. schneider* and *Tilapia zilli* Gervais. *J. Fish Biol.*, 22: 105-109.

- Ogawa, K., Bondad-reantaso, M. G., Fukudome, M., Wakabayashi, H. 1995. *Neobenedenia girallae* (Hargis, 1955) Yamaguti, 1963 (Monogenea : capsalidae) from cultured marine fisheries of Japan. *Jurnal Parasitologi*. Vol. 81. Pages : 105-115.
- Ogawa, K., Hirotaka, M., Tomofumi, Y., Sho, S., Nanami, A., & Yasuo, A. 2021. *Benedenia akaji* n. sp. (Monogenea: Capsalidae) From Leopard Coral Grouper *Plectropomus leopardus* Reared in Okinawa Prefecture, Japan. *Fish Pathology*. Vol. 55(4). Pages : 117-124.
- Ogawa, K.; Miyamoto, J.; Wang, H.C.; Lo, C.F.; Kou, G.H. 2006. *Neobenedenia girellae* (Monogenea) infection of cultured cobia *Rachycentron canadum* in Taiwan. *Fish Pathol.* 41, 51–56.
- Ogawa, K. Melba, G., & Hisatsugu, W. 2011. Redescription of *Benedenia epinepheli* (Yamaguti, 1937) Meserve, 1938 (Monogenea: Capsalidae) from cultured and aquarium marine fishes of Japan. *Canadian Journal of Fisheries and Aquatic Sciences*.
- Parawansa, B, P., Ali, S, A., Nessa, N., Rappe, R., and Indar, Y, N. 2019. Biological analysis of adult rabbitfish (*Siganus guttatus* bloch, 1787) in seagrass and coral reef ecosystems at laikang bay, takalar regency. *Earth and Environmental Science* 473.
- Pertiwi, N. P. D., Mahardika. I. G. N. K., & Ni. L. W. 2015. Optimasi Amplifikasi DNA Menggunakan Metode PCR (*Polymerase Chain Reaction*) Pada Ikan Karang Anggota Famili *Pseudochromidae* (DOTTYBACK) Untuk Identifikasi Spesies Secara Molekular. *Jurnal Biologi*. Universitas Udayana. Indonesian Biodiversity Research Center Denpasar Bali. Fakultas Kedokteran Hewan. Lab Biomedik dan Biologi Molekular. Fakultas MIPA. Vol. 19(2) : 1-5.
- Plumb, J,A. 1994. Optimum concentration of *Edwardsiella ictaluri* vaccine in feed for oral vaccination of channel catfish. *J Aquat Anim Health* 6(2):118–121.
- Pranawaty, R. N., Ibnu. D. B., & Evi. L. 2012. Aplikasi *Polymerase Chain Reaction* (PCR) Konvensional dan *Real Time* PCR Untuk Deteksi *White Spot Syndrome Virus* Pada Kepiting. *Jurnal Perikanan dan Kelautan*. Fakultas Perikanan dan Ilmu Kelautan Unpad. Vol.3(4). 61-74.
- Prihartini, N. C., & Alfiah. 2017. *Myxosporeasis* pada Ikan Koi (*Cyprinus carpio*). *Jurnal Ilmu Perikanan*. Balai Karantina Ikan, Pengendalian Mutu dan Hasil Perikanan Kelas I Surabaya I. Vol. 8(1).
- Putri, & Dewi, N. N. 2019. Growth Monitoring of Koi Fish (*Cyprinus carpio*) Innatural Hatchery Techniques in Umbulan, Pasuruan, East Java. *IOP Conf. Series: Earth and Environmental Science*, 236. 1-7.
- Putri, N., Dwi, S., & Ahmad, M. 2017. Identifikasi dan Prevalensi Ektoparasit Pada Kepiting Bakau (*Scylla Serrata*) di Tambak Desa Bagan Percut Ujung Kecamatan Percut Sei Tuan dan Tambak Kelurahan Tangkahan Lagan Barat Kecamatan Sei Lapan. *Fakultas MIPA*. Universitas Sumatera Utara.
- Rahmaningsi, S. 2018. *Diktat Kuliah Hama dan Penyakit Ikan*. Deepublish. Yogyakarta.

- Rukyani, A. 1996. Jenis Penyakit Udang dan Tambak dan Cara Pengendaliannya. Makalah Pertemuan Aplikasi Paket Teknologi Pertanian. BIP Lampung.
- Rohde, K. 1982. Comparative Studies On Microhabitat Utilization By Ectoparasites Of Some Marine Fishes From The North Sea and Papua New Guinea. Zool. Jena 204. 27-63.
- Rokhmah, N. A., Muhammad, R., & Yudi, S. 2020. Reduksi Amonia Oleh Kangkung Darat (*Ipomea Reptans*) Pada Budidaya Ikan Menggunakan Teknologi Vertiminaponik. Agropross, National Conference Proceedings of Agruculture.
- Sarjito., S. B. Prayitno dan A. H. C. Haditomo. 2013. *Buku Pengantar Parasit dan Penyakit Ikan*. UPT UNDIP Press Semarang. Semarang.
- Saptiani, G., Catur, A, P., Agustina, Esti, H, H., and Fikri, A. 2017. Diversity and Prevalence of Ectoparasites Associated With Cultured Fish from Coal Ponds in East Kalimantan, Indonesia. Biodiversitas. Vol. 18. Number 2. Pages : 666-670.
- Sidabalok, C. 2012. Tinjauan Tentang Kopepoda Parasit Di Indonesia. LIPI. 11(1).
- Silan, P., and Maillard, C. 1989. Biologie compare du developement et discrimination des Diplectanidae ectoparasites du Bar (Teleostei). Annales de Sciences Naturelles, Zoologie. Vol 10. Pages : 31-45.
- Simora, R, M, C., Traifalgar, R, F, M., and Legario F, S. 2015. Characterization of extracellular enzymes from culturable autochthonous gut bacteria in rabbitfish (*Siganus guttatus*) Extrem. Life, Biospeology Astrobiol. 7 67–76.
- Sudaryatma, P. E., & Ni. N. E. 2012. Histopatologis Insang Ikan Hias Air Laut yang Terinfestasi *Dactylogyrus* sp. Jurnal Sains Veteriner. Balai Karantina Ikan, Pengendalian Mutu dan Keamanan Hasil Perikanan Kelas I Denpasar. Bali. Vol. 30(1).
- Subekti, S., Muhammad. K. A., Hervina. B. A., Muhammad. A. Y., Ivan. A., dan Rizhar. E. K. A. 2021. Molecular Epidemiology of Helminth Diseases of the Humpback Grouper, *Cromileptes altivelis*, as a Pattern for Mapping Fish Diseases in the Sunda Strait, Indonesia. Universitas Airlangga, Surabaya. Indonesia.
- Sepulveda, F. A., & Gonzalez. M. T. 2014. Molecular and Morphological Analyses Reveal That The Pathogen *Benedenia seriola* (Monogenea : Capsalidae) is a complex species: IMPLICATION for YELLOWTAIL *Seriola* spp. Aquaculture. Universiy de Antofagasta.
- Syukran, M., Sayyid, A, E, R., and Silvia, W. 2017. Intensity and Prevalence of Ectoparasites on Betta Fish (*Betta splendens*) in the District of Aceh Besar and Banda Aceh City Waters. Jurnal Ilmiah Mahasiswa Kelautan dan Perikanan Unsyiah. Vol. 2. Pages : 221-228
- Tarwiyah. 2011. Pembenuhan Ikan Baronang, *Siganus* sp. Booklet Jenis-jenis Komoditi Laut Ekonomis Penting pada Usaha Perikanan, 1996 (Editor). Direktorat Bina Pembenuhan, Dirjen Perikanan, Departemen Pertanian, Jakarta.
- Trujillo-Gonzalez, A., Constantin. C. C., dan Richar R. 2015. Tracking Transparent Monogenean Parasites on Fish From Infection to Maturity. Marine Parasitology Laboratory Australia. Centre for Biosecurity in Tropical Infectious Diseases Australia. Collage of Marine and Environmental Sciences Australia. Vol 4. 316-322.

- Umara, A., M, Bakri., & M. Hambal. 2014. Identifikasi Parasit Pada Ikan Gabus (*Channa striata*) di Desa Meunasah Manyang Lamhom Kecamatan Lhoknga Aceh Besar. Vol. 8 No.2. Hal. 110-113.
- Vallado, G. M. R., Alves, L. O., & Pilarski, F. 2016. Trichodiniasis in Nile Tilapia Hatcheries: Diagnosis, Parasite: Host-Stage Relationship and Treatment. Aquaculture Center. Brazil.
- Vallado, G. M. R., Padua, S. B., Gallani, S. U., Menezes-Filho, R. N., Dias-Neto, J., Martins, M. L., & Pilarski, F. 2013. Paratrichodina Africana (Ciliophora): a Pathogenic Gill Parasite in Farmed Nile Tilapia. Veteriner Parasitology. Vol 197. Pages : 705-710.
- Wall, D., Preimesberger, A., Carpenter, H., Heiskary, S., & Pratt, G. 2013. Nitrogen in Waters: Forms and Concerns Minnesota Pollution Control Agency. 1-22.
- White, W.T., Last, P.R., Dharmadi, Faizah, R., Chodrijah, U., Prisantoso, B.I., Pogonoski, J.J., Puckridge, M., Blaber, S.J.M. 2013. Market fishes of Indonesia (=Jenis-jenis ikan di Indonesia). ACIAR Monograph No. 155. Australian Centre for International Agricultural Research: Canberra. 438 pp.
- Whittington, R.J., Jones, J.B., Hine, P.M., Hyatt, A.D., 1997. Epizootic mortality in the pilchard (*Sardinops sagax neopilchardus*) in Australia and New Zealand in 1995. I. Pathology and epizootiology. Dis. Aquat. Org. 28, 1–16.
- Whittington, R.J., Crockford, M., Jordan, D., Jones, B., 2008. Herpesvirus that caused epizootic mortality in 1995 and 1998 in pilchard, *Sardinops sagax neopilchardus* (Steindachner), in Australia is now endemic. J. Fish Dis. 31, 97–105.
- Williams, E.H., Jr. dan L.B. Williams. 1996. Parasites Offshore big game fishes of Puerto Rico and the Western Atlantic. Department of Natural Environmental Resources and University of Puerto Rico, Rio Piedras. Puerto Rico.
- Woo, P,T,K., and Buchman, K. 2012. In: Woo PTK, Buchmann K (eds) Fish parasites: pathobiology and protection. CABI, Cambridge.
- Yunowo,T. 2005. *Biologi Molekuler*. Erlangga. Jakarta.
- Zhang, X.P., W.X. Li, T.S. Ai, H. Zoua, S.G. Wua & Wang, G.T. 2014. The efficacy of four common anthelmintic drugs and traditional Chinese medicinal plant extracts to control *Dactylogyrus vastator* (Monogenea). Aquaculture. (420–421), 302–307
- Zingone, A., D'Alelio, D., Mazzocchi, M. G., Montresor, M., Sarno, D., & Team, L.-M. 2019. Time Series and Beyond: Multifaceted Plankton Research t A Marine Mediterranean Lter Site. Nature Conservation, 34. 273-310.

LAMPIRAN

Lampiran 1.

**JUMLAH INFEKSI PARASIT IKAN BARONANG EMAS (*Siganus guttatus* Bloch, 1787)
PADA LOKASI BUDIDAYA KERAMBA JARING APUNG (KJA)**

Ikan	Berat (g)	Panjang (cm)	Mucus		Sirip	Insang	
			Copepoda	Pseudohaliotrema	Pseudohaliotrema	Benedenia	Pseudohaliotrema
1	211	22.5	0	0	5	0	43
2	185	22.5	0	1	0	0	108
3	205	23	0	0	0	3	63
4	231	23.5	0	0	0	0	83
5	227	21.5	0	0	4	0	48
6	253	23.5	0	0	0	12	28
7	198	22	0	4	0	20	12
8	235	22.5	0	0	0	23	23
9	232	21.5	0	0	0	18	127
10	223	22	0	0	3	28	84
11	180	21	0	0	0	18	42
12	182	20.5	0	0	0	8	41
13	201	23.5	1	0	0	19	318
14	298	24.5	0	3	0	14	38
15	256	23.5	0	0	2	0	268
16	244	24.5	0	0	0	25	157
17	257	25.5	0	0	0	32	246
18	253	23.5	0	0	2	13	93
19	200	22	0	0	9	28	353
20	302	24	0	0	0	21	124
21	266	24	0	3	8	24	57
22	276	20.5	1	7	0	22	64
23	205	27.5	0	2	4	12	71
24	211	21	0	6	12	21	75
25	205	20.5	0	3	0	4	48
26	228	23.5	0	4	4	40	519
27	206	23	0	4	8	53	109
28	210	22	0	0	4	43	83
29	226	23.5	0	3	0	38	67
30	232	24	0	3	0	32	126
JUMLAH			2	43	65	571	3518

**JUMLAH INFEKSI PARASIT IKAN BARONANG EMAS (*Siganus guttatus* Bloch, 1787)
PADA LOKASI BAK PENDEDERAN**

Ikan	Berat (g)	Panjang (cm)	Mucus	Sirip		Insang	
			Pseudohaliotrema	Zoothamnium	Copepoda	Pseudohaliotrema	Zoothamnium
1	44	13.5	0	0	1	0	0
2	33	13	0	0	0	0	0
3	38	13.5	0	0	0	0	0
4	42	13.5	0	0	0	0	1
5	46	14	1	0	0	0	0
6	42	13.5	0	0	0	0	0
7	32	11	0	0	0	0	0
8	28	10.5	0	0	0	0	0
9	25	10.5	0	0	0	0	0
10	33	11	0	2	0	0	0
11	31	11	0	0	0	1	0
12	21	10.5	2	0	0	0	0
13	23	10	0	0	0	0	0
14	39	13.5	0	0	0	0	0
15	37	13.5	0	0	0	1	0
16	20	11.5	0	0	0	0	0
17	22	10.5	0	0	0	0	0
18	20	10	0	0	0	0	0
19	21	10.5	1	0	0	0	0
20	28	11.5	0	2	0	0	0
21	21	10	0	0	0	0	0
22	30	11.5	0	0	0	0	0
23	25	10.5	0	2	0	0	0
24	20	9.5	0	0	0	0	0
25	21	10.5	0	0	0	0	1
26	20	10	0	0	0	0	0
27	20	9.5	0	0	0	0	0
28	23	10	0	0	0	0	0
29	35	12	0	0	0	1	2
30	37	12.5	0	0	0	0	0
31	43	13	0	0	0	0	2
32	27	11.5	0	0	0	1	0
33	25	10.5	0	0	0	0	0
34	44	13.5	0	0	0	0	0
35	37	13.5	0	0	0	0	0
36	38	12.5	0	0	0	0	0
37	45	13	0	1	0	0	0
38	44	12.5	0	0	0	0	0
39	45	12.5	0	0	0	0	0
40	37	12.5	0	0	0	0	0

41	33	11	0	0	0	0	0
42	33	10.5	0	1	0	0	0
43	39	11.5	0	1	0	0	0
44	43	12	0	0	0	0	0
45	39	11.5	0	0	0	0	0
46	22	10.5	0	0	0	0	0
47	27	11	0	0	0	0	0
48	47	13.5	0	1	0	0	0
49	25	10	0	1	0	0	0
50	37	11	0	0	0	0	0
JUMLAH			4	11	1	4	6

**JUMLAH INFEKSI PARASIT IKAN BARONANG EMAS (*Siganus guttatus* Bloch, 1787)
PADA LOKASI TAMBAK BUDIDAYA**

Ikan	Berat (g)	Panjang (cm)	Mucus	Sirip			Insang			
			Trichodina	Copepoda	Trichodina	Zoothamnium	Trichodina	Zoothamnium	Copepoda	Pseudohaliotrema
1	42	12.5	0	1	0	13	0	0	0	2
2	48	13	0	0	0	3	3	0	0	1
3	55	13.5	0	0	0	0	6	0	0	2
4	47	13.5	1	0	0	0	43	0	0	0
5	53	14	0	0	0	0	1	0	0	1
6	57	14.5	0	0	0	7	8	0	0	0
7	51	13	0	0	0	0	8	0	0	3
8	48	12.5	0	0	2	0	31	3	1	0
9	51	13	5	0	0	0	28	0	0	0
10	63	13.5	0	0	0	0	12	0	0	0
11	48	12.5	1	0	5	0	26	0	0	3
12	65	15	0	0	0	0	18	0	0	0
13	40	11.5	0	0	0	0	38	0	0	0
14	43	12	0	0	0	0	29	1	0	3
15	51	13	0	0	2	0	63	0	0	5
16	40	13.5	2	0	0	0	3	0	0	1
17	21	10.5	0	0	0	0	18	0	0	0
18	33	11	0	0	0	0	3	0	0	0
19	38	11	0	0	0	0	5	0	0	2
20	43	11.5	0	0	0	0	8	0	0	5
21	25	10.5	0	0	0	0	3	0	0	0
22	36	11.5	0	0	0	0	8	0	0	0
23	21	9.5	0	0	0	0	43	0	0	0
24	23	10	0	0	3	0	7	0	0	0
25	22	10	0	0	0	0	4	0	0	0
26	23	10.5	0	0	0	0	38	0	0	0
27	20	9.5	0	0	0	0	4	0	0	0
28	40	11	0	0	0	0	3	0	0	1
29	38	12	0	0	0	0	8	0	0	3
30	29	11.5	0	0	0	0	2	0	0	0
31	33	11	0	0	0	0	4	0	0	0
32	23	10.5	0	0	0	0	3	0	0	1
33	24	10.5	0	0	0	3	12	0	0	0
34	44	13.5	0	0	0	0	32	0	0	0
35	33	11.5	0	0	0	0	43	0	0	3
36	28	11	0	0	1	1	36	0	0	0
37	24	10	8	0	0	0	13	0	0	0
38	30	10.5	0	0	0	0	41	0	0	3

39	27	11	0	0	0	0	4	0	0	1
40	42	13.5	0	0	0	0	34	1	0	3
41	34	12	0	0	0	0	29	0	0	0
42	27	11	0	0	0	0	53	0	0	0
43	47	13.5	0	0	0	0	63	0	0	0
44	25	11.5	0	0	0	0	23	0	0	4
45	24	10.5	0	0	2	1	33	0	0	3
46	28	11.5	0	0	0	0	42	0	0	4
47	23	10.5	0	0	3	1	62	0	0	2
48	33	12	0	0	0	3	34	0	0	1
49	47	13	0	0	2	0	67	0	0	1
50	35	11.5	3	0	0	0	23	0	0	0
JUMLAH			20	1	20	32	1122	5	1	58

**JUMLAH INFEKSI PARASIT IKAN BARONANG EMAS (*Siganus guttatus* Bloch, 1787)
PADA LOKASI BAK INDUK**

Ikan	Berat (g)	Panjang (cm)	Mucus		Sirip		Insang
			Zoothamnium	Copepoda	Pseudohaliotrema	Copepoda	Pseudohaliotrema
1	496	30	0	1	8	1	12
2	405	28.5	0	0	3	0	31
3	436	27	0	1	3	0	18
4	411	26.5	2	0	1	0	27
5	375	27	0	1	2	0	34
6	426	28	0	0	1	1	85
7	419	27.5	0	0	0	0	53
8	411	27.5	1	0	0	0	129
9	400	28	0	0	0	0	76
10	408	25.5	0	0	0	0	81
JUMLAH			3	3	18	2	546

Lampiran 2.

Hasil uji *Chi-square* prevalensi parasit *Pseudohaliotrema sp.*, *Benedenia sp.*, *Trichodina sp.*, *Zoothamnium sp.*, dan *Copepoda*

Case Processing Summary

	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
LOKASI *COPEPODA	140	100.0%	0	0.0%	140	100.0%

LOKASI * COPEPODA Crosstabulation

		COPEPODA		Total	
		TERINFEKSI	TIDAK TERINFEKSI		
LOKASI	KERAMBA JARING APUNG	Count	2	28	30
		Expected Count	1.9	28.1	30.0
	TAMBAK	Count	2	48	50
		Expected Count	3.2	46.8	50.0
	BAK PEMELIHARAAN	Count	1	49	50
		Expected Count	3.2	46.8	50.0
	BAK INDUK	Count	4	6	10
		Expected Count	.6	9.4	10.0
	Total	Count	9	131	140
		Expected Count	9.0	131.0	140.0

Chi-Square Tests

	Value	df	Asymptotic Significance (2-sided)
Pearson Chi-Square	20.859 ^a	3	.000
Likelihood Ratio	12.054	3	.007
Linear-by-Linear Association	2.982	1	.084
N of Valid Cases	140		

a. 4 cells (50.0%) have expected count less than 5. The minimum expected count is .64.

LOKASI * PSEUDOHALLOTREMA Crosstabulation

		PSEUDOHALLOTREMA		Total	
		TERINFEKSI	TIDAK TERINFEKSI		
LOKASI	KERAMBA JARING APUNG	Count	30	0	30
		Expected Count	15.2	14.8	30.0
	TAMBAK	Count	24	26	50
		Expected Count	25.4	24.6	50.0
	BAK PEMELIHARAAN	Count	7	43	50
		Expected Count	25.4	24.6	50.0
	BAK INDUK	Count	10	0	10
		Expected Count	5.1	4.9	10.0
	Total	Count	71	69	140
		Expected Count	71.0	69.0	140.0

Chi-Square Tests

	Value	df	Asymptotic Significance (2-sided)
Pearson Chi-Square	65.985 ^a	3	.000
Likelihood Ratio	84.322	3	.000
Linear-by-Linear Association	19.838	1	.000
N of Valid Cases	140		

a. 1 cells (12.5%) have expected count less than 5. The minimum expected count is 4.93.

LOKASI * BENEDENIA Crosstabulation

		BENEDENIA		Total	
		TERINFEKSI	TIDAK TERINFEKSI		
LOKASI	KERAMBA JARING APUNG	Count	25	5	30
		Expected Count	5.4	24.6	30.0
	TAMBAK	Count	0	50	50
		Expected Count	8.9	41.1	50.0
	BAK PEMELIHARAAN	Count	0	50	50
		Expected Count	8.9	41.1	50.0
	BAK INDUK	Count	0	10	10
		Expected Count	1.8	8.2	10.0
	Total	Count	25	115	140
		Expected Count	25.0	115.0	140.0

Chi-Square Tests

	Value	df	Asymptotic Significance (2-sided)
Pearson Chi-Square	111.594 ^a	3	.000
Likelihood Ratio	104.348	3	.000
Linear-by-Linear Association	64.411	1	.000
N of Valid Cases	140		

a. 1 cells (12.5%) have expected count less than 5. The minimum expected count is 1.79.

LOKASI * TRICHODINA Crosstabulation

		TRICHODINA		Total
		TERINFEKSI	TIDAK TERINFEKSI	
LOKASI	KERAMBA JARING APUNG	Count	0	30
		Expected Count	10.5	19.5
	TAMBAK	Count	49	1
		Expected Count	17.5	32.5
	BAK PEMELIHARAAN	Count	0	50
		Expected Count	17.5	32.5
	BAK INDUK	Count	0	10
		Expected Count	3.5	6.5
	Total	Count	49	91
		Expected Count	49.0	91.0

Chi-Square Tests

	Value	df	Asymptotic Significance (2-sided)
Pearson Chi-Square	135.692 ^a	3	.000
Likelihood Ratio	171.481	3	.000
Linear-by-Linear Association	7.879	1	.005
N of Valid Cases	140		

a. 1 cells (12.5%) have expected count less than 5. The minimum expected count is 3.50.

LOKASI * ZOOTHAMNIUM Crosstabulation

		ZOOTHAMNIUM		Total
		TERINFEKSI	TIDAK TERINFEKSI	
LOKASI	KERAMBA JARING APUNG	Count	0	30
		Expected Count	5.4	24.6
	TAMBAK	Count	11	39
		Expected Count	8.9	41.1
	BAK PEMELIHARAAN	Count	12	38
		Expected Count	8.9	41.1
	BAK INDUK	Count	2	8
		Expected Count	1.8	8.2
	Total	Count	25	115
		Expected Count	25.0	115.0

Chi-Square Tests

	Value	df	Asymptotic Significance (2-sided)
Pearson Chi-Square	8.424 ^a	3	.038
Likelihood Ratio	13.575	3	.004
Linear-by-Linear Association	4.891	1	.027
N of Valid Cases	140		

a. 1 cells (12.5%) have expected count less than 5. The minimum expected count is 1.79.

Lampiran 3.

Hasil uji *Kruskal-Wallis* parasit *Copepoda*, *Pseudohaliotrema*, *Trichodina*, *Benedenia*, *Zoothamnium* di empat lokasi penelitian

Ranks			
	Lokasi	N	Mean Rank
Copepoda	Keramba Jaring apung	2	4.50
	Tambak	2	4.50
	Bak pemeliharaan	1	4.50
	Bak induk	4	5.63
	Total	9	
Pseudohaliotrema	Keramba Jaring apung	30	53.67
	Tambak	24	18.08
	Bak pemeliharaan	7	8.86
	Bak induk	10	45.00
	Total	71	
Trichodina	Tambak	49	25.00
	Total	49 ^a	
Benedenia	Keramba Jaring apung	25	13.00
	Total	25 ^a	
Zoothamnium	Tambak	11	15.45
	Bak pemeliharaan	12	10.96
	Bak induk	2	11.75
	Total	25	

a. There is only one non-empty group. Kruskal-Wallis Test cannot be performed.

Test Statistics^{a,b}			
	Copepoda	Pseudohaliotrema	Zoothamnium
Kruskal-Wallis H	1.250	54.589	2.616
df	3	3	2
Asymp. Sig.	.741	.000	.270

a. Kruskal Wallis Test

b. Grouping Variable: Lokasi

1. Parasit Pseudohaliotrema sp.

Ranks			
	Lokasi	N	Mean Rank
Pseudohaliotrema	1	30	53.58
	2	24	18.08
	3	7	8.86
	4	10	45.25
	Total	71	

Test Statistics ^{a,b}	
	Pseudohaliotrema
Chi-Square	54.490
df	3
Asymp. Sig.	.000

a. Kruskal Wallis Test

b. Grouping Variable: Lokasi

2. Parasit Benedenia sp.

Ranks			
	Lokasi	N	Mean Rank
Benedenia	1	25	13.00
	Total	25 ^a	

a. There is only one non-empty group. Kruskal-Wallis Test cannot be performed.

3. Parasit Copepoda

Ranks			
	Lokasi	N	Mean Rank
Copepoda	1.00	2	4.00
	2.00	1	4.00
	3.00	1	4.00
	4.00	4	5.00
	Total	8	

Test Statistics^{a,b}

	Copepoda
Chi-Square	1.000
df	3
Asymp. Sig.	.801

a. Kruskal Wallis Test

b. Grouping Variable: Lokasi

4. Parasit Zoothamnium sp.

Ranks

	Lokasi	N	Mean Rank
Zoothamnium	1.00	11	7.45
	2.00	2	6.50
	3.00	1	10.00
	Total	14	

Test Statistics^{a,b}

	Zoothamnium
Chi-Square	.520
df	2
Asymp. Sig.	.771

a. Kruskal Wallis Test

b. Grouping Variable: Lokasi

5. Parasit Trichodina sp.

Ranks

	Lokasi	N	Mean Rank
Trichodina	1	49	25.00
	Total	49 ^a	

a. There is only one non-empty group. Kruskal-Wallis Test cannot be performed.

Lampiran 4.

Hasil uji *Korelasi Spearman* antara panjang dan berat tubuh ikan dengan serangan parasit pada semua lokasi budidaya

LOKASI BUDIDAYA KERAMBA JARING APUNG

1. Parasit *Pseudohaliotrema*

Correlations

		Pseudohaliotrema	
		ma	Panjang
Spearman's rho	Pseudohaliotrema	Correlation Coefficient	1.000
		Sig. (2-tailed)	.
		N	30
	Panjang	Correlation Coefficient	.167
		Sig. (2-tailed)	.377
		N	30

Correlations

		Pseudohaliotrema	
		ma	Berat
Spearman's rho	Pseudohaliotrema	Correlation Coefficient	1.000
		Sig. (2-tailed)	.
		N	30
	Berat	Correlation Coefficient	.120
		Sig. (2-tailed)	.529
		N	30

2. Parasit *Benedenia*

Correlations

		Benedenia	
		Benedenia	Panjang
Spearman's rho	Benedenia	Correlation Coefficient	1.000
		Sig. (2-tailed)	.
		N	30
	Panjang	Correlation Coefficient	-.222
		Sig. (2-tailed)	.239
		N	30

Correlations

			Benedenia	Berat
Spearman's rho	Benedenia	Correlation Coefficient	1.000	.146
		Sig. (2-tailed)	.	.443
		N	30	30
	Berat	Correlation Coefficient	.146	1.000
		Sig. (2-tailed)	.443	.
		N	30	30

3. Parasit *Copepoda*

Correlations

			Copepoda	Panjang
Spearman's rho	Copepoda	Correlation Coefficient	1.000	.078
		Sig. (2-tailed)	.	.682
		N	30	30
	Panjang	Correlation Coefficient	.078	1.000
		Sig. (2-tailed)	.682	.
		N	30	30

Correlations

			Copepoda	Berat
Spearman's rho	Copepoda	Correlation Coefficient	1.000	.046
		Sig. (2-tailed)	.	.808
		N	30	30
	Berat	Correlation Coefficient	.046	1.000
		Sig. (2-tailed)	.808	.
		N	30	30

LOKASI TAMBAK BUDIDAYA

1. Parasit *Pseudohaliotrema*

Correlations

			Panjang	Pseudohaliotrem a
Spearman's rho	Panjang	Correlation Coefficient	1.000	.160
		Sig. (2-tailed)	.	.266
		N	50	50
	Pseudohaliotrema	Correlation Coefficient	.160	1.000
		Sig. (2-tailed)	.266	.
		N	50	50

Correlations

			Berat	Pseudohaliotrem a
Spearman's rho	Berat	Correlation Coefficient	1.000	.173
		Sig. (2-tailed)	.	.230
		N	50	50
	Pseudohaliotrema	Correlation Coefficient	.173	1.000
		Sig. (2-tailed)	.230	.
		N	50	50

2. Parasit *Trichodina*

Correlations

			Panjang	Trichodina
Spearman's rho	Panjang	Correlation Coefficient	1.000	.082
		Sig. (2-tailed)	.	.573
		N	50	50
	Trichodina	Correlation Coefficient	.082	1.000
		Sig. (2-tailed)	.573	.
		N	50	50

Correlations

			Berat	Trichodina
Spearman's rho	Berat	Correlation Coefficient	1.000	.014
		Sig. (2-tailed)	.	.921
		N	50	50
	Trichodina	Correlation Coefficient	.014	1.000
		Sig. (2-tailed)	.921	.
		N	50	50

3. Parasit *Zoothamnium*

Correlations

			Panjang	Zoothamnium
Spearman's rho	Panjang	Correlation Coefficient	1.000	.118
		Sig. (2-tailed)	.	.416
		N	50	50
	Zoothamnium	Correlation Coefficient	.118	1.000
		Sig. (2-tailed)	.416	.
		N	50	50

Correlations

			Berat	Zoothamnium
Spearman's rho	Berat	Correlation Coefficient	1.000	.129
		Sig. (2-tailed)	.	.372
		N	50	50
	Zoothamnium	Correlation Coefficient	.129	1.000
		Sig. (2-tailed)	.372	.
		N	50	50

4. Parasit Copepoda

Correlations

			Panjang	Copepoda
Spearman's rho	Panjang	Correlation Coefficient	1.000	.121
		Sig. (2-tailed)	.	.402
		N	50	50
Copepoda	Copepoda	Correlation Coefficient	.121	1.000
		Sig. (2-tailed)	.402	.
		N	50	50

Correlations

			Berat	Copepoda
Spearman's rho	Berat	Correlation Coefficient	1.000	.159
		Sig. (2-tailed)	.	.269
		N	50	50
Copepoda	Copepoda	Correlation Coefficient	.159	1.000
		Sig. (2-tailed)	.269	.
		N	50	50

LOKASI BUDIDAYA BAK PENDEDERAN

1. Parasit *Pseudohaliotrema*

Correlations

			Panjang	Pseudohaliotrem a
Spearman's rho	Panjang	Correlation Coefficient	1.000	.088
		Sig. (2-tailed)	.	.543
		N	50	50
	Pseudohaliotrema	Correlation Coefficient	.088	1.000
		Sig. (2-tailed)	.543	.
		N	50	50

Correlations

			Berat	Pseudohaliotrem a
Spearman's rho	Berat	Correlation Coefficient	1.000	-.057
		Sig. (2-tailed)	.	.694
		N	50	50
	Pseudohaliotrema	Correlation Coefficient	-.057	1.000
		Sig. (2-tailed)	.694	.
		N	50	50

2. Parasit *Zoothamnium*

Correlations

			Panjang	Zoothamnium
Spearman's rho	Panjang	Correlation Coefficient	1.000	.050
		Sig. (2-tailed)	.	.729
		N	50	50
	Zoothamnium	Correlation Coefficient	.050	1.000
		Sig. (2-tailed)	.729	.
		N	50	50

Correlations

			Berat	Zoothamnium
Spearman's rho	Berat	Correlation Coefficient	1.000	.016
		Sig. (2-tailed)	.	.911
		N	50	50
	Zoothamnium	Correlation Coefficient	.016	1.000
		Sig. (2-tailed)	.911	.
		N	50	50

3. Parasit *Copepoda*

Correlations

			Panjang	Copepoda
Spearman's rho	Panjang	Correlation Coefficient	1.000	.195
		Sig. (2-tailed)	.	.175
		N	50	50
Copepoda	Copepoda	Correlation Coefficient	.195	1.000
		Sig. (2-tailed)	.175	.
		N	50	50

Correlations

			Berat	Copepoda
Spearman's rho	Berat	Correlation Coefficient	1.000	.193
		Sig. (2-tailed)	.	.178
		N	50	50
Copepoda	Copepoda	Correlation Coefficient	.193	1.000
		Sig. (2-tailed)	.178	.
		N	50	50

LOKASI BUDIDAYA BAK INDUK

1. Parasit *Pseudohaliotrema*

Correlations

			Panjang	Pseudohaliotrem a
Spearman's rho	Panjang	Correlation Coefficient	1.000	-.190
		Sig. (2-tailed)	.	.599
		N	10	10
	Pseudohaliotrema	Correlation Coefficient	-.190	1.000
		Sig. (2-tailed)	.599	.
		N	10	10

Correlations

			Berat	Pseudohaliotrem a
Spearman's rho	Berat	Correlation Coefficient	1.000	-.316
		Sig. (2-tailed)	.	.374
		N	10	10
	Pseudohaliotrema	Correlation Coefficient	-.316	1.000
		Sig. (2-tailed)	.374	.
		N	10	10

2. Parasit *Zoothamnium*

Correlations

			Panjang	Zoothamnium
Spearman's rho	Panjang	Correlation Coefficient	1.000	-.429
		Sig. (2-tailed)	.	.215
		N	10	10
	Zoothamnium	Correlation Coefficient	-.429	1.000
		Sig. (2-tailed)	.215	.
		N	10	10

Correlations

			Berat	Zoothamnium
Spearman's rho	Berat	Correlation Coefficient	1.000	.000
		Sig. (2-tailed)	.	1.000
		N	10	10
	Zoothamnium	Correlation Coefficient	.000	1.000
		Sig. (2-tailed)	1.000	.
		N	10	10

3. Parasit *Copepoda*

Correlations

			Panjang	Copepoda
Spearman's rho	Panjang	Correlation Coefficient	1.000	.457
		Sig. (2-tailed)	.	.185
		N	10	10
Copepoda	Copepoda	Correlation Coefficient	.457	1.000
		Sig. (2-tailed)	.185	.
		N	10	10

Correlations

			Berat	Copepoda
Spearman's rho	Berat	Correlation Coefficient	1.000	.501
		Sig. (2-tailed)	.	.140
		N	10	10
Copepoda	Copepoda	Correlation Coefficient	.501	1.000
		Sig. (2-tailed)	.140	.
		N	10	10