

DAFTAR PUSTAKA

- Abebe, G. M. 2020. Cronobacter sakazakii in Infant Food Contamination and Its Survival Strate-gies in Hostile Conditions. *Int J Pediatr Res*, 6, 067 [Online] <https://www.researchgate.net> [diakses pada 15 April 2022]
- Alam, A. 2016. Kejadian meningitis bakterial pada anak usia 6-18 bulan yang menderita kejang demam pertama. *Sari Pediatri*, 13 (4), 293-8 [Online] <https://www.saripediatri.org> [diakses pada 10 April 2022]
- Amaliyah, N. 2017. *Penyehatan Makanan dan Minuman-A*. Penerbit Deepublish [Online] <http://books.google.ac.id> [diakses pada 23 November 2020]
- Amer, M. M., & Mekky, H. M. 2019. Cronobacter sakazakii (Enterobacter sakazakii). *International Journal of Research i n Pharmacy and Biosciences*, 6, 4-14 [Online] <https://www.researchgate.net> [diakses pada 10 April 2022]
- Arini, L. D. D & Wulandari, R. M. 2017. Kontaminasi Bakteri Coliform pada Saus Siomai dari Pedagang Area Kampus di Surakarta. *Biomedika*, 10 (2), 31-46 [Online] <http://ejurnal.setiabudi.ac.id> [diakses pada 11 November 2020]
- Arisanti, R. R., Indriani, C., & Wilopo, S. A. 2018. Kontribusi agen dan faktor penyebab kejadian luar biasa keracunan pangan di Indonesia: kajian sistematis. *Berita Kedokteran Masyarakat*, 34(3), 99-106 [Online] <https://pdfs.semanticscholar.org> [diakses pada 11 Maret 2021]
- Awadallah, M. A., Ahmed, H. A., Merwad, A. M., et al. 2018. Molecular characterization of Cronobacter sakazakii in Egypt, survival and thermostoresistance at different temperatures: a potential public health risk. *Vector-Borne and Zoonotic Diseases*, 18(2), 101-107 [Online] <https://www.researchgate.net> [diakses pada 04 April 2022]
- Barbara, L. 2020. *Systematic Review dalam Kesehatan*. Yogyakarta: Deepublish
- Black, R., Fontaine, O., Lamberti, L., dkk. 2019. Drivers of the reduction in childhood diarrhea mortality 1980-2015 and interventions to eliminate preventable diarrhea deaths by 2030. *Journal of global health*, 9(2), 1-9 [Online] <https://www.ncbi.nlm.nih.gov> [diakses pada 11 Maret 2021]
- Boas, E., Panambunan, M., & Pinontoan, O. R. 2017. Hubungan pemberian ASI eksklusif dibanding susu formula dengan angka kejadian diare. *Jurnal Biomedik: JBM*, 9(1) [Online] <https://ejournal.unsrat.ac.id> [diakses pada 15 April 2022]

- Bono, M. J., & Reygaert, W. C. 2021. Urinary tract infection. In *StatPearls [Internet]*. StatPearls Publishing. [Online] <https://www.ncbi.nlm.nih.gov> [diakses pada 10 April 2022]
- Bowen, A., Wiesenfeld, H. C., Kloesz, J. L., dkk. 2017. Notes from the field: Cronobacter sakazakii infection associated with feeding extrinsically contaminated expressed human milk to a prematur infant Pennsylvania, 2016. *MMWR. Morbidity and mortality weekly report*, 66(28), 761-762 [Online] <https://www.ncbi.nlm.nih.gov> [diakses pada 24 April 2021]
- Budiarso, T.Y & Winarni, H.C.S. 2016. Isolasi dan Identifikasi Enterobacter sakazakii pada Susu Mentah dan Produk Susu Segar di Daerah Istimewa Yogyakarta. *Jurnal Sain Veteriner*, 34 (2), 243-250 [Online] <https://journal.ugm.ac.id> [diakses pada 15 Juni 2021]
- Chandra, B. 2007. *Pengantar Kesehatan Lingkungan*. Jakarta: EGC
- Chandrasekaran, S., Burnham, C. A. D., Warner, B. B., dkk. 2018. Carriage of Cronobacter sakazakii in the very preterm infant gut. *Clinical Infectious Diseases*, 67 (2), 269-274 [Online] <https://academic.oup.com> [diakses pada 02 April 2022]
- Chaves, C. E. V., Brandao, M. L. L., Lacerda, M. L. G. G., dkk. 2018. Fatal Cronobacter sakazakii sequence type 494 meningitis in a newborn, Brazil. *Emerging Infectious Diseases*, 24 (10), 1948 [Online] <https://www.ncbi.nlm.nih.gov> [diakses pada 02 April 2022]
- Chen, L., & Alali, W. 2018. recent discoveries in human serious foodborne pathogenic Bacteria: resurgence, pathogenesis, and control strategies. *Frontiers in Microbiology*, 2412 [Online] <https://www.frontiersin.org> [diakses pada 15 April 2022]
- Demirci, U. 2020. Cronobacter Sakazakii: An Emerging Pathogen In Food Safety. In *International Journal of Health Administration and Education Congress (Sanitas Magisterium)*, 6 (1), 54-63 [Online] <https://dergipark.org.tr> [diakses pada 15 April 2022]
- Dhamm, I. K. & Haq, R. U., 2018. How to Write Systematic review or Metaanalysis. *Indian Journal of Orthopeadic*, 52(6), 575-577 Online] <https://www.ncbi.nlm.nih.gov> [diakses pada 28 November 2020]
- Dumen, E. 2010. Cronobacter sakazakii (Enterobacter sakazakii): only an infant problem. *Kafkas Univ Vet Fak Derg*, 16, S171-S178 [Online] <https://vetdergikafkas.org> [diakses pada 10 April 2022]

- Elkhawaga, A. A., Hetta, H. F., Osman, N. S., dkk. 2020. Emergence of Cronobacter sakazakii in cases of neonatal sepsis in upper Egypt: first report in North Africa. *Frontiers in microbiology*, 11, 215 [Online] <https://www.frontiersin.org> [diakses pada 02 April 2022]
- Enem, S. I., Ogbu, C. O., Okoli, C. E., et al. 2020. Detection and molecular characterization of Cronobacter sakazakii isolated from powdered infant formula (PIF) from North Central Region, Nigeria. *Advances in Microbiology*, 10(7), 307-317 [Online] <https://www.scirp.org> [diakses pada 15 April 2022]
- Fan, H., Chen, Z., Lin, R., et al. 2019. Bacteroides fragilis strain ZY-312 defense against Cronobacter sakazakii-induced necrotizing enterocolitis in vitro and in a neonatal rat model. *Msystems*, 4(4), e00305-19 [Online] <https://scholar.google.com> [diakses pada 04 April 2022]
- Farmer III, J. J. 2015. My 40-year history with Cronobacter/Enterobacter sakazakii—lessons learned, myths debunked, and recommendations. *Frontiers in pediatrics*, 3 (84), 1-12 [Online] <https://www.frontiersin.org> [diakses pada 15 Juni 2021]
- Feeley, A., Kropp, K. A., O'Connor, R., et al. 2014. Cronobacter sakazakii: stress survival and virulence potential in an opportunistic foodborne pathogen. *Gut Microbes*, 5(6), 711-718 [Online] <https://www.tandfonline.com> [diakses pada 10 April 2022]
- Fei, P., Jiang, Y., Gong, S., et al. 2018. Occurrence, genotyping, and antibiotic susceptibility of Cronobacter spp. in drinking water and food samples from Northeast China. *Journal of food protection*, 81(3), 456-460 [Online] <https://www.researchgate.net> [diakses pada 15 April 2022]
- Gruber, J. S., Ercumen, A., & Colford Jr, J. M. 2014. Coliform bacteria as indicators of diarrheal risk in household drinking water: systematic review and meta-analysis. *PloS one*, 9(9), e107429 [Online] <https://journals.plos.org> [diakses pada 20 April 2021]
- Guli, M. M. 2016. Patogenesis Penyakit Kolera pada Manusia. *Biocelebes*, 10 (2), 18-24 [Online] <https://bestjournal.untad.ac.id> [diakses pada 15 November 2020]
- Hadi, S., Tjahjono, H.K & Palipi, M. 2020. *Systematic Review: Meta Sintesis Untuk Riset Perilaku Organisasional*. Katalog Dalam Terbitan (KDT) [Online] <https://www.researchgate.net> [diakses pada 28 November 2020]
- Hameed, K. G. A. 2017. Inhibitory Effect Of Lactoferrin Against Cronobacter Sakasakii Isolated From Infant Formula Milk Powder. *Assiut Vet. Med. J.* 63 (152), 73-77 [Online] <https://journals.ekb.eg> [diakses pada 04 April 2022]

- Handayani, D. S., Sulastri, A., Mariha, T & Nurhaeni, N. 2017. Penyimpangan tumbuh kembang anak dengan orang tua bekerja. *Jurnal Keperawatan Indonesia*, 20(1), 48-55 [Online] <http://jki.ui.ac.id> [diakses pada 11 Maret 2021]
- Hassan, J. S., & Naser, W. E. 2018. Incidence of Cronobacter sakazakii in Iraqi Infants with neonatal sepsis. *Indian J. Public Health Res. Dev.*, 9, 908-913 [Online] <https://www.researchgate.net> [diakses pada 02 April 2022]
- Hayashi, S., Takinami, Y., & Watari, T. 2021. Urinary Tract Infection Caused by Cronobacter sakazakii. *Cureus*, 13(6) [Online] <https://www.cureus.com> [diakses pada 10 April 2022]
- Henry, M., & Fouladkhah, A. 2019. Outbreak history, biofilm formation, and preventive measures for control of Cronobacter sakazakii in infant formula and infant care settings. *Microorganisms*, 7(3), 77 [Online] <https://www.mdpi.com> [diakses pada 04 Maret 2022]
- Holy, O., Parra-Flores, J., Lepuschitz, S., et al. 2020. Molecular characterization of cronobacter sakazakii strains isolated from powdered milk. *Foods*, 10(1), 20 [Online] <https://www.mdpi.com> [diakses pada 10 April 2022]
- Horinouchi, N., Shiota, S., Takakura, T., et al. 2022. Bacteremia caused by Enterobacter asburiae misidentified biochemically as Cronobacter sakazakii and accurately identified by matrix-assisted laser desorption/ionization time-of-flight mass spectrometry: a case report. *Journal of Medical Case Reports*, 16(1), 1-4 [Online] <https://jmedicalcasereports.biomedcentral.com> [diakses pada 10 April 2022]
- Hu, J., Li, X., Du, X., et al. 2019. Identification and characterization of Cronobacter strains isolated from environmental samples. *Current microbiology*, 76(12), 1467-1476 [Online] <https://link.springer.com> [diakses pada 04 April 2022]
- Hunter, C. J., Petrosyan, M., Ford, H. R., et al. 2008. Enterobacter sakazakii: an emerging pathogen in infants and neonates. *Surgical infections*, 9(5), 533-539 [Online] <https://www.ncbi.nlm.nih.gov> [diakses pada 04 April 2022]
- Hutasoit, D. P. 2020. Pengaruh Sanitasi Makanan dan Kontaminasi Bakteri Escherichia coli Terhadap Penyakit Diare. *Jurnal Ilmiah Kesehatan Sandi Husada*, 12(2), 779-786 [Online] <https://akper-sandikarsa.e-journal.id> [diakses pada 9 Maret 2021]
- Ihsan, M. 2019. *Higiene Sanitasi dan Kontaminasi Mikroorganisme pada Makanan serta Bahan Pangan*. Universitas Islam Negeri Sunan Gunung Djati Bandung [Online] <https://www.academia.edu> [diakses pada 04 April 2022]

- Jin, T., Guan, N., Du, Y., et al. 2021. Cronobacter sakazakii ATCC 29544 translocated human brain microvascular endothelial cells via endocytosis, apoptosis Induction, and disruption of tight junction. *Frontiers in Microbiology*, 12, 1214 [Online] <https://www.frontiersin.org> [diakses pada 10 April 2022]
- Joanna Briggs Institute. 2017. *Checklist for systematic reviews and research syntheses*. [Online] <http://www.joannabriggs.org> [diakses pada 04 Maret 2022]
- Jun, H., Yoon, S. H., Roh, M., dkk. 2021. Quality Assessment and Implications for Further Study of Acupotomy: Case Reports Using the Case Report Guidelines and the Joanna Briggs Institute Critical Appraisal Checklist. *Journal of Acupuncture Research*, 38 (2), 122-133 [Online] <https://www.koreascience.or.kr> [diakses pada 04 Maret 2022]
- Keithlin, J., Sargeant, J., Thomas, M. K., & Fazil, A. 2014. Systematic review and meta-analysis of the proportion of Campylobacter cases that develop chronic sequelae. *BMC public health*, 14(1), 1-19 [Online] <https://bmcpublichealth.biomedcentral.com> [diakses pada 20 April 2021]
- Kemenkes RI. 2014. *Kondisi Pencapaian Program Kesehatan Anak Indonesia*. Infodatin [Online] <https://www.kemkes.go.id> [diakses pada 10 Maret 2021]
- Khairunnisa, D. F., Zahra, I. A., Ramadhania, B & Amalia, R. 2020. Faktor Risiko Diare Pada Bayi Dan Balita Di Indonesia: A Systematic Review. In *Prosiding Seminar Nasional Kesehatan Masyarakat 2020*, 1(1), 172-189 [Online] <https://conference.upnvj.ac.id> [diakses pada 11 Maret 2021]
- Kusumaningsih, A. 2010. Beberapa bakteri patogenik penyebab foodborne disease pada bahan pangan asal ternak. *Wartazoa*, 20(3), 103-111 [Online] <http://medpub.litbang.pertanian.go.id> [diakses pada 28 November 2020]
- Lachowska, M., Izdebski, R., Urbanowicz, P., dkk. 2021. Infection of Cronobacter sakazakii ST1 Producing SHV-12 in a Prematur Infant Born from Triplet Pregnancy. *Microorganisms*, 9 (9), 1878 [Online] <https://www.mdpi.com> [diakses pada 02 April 2022]
- Lamont, R. F., Sobel, J., Mazaki-Tovi, S., dkk. 2011. Listeriosis in Human Pregnancy: a systematic review. *J Perinat Med*, 39 (3), 227–236 [Online] <https://www.ncbi.nlm.nih.gov> [diakses pada 20 April 2021]
- Lestari, T. R. P. 2020. Keamanan Pangan Sebagai Salah Satu Upaya Perlindungan Hak Masyarakat Sebagai Konsumen. *Aspirasi: Jurnal Masalah-masalah Sosial*, 11(1), 57-72 [Online] <https://jurnal.dpr.go.id> [diakses pada 11 Maret 2021]

- Li, Y., Yu, H., Jiang, H., Jiao, Y., et al. 2017. Genetic diversity, antimicrobial susceptibility, and biofilm formation of *Cronobacter* spp. recovered from spices and cereals. *Frontiers in microbiology*, 8, 2567 [Online] <https://www.frontiersin.org> [diakses pada 04 April 2022]
- Li, Y., Zhang, Y., Zhang, L., Hu, Y., dkk. 2020. Prevalence and genetic characteristics of *Cronobacter* spp. from food and human clinical stool samples in Wenzhou, China 2008–2018. *Food Microbiology*, 89, 103432 [Online] www.elsevier.com/locate/fm [diakses pada 02 April 2022]
- Lianawati, H. 2008. Mengenal Enterobacter sakazakii. *BALABA*, 6 (1), 24-25 [Online] <https://media.neliti.com> [diakses pada 15 Juni 2021]
- Ling, N., Li, C., Zhang, J., et al. 2018. Prevalence and molecular and antimicrobial characteristics of *Cronobacter* spp. isolated from raw vegetables in China. *Frontiers in microbiology*, 9, 1149. [Online] <https://www.frontiersin.org> [diakses pada 04 April 2022]
- Mabruroh, F. 2017. *Distribusi Sumber Keracunan Pangan di Dki Jakarta Berdasarkan Laporan Kasus Sentra Informasi Keracunan Nasional-BPOM RI* (Bachelor's thesis, UIN Syarif Hidayatullah Jakarta: Fakultas Kedokteran Dan Ilmu Kesehatan, 2017). [Online] <http://repository.uinjkt.ac.id> [diakses pada 04 April 2022]
- Majowicz, S. E., Scallan, E., Jones-Bitton, A., dkk. 2014. Global incidence of human Shiga toxin-producing *Escherichia coli* infections and deaths: a systematic review and knowledge synthesis. *Foodborne pathogens and disease*, 11(6), 447-455 [Online] <https://www.liebertpub.com> [diakses pada 20 April 2021]
- Martindah, E. 2017. Faktor risiko, sikap dan pengetahuan masyarakat peternak dalam pengendalian penyakit antraks. *WARTAZOA*, 27(3), 135-144 [Online] <https://core.ac.uk> [diakses pada 25 April 2021]
- Mashoufi, A., Ghazvini, K., Hashemi, M., et al. 2019. A novel primer targeted *gyrB* gene for the identification of *Cronobacter sakazakii* in powdered infant formulas (PIF) and baby foods in Iran. *Journal of Food Safety*, 39(2), e12609 [Online] <https://www.angabinteb.com> [diakses pada 15 April 2022]
- McMullan, R., Menon, V., Beukers, A. G., et al. 2018. *Cronobacter sakazakii* infection from expressed breast milk, Australia. *Emerging infectious diseases*, 24(2), 393 [Online] <https://www.ncbi.nlm.nih.gov> [diakses pada 04 April 2022]

- Moradi, M., Dargahi, Z., Amin, M., dkk. 2021. Study of Antimicrobial Susceptibility And Biofilm Formation of Cronobacter Sakazakii Isolates From Neonatal Sepsis In Southwest Iran [Online] <https://www.researchsquare.com> [diakses pada 02 April 2022]
- Morgan, R. L., Paul, W., Kristina, A. T., dkk. 2019. Identifying the PECO: A Framework for Formulating Good Questions to Explore the Association of Environmental and Other Exposures with Health Outcomes. *Environ Int*, 1-10 [Online] <https://www.ncbi.nlm.nih.gov> [diakses pada 13 Maret 2021]
- Muka, T., Glisic, M., Milic, J., dkk. 2019. A 24-step guide on how to design, conduct, and successfully publish a systematic review and meta-analysis in medical research. *European journal of epidemiology*, 35(1), 49-60 [Online] <https://www.mhb-fontane.de> [diakses pada 11 Maret 2021]
- Mukono, H.J. 2006. *Prinsip Dasar Kesehatan Lingkungan*. Surabaya: Airlangga University Press
- Nasution, A. S., 2020. Hygiene penjamah makanan menyebabkan kontaminasi *Escherichia coli* pada jajanan pasar tradisional. *PROMOTOR*, 3 (1), 1-6 [Online] <http://ejurnal.uika-bogor.ac.id> [diakses pada 04 April 2022]
- Natalia, L., & Priadi, A. 2012. Botulismus: Patogenesis, Diagnosis dan Pencegahan. *WARTAZOA*, 22(3), 127-140 [Online] <https://medpub.litbang.pertanian.go.id> [diakses pada 25 April 2021]
- Nino, D. F., Sodhi, C. P., & Hackam, D. J. 2016. Necrotizing enterocolitis: new insights into pathogenesis and mechanisms. *Nature reviews Gastroenterology & hepatology*, 13 (10), 590-600 [Online] <https://www.ncbi.nlm.nih.gov> [diakses pada 10 April 2022]
- Novita, R. 2016. Brucellosis: Penyakit Zoonosis Yang Terabaikan. *BALABA*, 12(2), 135-140 [Online] <https://media.neliti.com> [diakses pada 25 April 2021]
- NSW Government tentang *Shigellosis* [Online] <http://health.nsw.gov.au> [diakses pada 11 November 2020]
- Permenkes RI No 1096 Tahun 2011 tentang *Higiene sanitasi jasaboga* [Online] <https://kesmas.kemkes.go.id> [diakses pada 14 November 2020]
- Pertiwi, J. 2019. Systematic review: Faktor Yang Mempengaruhi Akurasi Koding Diagnosis di Rumah Sakit. *SMIKNAS*, 41-50 [Online] <https://ojs.udb.ac.id> [diakses pada 9 Maret 2021]
- Prasetyo, R & Siagian, T. H. 2017. Determinan Penyakit Berbasis Lingkungan Pada Anak Balita Di Indonesia. *Jurnal Kependudukan Indonesia*, 12(2), 93-104 [Online] <https://ejurnal.kependudukan.lipi.go.id> [diakses pada 11 Maret 2021]

- Purnama, S. G., 2016. *Penyakit Berbasis Lingkungan*. [Online] <https://simdos.unud.ac.id> [diakses pada 10 Desember 2020]
- Putra, A. P., Kusnanto, K., & Yuwono, S. R. 2020. Effects of job satisfaction and organizational commitment on nurse retention: A systematic review. *Indonesian Nursing Journal of Education and Clinic (INJEC)*, 5 (2), 197-205 [Online] <https://injec.aipni-ainec.org> [diakses pada 04 Maret 2022]
- Rahmadi, A. 2008. Review Singkat Cronobacter (Enterobacter) sakazakii: Patogen baru pada susu formula bayi. *Kalimantan Timur: Bunga Rampai Bulettin* [Online] <http://www.arahmadi.net> [diakses pada 04 Maret 2022]
- Rusmaniur, W. O., Asnani, A & Suwarjoyowirayatno, S. 2019. Total Bakteri dan Identifikasi *Escherichia Coli* pada Jajanan Siomay Ikan Yang Dijajakan di Beberapa SD Negeri di Kota Kendari. *Jurnal Fish Protech*, 2 (2), 196-201 [Online] <http://ojs.uho.ac.id> [diakses pada 12 November 2020]
- Sampurno, O. D., Isnawati, A., Puspandari, N., dkk. 2012. Gambaran keamanan cemaran mikroba E. sakazakii pada susu formula bayi yang beredar di Indonesia tahun 2011 [Online] <https://r2kn.litbang.kemkes.go.id> [diakses pada 04 Maret 2022]
- Sani, N. A dan Odeyemi, O. A., 2015. Occurrence and prevalence of Cronobacter spp. in plant and animal derived food sources: a systematic review and meta-analysis. *SpringerOpen Journal*, 4:545, 1-10 [Online] <https://springerplus.springeropen.com> [diakses pada 20 April 2021]
- Septiani, P. C & Wulandari, R. A. 2020. Gambaran Higiene Sanitasi Makanan dan Penerapan Prinsip Hazard Analysis Critical Control Point (HACCP) di Unit Instalasi Gizi Rumah Sakit X Tahun 2018. *Jurnal Nasional Kesehatan Lingkungan Global*, 1(1), 55-64 [Online] <https://journal.fkm.ui.ac.id> [diakses pada 9 Maret 2021]
- Silva, J. N., Vasconcellos, L., Forsythe, S. J., et al. 2019. Molecular and phenotypical characterization of Cronobacter species isolated with high occurrence from oats and linseeds. *FEMS microbiology letters*, 366(1), fny289 [Online] <https://academic.oup.com> [diakses pada 04 April 2022]
- Siswanto. 2010. Systematic Review Sebagai Metode Penelitian Untuk Mensintesis Hasil-Hasil Penelitian (Sebuah Pengantar). *Buletin Penelitian Sistem Kesehatan*, 13 (4), 326–333 [Online] [diakses pada 28 November 2020]
- Siyam, N & Cahyati, W. H. 2018. Peningkatan Kapasitas Penghuni Pondok Pesantren dalam Pencegahan Food Borne Disease dengan Metode Peer Education. *VISIKES: Jurnal Kesehatan Masyarakat*, 17 (02), 136-147 [Online] <http://publikasi.dinus.ac.id> [diakses pada 15 November 2020]

Smith, D. A., & Nehring, S. M. 2020. Bacteremia. In *StatPearls [Internet]*. StatPearls Publishing. [Online] <https://www.ncbi.nlm.nih.gov> [diakses pada 10 April 2022]

Susanna, D., & Hartono, B. 2003. Pemantauan kualitas makanan ketoprak dan gado-gado di lingkungan kampus UI Depok melalui pemeriksaan bakteriologis. *Makara Seri Kesehatan*, 7(1), 21-29 [Online] <https://www.researchgate.net> [diakses pada 02 April 2022]

Taylor, M. G., Amerson-Brown, M. H., Hulten, K., et al. 2021. Two Cases of Cronobacter Sakazakii Meningitis in Infants: The Importance Of Early Advanced Brain Imaging and Public Health Reporting. *The Pediatric Infectious Disease Journal*, 40(9), e346-e348 [Online] <http://journals.lww.com> [diakses pada 04 April 2022]

Thomas, K. M., de Glanville, W. A., Barker, G. C., dkk. 2020. Prevalence of *Campylobacter* and *Salmonella* in African food animals and meat: A systematic review and meta-analysis. *International journal of food microbiology*, 315, 108382 [Online] <https://www.sciencedirect.com> [diakses pada 20 April 2021]

Triandini, E., Jayanatha, S., Indrawan, A., dkk. 2019. Metode Systematic Literature Review untuk Identifikasi Platform dan Metode Pengembangan Sistem Informasi di Indonesia. *Indonesian Journal of Information Systems*, 1 (2), 63-77 [Online] <http://jurnal.fk.unand.ac.id> [diakses pada 5 Desember 2020]

UKIM. 2020. Panduan Teknis Penulisan Penelitian Systematic Review. Fakultas Kesehatan UKIM [Online] [diakses pada 28 November 2020]

UNICEF. 2020. *Situasi Anak di Indonesia*. [Online] <https://www.unicef.org> [diakses pada 10 Maret 2021]

WHO. 2000. *Foodborne disease a focus for health education*. [Online] <https://www.who.int> [diakses pada 04 Maret 2022]

WHO. 2006. *Penyakit Bawaan Makanan Fokus Pendidikan Kesehatan*. Penerbit Buku Kedokteran : EGC [Online] <http://books.google.ac.id> [diakses pada 15 November 2020]

WHO. 2015. *WHO's first ever global estimates of foodborne diseases find children under 5 account for almost one third of deaths*. [Online] <https://www.who.int> [diakses pada 14 Maret 2021]

WHO. 2017. *Diarrhoeal Disease*. [Online] <https://www.who.int> [diakses pada 14 Maret 2021]

WHO. 2020. *Children: Improving Survival and Well-being*. [Online] <https://www.who.int> [diakses pada 14 Maret 2021]

WHO. 2020. *Food Safety*. [Online] <https://www.who.int> [diakses pada 14 Maret 2021]

Yong, W., Guo, B., Shi, X., et al. 2018. An investigation of an acute gastroenteritis outbreak: Cronobacter sakazakii, a potential cause of food-borne illness. *Frontiers in microbiology*, 2549 [Online] <https://www.frontiersin.org> [diakses pada 15 April 2022]

Yuliastati & Arnis. A. 2016. *Keperawatan Anak*. Kemenkes RI [Online] <http://bppsdm.kemkes.go.id> [diakses pada 10 Maret 2021]

Yuniyatun, T., Martini, M., Purwantisari, S., dkk. 2017. Hubungan Higiene Sanitasi dengan Kualitas Mikrobiologis pada Makanan Gado-Gado di Kecamatan Tembalang Kota Semarang. *Jurnal Kesehatan Masyarakat (e-Journal)*, 5 (4), 491-499 [Online] <https://ejournal3.undip.ac.id> [diakses pada 14 November 2020]

Yunus, S. P., Umboh, J, M, L., & Pinontoan, O. 2015. Hubungan personal higiene dan fasilitas sanitasi dengan kontaminasi Escherichia coli pada makanan di rumah makan padang Kota Manado dan Kota Bitung. *JIKMU*, 5(3) [Online] <https://ejournal.unsrat.ac.id> [diakses pada 04 Maret 2022]

Zeng, H., Lei, T., He, W., dkk. 2018. Novel multidrug-resistant Cronobacter sakazakii causing meningitis in neonate, China, 2015. *Emerging infectious diseases*, 24 (11), 2121 [Online] <https://www.ncbi.nlm.nih.gov> [diakses pada 02 April 2022]

LAMPIRAN

Lampiran 1. Kata Kunci Penelitian

Exposure

- Enterobacter sakazakii
- Cronobacter sakazakii
- Milk
- Formula milk
- Cheese
- Meat
- Vegetables
- Cereals
- Fruits
- Wheat flour

Population

- Child, Children (Child^{*} atau Child^{\$})
- Kid, kids (kid^{*} atau kid^{\$})
- Baby, babies (baby^{*} atau baby^{\$})
- Toddler, Toddlers (toddler^{*} atau toddler^{\$})
- Neonatal
- Neonatus
- Post-natal
- Postnatal
- Infant, Infants (infant^{*} atau infant^{\$})
- Infancy
- Newborn, Newborns (Newborn^{*} atau Newborn^{\$})
- Preschooler

Outcome

- Foodborne disease
- Meningitis
- Septicemia
- Necrotizing Enterocolitis
- Hidrosefalus
- Bacteremia
- Urinary tract Infection
- Cerebritis

Database	Kata Kunci	Artikel	Total	Duplicate	Total
Science direct (Batas 8 pegguaan BOOLEAN)	(“Enterobacter sakazakii” OR “Cronobacter sakazakii”) AND (child\$ OR kid\$) AND (milk OR “formula milk”) AND (“Foodborne disease” OR meningitis)	7			
	(“Enterobacter sakazakii” OR “Cronobacter sakazakii”) AND (child\$ OR kid\$) AND (cheese OR cereals) AND (“Foodborne disease” OR meningitis)	4			
	(“Enterobacter sakazakii” OR “Cronobacter sakazakii”) AND (child\$ OR kid\$) AND (meat OR vegetables) AND (“Foodborne disease” OR meningitis)	4			
	(“Enterobacter sakazakii” OR “Cronobacter sakazakii”) AND (child\$ OR kid\$) AND (fruits OR “wheat flour”) AND (“Foodborne disease” OR meningitis)	2			
	(“Enterobacter sakazakii” OR “Cronobacter sakazakii”) AND (child\$ OR kid\$) AND (milk OR “formula milk”) AND (“Foodborne disease” OR septicemia OR “Necrotizing Enterocolitis”)	4			
	(“Enterobacter sakazakii” OR “Cronobacter sakazakii”) AND (child\$ OR kid\$) AND (cheese OR cereals) AND (“Foodborne disease” OR septicemia OR “Necrotizing Enterocolitis”)	2	826	80	316
	(“Enterobacter sakazakii” OR “Cronobacter sakazakii”) AND (child\$ OR kid\$) AND (meat OR vegetables) AND (“Foodborne disease” OR septicemia OR “Necrotizing Enterocolitis”)	3			
	(“Enterobacter sakazakii” OR “Cronobacter sakazakii”) AND (child\$ OR kid\$) AND (fruits OR “wheat flour”) AND (“Foodborne disease” OR septicemia OR “Necrotizing Enterocolitis”)	1			
	(“Enterobacter sakazakii” OR “Cronobacter sakazakii”) AND (child\$ OR kid\$) AND (milk OR “formula milk”) AND (“Foodborne disease” OR hidrosefalus OR bacteremia)	3			
	(“Enterobacter sakazakii” OR “Cronobacter sakazakii”) AND (child\$ OR kid\$) AND (cheese OR cereals) AND (“Foodborne disease” OR hidrosefalus OR bacteremia)	2			
	(“Enterobacter sakazakii” OR “Cronobacter sakazakii”) AND (child\$ OR kid\$) AND (meat OR vegetables) AND (“Foodborne disease” OR hidrosefalus OR bacteremia)	2			

	vegetables) AND (“Foodborne disease” OR hidrosefalus OR bacteremia)			
	(“Enterobacter sakazakii” OR “Cronobacter sakazakii”) AND (child\$ OR kid\$) AND (fruits OR “wheat flour”) AND (“Foodborne disease” OR hidrosefalus OR bacteremia)	0		
	(“Enterobacter sakazakii” OR “Cronobacter sakazakii”) AND (child\$ OR kid\$) AND (milk OR “formula milk”) AND (“Foodborne disease” OR “Urinary tract Infection” OR cerebritis)	1		
	(“Enterobacter sakazakii” OR “Cronobacter sakazakii”) AND (child\$ OR kid\$) AND (cheese OR cereals) AND (“Foodborne disease” OR “Urinary tract Infection” OR cerebritis)	1		
	(“Enterobacter sakazakii” OR “Cronobacter sakazakii”) AND (child\$ OR kid\$) AND (meat OR vegetables) AND (“Foodborne disease” OR “Urinary tract Infection” OR cerebritis)	1		
	(“Enterobacter sakazakii” OR “Cronobacter sakazakii”) AND (child\$ OR kid\$) AND (fruits OR “wheat flour”) AND (“Foodborne disease” OR “Urinary tract Infection” OR cerebritis)	0		
	(“Enterobacter sakazakii” OR “Cronobacter sakazakii”) AND (baby\$ OR newborn\$) AND (milk OR “formula milk”) AND (“Foodborne disease” OR meningitis)	27		
	(“Enterobacter sakazakii” OR “Cronobacter sakazakii”) AND (baby\$ OR newborn\$) AND (cheese OR cereals) AND (“Foodborne disease” OR meningitis)	15		
	(“Enterobacter sakazakii” OR “Cronobacter sakazakii”) AND (baby\$ OR newborn\$) AND (meat OR vegetables) AND (“Foodborne disease” OR meningitis)	18		
	(“Enterobacter sakazakii” OR “Cronobacter sakazakii”) AND (baby\$ OR newborn\$) AND (fruits OR “wheat flour”) AND (“Foodborne disease” OR meningitis)	6		
	(“Enterobacter sakazakii” OR “Cronobacter sakazakii”) AND (baby\$ OR newborn\$) AND (milk OR “formula milk”) AND (“Foodborne disease” OR septicemia OR “Necrotizing Enterocolitis”)	23		
	(“Enterobacter sakazakii” OR “Cronobacter sakazakii”) AND (baby\$ OR newborn\$) AND (cheese	13		

	OR cereals) AND (“Foodborne disease” OR septicemia OR “Necrotizing Enterocolitis”)			
	(“Enterobacter sakazakii” OR “Cronobacter sakazakii”) AND (baby\$ OR newborn\$) AND (meat OR vegetables) AND (“Foodborne disease” OR septicemia OR “Necrotizing Enterocolitis”)	18		
	(“Enterobacter sakazakii” OR “Cronobacter sakazakii”) AND (baby\$ OR newborn\$) AND (fruits OR “wheat flour”) AND (“Foodborne disease” OR septicemia OR “Necrotizing Enterocolitis”)	7		
	(“Enterobacter sakazakii” OR “Cronobacter sakazakii”) AND (baby\$ OR newborn\$) AND (milk OR “formula milk”) AND (“Foodborne disease” OR hidrosefalus OR bacteremia)	14		
	(“Enterobacter sakazakii” OR “Cronobacter sakazakii”) AND (baby\$ OR newborn\$) AND (cheese OR cereals) AND (“Foodborne disease” OR hidrosefalus OR bacteremia)	8		
	(“Enterobacter sakazakii” OR “Cronobacter sakazakii”) AND (baby\$ OR newborn\$) AND (meat OR vegetables) AND (“Foodborne disease” OR hidrosefalus OR bacteremia)	13		
	(“Enterobacter sakazakii” OR “Cronobacter sakazakii”) AND (baby\$ OR newborn\$) AND (fruits OR “wheat flour”) AND (“Foodborne disease” OR hidrosefalus OR bacteremia)	4		
	(“Enterobacter sakazakii” OR “Cronobacter sakazakii”) AND (baby\$ OR newborn\$) AND (milk OR “formula milk”) AND (“Foodborne disease” OR “Urinary tract Infection” OR cerebritis)	10		
	(“Enterobacter sakazakii” OR “Cronobacter sakazakii”) AND (baby\$ OR newborn\$) AND (cheese OR cereals) AND (“Foodborne disease” OR “Urinary tract Infection” OR cerebritis)	3		
	(“Enterobacter sakazakii” OR “Cronobacter sakazakii”) AND (baby\$ OR newborn\$) AND (meat OR vegetables) AND (“Foodborne disease” OR “Urinary tract Infection” OR cerebritis)	7		
	(“Enterobacter sakazakii” OR “Cronobacter sakazakii”) AND (baby\$ OR newborn\$) AND (fruits OR “wheat flour”) AND (“Foodborne disease” OR “Urinary tract Infection” OR cerebritis)	2		
	(“Enterobacter sakazakii” OR “Cronobacter sakazakii”) AND (toddler\$ OR preschooler) AND	0		

	(milk OR “formula milk”) AND (“Foodborne disease” OR meningitis)			
	(“Enterobacter sakazakii” OR “Cronobacter sakazakii”) AND (toddler\$ OR preschooler) AND (cheese OR cereals) AND (“Foodborne disease” OR meningitis)	0		
	(“Enterobacter sakazakii” OR “Cronobacter sakazakii”) AND (toddler\$ OR preschooler) AND (meat OR vegetables) AND (“Foodborne disease” OR meningitis)	0		
	(“Enterobacter sakazakii” OR “Cronobacter sakazakii”) AND (toddler\$ OR preschooler) AND (fruits OR “wheat flour”) AND (“Foodborne disease” OR meningitis)	0		
	(“Enterobacter sakazakii” OR “Cronobacter sakazakii”) AND (toddler\$ OR preschooler) AND (milk OR “formula milk”) AND (“Foodborne disease” OR septicemia OR “Necrotizing Enterocolitis”)	0		
	(“Enterobacter sakazakii” OR “Cronobacter sakazakii”) AND (toddler\$ OR preschooler) AND (cheese OR cereals) AND (“Foodborne disease” OR septicemia OR “Necrotizing Enterocolitis”)	0		
	(“Enterobacter sakazakii” OR “Cronobacter sakazakii”) AND (toddler\$ OR preschooler) AND (meat OR vegetables) AND (“Foodborne disease” OR septicemia OR “Necrotizing Enterocolitis”)	0		
	(“Enterobacter sakazakii” OR “Cronobacter sakazakii”) AND (toddler\$ OR preschooler) AND (fruits OR “wheat flour”) AND (“Foodborne disease” OR septicemia OR “Necrotizing Enterocolitis”)	0		
	(“Enterobacter sakazakii” OR “Cronobacter sakazakii”) AND (toddler\$ OR preschooler) AND (milk OR “formula milk”) AND (“Foodborne disease” OR hidrosefalus OR bacteremia)	0		
	(“Enterobacter sakazakii” OR “Cronobacter sakazakii”) AND (toddler\$ OR preschooler) AND (cheese OR cereals) AND (“Foodborne disease” OR hidrosefalus OR bacteremia)	0		
	(“Enterobacter sakazakii” OR “Cronobacter sakazakii”) AND (toddler\$ OR preschooler) AND (meat OR vegetables) AND (“Foodborne disease” OR hidrosefalus OR bacteremia)	0		

	(“Enterobacter sakazakii” OR “Cronobacter sakazakii”) AND (toddler\$ OR preschooler) AND (fruits OR “wheat flour”) AND (“Foodborne disease” OR hidrosefalus OR bacteremia)	0			
	(“Enterobacter sakazakii” OR “Cronobacter sakazakii”) AND (toddler\$ OR preschooler) AND (milk OR “formula milk”) AND (“Foodborne disease” OR “Urinary tract Infection” OR cerebritis)	0			
	(“Enterobacter sakazakii” OR “Cronobacter sakazakii”) AND (toddler\$ OR preschooler) AND (cheese OR cereals) AND (“Foodborne disease” OR “Urinary tract Infection” OR cerebritis)	0			
	(“Enterobacter sakazakii” OR “Cronobacter sakazakii”) AND (toddler\$ OR preschooler) AND (meat OR vegetables) AND (“Foodborne disease” OR “Urinary tract Infection” OR cerebritis)	0			
	(“Enterobacter sakazakii” OR “Cronobacter sakazakii”) AND (toddler\$ OR preschooler) AND (fruits OR “wheat flour”) AND (“Foodborne disease” OR “Urinary tract Infection” OR cerebritis)	0			
	(“Enterobacter sakazakii” OR “Cronobacter sakazakii”) AND (neonatal OR neonates) AND (milk OR “formula milk”) AND (“Foodborne disease” OR meningitis)	52			
	(“Enterobacter sakazakii” OR “Cronobacter sakazakii”) AND (neonatal OR neonates) AND (cheese OR cereals) AND (“Foodborne disease” OR meningitis)	20			
	(“Enterobacter sakazakii” OR “Cronobacter sakazakii”) AND (neonatal OR neonates) AND (meat OR vegetables) AND (“Foodborne disease” OR meningitis)	22			
	(“Enterobacter sakazakii” OR “Cronobacter sakazakii”) AND (neonatal OR neonates) AND (fruits OR “wheat flour”) AND (“Foodborne disease” OR meningitis)	13			
	(“Enterobacter sakazakii” OR “Cronobacter sakazakii”) AND (neonatal OR neonates) AND (milk OR “formula milk”) AND (“Foodborne disease” OR septicemia OR “Necrotizing Enterocolitis”)	27			
	(“Enterobacter sakazakii” OR “Cronobacter sakazakii”) AND (neonatal OR neonates) AND (cheese OR cereals) AND (“Foodborne disease” OR septicemia OR “Necrotizing Enterocolitis”)	17			

	(“Enterobacter sakazakii” OR “Cronobacter sakazakii”) AND (neonatal OR neonates) AND (meat OR vegetables) AND (“Foodborne disease” OR septicemia OR “Necrotizing Enterocolitis”)	21			
	(“Enterobacter sakazakii” OR “Cronobacter sakazakii”) AND (neonatal OR neonates) AND (fruits OR “wheat flour”) AND (“Foodborne disease” OR septicemia OR “Necrotizing Enterocolitis”)	10			
	(“Enterobacter sakazakii” OR “Cronobacter sakazakii”) AND (neonatal OR neonates) AND (milk OR “formula milk”) AND (“Foodborne disease” OR hidrosefalus OR bacteremia)	23			
	(“Enterobacter sakazakii” OR “Cronobacter sakazakii”) AND (neonatal OR neonates) AND (cheese OR cereals) AND (“Foodborne disease” OR hidrosefalus OR bacteremia)	14			
	(“Enterobacter sakazakii” OR “Cronobacter sakazakii”) AND (neonatal OR neonates) AND (meat OR vegetables) AND (“Foodborne disease” OR hidrosefalus OR bacteremia)	17			
	(“Enterobacter sakazakii” OR “Cronobacter sakazakii”) AND (neonatal OR neonates) AND (fruits OR “wheat flour”) AND (“Foodborne disease” OR hidrosefalus OR bacteremia)	5			
	(“Enterobacter sakazakii” OR “Cronobacter sakazakii”) AND (neonatal OR neonates) AND (milk OR “formula milk”) AND (“Foodborne disease” OR “Urinary tract Infection” OR cerebritis)	12			
	(“Enterobacter sakazakii” OR “Cronobacter sakazakii”) AND (neonatal OR neonates) AND (cheese OR cereals) AND (“Foodborne disease” OR “Urinary tract Infection” OR cerebritis)	5			
	(“Enterobacter sakazakii” OR “Cronobacter sakazakii”) AND (neonatal OR neonates) AND (meat OR vegetables) AND (“Foodborne disease” OR “Urinary tract Infection” OR cerebritis)	8			
	(“Enterobacter sakazakii” OR “Cronobacter sakazakii”) AND (neonatal OR neonates) AND (fruits OR “wheat flour”) AND (“Foodborne disease” OR “Urinary tract Infection” OR cerebritis)	2			
	(“Enterobacter sakazakii” OR “Cronobacter sakazakii”) AND (post-natal OR postnatal) AND (milk OR “formula milk”) AND (“Foodborne disease” OR meningitis)	2			

	(“Enterobacter sakazakii” OR “Cronobacter sakazakii”) AND (post-natal OR postnatal) AND (cheese OR cereals) AND (“Foodborne disease” OR meningitis)	1			
	(“Enterobacter sakazakii” OR “Cronobacter sakazakii”) AND (post-natal OR postnatal) AND (meat OR vegetables) AND (“Foodborne disease” OR meningitis)	1			
	(“Enterobacter sakazakii” OR “Cronobacter sakazakii”) AND (post-natal OR postnatal) AND (fruits OR “wheat flour”) AND (“Foodborne disease” OR meningitis)	1			
	(“Enterobacter sakazakii” OR “Cronobacter sakazakii”) AND (post-natal OR postnatal) AND (milk OR “formula milk”) AND (“Foodborne disease” OR septicemia OR “Necrotizing Enterocolitis”)	2			
	(“Enterobacter sakazakii” OR “Cronobacter sakazakii”) AND (post-natal OR postnatal) AND (cheese OR cereals) AND (“Foodborne disease” OR septicemia OR “Necrotizing Enterocolitis”)	1			
	(“Enterobacter sakazakii” OR “Cronobacter sakazakii”) AND (post-natal OR postnatal) AND (meat OR vegetables) AND (“Foodborne disease” OR septicemia OR “Necrotizing Enterocolitis”)	1			
	(“Enterobacter sakazakii” OR “Cronobacter sakazakii”) AND (post-natal OR postnatal) AND (fruits OR “wheat flour”) AND (“Foodborne disease” OR septicemia OR “Necrotizing Enterocolitis”)	1			
	(“Enterobacter sakazakii” OR “Cronobacter sakazakii”) AND (post-natal OR postnatal) AND (milk OR “formula milk”) AND (“Foodborne disease” OR hidrosefalus OR bacteremia)	1			
	(“Enterobacter sakazakii” OR “Cronobacter sakazakii”) AND (post-natal OR postnatal) AND (cheese OR cereals) AND (“Foodborne disease” OR hidrosefalus OR bacteremia)	1			
	(“Enterobacter sakazakii” OR “Cronobacter sakazakii”) AND (post-natal OR postnatal) AND (meat OR vegetables) AND (“Foodborne disease” OR hidrosefalus OR bacteremia)	1			
	(“Enterobacter sakazakii” OR “Cronobacter sakazakii”) AND (post-natal OR postnatal)	1			

	(fruits OR “wheat flour”) AND (“Foodborne disease” OR hidrosefalus OR bateremia)			
	(“Enterobacter sakazakii” OR “Cronobacter sakazakii”) AND (post-natal OR postnatal) AND (milk OR “formula milk”) AND (“Foodborne disease” OR “Urinary tract Infection” OR cerebritis)	0		
	(“Enterobacter sakazakii” OR “Cronobacter sakazakii”) AND (post-natal OR postnatal) AND (cheese OR cereals) AND (“Foodborne disease” OR “Urinary tract Infection” OR cerebritis)	0		
	(“Enterobacter sakazakii” OR “Cronobacter sakazakii”) AND (post-natal OR postnatal) AND (meat OR vegetables) AND (“Foodborne disease” OR “Urinary tract Infection” OR cerebritis)	0		
	(“Enterobacter sakazakii” OR “Cronobacter sakazakii”) AND (post-natal OR postnatal) AND (fruits OR “wheat flour”) AND (“Foodborne disease” OR “Urinary tract Infection” OR cerebritis)	0		
	(“Enterobacter sakazakii” OR “Cronobacter sakazakii”) AND (infant ^{\$} OR infancy) AND (milk OR “formula milk”) AND (“Foodborne disease” OR meningitis)	43		
	(“Enterobacter sakazakii” OR “Cronobacter sakazakii”) AND (infant ^{\$} OR infancy) AND (cheese OR cereals) AND (“Foodborne disease” OR meningitis)	26		
	(“Enterobacter sakazakii” OR “Cronobacter sakazakii”) AND (infant ^{\$} OR infancy) AND (meat OR vegetables) AND (“Foodborne disease” OR meningitis)	33		
	(“Enterobacter sakazakii” OR “Cronobacter sakazakii”) AND (infant ^{\$} OR infancy) AND (fruits OR “wheat flour”) AND (“Foodborne disease” OR meningitis)	14		
	(“Enterobacter sakazakii” OR “Cronobacter sakazakii”) AND (infant ^{\$} OR infancy) AND (milk OR “formula milk”) AND (“Foodborne disease” OR septicemia OR “Necrotizing Enterocolitis”)	49		
	(“Enterobacter sakazakii” OR “Cronobacter sakazakii”) AND (infant ^{\$} OR infancy) AND (cheese OR cereals) AND (“Foodborne disease” OR septicemia OR “Necrotizing Enterocolitis”)	22		
	(“Enterobacter sakazakii” OR “Cronobacter sakazakii”) AND (infant ^{\$} OR infancy) AND (meat	26		

	OR vegetables) AND (“Foodborne disease” OR septicemia OR “Necrotizing Enterocolitis”)				
	(“Enterobacter sakazakii” OR “Cronobacter sakazakii”) AND (infant\$ OR infancy) AND (fruits OR “wheat flour”) AND (“Foodborne disease” OR septicemia OR “Necrotizing Enterocolitis”)	10			
	(“Enterobacter sakazakii” OR “Cronobacter sakazakii”) AND (infant\$ OR infancy) AND (milk OR “formula milk”) AND (“Foodborne disease” OR hidrosefalus OR bacteremia)	28			
	(“Enterobacter sakazakii” OR “Cronobacter sakazakii”) AND (infant\$ OR infancy) AND (cheese OR cereals) AND (“Foodborne disease” OR hidrosefalus OR bacteremia)	16			
	(“Enterobacter sakazakii” OR “Cronobacter sakazakii”) AND (infant\$ OR infancy) AND (meat OR vegetables) AND (“Foodborne disease” OR hidrosefalus OR bacteremia)	19			
	(“Enterobacter sakazakii” OR “Cronobacter sakazakii”) AND (infant\$ OR infancy) AND (fruits OR “wheat flour”) AND (“Foodborne disease” OR hidrosefalus OR bacteremia)	6			
	(“Enterobacter sakazakii” OR “Cronobacter sakazakii”) AND (infant\$ OR infancy) AND (milk OR “formula milk”) AND (“Foodborne disease” OR “Urinary tract Infection” OR cerebritis)	12			
	(“Enterobacter sakazakii” OR “Cronobacter sakazakii”) AND (infant\$ OR infancy) AND (cheese OR cereals) AND (“Foodborne disease” OR “Urinary tract Infection” OR cerebritis)	6			
	(“Enterobacter sakazakii” OR “Cronobacter sakazakii”) AND (infant\$ OR infancy) AND (meat OR vegetables) AND (“Foodborne disease” OR “Urinary tract Infection” OR cerebritis)	7			
	(“Enterobacter sakazakii” OR “Cronobacter sakazakii”) AND (infant\$ OR infancy) AND (fruits OR “wheat flour”) AND (“Foodborne disease” OR “Urinary tract Infection” OR cerebritis)	2			
Pubmed	“Enterobacter sakazakii” OR “Cronobacter sakazakii” AND child OR children OR kid OR kids OR baby OR babies OR toddler OR toddlers OR neonates OR neonatal OR postnatal OR post-natal OR preschooler OR infant OR infants OR infancy OR newborns AND milk OR “formula milk” OR cheese OR meat OR	11	11	11	

	<p>vegetables OR cereals OR fruits OR “wheat flour” AND “Foodborne disease” OR meningitis OR septicemia OR “necrotizing eterocolitis” OR hidrosefalus OR bacteremia OR “Urinary tract Infection” OR cerebritis</p> <p>((((("Cronobacter sakazakii"[Mesh]) OR ("Enterobacter sakazakii" OR "Cronobacter sakazakii")) AND (((("Child, Preschool"[Mesh] OR "Child"[Mesh]) OR ("Infant, Newborn"[Mesh] OR "Infant"[Mesh]) OR "Infant Formula"[Mesh])) OR (child OR children OR kid OR kids OR baby OR babies OR toddler OR toddlers OR neonates OR neonatal OR postnatal OR post-natal OR preschooler OR infant OR infants OR infancy OR newborns))) AND (milk OR "formula milk" OR cheese OR meat OR vegetables OR cereals OR fruits OR "wheat flour")) AND (((("Meningitis, Bacterial"[Mesh] OR "Meningitis"[Mesh]) OR ("Sepsis"[Mesh])) OR ("Enterocolitis, Necrotizing"[Mesh])) OR ("Bacteremia"[Mesh])) OR ("Hydrocephalus"[Mesh])) OR ("Foodborne disease"[All Fields] OR "meningeal"[All Fields] OR "meninges"[MeSH Terms] OR "meninges"[All Fields] OR "meninge"[All Fields] OR "meningism"[MeSH Terms] OR "meningism"[All Fields] OR "meningisms"[All Fields] OR "meningitis"[MeSH Terms] OR "meningitis"[All Fields] OR "meningitides"[All Fields] OR "sepsis"[MeSH Terms] OR "sepsis"[All Fields] OR "septicaemias"[All Fields] OR "septicemias"[All Fields] OR "septicaemia"[All Fields] OR "septicemia"[All Fields] OR "necrosis"[MeSH Terms] OR "necrosis"[All Fields] OR "necrotic"[All Fields] OR "necrotising"[All Fields] OR "necrotization"[All Fields] OR "necrotize"[All Fields] OR "necrotized"[All Fields] OR "necrotizing"[All Fields] OR "hydrocephalus"[MeSH Terms] OR "hydrocephalus"[All Fields] OR "bacteraemia"[All Fields] OR "bacteremia"[MeSH Terms] OR "bacteremia"[All Fields] OR "bacteraemias"[All Fields] OR "bacteremias"[All Fields] OR "Urinary tract Infection"[All Fields] OR "cerebritis"[All Fields]))</p>			
Proquest	<p>“Enterobacter sakazakii” OR “Cronobacter sakazakii” AND child* OR kid* OR baby* OR toddler* OR neonatal OR neonates OR postnatal OR post-natal OR preschooler OR infant* OR infancy OR newborn* AND milk OR “formula milk” OR cheese OR meat OR vegetables OR cereals OR fruits OR “wheat flour”</p>	20	20	20

	AND “Foodborne disease” OR meningitis OR septicemia OR “necrotizing enterocolitis” OR hidrosefalus OR bacteremia OR “Urinary tract Infection” OR cerebritis				
Google scholar (Ada batasan jumlah huruf)	“Enterobacter sakazakii” OR “Cronobacter sakazakii” AND child* OR kid* OR toddler* OR preschooler AND milk OR “formula milk” OR cheese AND “Foodborne disease” OR meningitis OR “necrotizing enterocolitis”	4			
	“Enterobacter sakazakii” OR “Cronobacter sakazakii” AND child* OR kid* OR toddler* OR preschooler AND meat OR vegetables OR cereals AND “Foodborne disease” OR meningitis OR “necrotizing enterocolitis”	0			
	“Enterobacter sakazakii” OR “Cronobacter sakazakii” AND child* OR kid* OR toddler* OR preschooler AND fruits OR “wheat flour” AND “Foodborne disease” OR meningitis OR “necrotizing enterocolitis”	3			
	“Enterobacter sakazakii” OR “Cronobacter sakazakii” AND child* OR kid* OR toddler* OR preschooler AND milk OR “formula milk” OR cheese AND “Foodborne disease” OR Septicemia OR hidrosefalus OR bacteremia	7			
	“Enterobacter sakazakii” OR “Cronobacter sakazakii” AND child* OR kid* OR toddler* OR preschooler AND meat OR vegetables OR cereals AND “Foodborne disease” OR Septicemia OR hidrosefalus OR bacteremia	5	297	284	
	“Enterobacter sakazakii” OR “Cronobacter sakazakii” AND child* OR kid* OR toddler* OR preschooler AND fruits OR “wheat flour” AND “Foodborne disease” OR Septicemia OR hidrosefalus OR bacteremia	2			
	“Enterobacter sakazakii” OR “Cronobacter sakazakii” AND child* OR kid* OR toddler* OR preschooler AND milk OR “formula milk” OR cheese AND “Foodborne disease” OR cerebritis OR “urinary tract infection”	6			
	“Enterobacter sakazakii” OR “Cronobacter sakazakii” AND child* OR kid* OR toddler* OR preschooler AND meat OR vegetables OR cereals AND “Foodborne disease” OR cerebritis OR “urinary tract infection”	1			
	“Enterobacter sakazakii” OR “Cronobacter sakazakii” AND child* OR kid* OR toddler* OR preschooler	1			

	AND fruits OR “wheat flour” AND “Foodborne disease” OR cerebritis OR “urinary tract infection”			
	“Enterobacter sakazakii” OR “Cronobacter sakazakii” AND baby* OR neonatal OR neonatus OR post-natal OR postnatal AND milk OR “formula milk” OR cheese AND “Foodborne disease” OR meningitis OR “necrotizing enterocolitis”	5		
	“Enterobacter sakazakii” OR “Cronobacter sakazakii” AND baby* OR neonatal OR neonatus OR post-natal OR postnatal AND meat OR vegetables OR cereals AND “Foodborne disease” OR meningitis OR “necrotizing enterocolitis”	3		
	“Enterobacter sakazakii” OR “Cronobacter sakazakii” AND baby* OR neonatal OR neonatus OR post-natal OR postnatal AND fruits OR “wheat flour” AND “Foodborne disease” OR meningitis OR “necrotizing enterocolitis”	3		
	“Enterobacter sakazakii” OR “Cronobacter sakazakii” AND baby* OR neonatal OR neonatus OR post-natal OR postnatal AND milk OR “formula milk” OR cheese AND “Foodborne disease” OR Septicemia OR hidrosefalus OR bacteremia	1		
	“Enterobacter sakazakii” OR “Cronobacter sakazakii” AND baby* OR neonatal OR neonatus OR post-natal OR postnatal AND meat OR vegetables OR cereals AND “Foodborne disease” OR Septicemia OR hidrosefalus OR bacteremia	3		
	“Enterobacter sakazakii” OR “Cronobacter sakazakii” AND baby* OR neonatal OR neonatus OR post-natal OR postnatal AND fruits OR “wheat flour” AND “Foodborne disease” OR Septicemia OR hidrosefalus OR bacteremia	1		
	“Enterobacter sakazakii” OR “Cronobacter sakazakii” AND baby* OR neonatal OR neonatus OR post-natal OR postnatal AND milk OR “formula milk” OR cheese AND “Foodborne disease” OR cerebritis OR “urinary tract infection”	1		
	“Enterobacter sakazakii” OR “Cronobacter sakazakii” AND baby* OR neonatal OR neonatus OR post-natal OR postnatal AND meat OR vegetables OR cereals AND “Foodborne disease” OR cerebritis OR “urinary tract infection”	0		
	“Enterobacter sakazakii” OR “Cronobacter sakazakii” AND baby* OR neonatal OR neonatus OR post-natal OR postnatal AND fruits OR “wheat flour” AND	0		

	“Foodborne disease” OR cerebritis OR “urinary tract infection”				
	“Enterobacter sakazakii” OR “Cronobacter sakazakii” AND infant* OR infancy OR newborn* AND milk OR “formula milk” OR cheese AND “Foodborne disease” OR meningitis OR “necrotizing enterocolitis”	10			
	“Enterobacter sakazakii” OR “Cronobacter sakazakii” AND infant* OR infancy OR newborn* AND meat OR vegetables OR cereals AND “Foodborne disease” OR meningitis OR “necrotizing enterocolitis”	8			
	“Enterobacter sakazakii” OR “Cronobacter sakazakii” AND infant* OR infancy OR newborn* AND fruits OR “wheat flour” AND “Foodborne disease” OR meningitis OR “necrotizing enterocolitis”	4			
	“Enterobacter sakazakii” OR “Cronobacter sakazakii” AND infant* OR infancy OR newborn* AND milk OR “formula milk” OR cheese AND “Foodborne disease” OR Septicemia OR hidrosefalus OR bacteremia	51			
	“Enterobacter sakazakii” OR “Cronobacter sakazakii” AND infant* OR infancy OR newborn* AND meat OR vegetables OR cereals AND “Foodborne disease” OR Septicemia OR hidrosefalus OR bacteremia	60			
	“Enterobacter sakazakii” OR “Cronobacter sakazakii” AND infant* OR infancy OR newborn* AND fruits OR wheat flour AND “Foodborne disease” OR Septicemia OR hidrosefalus OR bacteremia	31			
	“Enterobacter sakazakii” OR “Cronobacter sakazakii” AND infant* OR infancy OR newborn* AND milk OR “formula milk” OR cheese AND “Foodborne disease” OR cerebritis OR “urinary tract infection”	15			
	“Enterobacter sakazakii” OR “Cronobacter sakazakii” AND infant* OR infancy OR newborn* AND meat OR vegetables OR cereals AND “Foodborne disease” OR cerebritis OR “urinary tract infection”	43			
	“Enterobacter sakazakii” OR “Cronobacter sakazakii” AND infant* OR infancy OR newborn* AND fruits OR “wheat flour” AND “Foodborne disease” OR cerebritis OR “urinary tract infection”	29			

Lampiran 2. Lembar Penilaian JBI

Lampiran 2. Lembar Penilaian JBI						
Study of Antimicrobial Susceptibility and Biofilm Formation of Cronobacter Sakazakii Isolates from Neonatal Sepsis in Southwest Iran						
JBI CRITICAL APPRAISAL CHELIST FOR ANALYTICAL CROSS SECTIONAL STUDIES						
Reviewer : Wulan Ramadhani J						
Author: Melika Moradi, et al (2021) Record Number :						
		Yes	No	Unclear	Not applicable	Keterangan
1	Were the criteria for inclusion in the sample clearly defined	√				Kriteria inklusi terjelaskan
2	Were the study subjects and the setting described in detail	√				Subjek penelitian dan setting terjelaskan misal lokasi dan periode waktu
3	Was the exposure measured in a valid and reliable way	√				Eksposure (Bakteri) di ukur dengan jelas
4	Were objective, standard criteria used for measurement of the condition		√			Tidak terjelaskan pada artikel
5	Were confounding factors identified		√			Tidak terjelaskan pada artikel
6	Were strategies to deal with confounding factors stated		√			Tidak terjelaskan pada artikel
7	Were the outcomes measured in a valid reliable way			√		Tidak Diterapkan pada artikel
8	Was appropriate statistical analysis used	√				Menggunakan Paket statistik untuk ilmu sosial versi 22
Overall appraisal : 50% Include : √ Seek further info : -						
Comments (including reason for exclusion) : Masuk ke tahap sintesis karena memiliki skor ≥50%						

Study of Antimicrobial Susceptibility and Biofilm Formation of Cronobacter Sakazakii Isolates from Neonatal Sepsis in Southwest Iran					
JBI CRITICAL APPRAISAL CHELIST FOR ANALYTICAL CROSS SECTIONAL STUDIES					
Reviewer : Hasnawati Amqam					
Author: Melika Moradi, et al (2021)		Record Number :			
		Yes	No	Unclear	Not applicable
1	Were the criteria for inclusion in the sample clearly defined	√			Kriteria inklusi terjelaskan
2	Were the study subjects and the setting described in detail	√			Subjek penelitian dan setting terjelaskan misal lokasi dan periode waktu
3	Was the exposure measured in a valid and reliable way	√			Eksposure (Bakteri) di ukur dengan jelas
4	Were objective, standard criteria used for measurement of the condition		√	√	Terjelaskan pada artikel namun tidak secara rinci atau jelas
5	Were confounding factors identified		√		Tidak terjelaskan pada artikel
6	Were strategies to deal with confounding factors stated		√		Tidak terjelaskan pada artikel
7	Were the outcomes measured in a valid reliable way			√	Tidak Diterapkan pada artikel
8	Was appropriate statistical analysis used	√			Menggunakan Paket statistik untuk ilmu sosial versi 22
Overall appraisal : 50% Include : √ Seek further info : -					
Comments (including reason for exclusion) : Masuk ke tahap sintesis karena memiliki skor ≥50%					

**Prevalence and Genetic Characteristics of Cronobacter spp. From Food and Human Clinical Stool Samples in Wenzhou, China
2008-2018**

JBI CRITICAL APPRAISAL CHECKLIST FOR ANALYTICAL CROSS SECTIONAL STUDIES

Reviewer : Wulan Ramadhani J

Author : Yi Li, et al (2020)

Record Number :

		Yes	No	Unclear	Not applicable	Keterangan
1	Were the criteria for inclusion in the sample clearly defined		√			Kriteria inklusi tidak terjelaskan
2	Were the study subjects and the setting described in detail			√		Subjek dan setting penelitian tidak tertuliskan secara jelas
3	Was the exposure measured in a valid and reliable way				√	Tidak di terapkan
4	Were objective, standard criteria used for measurement of the condition		√			Tidak terjelaskan pada artikel
5	Were confounding factors identified				√	Tidak di terapkan
6	Were strategies to deal with confounding factors stated				√	Tidak di terapkan
7	Were the outcomes measured in a valid reliable way	√				Hasil di ukur dengan baik
8	Was appropriate statistical analysis used				√	Tidak di terapkan

Overall appraisal : 12,5% Include : -

Exclude: √

Seek further info : -

Comments (including reason for exclusion) : Artikel dikeluarkan karena memiliki skor <50%

**Prevalence and Genetic Characteristics of Cronobacter spp. From Food and Human Clinical Stool Samples in Wenzhou, China
2008-2018**

JBI CRITICAL APPRAISAL CHECKLIST FOR ANALYTICAL CROSS SECTIONAL STUDIES

Reviewer : Hasnawati Amqam

Author : Yi Li, et al (2020)

Record Number :

		Yes	No	Unclear	Not applicable	Keterangan
1	Were the criteria for inclusion in the sample clearly defined		√			Kriteria inklusi tidak terjelaskan
2	Were the study subjects and the setting described in detail			√		Subjek dan setting penelitian tidak tertuliskan secara jelas
3	Was the exposure measured in a valid and reliable way				√	Tidak di terapkan
4	Were objective, standard criteria used for measurement of the condition		√			Tidak terjelaskan pada artikel
5	Were confounding factors identified				√	Tidak di terapkan
6	Were strategies to deal with confounding factors stated				√	Tidak di terapkan
7	Were the outcomes measured in a valid reliable way	√				Hasil di ukur dengan baik
8	Was appropriate statistical analysis used	√				Dianalisis dengan software BioNumerics versi 7.5

Overall appraisal : 25% Include : - Exclude: √ Seek further info : -
Comments (including reason for exclusion) : Artikel dikeluarkan karena memiliki skor <50%

Emergence of Cronobacter Sakazakii in Cases of Neonatal Sepsis in Upper Egypt: First Report in North Africa

JBI CRITICAL APPRAISAL CHECKLIST FOR ANALYTICAL CROSS SECTIONAL STUDIES

Reviewer : Wulan Ramadhani J

Author : Amal A. Elkhawaga, et al (2020) Record Number :-

		Yes	No	Unclear	Not applicable	Keterangan
1	Were the criteria for inclusion in the sample clearly defined	√				Kriteria Inklusi terjelaskan misal sampel di ambil hanya pada kasus sepsis
2	Were the study subjects and the setting described in detail	√				Subjek dan setting terjelaskan misal lokasi, waktu, dan desain penelitian
3	Was the exposure measured in a valid and reliable way	√				eksposure di ukur dengan valid
4	Were objective, standard criteria used for measurement of the condition	√				Terjelaskan pada artikel misalnya gejala klinis pada anak
5	Were confounding factors identified		√			Tidak terjelaskan pada artikel
6	Were strategies to deal with confounding factors stated		√			Tidak terjelaskan pada artikel
7	Were the outcomes measured in a valid reliable way	√				Hasil di ukur dengan valid
8	Was appropriate statistical analysis used	√				statistik yang digunakan yaitu paket statistik versi 16.0

Overall appraisal : 75% Include : √ Seek further info : -

Comments (including reason for exclusion) : Masuk ke tahap sintesis karena memiliki skor $\geq 50\%$

Emergence of Cronobacter Sakazakii in Cases of Neonatal Sepsis in Upper Egypt: First Report in North Africa

JBI CRITICAL APPRAISAL CHECKLIST FOR ANALYTICAL CROSS SECTIONAL STUDIES

Reviewer : Hasnawati Amqam

Author : Amal A. Elkhawaga, et al (2020) Record Number :-

		Yes	No	Unclear	Not applicable	Keterangan
1	Were the criteria for inclusion in the sample clearly defined	√				Kriteria Inklusi terjelaskan misal sampel di ambil hanya pada kasus sepsis neonatorium
2	Were the study subjects and the setting described in detail	√				Subjek dan setting terjelaskan misal lokasi, waktu, dan desain penelitian eksposure di ukur dengan valid
3	Was the exposure measured in a valid and reliable way	√				Terjelaskan pada artikel misalnya gejala klinis pada anak
4	Were objective, standard criteria used for measurement of the condition	√			√	Tidak berlaku pada penelitian ini
5	Were confounding factors identified				√	Tidak berlaku pada penelitian ini
6	Were strategies to deal with confounding factors stated				√	Hasil di ukur dengan valid statistik yang digunakan yaitu paket statistik versi 16.0
7	Were the outcomes measured in a valid reliable way	√				
8	Was appropriate statistical analysis used	√				

Overall appraisal : 75% Include : √ Seek further info : -

Comments (including reason for exclusion) : Masuk ke tahap sintesis karena memiliki skor $\geq 50\%$

Incidence of Cronobacter Sakazakii in Iraqi Infants with Neonatal Sepsis

JBI CRITICAL APPRAISAL CHECKLIST FOR ANALYTICAL CROSS SECTIONAL STUDIES

Reviewer : Wulan Ramadhani J

Author : Jabbar S, H & Wafaa E, N (2018)

Record Number : -

		Yes	No	Unclear	Not applicable	Keterangan
1	Were the criteria for inclusion in the sample clearly defined	√				Kriteria inklusi sampel terjelaskan
2	Were the study subjects and the setting described in detail		√			Subjek dan setting penelitian tidak di jelaskan secara detail
3	Was the exposure measured in a valid and reliable way			√		Pengukuran Eksposure yang dituliskan pada artikel masih tidak jelas
4	Were objective, standard criteria used for measurement of the condition		√			Tidak di jelaskan dalam artikel
5	Were confounding factors identified				√	Tidak di terapkan pada artikel ini
6	Were strategies to deal with confounding factors stated				√	Tidak di terapkan pada artikel ini
7	Were the outcomes measured in a valid reliable way	√				Hasil di ukur dengan valid
8	Was appropriate statistical analysis used	√				Analisis statistik terjelaskan pada artikel (SPSS 20)

Overall appraisal : 37,5% Include :

Exclude : √

Seek further info : -

Comments (including reason for exclusion) : Artikel dikeluarkan karena memiliki skor <50%

Incidence of Cronobacter Sakazakii in Iraqi Infants with Neonatal Sepsis

JBI CRITICAL APPRAISAL CHECKLIST FOR ANALYTICAL CROSS SECTIONAL STUDIES

Reviewer : Hasnawati Amqam

Author : Jabbar S, H & Wafaa E, N (2018)

Record Number : -

		Yes	No	Unclear	Not applicable	Keterangan
1	Were the criteria for inclusion in the sample clearly defined		√			Kriteria inkluasi sampel tidak terjelaskan secara jelas
2	Were the study subjects and the setting described in detail		√			Subjek dan setting penelitian tidak di jelaskan secara detail
3	Was the exposure measured in a valid and reliable way			√		Pengukuran Eksposure yang dituliskan pada artikel masih tidak jelas
4	Were objective, standard criteria used for measurement of the condition		√			Tidak di jelaskan dalam artikel
5	Were confounding factors identified				√	Tidak di terapkan pada artikel ini
6	Were strategies to deal with confounding factors stated				√	Tidak di terapkan pada artikel ini
7	Were the outcomes measured in a valid reliable way	√				Hasil di ukur dengan valid
8	Was appropriate statistical analysis used	√				Analisis statistik terjelaskan pada artikel (SPSS 20)

Overall appraisal : 25% Include : Exclude : √

Seek further info : -

Comments (including reason for exclusion) : Artikel dikeluarkan karena memiliki skor <50%

Carriage of Cronobacter Sakazakii in the Very Preterm Infant Gut						
JBI CRITICAL APPRAISAL CHECKLIST FOR ANALYTICAL COHORT STUDIES						
Reviewer : Wulan Ramadhani J	Record Number :					
Author : Sukantha Chandrasekaran, et al (2018)						
		Yes	No	Unclear	Not applicable	Keterangan
1	Were the two groups similar and recruited from the same population?	√				Kedua kelompok direkrut dari populasi yang sama
2	Were the exposures measured similarly to assign people to both exposed and unexposed groups	√				Eksposure di ukur dengan metode yang sama pada dua kelompok
3	Was the exposure measured in a valid and reliable way?	√				Eksposure di ukur dengan valid
4	Were confounding factors identified?	√				Faktor perancu pada penelitian di jelaskan
5	Were strategies to deal with confounding factors stated?		√			Tidak menjelaskan terkait strategi menangani faktor perancu
6	Were the groups/participants free of the outcome at the start of the study (or at the moment of exposure)?	√				Iya pada awal penelitian populasi masih belum diketahui apakah terpapar atau tidak
7	Were the outcomes measured in a valid and reliable way	√				Hasil di ukur dengan valid
8	Was the follow up time reported and sufficient to be long enough for outcomes to occur	√				Waktu terkait tindak lanjut terjelaskan pada artikel
9	Was follow up complete, and if not, were the reasons to loss to follow up described and explored?	√				Iya, tindak lanjut di selesaikan
10	Were strategies to address incomplete follow up utilized				√	Tidak diterapkan
11	Was appropriate statistical analysis used	√				Iya menggunakan analisis statistik
Overall appraisal : 81,8%		Include : √		Seek further info : -		
Comments (including reason for exclusion) : Masuk ke tahap sintesis karena memiliki skor ≥50%						

Carriage of Cronobacter Sakazakii in the Very Preterm Infant Gut

JBI CRITICAL APPRAISAL CHECKLIST FOR ANALYTICAL COHORT STUDIES

Reviewer : Hasnawati Amqam

Record Number :

Author : Sukantha Chandrasekaran, et al (2018)

		Yes	No	Unclear	Not applicable	Keterangan
1	Were the two groups similar and recruited from the same population?	√				Kedua kelompok direkrut dari populasi yang sama
2	Were the exposures measured similarly to assign people to both exposed and unexposed groups	√				Eksposure di ukur dengan metode yang sama pada dua kelompok
3	Was the exposure measured in a valid and reliable way?	√				Eksposure di ukur dengan valid
4	Were confounding factors identified?	√				Faktor perancu pada penelitian di jelaskan
5	Were strategies to deal with confounding factors stated?	√				Menjelaskan terkait strategi menangani faktor perancu
6	Were the groups/participants free of the outcome at the start of the study (or at the moment of exposure)?	√				Iya pada awal penelitian populasi masih belum diketahui apakah terpapar atau tidak
7	Were the outcomes measured in a valid and reliable way	√				Hasil di ukur dengan valid
8	Was the follow up time reported and sufficient to be long enough for outcomes to occur	√				Waktu terkait tindak lanjut terjelaskan pada artikel
9	Was follow up complete, and if not, were the reasons to loss to follow up described and explored?	√				Iya, tindak lanjut di selesaikan
10	Were strategies to address incomplete follow up utilized				√	Tidak diterapkan
11	Was appropriate statistical analysis used	√				Iya menggunakan analisis statistik

Overall appraisal : 90,9%

Include : √

Seek further info : -

Comments (including reason for exclusion) : Masuk ke tahap sintesis karena memiliki skor ≥50%

Infection of Cronobacter Sakazakii ST1 Producing SHV-12 in a Premature Infant Born from Triplet Pregnancy**JBI CRITICAL APPRAISAL CHECKLIST FOR CASE REPORTS**

Reviewer : Wulan Ramadhani J

Author : Monika Lachowska, et al (2021)

Record Number : -

		Yes	No	Unclear	Not applicable	Keterangan
1	Were patient's demographic characteristics clearly described	√				Karakteristik demografi terjelaskan
2	Was the patient's history clearly described and presented as a timeline	√				Terjelaskan dalam artikel
3	Was the current clinical condition of the patient on presentation clearly described	√				Terjelaskan dalam artikel
4	Were diagnostic tests or assessment methods and the results clearly described	√				Terjelaskan dalam artikel
5	Was the intervention(s) or treatment procedure(s) clearly described	√				Terjelaskan dalam artikel
6	Was the post-intervention clinical condition clearly described	√				Terjelaskan dalam artikel
7	Were adverse events (harms) or unanticipated events identified and described	√				Terjelaskan dalam artikel
8	Does the case report provide takeaway lessons	√				Terjelaskan dalam artikel

Overall appraisal : 100% Include : √

Seek further info :

Comments (including reason for exclusion) : Masuk ke tahap sintesis karena memiliki skor ≥50%

Fatal Cronobacter Sakazakii Sequence Type 494 Meningitis in a Newborn, Brazil

JBI CRITICAL APPRAISAL CHECKLIST FOR CASE REPORTS

Reviewer : Wulan Ramadhani J

Author : Claudia E V C, et al (2018)

Record Number : -

		Yes	No	Unclear	Not applicable	Keterangan
1	Were patient's demographic characteristics clearly described	√				Terjelaskan dalam artikel
2	Was the patient's history clearly described and presented as a timeline	√				Terjelaskan dalam artikel
3	Was the current clinical condition of the patient on presentation clearly described	√				Terjelaskan dalam artikel
4	Were diagnostic tests or assessment methods and the results clearly described	√				Terjelaskan dalam artikel
5	Was the intervention(s) or treatment procedure(s) clearly described	√				Terjelaskan dalam artikel
6	Was the post-intervention clinical condition clearly described	√				Terjelaskan dalam artikel
7	Were adverse events (harms) or unanticipated events identified and described	√				Terjelaskan dalam artikel
8	Does the case report provide takeaway lessons	√				Terjelaskan dalam artikel

Overall appraisal : 100% Include : √

Seek further info :

Comments (including reason for exclusion) : Masuk ke tahap sintesis karena memiliki skor ≥50%

Novel Multidrug-Resistant Cronobacter Sakazakii Causing Meningitis in Neonate, China, 2015

JBI CRITICAL APPRAISAL CHECKLIST FOR CASE REPORTS

Reviewer : Wulan Ramadhani J

Author : Halyan Zeng, et al (2018)

Record Number : -

		Yes	No	Unclear	Not applicable	Keterangan
1	Were patient's demographic characteristics clearly described	√				Terjelaskan dalam artikel
2	Was the patient's history clearly described and presented as a timeline	√				Terjelaskan dalam artikel
3	Was the current clinical condition of the patient on presentation clearly described	√				Terjelaskan dalam artikel
4	Were diagnostic tests or assessment methods and the results clearly described	√				Terjelaskan dalam artikel
5	Was the intervention(s) or treatment procedure(s) clearly described	√				Terjelaskan dalam artikel
6	Was the post-intervention clinical condition clearly described	√				Terjelaskan dalam artikel
7	Were adverse events (harms) or unanticipated events identified and described	√				Terjelaskan dalam artikel
8	Does the case report provide takeaway lessons	√				Terjelaskan dalam artikel

Overall appraisal : 100% Include : √

Seek further info :

Comments (including reason for exclusion) : Masuk ke tahap sintesis karena memiliki skor ≥50%

Infection of Cronobacter Sakazakii ST1 Producing SHV-12 in a Premature Infant Born from Triplet Pregnancy

JBI CRITICAL APPRAISAL CHECKLIST FOR CASE REPORTS

Reviewer : Hasnawati Amqam

Author : Monika Lachowska, et al (2021)

Record Number : -

		Yes	No	Unclear	Not applicable	Keterangan
1	Were patient's demographic characteristics clearly described	√				Karakteristik demografi terjelaskan
2	Was the patient's history clearly described and presented as a timeline	√				Terjelaskan dalam artikel
3	Was the current clinical condition of the patient on presentation clearly described	√				Terjelaskan dalam artikel
4	Were diagnostic tests or assessment methods and the results clearly described	√				Terjelaskan dalam artikel
5	Was the intervention(s) or treatment procedure(s) clearly described	√				Terjelaskan dalam artikel
6	Was the post-intervention clinical condition clearly described	√				Terjelaskan dalam artikel
7	Were adverse events (harms) or unanticipated events identified and described	√				Terjelaskan dalam artikel
8	Does the case report provide takeaway lessons	√				Terjelaskan dalam artikel

Overall appraisal : 100% Include : √

Seek further info :

Comments (including reason for exclusion) : Masuk ke tahap sintesis karena memiliki skor ≥50%

Fatal Cronobacter Sakazakii Sequence Type 494 Meningitis in a Newborn, Brazil

JBI CRITICAL APPRAISAL CHECKLIST FOR CASE REPORTS

Reviewer : Hasnawati Amqam

Author : Claudia E V C, et al (2018)

Record Number : -

		Yes	No	Unclear	Not applicable	Keterangan
1	Were patient's demographic characteristics clearly described	√				Terjelaskan dalam artikel
2	Was the patient's history clearly described and presented as a timeline	√				Terjelaskan dalam artikel
3	Was the current clinical condition of the patient on presentation clearly described	√				Terjelaskan dalam artikel
4	Were diagnostic tests or assessment methods and the results clearly described	√				Terjelaskan dalam artikel
5	Was the intervention(s) or treatment procedure(s) clearly described	√				Terjelaskan dalam artikel
6	Was the post-intervention clinical condition clearly described	√				Terjelaskan dalam artikel
7	Were adverse events (harms) or unanticipated events identified and described	√				Terjelaskan dalam artikel
8	Does the case report provide takeaway lessons	√				Terjelaskan dalam artikel

Overall appraisal : 100% Include : √

Seek further info :

Comments (including reason for exclusion) : Masuk ke tahap sintesis karena memiliki skor $\geq 50\%$

Novel Multidrug-Resistant Cronobacter Sakazakii Causing Meningitis in Neonate, China, 2015

JBI CRITICAL APPRAISAL CHECKLIST FOR CASE REPORTS

Reviewer : Hasnawati Amqam

Author : Halyan Zeng, et al (2018)

Record Number : -

		Yes	No	Unclear	Not applicable	Keterangan
1	Were patient's demographic characteristics clearly described	√				Terjelaskan dalam artikel
2	Was the patient's history clearly described and presented as a timeline	√				Terjelaskan dalam artikel
3	Was the current clinical condition of the patient on presentation clearly described	√				Terjelaskan dalam artikel
4	Were diagnostic tests or assessment methods and the results clearly described	√				Terjelaskan dalam artikel
5	Was the intervention(s) or treatment procedure(s) clearly described	√				Terjelaskan dalam artikel
6	Was the post-intervention clinical condition clearly described	√				Terjelaskan dalam artikel
7	Were adverse events (harms) or unanticipated events identified and described	√				Terjelaskan dalam artikel
8	Does the case report provide takeaway lessons	√				Terjelaskan dalam artikel

Overall appraisal : 100% Include : √

Seek further info :

Comments (including reason for exclusion) : Masuk ke tahap sintesis karena memiliki skor ≥50%

Assesmen Kualitas Studi Cross-Sectional Systematic Review

No	PENULIS/TAHUN	Kriteria Inklusi		Kriteria Subjek & Setting		Pengukuran Eksposur		Pengukuran Kriteria Objektif		Faktor Perancu		Strategi Menangani Faktor Perancu		Pengukuran Hasil		Analisis Statistik		Total		Percentasi	
		R1	R2	R1	R2	R1	R2	R1	R2	R1	R2	R1	R2	R1	R2	R1	R2	R1	R2	R1	R2
1	Melika Moradi, et al (2021)	1	1	1	1	1	1	0	0	0	0	0	0	0	0	1	1	4	4	50%	50%
2	Yi Li, et al (2020)	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	1	1	12,5%	12,5%
3	Amal A. Elkhawaga, et al (2020)	1	1	1	1	1	1	1	1	0	0	0	0	1	1	1	1	6	6	75%	75%
4	Jabbar S, H & Wafaa E, N (2018)	0	1	0	0	0	0	0	0	0	0	0	0	1	1	1	1	3	2	37,5%	25%

Assesmen Kualitas Studi Case Reports Systematic Review

No	PENULIS/TAHUN	Karakteristik Demografi		Riwayat & Intervensi Populasi		Kondisi Klinis Populasi		Metode Penilaian & Hasil		Intervensi		Kondisi Setelah Intervensi		Efek Intervensi		Pelajaran dari Kasus		Total		Percentasi	
		R1	R2	R1	R2	R1	R2	R1	R2	R1	R2	R1	R2	R1	R2	R1	R2	R1	R2	R1	R2
1	Monika Lachowska, et al (2021)	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	8	8	100%	100%
2	Claudia E V C, et al (2018)	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	8	8	100%	100%
3	Halyan Zeng, et al (2018)	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	8	8	100%	100%

Assesmen Kualitas Studi Cohort Systematic Review

No	PENULIS/TAHUN	Populasi Kedua Kelompok		Pengukuran Eksposure Kedua		Pengukuran Eksposure		Faktor Perancu		Strategi Menangani Faktor Perancuh		Kondisi Populasi diawal Penelitian		Pengukuran Hasil		Waktu Tindak Lanjut		Kelengkapan Tindak Lanjut		Strategi Tindak Lanjut		Analisis Statistik		Total		Persentasi		
		R1	R2	R1	R2	R1	R2	R1	R2	R1	R2	R1	R2	R1	R2	R1	R2	R1	R2	R1	R2	R1	R2	R1	R2	R1	R2	
1	Sukantha Chandrasekaran, et al (2018)	1	1	1	1	1	1	1	1	0	1	1	1	1	1	1	1	1	1	1	0	0	1	1	9	10	81,8%	90,9%

Lampiran 4. Riwayat Hidup

RIWAYAT HIDUP



A. IDENTITAS

Nama : Wulan Ramadhani Jabalnur
Tempat/Tanggal Lahir : Bulukumba, 10 Desember 1998
Jenis Kelamin : Perempuan
Agama : Islam
Suku : Bugis
Email : jabalnurwulanramadhani@gmail.com
No. Hp : 082187930471
Nama Orang Tua : Jabal Arfa & Nurhayani

B. RIWAYAT PENDIDIKAN

1. SD : SDN 221 Tanah Kongkong Bulukumba
2. SMP : SMPS UMMUL MUKMININ MAKASSAR
3. SMA : SMAS UMMUL MUKMININ MAKASSAR
4. Perguruan Tinggi :Universitas Hasanuddin

C. RIWAYAT ORGANISASI

1. Himpunan Mahasiswa Islam (HMI) Komisariat Kesmas
2. Maperwa FKM Unhas Periode 2017 - 2018
3. MM FKM Unhas Periode 2019 - 2020
4. MM FKM Unhas Periode 2020 - 2021