

## DAFTAR PUSTAKA

- Anonim. 2016. <https://tabloidsinartani.com/detail/indeks/hortikultura/3219-katokkon-si-raja-pedas-dari-toraja>. Diakses pada tanggal 7 Februari 2020.
- Aili, E.N., Respatijarti dan Sugiharto, A.N. 2016. Pengaruh Pemberian Kolkisin Terhadap Penampilan Fenotip Galur Inbrida Jagung Pakan (*Zea mays L.*) pada Fase Pertumbuhan Vegetatif. *Jurnal Produksi Tanaman* 4(5):370–77.
- Amaliah, N. 2018. Penentuan Kadar Capsaicin Menggunakan Metode Kromatografi Lapis Tipis (Klt) pada Cabai Katokkon. *Jurnal Sains Terapan* 4(1):49–56.
- Amanah, H.A. 2016. *Analisis Kromosom, Morfologi dan Fisiologi Cabai Rawit (Capsicum frutescens L.) Hasil Induksi Mutasi dengan Kolkisin*. Tesis tidak diterbitkan. Malang: Fakultas Matematika dan Ilmu Pengetahuan Alam - Universitas Brawijaya.
- Amanah, H.A., Arumingtyas, E.L. dan Indriyani, S. 2016. Chromosome Analysis of Cayenne Pepper (*Capsicum frutescens L.*) in Kolkisin Induced Mutation. *Journal of Applied Horticulture*.
- Amiri, S., Kazemitabaar, S.K., Ranjbar, G. dan Azadbakht, M. 2010. The Effect of Trifluralin and Kolkisin Treatments on Morphological Characteristics of Jimsonweed (*Datura stramonium L.*). *Trakia Journal of Sciences* 8(4):47–61.
- Aristya, G.R., Zuyyina, C., Febiansi, D., Ayuningsih, R., Prasiwi K.D., Nurwijayanti, T.A., Mujahidah, U. dan Renaldy, B. 2019. Karakterisasi Kromosom Spesies Anggota Familia *Solanaceae*. *BIOTROPIC The Journal Of Tropical Biology* 3(1): 24–38.
- Beck, S. L., Visser, G. dan Dunlop, R.W. 2005. A Comparison of Direct (Flow Cytometry) and Indirect (Stomatal Guard Cell Lengths and Chloroplast Numbers) Techniques as a Measure of Ploidy in Black Wattle, *Acacia Mearnsii* (de Wild). *South African Journal of Botany* 71(3–4):354–358.
- Bonos, Stacy A., Karen A.P. dan William A.M. 2002. Ploidy Determination in *Agrostis* Using Flow Cytometry and Morphological Traits. *Crop Science* 42(1):192–196.
- Burns, G.W. 1972. *The Science Of Genetics, an Introduction to Heredity*. Edisi ke-2. The Macamillan Company: New York.

- Bürün, B. dan Emiroğlu, U. 2008. A Comparative Study on Kolkisin Application Methods in Obtaining Doubled Haploids of Tobacco (*Nicotiana tabacum* L.). *Turkish Journal of Biology* 32(2):105–111.
- Castro, M., Castro, S. dan Loureiro, J. 2018. Production of Synthetic Tetraploids as a Tool for Polyploid Research. *Web Ecology* 18(2):129–141.
- Chen, L.P., Wang Y.J. dan Zhao, M. 2006. In Vitro Induction and Characterization of Tetraploid *Lychnis senno* Siebold et Zucc. *HortScience* 41(3):759–761.
- Comlekcioglu, N. dan Ozden, M. 2019. Polyploidy Induction by Kolkisin Treatment in Golden Berry (*Physalis peruviana*) and Effects of Polyploidy on Some Traits. *Journal of Animal and Plant Sciences* 29(5):1336–1343.
- Dart, Sara, Paul K. dan Barbara, K.M. 2004. Characterizing Polyploidy in *Arabidopsis lyrata* Using Chromosome Counts and Flow Cytometry. *Canadian Journal of Botany* 82(2):185–197.
- Dhooghe, E., Laere, K.V., Eeckhaut, T., Leus, L. dan Huylenbroeck, J.V. 2011. Mitotic Chromosome Doubling of Plant Tissues in Vitro. *Plant Cell, Tissue and Organ Culture* 104(3): 359–373.
- Doležel, J. 1991. Flow Cytometric Analysis of Nuclear DNA Content in Higher Plants. *Phytochemical Analysis* 2(4):143–154.
- Doležel, J. 1997. Application of Flow Cytometry for the Study of Plant Genomes. *Journal of Applied Genetics* 38(3):285–302.
- Doležel, J., Johann, G. dan Jan, S. 2007. Estimation of Nuclear DNA Content in Plants Using Flow Cytometry. *Nature Protocols* 2(9):2233–2244.
- Ermayanti, T.M., Wijayanta, A.N. dan Ratnadewi, D. 2018. Induksi Poliploidi Pada Tanaman Talas (*Colocasia esculenta* (L.) Schott) Kultivar Kaliurang dengan Perlakuan Kolkisin Secara in Vitro. *Biologi Indonesia* 14(1):91–102.
- Ernawati, E. 2007. Efek Antimitosis Ekstrak Umbi Kembang Sungsang (*Gloriosa superba* Linn.) Terhadap Pembelahan Sel Akar Tanaman Cabai Merah (*Capsicum annum* L.). *Jurnal Sains MIPA* 13(1):35–38.
- Escandón, A.S., Hagiwara, J.C. dan Alderet, L.M. 2006. A New Variety of *Bacopa monneri* Obtained by in Vitro Polyploidization. *Electronic Journal of Biotechnology* 9(3):181–186.

- Flowrenzhy, D dan Harijati, N. 2017. Pertumbuhan dan Produktivitas Tanaman Cabai Katokkon (*Capsicum chinense* Jacq.) di Ketinggian 600 Meter dan 1.200 Meter di Atas Permukaan Laut. *Biotropika* 5(2):44–53.
- Głowacka, K., Jezowski, S. dan Kaczmarek, K. 2009. Polyploidization of *Miscanthus sinensis* and *Miscanthus x Giganteus* by Plant Kolkisin Treatment. *Industrial Crops and Products* 30(3):444–446.
- Griesbach, R.J. 1985. Polyploidy in *Phalaenopsis* Orchid Improvement. *Journal of Heredity* 76(1):74-75.
- Gu, X.F., Yang, A.F., Meng, H. dan Zhang, J.R. 2005. In Vitro Induction of Tetraploid Plants from Diploid *Zizyphus jujuba* Mill. Cv. Zhanhua. *Plant Cell Reports* 24(11):671–676.
- Guerra, A.D. dan Nilda. 2001. Estudios Cromosómicos de Cuatro Selecciones de *Capsicum chinense* Jacq. *Revista UDO Agrícola* 1(1):34–41.
- Guo, X. 2012. Polyploidy Levels of Chinese Large-Flower *Chrysanthemum* Determined by Flow Cytometry. *African Journal of Biotechnology* 11(31):7789–7794.
- Handayani, T., Witjaksono dan Nugraheni, K.U. 2017. Induksi Tetraploid Pada Tanaman Jambu Biji Merah (*Psidium guajava* L.) Secara In Vitro. *Jurnal Biologi Indonesia* 13(2):271–278.
- Kadota, M. dan Niimi, Y. 2002. In Vitro Induction of Tetraploid Plants from a Diploid Japanese Pear Cultivar (*Pyrus pyrifolia* N. Cv. Hosui). *Plant Cell Reports* 21(3): 282–286.
- Kasmiati, Sjahril, R., Riadi, M., Ridwan, I. dan Trisnawaty, A.R. 2020. The Effects of Kolkisin Concentration and Soaking Time on Formation of Leaves and Roots of Katokkon (*Capsicum chinense* Jacq). *IOP Conference Series: Earth and Environmental Science* 486(1):1-4.
- Koutoulis, Anthony, Ashis, T., Roy dan Aina, P. 2005. DNA Ploidy Level of Kolkisin-Treated Hops (*Humulus lupulus* L ) 105:263–68.
- Kron, Paul, Suda, J. dan Husband, B.C. 2007. Applications of Flow Cytometry to Evolutionary and Population Biology. *Annual Review of Ecology, Evolution, and Systematics* 38(1):847–876.
- Kulkarni, M. dan Borse, T. 2010. Induced Polyploidy with Gigas Expression for Root Traits in *Capsicum annum* (L.). *Plant Breeding* 129(4):461–464.

- Larekeng, S.H., Dermawan, R., Iswoyo, H. dan Mustari, K. 2019. RAPD Primer Screening for Amplification on Katokkon Pepper from Toraja, South Sulawesi, Indonesia. *IOP Conference Series: Earth and Environmental Science* 270(1):1-7.
- Limera, C., Wang, K., Wang, K.L.X., Zhu,X., Feng,H., Sha, Y., Gong,Y. dan Liu, L. 2016. Induction of Autotetraploidy Using Kolkisin and Its Identification in Radish (*Raphanus sativus* L.). *Journal of Horticultural Science and Biotechnology* 91(1):64–71.
- Liu, G., Li, Z. dan Bao, M. 2007. Kolkisin Induced Chromosome Doubling in *Platanus acerifolia* and Its Effect on Plant Morphology. *Euphytica* 157(1–2):145–154.
- Marano, A., Tandirerung, W.Y. dan Garatsia. 2017. Respon Tanaman Cabai Besar (*Capsicum* Sp.) Varietas Lokal terhadap Pemberian Berbagai Dosis Bokashi Azolla. *AgroSainT UKI Toraja* 8(2):111–117.
- Mo, L., Chen,J., Lou, X., Xu, X., Dong, R., Tong, Z.,Huang, H. dan Lin, E. 2020. Kolkisin Induced Polyploidy in *Rhododendron fortunei* Lindl. *Plants* 9(424):1-13.
- Murni, D. 2010. Pengaruh Perlakuan Kolkisin terhadap Jumlah Kromosom dan Fenotip Tanaman Cabai Keriting (*Capsicum annum* L.). *Jurnal Agroekotek* 2(1):43–48.
- Nagat, Elhaddad, Kamla, B. dan Hoda, K. 2020. GSC Biological and Pharmaceutical Sciences Phenotypic and Molecular Characterization of Polyploidy *Vicia faba* Induced by Kolkisin 11(3):235–243.
- Pradana, D.A. dan Hartatik, S. 2019. Pengaruh Kolkisin Terhadap Karakter Morfologi Tanaman Terung (*Solanum melongena* L.). *Berkala Ilmiah Pertanian* 2(4):155–158.
- PVTPP. 2014. Berita Resmi PVT Pendaftaran Varietas Lokal No. Publikasi 055/BR/PVL/02/2014.
- PVTPP. 2017. Berita Resmi PVT Pendaftaran Varietas Lokal No. Publikasi 96/BR/PVL/08/2017.
- Rahayu, E.M.D., Sukma, D., Syukur, M. dan Irawati. 2015. Induksi Poliploidi *Phalaenopsis amabilis* (L.) Blume dan *Phalaenopsis amboinensis* J. J. Smith dengan Kolkisin dalam Kultur In Vitro. *Jurnal Agronomi Indonesia* 43(3):219-226.

- Ranney, T. 2006. Polyploidy: From Evolution to New Plant Development. *Combined Proceedings International Plant Propagators' Society* 56:137–142.
- Rosmaiti dan Dani, J. 2015. Pengaruh Konsentrasi dan Lama Perendaman Kolkisin pada Benih Semangka (*Citrullus lanatus* (Thunb.) Matsum. et Nankai) Terhadap Keragaan Tanaman. *AGROSAMUDRA, Jurnal Penelitian* 2(2):10-18.
- Roy, A.T., Leggett, G. dan Koutoulis, A. 2001. In Vitro Tetraploid Induction and Generation of Tetraploids from Mixoploids in Hop (*Humulus lupulus* L.). *Plant Cell Reports* 20(6):489–495.
- Rubuluza, T., Nikolova, R.V., Smith, M.T. dan Hannweg, K. 2007. In Vitro Induction of Tetraploids in *Colophospermum mopane* by Kolkisin. *South African Journal of Botany* 73(2):259–261.
- Sajjad, Y., Jaskani, M.J., Mehmood, A., Ahmad, I. dan Abbas, H. 2013. Effect of Kolkisin on in Vitro Polyploidy Induction in African Marigold (*Tagetes erecta*). *Pakistan Journal of Botany* 45(4):1255–1258.
- Sousa, W.R.D.N., Lopes, A.C.D.A., Carvalho, R.D., Gomes, R.L.F. dan Peron, A.P. 2015. Caracterização Cariotípica de Acessos de *Capsicum* Sp. *Acta Scientiarum – Agronomy* 37(2):147–153.
- Souza, S.A.M., Martins, K.C. dan Pereira, T.N.S. 2011. Polimorfismo Cromossômico Em *Capsicum Chinense* Jacq. *Ciencia Rural, Santa Maria* 41(10):1777–1783.
- Stanys, V., Weckman, A., Staniene, G. dan Duchovskis, P. 2006. In Vitro Induction of Polyploidy in Japanese Quince (*Chaenomeles japonica*). *Plant Cell, Tissue and Organ Culture* 84(3):263–268.
- Sulistianingsih, R., Suyanto, Z.A. dan Anggia, E.N. 2004. Peningkatan Kualitas Anggrek Dendrobium Hibrida dengan Pemberian Kolkisin. *Ilmu Pertanian* 11(1):13–21.
- Suminah, Sutarno dan Setyawan, A.D. 2002. Induksi Poliploidi Bawang Merah (*Allium ascalonicum* L.) dengan Pemberian Kolkisin. *Biodiversitas* 3(1):174–180.
- Sundov, Z., Nincevic, Z., Gojanovic, M.D., Durdov, M.G., Jukic, I., Hulina, N. dan Tonkic, A. 2005. Fatal Kolkisin Poisoning by Accidental Ingestion of Meadow Saffron-Case Report. *Forensic Science International* 149:253–256.
- Suryo. 1995. *Sitogenetika*. Gadjah Mada University Press. Yogyakarta.

- Suzuki, K., Takatsu, Y., Gonai, T. dan Kasumi, M. 2005. Plant Regeneration and Chromosome Doubling of Wild *Gladiolus* Species. *Acta Horticulturae* 673:175–181.
- Syaifudin, A., Ratnasari, E., dan Isnawati. 2013. Pengaruh Pemberian Berbagai Konsentrasi Kolkisin terhadap Pertumbuhan dan Produksi Tanaman Cabai (*Capsicum annum*) Varietas Lado F1. *LenteraBio* 2(2):167–171.
- Tammu, R.M., Nuringtyas, T.R. dan Daryono, B.S. 2021. Kolkisin Effects on the Ploidy Level and Morphological Characters of Katokkon Pepper (*Capsicum Annuum* L.) from North Toraja, Indonesia. *Journal of Genetic Engineering and Biotechnology* 19(1):1-8.
- Tharawoot, T., Samyam, W. dan Vessabutr, S. 2012. Kolkisin Induced Polyploidy of in Vitro *Impatiens Patula* Craib. *Thai Journal Of Botany* 4:75–80.
- Wadt, L.H.D.O., Ehringhaus, C. dan Kageyama, P.Y. 2004. Genetic Diversity of *Pimenta Longa* Genotypes (*Piper* Spp., *Piperaceae*) of the Embrapa Acre Germplasm Collection. *Genetics and Molecular Biology* 27(1):74–82.
- Xing, S.H., Guo, X.B., Wang, Q., Pan, Q.F., Tian, Y.S., Liu, P., Zhao, J.Y., Wang, G.F., Sun, X.F. dan Tang, K.X. 2011. Induction and Flow Cytometry Identification of Tetraploids from Seed-Derived Explants through Kolkisin Treatments in *Catharanthus oseus* (L.) G. Don. *Journal of Biomedicine and Biotechnology*.
- Zhang, W., Hao, H., Ma, L., Zhao, C. dan Yu, X. 2010. Tetraploid Muskmelon Alters Morphological Characteristics and Improves Fruit Quality. *Scientia Horticulturae* 125(3):396–400.

**LAMPIRAN**

Tabel Lampiran 1a. Rata-rata tinggi tanaman (cm) cabai katokkon umur 3 MST

PERLAKUAN		ULANGAN				TOTAL	RATA RATA
Kolkisin (%)	Waktu (Jam)	I	II	III	IV		
<b>K0 : 0.0000</b>	1.5	16.60	13.64	15.89	17.88	<b>64.01</b>	<b>16.00</b>
	3.0	15.39	14.42	14.62	18.03	<b>62.46</b>	<b>15.62</b>
	4.5	16.52	13.41	11.58	19.55	<b>61.06</b>	<b>15.27</b>
<b>K1 : 0.0125</b>	1.5	18.17	14.21	15.31	19.26	<b>66.95</b>	<b>16.74</b>
	3.0	18.71	13.62	14.23	20.50	<b>67.06</b>	<b>16.77</b>
	4.5	17.58	13.03	12.65	16.60	<b>59.86</b>	<b>14.97</b>
<b>K2 : 0.0250</b>	1.5	18.23	14.86	12.37	16.55	<b>62.01</b>	<b>15.50</b>
	3.0	18.13	13.28	16.38	12.71	<b>60.50</b>	<b>15.13</b>
	4.5	14.09	14.30	13.55	13.94	<b>55.88</b>	<b>13.97</b>
<b>K3 : 0.0500</b>	1.5	15.05	14.70	14.81	16.07	<b>60.63</b>	<b>15.16</b>
	3.0	16.72	12.90	14.25	12.79	<b>56.66</b>	<b>14.17</b>
	4.5	14.90	12.50	13.83	14.49	<b>55.72</b>	<b>13.93</b>
<b>K4 : 0.1000</b>	1.5	17.86	14.47	15.64	14.08	<b>62.05</b>	<b>15.51</b>
	3.0	14.74	13.23	13.70	14.50	<b>56.17</b>	<b>14.04</b>
	4.5	18.48	11.22	13.09	14.99	<b>57.78</b>	<b>14.45</b>
<b>TOTAL</b>		<b>251.17</b>	<b>203.79</b>	<b>211.90</b>	<b>241.94</b>	<b>908.80</b>	<b>15.15</b>

Tabel Lampiran 1b. Sidik ragam rata-rata tinggi tanaman cabai katokkon umur 3 MST

SK	DB	JK	KT	F. Hit	F. Tabel		
					0.05	0.01	
<b>Kelompok Perlakuan</b>	3	104.93	34.98	13.15	**	2.83	4.29
<b>K</b>	4	25.09	6.27	2.36	tn	2.59	3.80
<b>W</b>	2	16.07	8.03	3.02	tn	3.22	5.15
<b>K x W</b>	8	6.65	0.83	0.31	tn	2.17	2.97
<b>Galat</b>	42	111.68	2.66				
<b>Total</b>	59	264.41					

**KK** 10.77%

Keterangan : tn = Berpengaruh Tidak Nyata  
 \* = Berpengaruh Nyata  
 \*\* = Berpengaruh Sangat Nyata



Tabel Lampiran 2a. Rata-rata tinggi tanaman (cm) cabai katokkon umur 6 MST

PERLAKUAN		ULANGAN				TOTAL	RATA RATA
Kolkisin (%)	Waktu (Jam)	I	II	III	IV		
<b>K0 : 0.0000</b>	<b>1.5</b>	41.60	39.24	39.72	40.91	<b>161.47</b>	<b>40.37</b>
	<b>3.0</b>	41.42	36.91	38.19	44.75	<b>161.27</b>	<b>40.32</b>
	<b>4.5</b>	37.44	36.89	37.66	45.05	<b>157.04</b>	<b>39.26</b>
<b>K1 : 0.0125</b>	<b>1.5</b>	41.33	36.44	39.01	42.58	<b>159.36</b>	<b>39.84</b>
	<b>3.0</b>	40.55	38.83	35.25	42.22	<b>156.85</b>	<b>39.21</b>
	<b>4.5</b>	39.75	35.39	36.59	40.79	<b>152.52</b>	<b>38.13</b>
<b>K2 : 0.0250</b>	<b>1.5</b>	39.58	39.90	36.83	38.75	<b>155.06</b>	<b>38.77</b>
	<b>3.0</b>	42.14	36.47	38.93	35.02	<b>152.56</b>	<b>38.14</b>
	<b>4.5</b>	39.86	35.01	36.12	36.83	<b>147.82</b>	<b>36.96</b>
<b>K3 : 0.0500</b>	<b>1.5</b>	39.57	36.86	38.05	38.02	<b>152.50</b>	<b>38.13</b>
	<b>3.0</b>	39.77	39.64	38.90	35.14	<b>153.45</b>	<b>38.36</b>
	<b>4.5</b>	39.37	38.69	36.88	36.54	<b>151.48</b>	<b>37.87</b>
<b>K4 : 0.1000</b>	<b>1.5</b>	42.03	39.45	40.30	36.18	<b>157.96</b>	<b>39.49</b>
	<b>3.0</b>	38.37	41.49	43.16	40.95	<b>163.97</b>	<b>40.99</b>
	<b>4.5</b>	43.49	38.00	39.61	38.84	<b>159.94</b>	<b>39.99</b>
<b>TOTAL</b>		<b>606.27</b>	<b>569.21</b>	<b>575.20</b>	<b>592.57</b>	<b>2343.25</b>	<b>39.05</b>

Tabel Lampiran 2b. Sidik ragam rata-rata tinggi tanaman cabai katokkon umur 6 MST

SK	DB	JK	KT	F. Hit	F. Tabel		
					0.05	0.01	
<b>Kelompok Perlakuan</b>	3	56.83	18.94	3.68	**	2.83	4.29
<b>K</b>	4	49.92	12.48	2.43	tn	2.59	3.80
<b>W</b>	2	11.39	5.70	1.11	tn	3.22	5.15
<b>K x W</b>	8	9.66	1.21	0.23	tn	2.17	2.97
<b>Galat</b>	42	215.93	5.14				
<b>Total</b>	59	343.74					

**KK** 5.81%

Keterangan : tn = Berpengaruh Tidak Nyata  
 \* = Berpengaruh Nyata  
 \*\* = Berpengaruh Sangat Nyata

Tabel Lampiran 3a. Rata-rata tinggi tanaman (cm) cabai katokkon umur 9 MST

PERLAKUAN		ULANGAN				TOTAL	RATA RATA
Kolkisin (%)	Waktu (Jam)	I	II	III	IV		
<b>K0 : 0.0000</b>	1.5	57.80	59.20	66.09	62.88	<b>245.97</b>	<b>61.49</b>
	3.0	63.10	61.70	59.62	63.03	<b>247.45</b>	<b>61.86</b>
	4.5	64.92	60.91	58.08	66.55	<b>250.46</b>	<b>62.62</b>
<b>K1 : 0.0125</b>	1.5	62.67	60.51	61.31	64.16	<b>248.65</b>	<b>62.16</b>
	3.0	70.21	57.30	62.93	62.10	<b>252.54</b>	<b>63.14</b>
	4.5	65.18	59.33	54.25	60.70	<b>239.46</b>	<b>59.87</b>
<b>K2 : 0.0250</b>	1.5	63.23	60.96	60.27	63.15	<b>247.61</b>	<b>61.90</b>
	3.0	59.56	62.88	66.08	54.71	<b>243.23</b>	<b>60.81</b>
	4.5	58.29	58.00	58.75	53.94	<b>228.98</b>	<b>57.25</b>
<b>K3 : 0.0500</b>	1.5	59.05	58.70	66.01	54.47	<b>238.23</b>	<b>59.56</b>
	3.0	58.00	61.20	59.75	57.19	<b>236.14</b>	<b>59.04</b>
	4.5	56.70	56.40	59.33	65.19	<b>237.62</b>	<b>59.41</b>
<b>K4 : 0.1000</b>	1.5	61.50	63.97	62.04	60.28	<b>247.79</b>	<b>61.95</b>
	3.0	61.64	65.23	63.10	60.00	<b>249.97</b>	<b>62.49</b>
	4.5	63.45	64.22	58.99	66.89	<b>253.55</b>	<b>63.39</b>
<b>TOTAL</b>		<b>925.30</b>	<b>910.51</b>	<b>916.60</b>	<b>915.24</b>	<b>3667.65</b>	<b>61.13</b>

Tabel Lampiran 3b. Sidik ragam rata-rata tinggi tanaman cabai katokkon umur 9 MST

SK	DB	JK	KT	F. Hit	F. Tabel		
					0.05	0.01	
<b>Kelompok Perlakuan</b>	3	7.62	2.54	0.21	tn	2.83	4.29
<b>K</b>	4	93.82	23.46	1.91	tn	2.59	3.80
<b>W</b>	2	11.71	5.86	0.48	tn	3.22	5.15
<b>K x W</b>	8	65.71	8.21	0.67	tn	2.17	2.97
<b>Galat</b>	42	514.98	12.26				
<b>Total</b>	59	693.84					

KK 5.73%

Keterangan : tn = Berpengaruh Tidak Nyata  
 \* = Berpengaruh Nyata  
 \*\* = Berpengaruh Sangat Nyata

Tabel Lampiran 4a. Rata-rata tinggi tanaman (cm) cabai katokkon umur 12 MST

PERLAKUAN		ULANGAN				TOTAL	RATA RATA
Kolkisin (%)	Waktu (Jam)	I	II	III	IV		
<b>K0 : 0.0000</b>	1.5	76.90	85.10	86.00	77.00	<b>325.00</b>	<b>81.25</b>
	3.0	85.45	87.80	86.70	84.60	<b>344.55</b>	<b>86.14</b>
	4.5	80.40	74.90	84.40	87.40	<b>327.10</b>	<b>81.78</b>
<b>K1 : 0.0125</b>	1.5	83.30	83.30	82.10	85.10	<b>333.80</b>	<b>83.45</b>
	3.0	83.80	85.20	77.30	79.90	<b>326.20</b>	<b>81.55</b>
	4.5	80.40	76.10	74.10	84.50	<b>315.10</b>	<b>78.78</b>
<b>K2 : 0.0250</b>	1.5	89.00	81.60	86.90	78.20	<b>335.70</b>	<b>83.93</b>
	3.0	79.90	83.20	87.40	88.10	<b>338.60</b>	<b>84.65</b>
	4.5	82.50	82.00	76.90	75.30	<b>316.70</b>	<b>79.18</b>
<b>K3 : 0.0500</b>	1.5	84.50	84.70	82.60	86.50	<b>338.30</b>	<b>84.58</b>
	3.0	76.90	88.00	75.60	75.60	<b>316.10</b>	<b>79.03</b>
	4.5	76.80	84.10	80.30	85.80	<b>327.00</b>	<b>81.75</b>
<b>K4 : 0.1000</b>	1.5	80.00	78.70	80.20	77.60	<b>316.50</b>	<b>79.13</b>
	3.0	82.90	80.20	82.50	87.50	<b>333.10</b>	<b>83.28</b>
	4.5	80.67	80.20	90.20	80.30	<b>331.37</b>	<b>82.84</b>
<b>TOTAL</b>		<b>1223.42</b>	<b>1235.10</b>	<b>1233.20</b>	<b>1233.40</b>	<b>4925.12</b>	<b>82.09</b>

Tabel Lampiran 4b. Sidik ragam rata-rata tinggi tanaman cabai katokkon umur 12 MST

SK	DB	JK	KT	F. Hit	F. Tabel		
					0.05	0.01	
<b>Kelompok Perlakuan</b>	3	5.64	1.88	0.11	tn	2.83	4.29
<b>K</b>	4	24.91	6.23	0.38	tn	2.59	3.80
<b>W</b>	2	46.93	23.46	1.42	tn	3.22	5.15
<b>K x W</b>	8	228.89	28.61	1.73	tn	2.17	2.97
<b>Galat</b>	42	696.13	16.57				
<b>Total</b>	59	1002.49					

**KK** 4.96%

Keterangan : tn = Berpengaruh Tidak Nyata  
 \* = Berpengaruh Nyata  
 \*\* = Berpengaruh Sangat Nyata

Tabel Lampiran 5a. Rata-rata diameter batang (mm) cabai katokkon umur 3 MST

PERLAKUAN		ULANGAN				TOTAL	RATA RATA
Kolkisin (%)	Waktu (Jam)	I	II	III	IV		
K0 : 0.0000	1.5	5.78	4.52	5.14	5.22	20.65	5.16
	3.0	5.03	4.77	4.92	4.64	19.36	4.84
	4.5	5.16	4.55	4.03	5.89	19.63	4.91
K1 : 0.0125	1.5	5.56	4.97	5.43	5.24	21.20	5.30
	3.0	5.77	4.70	4.88	5.50	20.85	5.21
	4.5	5.27	4.46	4.98	4.97	19.69	4.92
K2 : 0.0250	1.5	5.87	4.90	4.34	4.95	20.05	5.01
	3.0	5.93	4.57	5.39	4.64	20.52	5.13
	4.5	5.51	4.71	4.65	4.40	19.27	4.82
K3 : 0.0500	1.5	5.18	4.81	4.74	5.39	20.12	5.03
	3.0	5.78	4.72	4.89	4.54	19.92	4.98
	4.5	5.18	4.64	5.02	4.87	19.71	4.93
K4 : 0.1000	1.5	6.71	4.48	5.22	4.66	21.07	5.27
	3.0	5.25	4.35	5.10	5.13	19.83	4.96
	4.5	6.54	3.52	4.54	4.88	19.47	4.87
<b>TOTAL</b>		<b>84.54</b>	<b>68.65</b>	<b>73.25</b>	<b>74.91</b>	<b>301.35</b>	<b>5.02</b>

Tabel Lampiran 5b. Sidik ragam rata-rata diameter batang cabai katokkon umur 3 MST

SK	DB	JK	KT	F. Hit	F. Tabel		
					0.05	0.01	
Kelompok Perlakuan	3	8.93	2.98	15.52	**	2.83	4.29
K	4	0.25	0.06	0.33	tn	2.59	3.80
W	2	0.71	0.36	1.85	tn	3.22	5.15
K x W	8	0.41	0.05	0.27	tn	2.17	2.97
Galat	42	8.05	0.19				
Total	59	18.35					

KK 8.72%

Keterangan : tn = Berpengaruh Tidak Nyata  
 \* = Berpengaruh Nyata  
 \*\* = Berpengaruh Sangat Nyata

Tabel Lampiran 6a. Rata-rata diameter batang (mm) cabai katokkon umur 6 MST

PERLAKUAN		ULANGAN				TOTAL	RATA RATA
Kolkisin (%)	Waktu (Jam)	I	II	III	IV		
<b>K0 : 0.0000</b>	1.5	8.83	8.41	9.08	9.16	<b>35.47</b>	<b>8.87</b>
	3.0	8.09	8.83	8.17	8.90	<b>34.00</b>	<b>8.50</b>
	4.5	8.82	7.97	7.40	9.56	<b>33.75</b>	<b>8.44</b>
<b>K1 : 0.0125</b>	1.5	8.46	9.07	8.73	9.27	<b>35.53</b>	<b>8.88</b>
	3.0	8.33	7.31	7.89	8.49	<b>32.03</b>	<b>8.01</b>
	4.5	8.23	7.59	8.22	8.29	<b>32.33</b>	<b>8.08</b>
<b>K2 : 0.0250</b>	1.5	8.24	8.16	7.48	8.51	<b>32.39</b>	<b>8.10</b>
	3.0	8.10	7.89	9.10	7.60	<b>32.69</b>	<b>8.17</b>
	4.5	8.64	7.47	7.76	8.37	<b>32.24</b>	<b>8.06</b>
<b>K3 : 0.0500</b>	1.5	8.09	8.46	8.18	8.02	<b>32.75</b>	<b>8.19</b>
	3.0	7.99	8.09	8.19	8.66	<b>32.93</b>	<b>8.23</b>
	4.5	8.37	8.20	8.75	8.06	<b>33.37</b>	<b>8.34</b>
<b>K4 : 0.1000</b>	1.5	9.30	7.77	8.87	8.16	<b>34.10</b>	<b>8.53</b>
	3.0	9.21	7.62	8.49	8.58	<b>33.90</b>	<b>8.47</b>
	4.5	8.61	6.66	9.06	8.82	<b>33.16</b>	<b>8.29</b>
<b>TOTAL</b>		<b>127.28</b>	<b>119.48</b>	<b>125.38</b>	<b>128.47</b>	<b>500.61</b>	<b>8.34</b>

Tabel Lampiran 6b. Sidik ragam rata-rata diameter batang cabai katokkon umur 6 MST

SK	DB	JK	KT	F. Hit	F. Tabel		
					0.05	0.01	
<b>Kelompok Perlakuan</b>	3	3.18	1.06	3.82	*	2.83	4.29
<b>K</b>	4	1.65	0.41	1.49	tn	2.59	3.80
<b>W</b>	2	0.86	0.43	1.55	tn	3.22	5.15
<b>K x W</b>	8	1.66	0.21	0.75	tn	2.17	2.97
<b>Galat</b>	42	11.67	0.28				
<b>Total</b>	59	19.02					

**KK** 6.32%

Keterangan : tn = Berpengaruh Tidak Nyata  
 \* = Berpengaruh Nyata  
 \*\* = Berpengaruh Sangat Nyata

Tabel Lampiran 7a. Rata-rata diameter batang (mm) cabai katokkon umur 9 MST

PERLAKUAN		ULANGAN				TOTAL	RATA RATA
Kolkisin (%)	Waktu (Jam)	I	II	III	IV		
<b>K0 : 0.0000</b>	<b>1.5</b>	11.70	12.08	13.17	12.30	<b>49.25</b>	<b>12.31</b>
	<b>3.0</b>	11.29	12.49	12.15	11.77	<b>47.69</b>	<b>11.92</b>
	<b>4.5</b>	12.40	11.80	11.58	12.95	<b>48.73</b>	<b>12.18</b>
<b>K1 : 0.0125</b>	<b>1.5</b>	11.87	13.12	13.02	12.84	<b>50.84</b>	<b>12.71</b>
	<b>3.0</b>	12.08	10.99	11.89	11.72	<b>46.69</b>	<b>11.67</b>
	<b>4.5</b>	11.57	11.66	11.71	11.59	<b>46.53</b>	<b>11.63</b>
<b>K2 : 0.0250</b>	<b>1.5</b>	11.59	12.02	10.60	11.88	<b>46.08</b>	<b>11.52</b>
	<b>3.0</b>	11.15	11.94	13.03	10.93	<b>47.05</b>	<b>11.76</b>
	<b>4.5</b>	11.97	11.55	11.77	11.64	<b>46.93</b>	<b>11.73</b>
<b>K3 : 0.0500</b>	<b>1.5</b>	11.38	12.28	11.75	11.33	<b>46.75</b>	<b>11.69</b>
	<b>3.0</b>	10.98	12.06	11.92	12.06	<b>47.02</b>	<b>11.75</b>
	<b>4.5</b>	11.88	11.80	12.57	11.47	<b>47.72</b>	<b>11.93</b>
<b>K4 : 0.1000</b>	<b>1.5</b>	12.22	11.53	12.50	11.64	<b>47.88</b>	<b>11.97</b>
	<b>3.0</b>	13.12	11.37	11.93	11.96	<b>48.37</b>	<b>12.09</b>
	<b>4.5</b>	11.76	10.54	13.07	11.98	<b>47.34</b>	<b>11.84</b>
<b>TOTAL</b>		<b>176.94</b>	<b>177.23</b>	<b>182.66</b>	<b>178.05</b>	<b>714.88</b>	<b>11.91</b>

Tabel Lampiran 7b. Sidik ragam rata-rata diameter batang cabai katokkon umur 9 MST

SK	DB	JK	KT	F. Hit	F. Tabel		
					0.05	0.01	
<b>Kelompok Perlakuan</b>	3	1.43	0.48	1.34	tn	2.83	4.29
<b>K</b>	4	1.63	0.41	1.14	tn	2.59	3.80
<b>W</b>	2	0.48	0.24	0.67	tn	3.22	5.15
<b>K x W</b>	8	3.22	0.40	1.13	tn	2.17	2.97
<b>Galat</b>	42	14.95	0.36				
<b>Total</b>	59	21.70					

**KK** 5.01%

Keterangan : tn = Berpengaruh Tidak Nyata  
 \* = Berpengaruh Nyata  
 \*\* = Berpengaruh Sangat Nyata

Tabel Lampiran 8a. Rata-rata diameter batang (mm) cabai katokkon umur 12 MST

PERLAKUAN		ULANGAN				TOTAL	RATA RATA
Kolkisin (%)	Waktu (Jam)	I	II	III	IV		
<b>K0 : 0.0000</b>	<b>1.5</b>	15.19	16.27	16.44	14.72	<b>62.62</b>	<b>15.66</b>
	<b>3.0</b>	15.71	16.74	15.47	15.66	<b>63.58</b>	<b>15.89</b>
	<b>4.5</b>	15.30	14.82	14.95	15.66	<b>60.73</b>	<b>15.18</b>
<b>K1 : 0.0125</b>	<b>1.5</b>	16.57	16.33	16.07	15.65	<b>64.61</b>	<b>16.15</b>
	<b>3.0</b>	16.43	16.35	15.01	15.78	<b>63.58</b>	<b>15.89</b>
	<b>4.5</b>	15.16	14.15	15.23	16.61	<b>61.16</b>	<b>15.29</b>
<b>K2 : 0.0250</b>	<b>1.5</b>	16.39	15.57	15.43	15.21	<b>62.60</b>	<b>15.65</b>
	<b>3.0</b>	15.47	16.02	15.98	15.76	<b>63.23</b>	<b>15.81</b>
	<b>4.5</b>	16.09	16.48	15.67	14.59	<b>62.83</b>	<b>15.71</b>
<b>K3 : 0.0500</b>	<b>1.5</b>	16.87	16.44	15.71	15.65	<b>64.67</b>	<b>16.17</b>
	<b>3.0</b>	15.65	17.38	14.82	14.54	<b>62.38</b>	<b>15.60</b>
	<b>4.5</b>	15.73	16.53	15.54	15.66	<b>63.46</b>	<b>15.86</b>
<b>K4 : 0.1000</b>	<b>1.5</b>	16.98	14.93	15.43	15.09	<b>62.43</b>	<b>15.61</b>
	<b>3.0</b>	16.71	16.08	15.42	15.46	<b>63.67</b>	<b>15.92</b>
	<b>4.5</b>	16.25	16.03	17.63	15.53	<b>65.44</b>	<b>16.36</b>
<b>TOTAL</b>		<b>240.52</b>	<b>240.11</b>	<b>234.79</b>	<b>231.57</b>	<b>946.98</b>	<b>15.78</b>

Tabel Lampiran 8b. Sidik ragam rata-rata diameter batang cabai katokkon umur 12 MST

SK	DB	JK	KT	F. Hit	F. Tabel		
					0.05	0.01	
<b>Kelompok Perlakuan</b>	3	3.75	1.25	2.58	tn	2.83	4.29
<b>K</b>	4	1.04	0.26	0.54	tn	2.59	3.80
<b>W</b>	2	0.32	0.16	0.33	tn	3.22	5.15
<b>K x W</b>	8	4.16	0.52	1.08	tn	2.17	2.97
<b>Galat</b>	42	20.29	0.48				
<b>Total</b>	59	29.55					
<b>KK</b>	4.40%						

Keterangan : tn = Berpengaruh Tidak Nyata  
 \* = Berpengaruh Nyata  
 \*\* = Berpengaruh Sangat Nyata

Tabel Lampiran 9a. Rata-rata panjang daun (cm) cabai katokkon umur 3 MST

PERLAKUAN		ULANGAN				TOTAL	RATA RATA
Kolkisin (%)	Waktu (Jam)	I	II	III	IV		
<b>K0 : 0.0000</b>	1.5	13.79	11.36	11.96	10.84	<b>47.95</b>	<b>11.99</b>
	3.0	11.55	11.47	10.68	10.67	<b>44.37</b>	<b>11.09</b>
	4.5	13.20	10.80	8.91	11.86	<b>44.77</b>	<b>11.19</b>
<b>K1 : 0.0125</b>	1.5	12.64	12.21	11.37	10.55	<b>46.77</b>	<b>11.69</b>
	3.0	12.82	9.80	11.99	12.27	<b>46.88</b>	<b>11.72</b>
	4.5	11.57	9.25	10.93	12.47	<b>44.22</b>	<b>11.06</b>
<b>K2 : 0.0250</b>	1.5	13.45	11.64	9.67	12.11	<b>46.87</b>	<b>11.72</b>
	3.0	12.11	10.15	12.45	10.21	<b>44.92</b>	<b>11.23</b>
	4.5	12.17	11.47	9.82	10.17	<b>43.63</b>	<b>10.91</b>
<b>K3 : 0.0500</b>	1.5	12.06	12.39	10.47	12.13	<b>47.05</b>	<b>11.76</b>
	3.0	13.18	11.78	10.00	9.22	<b>44.18</b>	<b>11.05</b>
	4.5	11.56	11.89	10.74	10.94	<b>45.13</b>	<b>11.28</b>
<b>K4 : 0.1000</b>	1.5	14.73	11.10	11.95	10.34	<b>48.12</b>	<b>12.03</b>
	3.0	10.60	10.05	11.41	10.47	<b>42.53</b>	<b>10.63</b>
	4.5	14.58	8.43	9.81	11.57	<b>44.39</b>	<b>11.10</b>
<b>TOTAL</b>		<b>190.01</b>	<b>163.79</b>	<b>162.16</b>	<b>165.82</b>	<b>681.78</b>	<b>11.36</b>

Tabel Lampiran 9b. Sidik ragam rata-rata panjang daun cabai katokkon umur 3 MST

SK	DB	JK	KT	F. Hit	F. Tabel		
					0.05	0.01	
<b>Kelompok Perlakuan</b>	3	34.47	11.49	8.67	**	2.83	4.29
<b>K</b>	4	0.45	0.11	0.09	tn	2.59	3.80
<b>W</b>	2	6.79	3.39	2.56	tn	3.22	5.15
<b>K x W</b>	8	2.72	0.34	0.26	tn	2.17	2.97
<b>Galat</b>	42	55.66	1.33				
<b>Total</b>	59	100.09					

KK 10.13%

Keterangan : tn = Berpengaruh Tidak Nyata  
 \* = Berpengaruh Nyata  
 \*\* = Berpengaruh Sangat Nyata



Tabel Lampiran 10a. Rata-rata panjang daun (cm) cabai katokkon umur 6 MST

PERLAKUAN		ULANGAN				TOTAL	RATA RATA
Kolkisin (%)	Waktu (Jam)	I	II	III	IV		
<b>K0 : 0.0000</b>	1.5	15.83	14.37	14.87	14.33	<b>59.40</b>	<b>14.85</b>
	3.0	12.89	14.68	14.06	14.72	<b>56.35</b>	<b>14.09</b>
	4.5	15.00	13.96	11.84	15.27	<b>56.07</b>	<b>14.02</b>
<b>K1 : 0.0125</b>	1.5	14.43	15.00	15.83	14.05	<b>59.31</b>	<b>14.83</b>
	3.0	14.67	13.39	14.25	14.80	<b>57.11</b>	<b>14.28</b>
	4.5	12.46	12.52	13.56	14.50	<b>53.04</b>	<b>13.26</b>
<b>K2 : 0.0250</b>	1.5	14.79	14.24	12.23	13.99	<b>55.25</b>	<b>13.81</b>
	3.0	13.45	13.39	14.48	13.19	<b>54.51</b>	<b>13.63</b>
	4.5	14.52	14.37	13.91	12.70	<b>55.50</b>	<b>13.88</b>
<b>K3 : 0.0500</b>	1.5	13.53	15.27	13.42	15.08	<b>57.30</b>	<b>14.33</b>
	3.0	15.31	14.78	13.07	11.92	<b>55.08</b>	<b>13.77</b>
	4.5	13.39	15.09	14.64	13.62	<b>56.74</b>	<b>14.19</b>
<b>K4 : 0.1000</b>	1.5	15.90	14.44	15.81	13.09	<b>59.24</b>	<b>14.81</b>
	3.0	13.06	13.53	15.14	15.07	<b>56.80</b>	<b>14.20</b>
	4.5	15.94	12.27	13.30	15.20	<b>56.71</b>	<b>14.18</b>
<b>TOTAL</b>		<b>215.17</b>	<b>211.30</b>	<b>210.41</b>	<b>211.53</b>	<b>848.41</b>	<b>14.14</b>

Tabel Lampiran 10b. Sidik ragam rata-rata panjang daun cabai katokkon umur 6 MST

SK	DB	JK	KT	F. Hit	F. Tabel		
					0.05	0.01	
<b>Kelompok Perlakuan</b>	3	0.88	0.29	0.24	tn	2.83	4.29
<b>K</b>	4	2.83	0.71	0.57	tn	2.59	3.80
<b>W</b>	2	4.52	2.26	1.83	tn	3.22	5.15
<b>K x W</b>	8	4.07	0.51	0.41	tn	2.17	2.97
<b>Galat</b>	42	52.02	1.24				
<b>Total</b>	59	64.33					

**KK** 7.87%

Keterangan : tn = Berpengaruh Tidak Nyata  
 \* = Berpengaruh Nyata  
 \*\* = Berpengaruh Sangat Nyata

Tabel Lampiran 11a. Rata-rata panjang daun (cm) cabai katokkon umur 9 MST

PERLAKUAN		ULANGAN				TOTAL	RATA RATA
Kolkisin (%)	Waktu (Jam)	I	II	III	IV		
<b>K0 : 0.0000</b>	1.5	15.04	16.68	17.69	16.11	<b>65.52</b>	<b>16.38</b>
	3.0	17.67	17.19	16.48	16.12	<b>67.46</b>	<b>16.87</b>
	4.5	16.27	17.11	14.46	17.22	<b>65.06</b>	<b>16.27</b>
<b>K1 : 0.0125</b>	1.5	15.68	18.52	17.31	15.92	<b>67.43</b>	<b>16.86</b>
	3.0	15.73	17.06	16.85	17.71	<b>67.35</b>	<b>16.84</b>
	4.5	14.81	15.61	16.20	17.19	<b>63.81</b>	<b>15.95</b>
<b>K2 : 0.0250</b>	1.5	16.56	17.42	15.11	17.47	<b>66.56</b>	<b>16.64</b>
	3.0	15.38	16.06	17.39	15.53	<b>64.36</b>	<b>16.09</b>
	4.5	15.18	16.06	15.93	15.45	<b>62.62</b>	<b>15.66</b>
<b>K3 : 0.0500</b>	1.5	15.09	16.58	16.10	17.33	<b>65.10</b>	<b>16.28</b>
	3.0	15.93	15.75	15.21	15.07	<b>61.96</b>	<b>15.49</b>
	4.5	15.82	16.75	16.19	15.52	<b>64.28</b>	<b>16.07</b>
<b>K4 : 0.1000</b>	1.5	15.93	16.35	18.05	15.12	<b>65.45</b>	<b>16.36</b>
	3.0	13.46	16.42	17.31	15.54	<b>62.73</b>	<b>15.68</b>
	4.5	15.66	14.70	16.10	17.04	<b>63.50</b>	<b>15.88</b>
<b>TOTAL</b>		<b>234.21</b>	<b>248.26</b>	<b>246.38</b>	<b>244.34</b>	<b>973.19</b>	<b>16.22</b>

Tabel Lampiran 11b. Sidik ragam rata-rata panjang daun cabai katokkon umur 9 MST

SK	DB	JK	KT	F. Hit	F. Tabel		
					0.05	0.01	
<b>Kelompok Perlakuan</b>	3	7.85	2.62	2.84	*	2.83	4.29
<b>K</b>	4	4.00	1.00	1.09	tn	2.59	3.80
<b>W</b>	2	2.93	1.47	1.59	tn	3.22	5.15
<b>K x W</b>	8	4.27	0.53	0.58	tn	2.17	2.97
<b>Galat</b>	42	38.67	0.92				
<b>Total</b>	59	57.74					

**KK** 5.92%

Keterangan : tn = Berpengaruh Tidak Nyata  
 \* = Berpengaruh Nyata  
 \*\* = Berpengaruh Sangat Nyata

Tabel Lampiran 12a. Rata-rata panjang daun (cm) cabai katokkon umur 12 MST

PERLAKUAN		ULANGAN				TOTAL	RATA RATA
Kolkisin (%)	Waktu (Jam)	I	II	III	IV		
K0 : 0.0000	1.5	15.54	16.05	16.93	14.71	63.23	15.81
	3.0	16.59	15.40	16.36	15.37	63.72	15.93
	4.5	15.35	14.15	16.65	15.61	61.76	15.44
K1 : 0.0125	1.5	15.15	14.55	16.13	14.37	60.20	15.05
	3.0	15.79	15.69	14.69	15.83	62.00	15.50
	4.5	14.79	14.22	15.38	16.03	60.42	15.11
K2 : 0.0250	1.5	14.61	15.08	16.35	14.37	60.41	15.10
	3.0	13.24	15.67	15.82	16.67	61.40	15.35
	4.5	15.85	15.65	14.62	13.88	60.00	15.00
K3 : 0.0500	1.5	14.72	16.58	15.86	15.87	63.03	15.76
	3.0	15.84	16.67	14.75	14.08	61.34	15.34
	4.5	14.74	16.38	15.70	15.78	62.60	15.65
K4 : 0.1000	1.5	15.82	15.46	15.69	15.10	62.07	15.52
	3.0	15.56	15.99	15.59	15.90	63.04	15.76
	4.5	15.18	14.98	17.05	15.37	62.58	15.65
<b>TOTAL</b>		<b>228.77</b>	<b>232.52</b>	<b>237.57</b>	<b>228.94</b>	<b>927.80</b>	<b>15.46</b>

Tabel Lampiran 12b. Sidik ragam rata-rata panjang daun cabai katokkon umur 12 MST

SK	DB	JK	KT	F. Hit	F. Tabel		
					0.05	0.01	
<b>Kelompok Perlakuan</b>	3	3.40	1.13	1.60	tn	2.83	4.29
<b>K</b>	4	3.26	0.82	1.15	tn	2.59	3.80
<b>W</b>	2	0.44	0.22	0.31	tn	3.22	5.15
<b>K x W</b>	8	1.33	0.17	0.23	tn	2.17	2.97
<b>Galat</b>	42	29.82	0.71				
<b>Total</b>	59	38.25					
<b>KK</b>	5.45%						

Keterangan : tn = Berpengaruh Tidak Nyata  
 \* = Berpengaruh Nyata  
 \*\* = Berpengaruh Sangat Nyata

Tabel Lampiran 13a. Rata-rata lebar daun (cm) cabai katokkon umur 3 MST

PERLAKUAN		ULANGAN				TOTAL	RATA RATA
Kolkisin (%)	Waktu (Jam)	I	II	III	IV		
<b>K0 : 0.0000</b>	1.5	8.11	6.35	6.88	6.81	<b>28.15</b>	<b>7.04</b>
	3.0	7.15	6.84	6.36	6.30	<b>26.65</b>	<b>6.66</b>
	4.5	7.66	6.61	5.36	7.03	<b>26.66</b>	<b>6.67</b>
<b>K1 : 0.0125</b>	1.5	7.49	7.37	6.82	6.69	<b>28.37</b>	<b>7.09</b>
	3.0	7.33	6.08	6.49	7.34	<b>27.24</b>	<b>6.81</b>
	4.5	6.79	5.42	6.61	7.18	<b>26.00</b>	<b>6.50</b>
<b>K2 : 0.0250</b>	1.5	8.41	7.40	5.88	7.46	<b>29.15</b>	<b>7.29</b>
	3.0	7.51	6.44	7.11	6.15	<b>27.21</b>	<b>6.80</b>
	4.5	7.69	6.36	6.34	6.32	<b>26.71</b>	<b>6.68</b>
<b>K3 : 0.0500</b>	1.5	7.60	7.05	6.54	7.35	<b>28.54</b>	<b>7.14</b>
	3.0	7.50	6.72	5.98	5.50	<b>25.70</b>	<b>6.43</b>
	4.5	7.02	7.02	6.15	6.57	<b>26.76</b>	<b>6.69</b>
<b>K4 : 0.1000</b>	1.5	8.61	6.49	6.52	6.61	<b>28.23</b>	<b>7.06</b>
	3.0	6.49	6.38	7.04	6.14	<b>26.05</b>	<b>6.51</b>
	4.5	8.93	5.26	5.97	6.65	<b>26.81</b>	<b>6.70</b>
<b>TOTAL</b>		<b>114.29</b>	<b>97.79</b>	<b>96.05</b>	<b>100.10</b>	<b>408.23</b>	<b>6.80</b>

Tabel Lampiran 13b. Sidik ragam rata-rata lebar daun cabai katokkon umur 3 MST

SK	DB	JK	KT	F. Hit	F. Tabel		
					0.05	0.01	
<b>Kelompok Perlakuan</b>	3	13.85	4.62	12.89	**	2.83	4.29
<b>K</b>	4	0.23	0.06	0.16	tn	2.59	3.80
<b>W</b>	2	3.04	1.52	4.24	*	3.22	5.15
<b>K x W</b>	8	0.51	0.06	0.18	tn	2.17	2.97
<b>Galat</b>	42	15.04	0.36				
<b>Total</b>	<b>59</b>	<b>32.67</b>					

**KK** 8.79%

Keterangan : tn = Berpengaruh Tidak Nyata  
 \* = Berpengaruh Nyata  
 \*\* = Berpengaruh Sangat Nyata

Tabel Lampiran 14a. Rata-rata lebar daun (cm) cabai katokkon umur 6 MST

PERLAKUAN		ULANGAN				TOTAL	RATA RATA
Kolkisin (%)	Waktu (Jam)	I	II	III	IV		
<b>K0 : 0.0000</b>	1.5	9.32	8.51	8.64	8.36	<b>34.83</b>	<b>8.71</b>
	3.0	7.39	8.54	8.19	9.18	<b>33.30</b>	<b>8.33</b>
	4.5	8.50	8.31	6.30	8.75	<b>31.86</b>	<b>7.97</b>
<b>K1 : 0.0125</b>	1.5	8.48	9.01	9.30	7.64	<b>34.43</b>	<b>8.61</b>
	3.0	8.70	7.18	7.83	8.76	<b>32.47</b>	<b>8.12</b>
	4.5	6.10	6.97	8.00	8.44	<b>29.51</b>	<b>7.38</b>
<b>K2 : 0.0250</b>	1.5	8.63	8.64	6.90	7.69	<b>31.86</b>	<b>7.97</b>
	3.0	7.85	7.63	8.55	7.33	<b>31.36</b>	<b>7.84</b>
	4.5	8.31	7.92	8.14	7.36	<b>31.73</b>	<b>7.93</b>
<b>K3 : 0.0500</b>	1.5	7.35	8.14	7.60	9.18	<b>32.27</b>	<b>8.07</b>
	3.0	9.02	8.91	7.69	6.51	<b>32.13</b>	<b>8.03</b>
	4.5	7.26	8.68	8.33	7.59	<b>31.86</b>	<b>7.97</b>
<b>K4 : 0.1000</b>	1.5	9.07	8.73	9.82	7.33	<b>34.95</b>	<b>8.74</b>
	3.0	7.18	7.43	8.83	9.21	<b>32.65</b>	<b>8.16</b>
	4.5	9.48	6.78	7.19	8.93	<b>32.38</b>	<b>8.10</b>
<b>TOTAL</b>		<b>122.64</b>	<b>121.38</b>	<b>121.31</b>	<b>122.26</b>	<b>487.59</b>	<b>8.13</b>

Tabel Lampiran 14b. Sidik ragam rata-rata lebar daun cabai katokkon umur 6 MST

SK	DB	JK	KT	F. Hit	F. Tabel		
					0.05	0.01	
<b>Kelompok Perlakuan</b>	3	0.09	0.03	0.03	tn	2.83	4.29
<b>K</b>	4	1.80	0.45	0.54	tn	2.59	3.80
<b>W</b>	2	3.05	1.53	1.84	tn	3.22	5.15
<b>K x W</b>	8	2.17	0.27	0.33	tn	2.17	2.97
<b>Galat</b>	42	34.88	0.83				
<b>Total</b>	59	41.99					

KK 11.21%

Keterangan : tn = Berpengaruh Tidak Nyata  
 \* = Berpengaruh Nyata  
 \*\* = Berpengaruh Sangat Nyata

Tabel Lampiran 15a. Rata-rata lebar daun (cm) cabai katokkon umur 9 MST

PERLAKUAN		ULANGAN				TOTAL	RATA RATA
Kolkisin (%)	Waktu (Jam)	I	II	III	IV		
<b>K0 : 0.0000</b>	1.5	7.53	8.95	9.44	9.08	<b>35.00</b>	<b>8.75</b>
	3.0	9.70	9.77	7.99	8.55	<b>36.01</b>	<b>9.00</b>
	4.5	8.76	9.28	7.91	9.27	<b>35.22</b>	<b>8.81</b>
<b>K1 : 0.0125</b>	1.5	8.46	10.10	9.45	9.07	<b>37.08</b>	<b>9.27</b>
	3.0	8.34	9.31	9.15	9.76	<b>36.56</b>	<b>9.14</b>
	4.5	7.86	8.05	9.23	9.43	<b>34.57</b>	<b>8.64</b>
<b>K2 : 0.0250</b>	1.5	9.44	9.46	8.51	9.72	<b>37.13</b>	<b>9.28</b>
	3.0	8.18	8.67	9.70	8.41	<b>34.96</b>	<b>8.74</b>
	4.5	8.75	8.84	8.91	8.58	<b>35.08</b>	<b>8.77</b>
<b>K3 : 0.0500</b>	1.5	8.66	8.84	9.13	9.31	<b>35.94</b>	<b>8.99</b>
	3.0	8.43	9.35	8.57	8.23	<b>34.58</b>	<b>8.65</b>
	4.5	8.68	8.88	8.70	8.88	<b>35.14</b>	<b>8.78</b>
<b>K4 : 0.1000</b>	1.5	8.53	9.26	9.09	8.89	<b>35.77</b>	<b>8.94</b>
	3.0	7.56	8.94	10.58	8.35	<b>35.43</b>	<b>8.86</b>
	4.5	8.82	8.25	8.35	8.94	<b>34.36</b>	<b>8.59</b>
<b>TOTAL</b>		<b>127.70</b>	<b>135.95</b>	<b>134.71</b>	<b>134.46</b>	<b>532.82</b>	<b>8.88</b>

Tabel Lampiran 15b. Sidik ragam rata-rata lebar daun cabai katokkon umur 9 MST

SK	DB	JK	KT	F. Hit		F. Tabel	
						0.05	0.01
<b>Kelompok Perlakuan</b>	3	2.78	0.93	2.42	tn	2.83	4.29
<b>K</b>	4	0.42	0.10	0.27	tn	2.59	3.80
<b>W</b>	2	1.08	0.54	1.40	tn	3.22	5.15
<b>K x W</b>	8	1.19	0.15	0.39	tn	2.17	2.97
<b>Galat</b>	42	16.11	0.38				
<b>Total</b>	59	21.58					

**KK** 6.97%

Keterangan : tn = Berpengaruh Tidak Nyata  
 \* = Berpengaruh Nyata  
 \*\* = Berpengaruh Sangat Nyata

Tabel Lampiran 16a. Rata-rata lebar daun (cm) cabai katokkon umur 12 MST

PERLAKUAN		ULANGAN				TOTAL	RATA RATA
Kolkisin (%)	Waktu (Jam)	I	II	III	IV		
<b>K0 : 0.0000</b>	1.5	7.98	8.89	9.28	8.12	<b>34.27</b>	<b>8.57</b>
	3.0	9.23	9.08	9.32	8.64	<b>36.27</b>	<b>9.07</b>
	4.5	8.07	7.66	9.47	8.35	<b>33.55</b>	<b>8.39</b>
<b>K1 : 0.0125</b>	1.5	7.95	8.11	8.81	8.24	<b>33.11</b>	<b>8.28</b>
	3.0	8.41	8.61	8.21	9.07	<b>34.30</b>	<b>8.58</b>
	4.5	7.95	7.83	8.73	9.13	<b>33.64</b>	<b>8.41</b>
<b>K2 : 0.0250</b>	1.5	8.44	8.12	9.42	7.86	<b>33.84</b>	<b>8.46</b>
	3.0	7.48	8.49	8.77	9.27	<b>34.01</b>	<b>8.50</b>
	4.5	8.50	8.56	8.08	8.18	<b>33.32</b>	<b>8.33</b>
<b>K3 : 0.0500</b>	1.5	7.99	9.00	8.87	8.72	<b>34.58</b>	<b>8.65</b>
	3.0	8.33	9.21	8.07	8.29	<b>33.90</b>	<b>8.48</b>
	4.5	8.15	9.12	8.97	9.08	<b>35.32</b>	<b>8.83</b>
<b>K4 : 0.1000</b>	1.5	8.28	8.54	8.50	8.42	<b>33.74</b>	<b>8.44</b>
	3.0	8.36	8.83	8.55	9.01	<b>34.75</b>	<b>8.69</b>
	4.5	7.63	8.38	9.53	8.36	<b>33.90</b>	<b>8.48</b>
<b>TOTAL</b>		<b>122.75</b>	<b>128.43</b>	<b>132.58</b>	<b>128.74</b>	<b>512.50</b>	<b>8.54</b>

Tabel Lampiran 16b. Sidik ragam rata-rata lebar daun cabai katokkon umur 12 MST

SK	DB	JK	KT	F. Hit	F. Tabel		
					0.05	0.01	
<b>Kelompok Perlakuan</b>	3	3.28	1.09	4.91	**	2.83	4.29
<b>K</b>	4	0.68	0.17	0.76	tn	2.59	3.80
<b>W</b>	2	0.43	0.22	0.97	tn	3.22	5.15
<b>K x W</b>	8	1.20	0.15	0.68	tn	2.17	2.97
<b>Galat</b>	42	9.36	0.22				
<b>Total</b>	<b>59</b>	14.95					

**KK** 5.53%

Keterangan : tn = Berpengaruh Tidak Nyata  
 \* = Berpengaruh Nyata  
 \*\* = Berpengaruh Sangat Nyata

Tabel Lampiran 17a. Rata-rata tebal daun (mm) cabai katokkon umur 3 MST

PERLAKUAN		ULANGAN				TOTAL	RATA RATA
Kolkisin (%)	Waktu (Jam)	I	II	III	IV		
K0 : 0.0000	1.5	0.19	0.16	0.17	0.18	<b>0.69</b>	<b>0.17</b>
	3.0	0.25	0.16	0.18	0.15	<b>0.75</b>	<b>0.19</b>
	4.5	0.17	0.17	0.16	0.19	<b>0.69</b>	<b>0.17</b>
K1 : 0.0125	1.5	0.16	0.16	0.19	0.19	<b>0.70</b>	<b>0.17</b>
	3.0	0.15	0.16	0.18	0.20	<b>0.69</b>	<b>0.17</b>
	4.5	0.14	0.13	0.16	0.17	<b>0.60</b>	<b>0.15</b>
K2 : 0.0250	1.5	0.24	0.16	0.17	0.18	<b>0.75</b>	<b>0.19</b>
	3.0	0.19	0.15	0.15	0.16	<b>0.65</b>	<b>0.16</b>
	4.5	0.22	0.16	0.17	0.19	<b>0.74</b>	<b>0.18</b>
K3 : 0.0500	1.5	0.14	0.17	0.17	0.15	<b>0.63</b>	<b>0.16</b>
	3.0	0.20	0.17	0.18	0.19	<b>0.74</b>	<b>0.18</b>
	4.5	0.15	0.16	0.17	0.14	<b>0.62</b>	<b>0.15</b>
K4 : 0.1000	1.5	0.20	0.16	0.18	0.18	<b>0.72</b>	<b>0.18</b>
	3.0	0.15	0.17	0.17	0.19	<b>0.68</b>	<b>0.17</b>
	4.5	0.23	0.16	0.18	0.17	<b>0.74</b>	<b>0.19</b>
<b>TOTAL</b>		<b>2.76</b>	<b>2.41</b>	<b>2.57</b>	<b>2.63</b>	<b>10.37</b>	<b>0.17</b>

Tabel Lampiran 17b. Sidik ragam rata-rata tebal daun cabai katokkon umur 3 MST

SK	DB	JK	KT	F. Hit	F. Tabel		
					0.05	0.01	
<b>Kelompok Perlakuan</b>	3	0.00421	0.00140	2.91633	*	2.83	4.29
<b>K</b>	4	0.00232	0.00058	1.20685	tn	2.59	3.80
<b>W</b>	2	0.00042	0.00021	0.43495	tn	3.22	5.15
<b>K x W</b>	8	0.00559	0.00070	1.45153	tn	2.17	2.97
<b>Galat</b>	42	0.02022	0.00048				
<b>Total</b>	<b>59</b>	0.03277					

KK 12.69%

Keterangan : tn = Berpengaruh Tidak Nyata

\* = Berpengaruh Nyata

\*\* = Berpengaruh Sangat Nyata



Tabel Lampiran 18a. Rata-rata tebal daun (mm) cabai katokkon umur 6 MST

PERLAKUAN		ULANGAN				TOTAL	RATA RATA
Kolkisin (%)	Waktu (Jam)	I	II	III	IV		
<b>K0 : 0.0000</b>	1.5	0.23	0.23	0.22	0.23	<b>0.90</b>	<b>0.22</b>
	3.0	0.29	0.22	0.23	0.23	<b>0.97</b>	<b>0.24</b>
	4.5	0.21	0.23	0.21	0.22	<b>0.86</b>	<b>0.22</b>
<b>K1 : 0.0125</b>	1.5	0.20	0.22	0.23	0.23	<b>0.88</b>	<b>0.22</b>
	3.0	0.20	0.23	0.22	0.24	<b>0.89</b>	<b>0.22</b>
	4.5	0.20	0.18	0.21	0.23	<b>0.82</b>	<b>0.20</b>
<b>K2 : 0.0250</b>	1.5	0.27	0.24	0.21	0.24	<b>0.96</b>	<b>0.24</b>
	3.0	0.22	0.20	0.20	0.21	<b>0.82</b>	<b>0.21</b>
	4.5	0.26	0.23	0.20	0.23	<b>0.91</b>	<b>0.23</b>
<b>K3 : 0.0500</b>	1.5	0.19	0.23	0.22	0.23	<b>0.87</b>	<b>0.22</b>
	3.0	0.24	0.23	0.22	0.21	<b>0.90</b>	<b>0.23</b>
	4.5	0.18	0.22	0.22	0.23	<b>0.85</b>	<b>0.21</b>
<b>K4 : 0.1000</b>	1.5	0.24	0.22	0.23	0.23	<b>0.92</b>	<b>0.23</b>
	3.0	0.19	0.24	0.23	0.24	<b>0.90</b>	<b>0.23</b>
	4.5	0.28	0.24	0.22	0.22	<b>0.95</b>	<b>0.24</b>
<b>TOTAL</b>		<b>3.37</b>	<b>3.34</b>	<b>3.27</b>	<b>3.42</b>	<b>13.40</b>	<b>0.22</b>

Tabel Lampiran 18b. Sidik ragam rata-rata tebal daun cabai katokkon umur 6 MST

SK	DB	JK	KT	F. Hit	F. Tabel		
					0.05	0.01	
<b>Kelompok Perlakuan</b>	3	0.00081	0.00027	0.70795	**	2.83	4.29
<b>K</b>	4	0.00196	0.00049	1.28695	tn	2.59	3.80
<b>W</b>	2	0.00043	0.00022	0.56389	tn	3.22	5.15
<b>K x W</b>	8	0.00522	0.00065	1.71253	tn	2.17	2.97
<b>Galat</b>	42	0.01602	0.00038				
<b>Total</b>	59	0.02445					

KK 8.74%

Keterangan : tn = Berpengaruh Tidak Nyata  
 \* = Berpengaruh Nyata  
 \*\* = Berpengaruh Sangat Nyata

Tabel Lampiran 19a. Rata-rata tebal daun (mm) cabai katokkon umur 9 MST

PERLAKUAN		ULANGAN				TOTAL	RATA RATA
Kolkisin (%)	Waktu (Jam)	I	II	III	IV		
<b>K0 : 0.0000</b>	1.5	0.24	0.37	0.31	0.27	1.18	0.30
	3.0	0.25	0.36	0.30	0.31	1.22	0.30
	4.5	0.26	0.36	0.30	0.32	1.24	0.31
<b>K1 : 0.0125</b>	1.5	0.25	0.35	0.34	0.30	1.25	0.31
	3.0	0.27	0.33	0.31	0.34	1.26	0.31
	4.5	0.27	0.31	0.28	0.30	1.16	0.29
<b>K2 : 0.0250</b>	1.5	0.25	0.31	0.31	0.32	1.19	0.30
	3.0	0.24	0.32	0.31	0.32	1.19	0.30
	4.5	0.25	0.32	0.30	0.29	1.17	0.29
<b>K3 : 0.0500</b>	1.5	0.26	0.32	0.30	0.32	1.20	0.30
	3.0	0.27	0.36	0.31	0.32	1.26	0.31
	4.5	0.27	0.30	0.30	0.32	1.20	0.30
<b>K4 : 0.1000</b>	1.5	0.23	0.33	0.31	0.33	1.19	0.30
	3.0	0.26	0.34	0.31	0.30	1.21	0.30
	4.5	0.26	0.33	0.29	0.31	1.19	0.30
<b>TOTAL</b>		<b>3.84</b>	<b>5.00</b>	<b>4.59</b>	<b>4.68</b>	<b>18.10</b>	<b>0.30</b>

Tabel Lampiran 19b. Sidik ragam rata-rata tebal daun cabai katokkon umur 9 MST

SK	DB	JK	KT	F. Hit	F. Tabel		
					0.05	0.01	
<b>Kelompok Perlakuan</b>	3	0.04852	0.01617	53.62117	**	2.83	4.29
<b>K</b>	4	0.00078	0.00020	0.64750	tn	2.59	3.80
<b>W</b>	2	0.00086	0.00043	1.42536	tn	3.22	5.15
<b>K x W</b>	8	0.00184	0.00023	0.76235	tn	2.17	2.97
<b>Galat</b>	42	0.01267	0.00030				
<b>Total</b>	59	0.06467					

KK 5.76%

Keterangan : tn = Berpengaruh Tidak Nyata  
 \* = Berpengaruh Nyata  
 \*\* = Berpengaruh Sangat Nyata

Tabel Lampiran 20a. Rata-rata tebal daun (mm) cabai katokkon umur 12 MST

PERLAKUAN		ULANGAN				TOTAL	RATA RATA
Kolkisin (%)	Waktu (Jam)	I	II	III	IV		
K0 : 0.0000	1.5	0.29	0.31	0.31	0.34	1.25	0.31
	3.0	0.28	0.30	0.30	0.31	1.18	0.30
	4.5	0.29	0.31	0.31	0.34	1.26	0.31
K1 : 0.0125	1.5	0.32	0.35	0.28	0.30	1.25	0.31
	3.0	0.33	0.32	0.28	0.33	1.25	0.31
	4.5	0.34	0.30	0.31	0.36	1.31	0.33
K2 : 0.0250	1.5	0.31	0.34	0.29	0.32	1.25	0.31
	3.0	0.27	0.31	0.27	0.31	1.16	0.29
	4.5	0.33	0.31	0.30	0.32	1.26	0.31
K3 : 0.0500	1.5	0.33	0.33	0.27	0.29	1.22	0.31
	3.0	0.31	0.32	0.29	0.30	1.22	0.31
	4.5	0.29	0.31	0.30	0.30	1.20	0.30
K4 : 0.1000	1.5	0.26	0.33	0.28	0.31	1.18	0.30
	3.0	0.32	0.31	0.30	0.33	1.26	0.31
	4.5	0.23	0.31	0.32	0.31	1.18	0.29
<b>TOTAL</b>		<b>4.49</b>	<b>4.75</b>	<b>4.40</b>	<b>4.75</b>	<b>18.39</b>	<b>0.31</b>

Tabel Lampiran 20b. Sidik ragam rata-rata tebal daun cabai katokkon umur 12 MST

SK	DB	JK	KT	F. Hit		F. Tabel	
						0.05	0.01
<b>Kelompok Perlakuan</b>	3	0.00661	0.00220	5.50022	**	2.83	4.29
<b>K</b>	4	0.00164	0.00041	1.02399	tn	2.59	3.80
<b>W</b>	2	0.00042	0.00021	0.52954	tn	3.22	5.15
<b>K x W</b>	8	0.00357	0.00045	1.11534	tn	2.17	2.97
<b>Galat</b>	42	0.01682	0.00040				
<b>Total</b>	59	0.02906					

KK 6.53%

Keterangan : tn = Berpengaruh Tidak Nyata

\* = Berpengaruh Nyata

\*\* = Berpengaruh Sangat Nyata

Tabel Lampiran 21a. Rata-rata umur berbunga (HST) cabai katokkon

PERLAKUAN		ULANGAN				TOTAL	RATA RATA
Kolkisin (%)	Waktu (Jam)	I	II	III	IV		
K0 : 0.0000	1.5	33.00	36.00	36.00	34.00	139.00	34.75
	3.0	34.00	34.00	37.00	34.00	139.00	34.75
	4.5	35.00	37.00	37.00	29.00	138.00	34.50
K1 : 0.0125	1.5	28.00	32.00	39.00	30.00	129.00	32.25
	3.0	28.00	34.00	38.00	29.00	129.00	32.25
	4.5	32.00	36.00	35.00	35.00	138.00	34.50
K2 : 0.0250	1.5	34.00	35.00	37.00	33.00	139.00	34.75
	3.0	33.00	33.00	40.00	31.00	137.00	34.25
	4.5	35.00	35.00	40.00	32.00	142.00	35.50
K3 : 0.0500	1.5	31.00	36.00	38.00	36.00	141.00	35.25
	3.0	31.00	36.00	35.00	32.00	134.00	33.50
	4.5	34.00	35.00	38.00	34.00	141.00	35.25
K4 : 0.1000	1.5	33.00	34.00	37.00	35.00	139.00	34.75
	3.0	34.00	35.00	36.00	33.00	138.00	34.50
	4.5	33.00	37.00	39.00	35.00	144.00	36.00
<b>TOTAL</b>		<b>488.00</b>	<b>525.00</b>	<b>562.00</b>	<b>492.00</b>	<b>2067.00</b>	<b>34.45</b>

Tabel Lampiran 21b. Sidik ragam rata-rata umur berbunga cabai katokkon

SK	DB	JK	KT	F. Hit	F. Tabel		
					0.05	0.01	
<b>Kelompok Perlakuan</b>	3	236.98333	78.99444	23.90896	**	2.83	4.29
<b>K</b>	4	32.93333	8.23333	2.49195	tn	2.59	3.80
<b>W</b>	2	17.20000	8.60000	2.60293	tn	3.22	5.15
<b>K x W</b>	8	12.96667	1.62083	0.49057	tn	2.17	2.97
<b>Galat</b>	42	138.76667	3.30397				
<b>Total</b>	<b>59</b>	<b>438.85000</b>					

KK 5.28%

Keterangan : tn = Berpengaruh Tidak Nyata  
 \* = Berpengaruh Nyata  
 \*\* = Berpengaruh Sangat Nyata

Tabel Lampiran 22a. Rata-rata panjang tangkai buah (mm) cabai katokkon

PERLAKUAN		ULANGAN				TOTAL	RATA RATA
Kolkisin (%)	Waktu (Jam)	I	II	III	IV		
<b>K0 : 0.0000</b>	1.5	29.53	33.92	30.86	29.10	<b>123.41</b>	<b>30.85</b>
	3.0	32.53	31.56	30.62	30.37	<b>125.08</b>	<b>31.27</b>
	4.5	28.25	28.88	32.50	30.85	<b>120.48</b>	<b>30.12</b>
<b>K1 : 0.0125</b>	1.5	28.52	30.49	30.81	27.63	<b>117.45</b>	<b>29.36</b>
	3.0	29.42	33.84	31.12	28.65	<b>123.03</b>	<b>30.76</b>
	4.5	29.95	31.71	29.82	28.08	<b>119.56</b>	<b>29.89</b>
<b>K2 : 0.0250</b>	1.5	29.21	31.92	34.14	28.85	<b>124.12</b>	<b>31.03</b>
	3.0	30.81	32.62	28.78	31.37	<b>123.58</b>	<b>30.89</b>
	4.5	31.25	33.06	31.02	28.90	<b>124.22</b>	<b>31.06</b>
<b>K3 : 0.0500</b>	1.5	29.67	31.67	29.80	29.05	<b>120.20</b>	<b>30.05</b>
	3.0	30.61	31.89	31.54	32.44	<b>126.47</b>	<b>31.62</b>
	4.5	27.80	31.86	32.95	31.25	<b>123.85</b>	<b>30.96</b>
<b>K4 : 0.1000</b>	1.5	29.31	30.87	30.90	30.85	<b>121.93</b>	<b>30.48</b>
	3.0	31.22	33.82	33.24	30.08	<b>128.36</b>	<b>32.09</b>
	4.5	30.29	34.59	32.68	30.32	<b>127.88</b>	<b>31.97</b>
<b>TOTAL</b>		<b>448.36</b>	<b>482.69</b>	<b>470.79</b>	<b>447.78</b>	<b>1849.63</b>	<b>30.83</b>

Tabel Lampiran 22b. Sidik ragam rata-rata panjang tangkai buah cabai katokkon

SK	DB	JK	KT	F. Hit	F. Tabel		
					0.05	0.01	
<b>Kelompok Perlakuan</b>	3	59.52	19.84	10.74	tn	2.83	4.29
<b>K</b>	4	14.25	3.56	1.93	tn	2.59	3.80
<b>W</b>	2	9.45	4.73	2.56	tn	3.22	5.15
<b>K x W</b>	8	8.67	1.08	0.59	tn	2.17	2.97
<b>Galat</b>	42	77.58	1.85				
<b>Total</b>	<b>59</b>	169.47					

KK 4.41%

Keterangan : tn = Berpengaruh Tidak Nyata  
 \* = Berpengaruh Nyata  
 \*\* = Berpengaruh Sangat Nyata

Tabel Lampiran 23a. Rata-rata panjang buah (mm) cabai katokkon

PERLAKUAN		ULANGAN				TOTAL	RATA RATA
Kolkisin (%)	Waktu (Jam)	I	II	III	IV		
<b>K0 : 0.0000</b>	1.5	38.28	39.04	39.32	36.65	<b>153.29</b>	<b>38.32</b>
	3.0	38.62	38.21	38.78	37.73	<b>153.34</b>	<b>38.34</b>
	4.5	38.32	37.61	39.41	36.38	<b>151.72</b>	<b>37.93</b>
<b>K1 : 0.0125</b>	1.5	37.24	38.67	36.71	37.10	<b>149.71</b>	<b>37.43</b>
	3.0	36.11	37.34	38.10	35.62	<b>147.17</b>	<b>36.79</b>
	4.5	37.90	37.36	38.80	37.90	<b>151.96</b>	<b>37.99</b>
<b>K2 : 0.0250</b>	1.5	38.48	37.67	41.02	37.74	<b>154.91</b>	<b>38.73</b>
	3.0	39.19	38.29	36.84	36.61	<b>150.93</b>	<b>37.73</b>
	4.5	38.01	39.49	37.29	38.74	<b>153.53</b>	<b>38.38</b>
<b>K3 : 0.0500</b>	1.5	40.20	37.89	39.14	35.77	<b>153.00</b>	<b>38.25</b>
	3.0	37.42	38.66	36.95	39.57	<b>152.60</b>	<b>38.15</b>
	4.5	39.61	39.20	38.28	38.38	<b>155.46</b>	<b>38.87</b>
<b>K4 : 0.1000</b>	1.5	39.25	38.07	36.72	39.68	<b>153.72</b>	<b>38.43</b>
	3.0	39.46	39.50	37.08	36.91	<b>152.94</b>	<b>38.24</b>
	4.5	37.28	40.30	40.45	37.87	<b>155.90</b>	<b>38.97</b>
<b>TOTAL</b>		<b>575.35</b>	<b>577.29</b>	<b>574.90</b>	<b>562.65</b>	<b>2290.19</b>	<b>38.17</b>

Tabel Lampiran 23b. Sidik ragam rata-rata panjang buah cabai katokkon

SK	DB	JK	KT	F. Hit	F. Tabel		
					0.05	0.01	
<b>Kelompok Perlakuan</b>	3	8.9200	2.9733	2.1379	tn	2.83	4.29
<b>K</b>	4	9.6683	2.4171	1.7379	tn	2.59	3.80
<b>W</b>	2	3.4777	1.7389	1.2503	tn	3.22	5.15
<b>K x W</b>	8	4.2472	0.5309	0.3817	tn	2.17	2.97
<b>Galat</b>	42	58.4125	1.3908				
<b>Total</b>	<b>59</b>	<b>84.7257</b>					

**KK** 3.09%

Keterangan : tn = Berpengaruh Tidak Nyata  
 \* = Berpengaruh Nyata  
 \*\* = Berpengaruh Sangat Nyata

Tabel Lampiran 24a. Rata-rata diameter buah (mm) cabai katokkon

PERLAKUAN		ULANGAN				TOTAL	RATA RATA
Kolkisin (%)	Waktu (Jam)	I	II	III	IV		
<b>K0 : 0.0000</b>	1.5	27.29	28.29	28.86	27.64	<b>112.07</b>	<b>28.02</b>
	3.0	28.54	27.66	28.89	28.11	<b>113.20</b>	<b>28.30</b>
	4.5	27.41	28.30	28.00	27.64	<b>111.35</b>	<b>27.84</b>
<b>K1 : 0.0125</b>	1.5	27.03	28.99	26.87	28.34	<b>111.23</b>	<b>27.81</b>
	3.0	26.40	26.45	28.55	28.30	<b>109.69</b>	<b>27.42</b>
	4.5	27.01	28.87	27.97	26.54	<b>110.39</b>	<b>27.60</b>
<b>K2 : 0.0250</b>	1.5	28.61	28.83	29.56	28.19	<b>115.20</b>	<b>28.80</b>
	3.0	28.26	26.01	27.16	28.99	<b>110.42</b>	<b>27.61</b>
	4.5	28.40	27.51	28.06	27.31	<b>111.28</b>	<b>27.82</b>
<b>K3 : 0.0500</b>	1.5	25.62	27.25	28.79	28.00	<b>109.66</b>	<b>27.42</b>
	3.0	27.71	27.90	28.31	29.02	<b>112.95</b>	<b>28.24</b>
	4.5	27.38	26.84	26.92	28.26	<b>109.40</b>	<b>27.35</b>
<b>K4 : 0.1000</b>	1.5	27.71	26.09	28.74	27.97	<b>110.52</b>	<b>27.63</b>
	3.0	28.13	27.76	28.00	27.62	<b>111.50</b>	<b>27.88</b>
	4.5	27.29	27.53	29.89	27.10	<b>111.80</b>	<b>27.95</b>
<b>TOTAL</b>		<b>412.80</b>	<b>414.29</b>	<b>424.57</b>	<b>419.02</b>	<b>1670.68</b>	<b>27.84</b>

Tabel Lampiran 24b. Sidik ragam rata-rata diameter buah cabai katokkon

SK	DB	JK	KT	F. Hit	F. Tabel		
					0.05	0.01	
<b>Kelompok Perlakuan</b>	3	5.6438	1.8813	2.5364	tn	2.83	4.29
<b>K</b>	4	2.2040	0.5510	0.7429	tn	2.59	3.80
<b>W</b>	2	0.5532	0.2766	0.3729	tn	3.22	5.15
<b>K x W</b>	8	5.5981	0.6998	0.9434	tn	2.17	2.97
<b>Galat</b>	42	31.1520	0.7417				
<b>Total</b>	59	45.1511					

**KK** 3.09%

Keterangan : tn = Berpengaruh Tidak Nyata  
 \* = Berpengaruh Nyata  
 \*\* = Berpengaruh Sangat Nyata

Tabel Lampiran 25a. Rata-rata rasio panjang diameter buah cabai katokkon

PERLAKUAN		ULANGAN				TOTAL	RATA RATA
Kolkisin (%)	Waktu (Jam)	I	II	III	IV		
<b>K0 : 0.0000</b>	<b>1.5</b>	1.40	1.38	1.36	1.32	<b>5.47</b>	<b>1.37</b>
	<b>3.0</b>	1.36	1.38	1.35	1.35	<b>5.44</b>	<b>1.36</b>
	<b>4.5</b>	1.40	1.35	1.42	1.33	<b>5.49</b>	<b>1.37</b>
<b>K1 : 0.0125</b>	<b>1.5</b>	1.39	1.34	1.37	1.32	<b>5.42</b>	<b>1.36</b>
	<b>3.0</b>	1.38	1.42	1.34	1.26	<b>5.40</b>	<b>1.35</b>
	<b>4.5</b>	1.41	1.30	1.39	1.43	<b>5.54</b>	<b>1.38</b>
<b>K2 : 0.0250</b>	<b>1.5</b>	1.35	1.31	1.39	1.34	<b>5.40</b>	<b>1.35</b>
	<b>3.0</b>	1.39	1.48	1.36	1.28	<b>5.52</b>	<b>1.38</b>
	<b>4.5</b>	1.34	1.44	1.33	1.42	<b>5.54</b>	<b>1.38</b>
<b>K3 : 0.0500</b>	<b>1.5</b>	1.58	1.39	1.37	1.30	<b>5.64</b>	<b>1.41</b>
	<b>3.0</b>	1.35	1.39	1.31	1.40	<b>5.46</b>	<b>1.37</b>
	<b>4.5</b>	1.46	1.47	1.44	1.35	<b>5.71</b>	<b>1.43</b>
<b>K4 : 0.1000</b>	<b>1.5</b>	1.43	1.46	1.28	1.42	<b>5.60</b>	<b>1.40</b>
	<b>3.0</b>	1.41	1.43	1.33	1.32	<b>5.49</b>	<b>1.37</b>
	<b>4.5</b>	1.37	1.48	1.36	1.42	<b>5.63</b>	<b>1.41</b>
<b>TOTAL</b>		<b>21.03</b>	<b>21.03</b>	<b>20.41</b>	<b>20.27</b>	<b>82.75</b>	<b>1.38</b>

Tabel Lampiran 25b. Sidik ragam rasio panjang diameter buah cabai katokkon

SK	DB	JK	KT	F. Hit	F. Tabel		
					0.05	0.01	
<b>Kelompok Perlakuan</b>	3	0.0323	0.0108	3.4224	*	2.83	4.29
<b>K</b>	4	0.0142	0.0036	1.1327	tn	2.59	3.80
<b>W</b>	2	0.0094	0.0047	1.4961	tn	3.22	5.15
<b>K x W</b>	8	0.0076	0.0010	0.3042	tn	2.17	2.97
<b>Galat</b>	42	0.1319	0.0031				
<b>Total</b>	<b>59</b>	0.1955					

**KK** 4.06%

Keterangan : tn = Berpengaruh Tidak Nyata  
 \* = Berpengaruh Nyata  
 \*\* = Berpengaruh Sangat Nyata



Tabel Lampiran 26a. Rata-rata tebal daging buah (mm) cabai katokkon

PERLAKUAN		ULANGAN				TOTAL	RATA RATA
Kolkisin (%)	Waktu (Jam)	I	II	III	IV		
<b>K0 : 0.0000</b>	<b>1.5</b>	1.86	1.47	1.79	1.65	<b>6.77</b>	<b>1.69</b>
	<b>3.0</b>	1.62	1.57	1.79	1.62	<b>6.60</b>	<b>1.65</b>
	<b>4.5</b>	1.58	1.52	1.83	1.51	<b>6.44</b>	<b>1.61</b>
<b>K1 : 0.0125</b>	<b>1.5</b>	1.70	1.43	1.66	1.62	<b>6.42</b>	<b>1.61</b>
	<b>3.0</b>	1.56	1.45	1.78	1.63	<b>6.43</b>	<b>1.61</b>
	<b>4.5</b>	1.47	1.58	1.64	1.58	<b>6.27</b>	<b>1.57</b>
<b>K2 : 0.0250</b>	<b>1.5</b>	1.64	1.43	1.83	1.73	<b>6.63</b>	<b>1.66</b>
	<b>3.0</b>	1.55	1.50	1.76	1.57	<b>6.38</b>	<b>1.60</b>
	<b>4.5</b>	1.54	1.50	1.83	1.61	<b>6.48</b>	<b>1.62</b>
<b>K3 : 0.0500</b>	<b>1.5</b>	1.48	1.48	1.80	1.51	<b>6.28</b>	<b>1.57</b>
	<b>3.0</b>	1.60	1.52	1.74	1.60	<b>6.47</b>	<b>1.62</b>
	<b>4.5</b>	1.58	1.47	1.46	1.58	<b>6.10</b>	<b>1.53</b>
<b>K4 : 0.1000</b>	<b>1.5</b>	1.65	1.46	1.62	1.62	<b>6.35</b>	<b>1.59</b>
	<b>3.0</b>	1.54	1.52	1.78	1.60	<b>6.43</b>	<b>1.61</b>
	<b>4.5</b>	1.72	1.60	1.81	1.51	<b>6.64</b>	<b>1.66</b>
<b>TOTAL</b>		<b>24.11</b>	<b>22.51</b>	<b>26.15</b>	<b>23.93</b>	<b>96.70</b>	<b>1.61</b>

Tabel Lampiran 26b. Sidik ragam rata-rata tebal daging buah cabai katokkon

SK	DB	JK	KT	F. Hit	F. Tabel		
					0.05	0.01	
<b>Kelompok Perlakuan</b>	3	0.4480	0.1493	22.7840	**	2.83	4.29
<b>K</b>	4	0.0452	0.0113	1.7246	tn	2.59	3.80
<b>W</b>	2	0.0075	0.0037	0.5694	tn	3.22	5.15
<b>K x W</b>	8	0.0461	0.0058	0.8795	tn	2.17	2.97
<b>Galat</b>	42	0.2753	0.0066				
<b>Total</b>	59	0.8221					

KK 5.02%

Keterangan : tn = Berpengaruh Tidak Nyata  
 \* = Berpengaruh Nyata  
 \*\* = Berpengaruh Sangat Nyata

Tabel Lampiran 27a. Rata-rata bobot buah per buah (g) cabai katokkon

PERLAKUAN		ULANGAN				TOTAL	RATA RATA
Kolkisin (%)	Waktu (Jam)	I	II	III	IV		
<b>K0 : 0.0000</b>	1.5	5.06	5.91	6.27	4.96	<b>22.20</b>	<b>5.55</b>
	3.0	5.71	5.01	5.36	5.35	<b>21.44</b>	<b>5.36</b>
	4.5	5.21	5.50	5.60	6.72	<b>23.03</b>	<b>5.76</b>
<b>K1 : 0.0125</b>	1.5	5.37	5.56	5.17	5.68	<b>21.79</b>	<b>5.45</b>
	3.0	4.98	6.10	5.56	5.84	<b>22.48</b>	<b>5.62</b>
	4.5	5.72	5.88	7.34	5.27	<b>24.22</b>	<b>6.05</b>
<b>K2 : 0.0250</b>	1.5	5.98	5.56	6.42	6.64	<b>24.60</b>	<b>6.15</b>
	3.0	5.63	5.51	5.35	5.27	<b>21.76</b>	<b>5.44</b>
	4.5	5.85	5.81	5.36	5.98	<b>22.99</b>	<b>5.75</b>
<b>K3 : 0.0500</b>	1.5	5.57	5.46	5.45	5.33	<b>21.81</b>	<b>5.45</b>
	3.0	5.01	5.79	5.65	5.25	<b>21.71</b>	<b>5.43</b>
	4.5	5.38	5.40	5.58	7.18	<b>23.54</b>	<b>5.89</b>
<b>K4 : 0.1000</b>	1.5	5.62	5.74	4.82	5.65	<b>21.82</b>	<b>5.46</b>
	3.0	5.03	5.54	5.44	6.35	<b>22.37</b>	<b>5.59</b>
	4.5	5.24	5.49	6.07	5.35	<b>22.15</b>	<b>5.54</b>
<b>TOTAL</b>		<b>81.37</b>	<b>84.27</b>	<b>85.45</b>	<b>86.81</b>	<b>337.90</b>	<b>5.63</b>

Tabel Lampiran 27b. Sidik ragam rata-rata bobot buah per buah cabai katokkon

SK	DB	JK	KT	F. Hit	F. Tabel		
					0.05	0.01	
<b>Kelompok Perlakuan</b>	3	1.075	0.358	1.429	tn	2.83	4.29
<b>K</b>	4	0.552	0.138	0.550	tn	2.59	3.80
<b>W</b>	2	0.969	0.484	1.931	tn	3.22	5.15
<b>K x W</b>	8	1.715	0.214	0.855	tn	2.17	2.97
<b>Galat</b>	42	10.532	0.251				
<b>Total</b>	59	14.843					

**KK** 8.89%

Keterangan : tn = Berpengaruh Tidak Nyata

\* = Berpengaruh Nyata

\*\* = Berpengaruh Sangat Nyata

Tabel Lampiran 28a. Rata-rata bobot buah per tanaman (g) cabai katokkon

PERLAKUAN		ULANGAN				TOTAL	RATA RATA
Kolkisin (%)	Waktu (Jam)	I	II	III	IV		
<b>K0 : 0.0000</b>	1.5	543.94	823.41	1065.81	908.87	<b>3342.04</b>	<b>835.51</b>
	3.0	934.60	802.46	938.62	908.72	<b>3584.40</b>	<b>896.10</b>
	4.5	736.36	497.23	823.13	976.73	<b>3033.45</b>	<b>758.36</b>
<b>K1 : 0.0125</b>	1.5	757.02	1203.02	599.98	721.23	<b>3281.25</b>	<b>820.31</b>
	3.0	821.57	635.05	892.71	844.12	<b>3193.44</b>	<b>798.36</b>
	4.5	833.33	636.09	921.64	991.69	<b>3382.75</b>	<b>845.69</b>
<b>K2 : 0.0250</b>	1.5	1205.62	1004.40	880.17	987.50	<b>4077.70</b>	<b>1019.42</b>
	3.0	812.97	629.71	962.94	768.08	<b>3173.70</b>	<b>793.42</b>
	4.5	805.82	824.68	942.12	785.83	<b>3358.44</b>	<b>839.61</b>
<b>K3 : 0.0500</b>	1.5	848.53	1012.00	927.10	928.91	<b>3716.55</b>	<b>929.14</b>
	3.0	638.54	1024.32	701.23	470.34	<b>2834.42</b>	<b>708.61</b>
	4.5	605.95	876.70	914.01	1094.78	<b>3491.43</b>	<b>872.86</b>
<b>K4 : 0.1000</b>	1.5	714.58	747.94	649.46	855.75	<b>2967.73</b>	<b>741.93</b>
	3.0	729.91	645.19	869.16	838.34	<b>3082.60</b>	<b>770.65</b>
	4.5	521.66	511.83	992.41	569.55	<b>2595.44</b>	<b>648.86</b>
<b>TOTAL</b>		<b>11510.38</b>	<b>11874.03</b>	<b>13080.49</b>	<b>12650.43</b>	<b>49115.32</b>	<b>818.59</b>

Tabel Lampiran 28b. Sidik ragam rata-rata bobot buah per tanaman cabai katokkon

SK	DB	JK	KT	F. Hit	F. Tabel		
					0.05	0.01	
<b>Kelompok Perlakuan</b>	3	102341.006	34113.669	1.269	tn	2.83	4.29
<b>K</b>	4	172753.475	43188.369	1.607	tn	2.59	3.80
<b>W</b>	2	77038.579	38519.289	1.433	tn	3.22	5.15
<b>K x W</b>	8	217097.997	27137.250	1.009	tn	2.17	2.97
<b>Galat</b>	42	1129068.325	26882.579				
<b>Total</b>	<b>59</b>	<b>1698299.382</b>					

**KK** 20.03%

Keterangan : tn = Berpengaruh Tidak Nyata  
 \* = Berpengaruh Nyata  
 \*\* = Berpengaruh Sangat Nyata

Tabel Lampiran 29a. Rata-rata jumlah buah per tanaman cabai katokkon

PERLAKUAN		ULANGAN				TOTAL	RATA RATA
Kolkisin (%)	Waktu (Jam)	I	II	III	IV		
K0 : 0.0000	1.5	104.31	150.13	196.25	179.75	630.44	157.61
	3.0	180.94	155.75	181.88	179.06	697.63	174.41
	4.5	146.31	96.31	154.19	179.19	576.00	144.00
K1 : 0.0125	1.5	143.75	223.63	118.13	144.13	629.63	157.41
	3.0	160.56	123.50	163.94	164.31	612.31	153.08
	4.5	157.44	120.19	173.06	198.25	648.94	162.23
K2 : 0.0250	1.5	227.06	188.38	158.31	187.31	761.06	190.27
	3.0	162.38	123.50	179.94	151.63	617.44	154.36
	4.5	153.44	152.69	183.31	144.31	633.75	158.44
K3 : 0.0500	1.5	162.19	193.75	182.56	181.44	719.94	179.98
	3.0	122.75	191.25	138.56	87.81	540.38	135.09
	4.5	115.13	170.88	176.44	195.56	658.00	164.50
K4 : 0.1000	1.5	134.50	139.69	128.38	158.81	561.38	140.34
	3.0	134.69	123.31	174.19	153.38	585.56	146.39
	4.5	103.38	103.19	189.13	108.38	504.06	126.02
<b>TOTAL</b>		<b>2208.81</b>	<b>2256.13</b>	<b>2498.25</b>	<b>2413.31</b>	<b>9376.50</b>	<b>156.28</b>

Tabel Lampiran 29b. Sidik ragam rata-rata jumlah buah per tanaman cabai katokkon

SK	DB	JK	KT	F. Hit	F. Tabel		
					0.05	0.01	
<b>Kelompok Perlakuan</b>	3	3639.660	1213.220	1.343	**	2.83	4.29
<b>K</b>	4	5998.811	1499.703	1.660	tn	2.59	3.80
<b>W</b>	2	2374.524	1187.262	1.314	tn	3.22	5.15
<b>K x W</b>	8	7776.612	972.077	1.076	tn	2.17	2.97
<b>Galat</b>	42	37934.848	903.211				
<b>Total</b>	<b>59</b>	<b>57724.455</b>					
<b>KK</b>	19.23%						
<b>Keterangan</b>	: tn	= Berpengaruh Tidak Nyata					
	*	= Berpengaruh Nyata					
	**	= Berpengaruh Sangat Nyata					

Tabel Lampiran 30a. Rata-rata bobot buah ( $\text{tha}^{-1}$ ) cabai katokkon


PERLAKUAN		ULANGAN				TOTAL	RATA RATA
Kolkisin (%)	Waktu (Jam)	I	II	III	IV		
<b>K0 : 0.0000</b>	1.5	13.60	20.59	26.65	22.72	<b>83.55</b>	<b>20.89</b>
	3.0	23.37	20.06	23.47	22.72	<b>89.61</b>	<b>22.40</b>
	4.5	18.41	12.43	20.58	24.42	<b>75.84</b>	<b>18.96</b>
<b>K1 : 0.0125</b>	1.5	18.93	30.08	15.00	18.03	<b>82.03</b>	<b>20.51</b>
	3.0	20.54	15.88	22.32	21.10	<b>79.84</b>	<b>19.96</b>
	4.5	20.83	15.90	23.04	24.79	<b>84.57</b>	<b>21.14</b>
<b>K2 : 0.0250</b>	1.5	30.14	25.11	22.00	24.69	<b>101.94</b>	<b>25.49</b>
	3.0	20.32	15.74	24.07	19.20	<b>79.34</b>	<b>19.84</b>
	4.5	20.15	20.62	23.55	19.65	<b>83.96</b>	<b>20.99</b>
<b>K3 : 0.0500</b>	1.5	21.21	25.30	23.18	23.22	<b>92.91</b>	<b>23.23</b>
	3.0	15.96	25.61	17.53	11.76	<b>70.86</b>	<b>17.72</b>
	4.5	15.15	21.92	22.85	27.37	<b>87.29</b>	<b>21.82</b>
<b>K4 : 0.1000</b>	1.5	17.86	18.70	16.24	21.39	<b>74.19</b>	<b>18.55</b>
	3.0	18.25	16.13	21.73	20.96	<b>77.06</b>	<b>19.27</b>
	4.5	13.04	12.80	24.81	14.24	<b>64.89</b>	<b>16.22</b>
<b>TOTAL</b>		<b>287.76</b>	<b>296.85</b>	<b>327.01</b>	<b>316.26</b>	<b>1227.88</b>	<b>20.46</b>

Tabel Lampiran 30b. Sidik ragam rata-rata bobot buah per Ha cabai katokkon

SK	DB	JK	KT	F. Hit	F. Tabel		
					0.05	0.01	
<b>Kelompok Perlakuan</b>	3	64.0	21.3	1.269	tn	2.83	4.29
<b>K</b>	4	108.0	27.0	1.607	tn	2.59	3.80
<b>W</b>	2	48.1	24.1	1.433	tn	3.22	5.15
<b>K x W</b>	8	135.7	17.0	1.009	tn	2.17	2.97
<b>Galat</b>	42	705.7	16.8				
<b>Total</b>	<b>59</b>	1061.4					

KK 20.03%

Keterangan : tn = Berpengaruh Tidak Nyata  
 \* = Berpengaruh Nyata  
 \*\* = Berpengaruh Sangat Nyata



Gambar Lampiran 1. Gambar denah percobaan di lapangan