

## DAFTAR PUSTAKA

- Adiputra, I. K. G. T., & Somia, I. K. A. (2017). Karakteristik Klinis Pasien Demam Tifoid di RSUP Sanglah Periode Waktu Juli 2013-Juli 2014. *E-Jurnal Medika*, 6(11), 98–102.
- Alam, A. (2011). *Pola Resistensi Salmonella Enterica Serotipe Typhi, Departemen Ilmu Kesehatan Anak RSHS, Tahun 2006-2010*. Sari Pediatri, 12(5), 296–301.
- Butler, T. (2011). *Treatment of typhoid fever in the 21st century: promises and shortcomings*. *Clinical Microbiology and Infection*, 17(7), 959–963. <https://doi.org/10.1111/j.1469-0691.2011.03552.x>
- Capoor, M. R., & Nair, D. (2010). Quinolone and cephalosporin resistance in enteric fever. *Journal of global infectious diseases*, 2(3), 258.
- Dewi LA. 2018. *Evaluasi Penggunaan Antibiotik pada Pasien Demam Tifoid Rawat Inap di Rumah Sakit Islam Klaten Tahun 2017*. Skripsi. Fakultas Farmasi Universitas Setia Budi Surakarta.
- Elisabeth Purba, I., Wandra, T., Nugrahini, N., Nawawi, S., & Nyoman Kandun. (2016). *Program Pengendalian Demam Tifoid di Indonesia: Tantangan dan Peluang*. *Media Litbangkes*, 26(2), 99–108.
- Giri, V. P., Giri, O. P., Srivastava, A., Mishra, C., Kumar, A., & Kanodia, S. (2015). *A clinical trial of treatment of uncomplicated typhoid fever: efficacy of ceftriaxone-azithromycin combination*. *Int. J. Basic Clin. Pharmacol*, 4(4), 673-677.
- Hammad, O. M., Omran, D., Anwar, M., Tantawi, E., & Girgis, N. I. (2011). Ceftriaxone versus Chloramphenicol for Treatment of Acute Typhoid Fever. *Life Science Journal*, 8(2). <http://www.lifesciencesite.com>
- Hasibuan, S.I. 2009. *Karakteristik Penderita Demam Tifoid Rawat Inap Di Rumah Sakit Sri Pamela PTPN 3 Tebing Tinggi Tahun 2004 – 2008*.

Huber, D. L. (2010). *Leadership and Nursing Care Management*. In Crash Course: Cell Biology and Genetics.

Kementerian Kesehatan Republik Indonesia. (2011). *Pedoman Pelayanan Kefarmasian Untuk Terapi Antibiotik*. Kementerian Kesehatan Republik Indonesia.

Kinanta, P. B. S., Santhi, D. G. D. D., & Subawa, A. A. N. (2020). Profil Pemberian Antibiotik dan Perbaikan Klinis Demam Pada Pasien Anak dengan Demam Tifoid di RSUP Sanglah Denpasar. *Jurnal Medika Udayana*, 9(3), 10–14.

Kunoli, Firdaus J., 2013. *Pengantar Epidemiologi Penyakit Menular Untuk Mahasiswa Kesehatan Masyarakat*. Jakarta: Trans Info Media.

Neil, K. P., Sodha, S. v., Lukwago, L., O-Tipo, S., Mikoleit, M., Simington, S. D., Mukobi, P., Balinandi, S., Majalija, S., Ayers, J., Kagirita, A., Wefula, E., Asimwe, F., Kweyamba, V., Talkington, D., Shieh, W. J., Adem, P., Batten, B. C., Zaki, S. R., & Mintz, E. (2012). *A large outbreak of typhoid fever associated with a high rate of intestinal perforation in Kasese district, Uganda, 2008-2009*. *Clinical Infectious Diseases*, 54(8), 1091–1099. <https://doi.org/10.1093/cid/cis025>

Oktavia, D., Indriani, L., & Dewi, M. (2020). Evaluasi Pemberian Antibiotik Pada Pasien Demam Tifoid di Instalasi Rawat Inap Rumah Sakit Azra Kota Bogor. *FITOFARMAKA: Jurnal Ilmiah Farmasi*, 10(1), 54–64. <https://doi.org/10.33751/jf.v10i1.1938>

Patattan, S. (2017). *Evaluasi Penggunaan Antibiotika Pada Pasien Demam Tifoid Rawat Inap Rumah Sakit Stella Maris Makassar Pada Tahun 2016*.

Pratiwi, Sylvia T. 2009. *Mikrobiologi Farmasi*. Jakarta: Erlangga

Puspitarini, R., Lestari, T., & Riyoko. (2009). *Analisis Average Length of Stay (AvLOS) Pasien Rawat Inap Pada Kasus Typhoid Fever di Rumah Sakit Umum Daerah Sragen Periode Tri Wulan IV Tahun 2008*. *Jurnal Kesehatan*, 3(1), 84–93.

- Purwadianto, A., Malik, M.D., Syukur, A., Taher, A., Soebandrio, A., HardjosastroD, et al, 2014, *Mers-CoV: Zoonosis Baru, Farmancia*, Vol. XIII No. 11, pp.24-29
- Putri, P. R. V. (2013). *Perbedaan Kuantitas Penggunaan Antibiotik Pada Anak Dengan Demam Tifoid di Kelas III dan Non Kelas III RSUP Dr. Kariadi Semarang Pada Tahun 2011*.
- Rampengan, N. H. (2013). *Antibiotik Terapi Demam Tifoid Tanpa Komplikasi Pada Anak. Sari Pediatri*, 14(5), 271–276.
- Riyatno, I. P., & Sutrisna, E. (2011). *Cost-Effectiveness Analysis Pengobatan Demam Tifoid Anak Menggunakan Sefotaksim dan Kloramfenikol di RSUD Prof. Dr. Margono Soekarjo Purwokerto. Mandala of Health*, 5(2).
- Rufaie, R. J. (2021). *Evaluasi Rasionalitas Penggunaan Antibiotik Pada Pasien Demam Tifoid Rawat Inap di RSU Universitas Muhammadiyah Malang Tahun 2019*.
- Sandika, J., & Suwandi, J. F. (2017). *Sensitivitas Salmonella thypi Penyebab Demam Tifoid terhadap Beberapa Antibiotik. Majority*, 6(1), 41–45.
- Sharma, J., & Malakar, M. (2013). Distribution of Typhoid Fever in Different Rural and Urban Areas of Lakhimpur District of Assam. *International Journal of Research and Development of Health*, 1(3), 109–114. <https://www.researchgate.net/publication/256051973>
- Stanaway, J. D., Reiner, R. C., Blacker, B. F., Goldberg, E. M., Khalil, I. A., Troeger, C. E., Andrews, J. R., Bhutta, Z. A., Crump, J. A., Im, J., Marks, F., Mintz, E., Park, S. E., Zaidi, A. K. M., Abebe, Z., Abejie, A. N., Adedeji, I. A., Ali, B. A., Amare, A. T., ... Hay, S. I. (2019). *The global burden of typhoid and paratyphoid fevers: a systematic analysis for the Global Burden of Disease Study 2017. The Lancet Infectious Diseases*, 19(4), 369–381. [https://doi.org/10.1016/S1473-3099\(18\)30685-6](https://doi.org/10.1016/S1473-3099(18)30685-6)

Sukmawati, I. G. A. N. D., Adi Jaya, M. K., & Swastini, D. A. (2020). Evaluasi Penggunaan Antibiotik pada Pasien Tifoid Rawat Inap di Salah Satu Rumah Sakit Pemerintah Provinsi Bali dengan Metode Gyssens dan ATC/DDD. *Jurnal Farmasi Udayana*, 37. <https://doi.org/10.24843/jfu.2020.v09.i01.p06>

Syarif A, Bahry B, Ganiswarna V, Utama H. 2007. *Farmakologi dan terapi*. 5th ed. Jakarta: Departemen Farmakologi dan Terapeutik FKUI.

Tedja, V. R. (2012). *Hubungan Antara Faktor Individu, Sosio Demografi, dan Administrasi Dengan Lama Hari Rawat Pasien Rawat Inap Rumah Sakit Pantai Indah Kapuk Tahun 2011*.

Veeraraghavan, B., Pragasam, A. K., Bakthavatchalam, Y. D., & Ralph, R. (2018). *Typhoid fever: issues in laboratory detection, treatment options & concerns in management in developing countries*. *Future Science OA*, 4(6), FSO312. <https://doi.org/10.4155/foa-2018-0003>

Wartawan, I. W. (2012). *Analisis Lama Hari Rawat Pasien Yang Menjalani Pembedahan di Ruang Rawat Inap Bedah Kelas III RSUP Sanglah Denpasar Tahun 2011*.

WHO. 2018. *Immunization, Vaccines and Biologicals: Typhoid*, viewed 10 oktober 2020, <[https:// www.who.int/ immunization/ diseases/ typhoid/en/](https://www.who.int/immunization/diseases/typhoid/en/)>.

Zmora N, Shrestha S, Neuberger A, Paran Y, Tamrakar R, et al. (2018) *Open label comparative trial of mono versus dual antibiotic therapy for Typhoid Fever in adults*. *PLoS Neglected Tropical Diseases* 12(4): e0006380. <https://doi.org/10.1371/journal.pntd.0006380>

Zulkoni, Akhsin, 2011. *Parasitologi Untuk Keperawatan, Kesehatan Masyarakat dan Teknik Lingkungan*. Yogyakarta. Nuha Medika. Pencegahan Tifus. [http:// www.alodokter.com/tifus/ pencegahan](http://www.alodokter.com/tifus/pencegahan) (Diakses pada tanggal 10 Oktober 2020)

## Lampiran

### Lampiran 1. Kode etik penelitian

KEMENTERIAN PENDIDIKAN, KEBUDAYAAN, RISET DAN TEKNOLOGI  
UNIVERSITAS HASANUDDIN FAKULTAS KEDOKTERAN  
KOMITE ETIK PENELITIAN KESEHATAN  
RSPTN UNIVERSITAS HASANUDDIN  
RSUP Dr. WAHIDIN SUDIROHUSODO MAKASSAR  
Sekretariat : Lantai 2 Gedung Laboratorium Terpadu  
JL.PERINTIS KEMERDEKAAN KAMPUS TAMALANREA KM.10 MAKASSAR 90245.  
Contact Person: dr. Agussalim Bukhari.,MMed,PhD, SpGK TELP. 081241850858, 0411 5780103. Fax : 0411-581431

**REKOMENDASI PERSETUJUAN ETIK**  
Nomor : 434/UN4.6.4.5.31/ PP36/ 2022

Tanggal: 7 Juli 2021


Dengan ini Menyatakan bahwa Protokol dan Dokumen yang Berhubungan Dengan Protokol berikut ini telah mendapatkan Persetujuan Etik :

No Protokol	UH21070421	No Sponsor Protokol	
Peneliti Utama	Apt. Innal Saitis, S.Farm	Sponsor	
Judul Peneliti	STUDI PREDIKTOR LAMA TINGGAL DI RUMAH SAKIT PADA PASIEN DEMAM TIFOID:STUDI KASUS DI RS UNIVERSITAS HASANUDDIN		
No Versi Protokol	1	Tanggal Versi	1 Juli 2021
No Versi PSP		Tanggal Versi	
Tempat Penelitian	RS Universitas Hasanuddin Makassar		
Jenis Review	<input checked="" type="checkbox"/> Exempted <input type="checkbox"/> Expedited <input type="checkbox"/> Fullboard Tanggal	Masa Berlaku 7 Juli 2021 sampai 7 Juli 2022	Frekuensi review lanjutan
Ketua KEPK FKUH RSUH dan RSWS	Nama Prof.Dr.dr. Suryani As'ad, M.Sc.,Sp.GK (K)	Tanda tangan	
Sekretaris KEPK FKUH RSUH dan RSWS	Nama dr. Agussalim Bukhari, M.Med.,Ph.D.,Sp.GK (K)	Tanda tangan	

Kewajiban Peneliti Utama:

- Menyerahkan Amandemen Protokol untuk persetujuan sebelum di implementasikan
- Menyerahkan Laporan SAE ke Komisi Etik dalam 24 jam dan dilengkapi dalam 7 hari dan Laporan SUSAR dalam 72 jam setelah Peneliti Utama menerima laporan
- Menyerahkan Laporan Kemajuan (progress report) setiap 6 bulan untuk penelitian resiko tinggi dan setiap setahun untuk penelitian resiko rendah
- Menyerahkan laporan akhir setelah Penelitian berakhir
- Melaporkan penyimpangan dari prokol yang disetujui (protocol deviation / violation)
- Mematuhi semua peraturan yang ditentukan

## Lampiran 2. Dokumentasi Penelitian



**Lampiran 3. Data Pasien Tifoid di RS Universitas Hasanuddin**

NO	NO. RM	JK	UMUR	TB	BB	DIAGNOSA SEKUNDER	TERAPI ANTIBIOTIK	OBAT NON ANTIBIOTIK	JUMLAH OBAT NON-AB	RUTE PEMBERIAN AB	DATA LAB			LAMA PEMBERIAN AB	LAMA RAWAT
											S.Thypi O	S.Thypi H	IgM		
1	114984	L	16	163	47	Faringitis Akut	-		2	-	-	1/320'		-	3
2	117485	L	14	161	50	Faringitis Akut	Ceftriaxone + Ampicillin	-	-	lv	1/80	1/80		6	7
3	89617	P	29	145	77	-	Ceftriaxone (IV)	Paracetamol	1	lv	1/80	1/80		5	6
4	9932	L	9	115	20	ISK	-	paracetamol + Ambroxol	2	-	1/160'	1/80		-	3
5	119168	L	20	160	47	ISPA (Bronkhitis)	Ceftriaxone (IV)	Paracetamol (IV) + N-Ace (oral)	2	lv	1/80	1/320'		6	6
6	118342	P	25	156	59	DBD Grade 1	Ciprofloxacin (Oral) + Ceftriaxone (IV)	Paracetamol (IV) + Omeprazole (Oral)	2	Oral + IV	1/320'	1/320'		3	8
7	113131	P	11	144	35	-	Ceftriaxone (IV)	Paracetamol (IV)	1	IV			6	8	9
8	112856	P	25	158	47	-	Cotrimoxazole + tiamfenicol	-	-	Oral	1/80	1/320'		4	4
9	113239	P	10	127	30	DBD Grade 1 + Diare akut	Ceftriaxone (IV)	Paracetamol (IV)	1	lv			4	8	8
10	113194	L	13	149	39	-	Ceftriaxone (IV)	-	-	IV			8	8	9
11	117476	P	17	153	49	Anemia Px Kronik + DBD	Ceftriaxone (IV)	Paracetamol (IV) + Paracetamol	3	IV			6	10	15

						Grade 1 + Faringitis akut		(Oral) + Ambroxol							
12	118488	L	17	158	40	diare akut + DBD Grade 1	Ceftriaxone (IV) + cefixime (IV)	Parecetamol (IV) + Zink (Oral)	2	lv			8	6	10
13	11760	L	45	165	58	-	Ceftriaxone (IV)	Parecetamol (IV) + Ranitidine(IV)	2	IV		1/320'		5	5
14	118910	P	28	168	63	DBD Grade 2 + Dispepsia fungsional	Ceftriaxone (IV) + cefixime (IV)	Ranitidine + Metoclopramide + Novalgin	3	IV	1/320'	1/80	2	6	6
15	636736	P	26	157	62	Cepalgia akut + Vertigo Postisional + suspect aneurisme	Levofloxacin (Oral)	Paracetamol + Ibuprofen + Diazepam + Betahistine	4	lv	1/80	-		3	3
16	115242	L	70	169	73	Hipertensi Terkontrol	Levofloxacin (Oral)	paracetamol + Domperidone (Oral)	2	Oral	1/16'	1/320'		3	4
17	114162	P	36	158	54	Anemia Normusitik	Ceftriaxone (IV)	Paracetamol	1	IV			6	4	5
18	115233	P	20	154	51	DBD	Ceftriaxone (IV) + cefixime (IV) + Levofloxacin (Oral)	Paracetamol (IV) + Paracetamol (Oral) + Domperidone (Oral) + Cotrimoxazole (Oral) + Curcuma + Sistenol	6	Oral + IV	1/320	1/320		6	14
19	115556	P	21	164	47	-	Ceftriaxone (IV)	Parecetamol (IV) + Ranitidine(IV)	4	IV			2	8	11



								+ Ambroxol + Domperidone							
20	91178	L	16	153	52	-	Ceftriaxone (IV)	Parecetamol (IV) + Zink (Oral)	2	IV			6	7	7
21	97595	L	7	122	27	-	Ceftriaxone (IV)	Parecetamol (IV)	1	IV			4	6	6
22	115963	P	23	157	58	-	Ceftriaxone (IV)	Parecetamol (IV) + B-Com(Oral)	2	IV	1/80	-		2	3
23	137660	P	3	82	11	Leukosytosis + diare akut	Ceftriaxone (IV)	Paracetamol (IV)	1	IV			10	5	6
24	137776	L	13	146	30	Faringitis Akut	Ceftriaxone (IV) + Cefotaxime (IV)	Paracetamol (IV) + Domperidon (IV)	2	IV			6	6	7
25	138081	L	13	139	30	Faringitis Akut	Ceftriaxone (IV) + Ciprofloxacin (IV)	Parecetamol (IV) + Zink (Oral)+Ambroxol (Oral)	3	Oral + IV	1/80	1/360		5	9
26	137921	P	20	156	44	DBD	Ceftriaxone (IV)	Parecetamol (IV) + N-Ace (oral) +Paracetamol (Oral)+Ranitidin (Oral)	4	Oral + IV	1/320	1/320		5	5
27	138459	P	27	163	63	DBD	Ceftriaxone (IV)	Parecetamol (Oral)+ Cetirizine (Oral)	2	Oral	1/320	1/160		4	5
28	2018	L	29	150	46	-	Ceftriaxone (IV)	Parecetamol (IV) + Ranitidine(IV) + N-Ace (Oral) +Domperidone+ Paracetamol (Oral)	5	Oral + IV	1/320	1/160		4	5

29	123799	P	21	160	58	DBD + Dispepsia	Ceftriaxone (IV)	Paracetamol (IV) + Ranitidine(IV) + Gelufosal (IV) +Methyl prednisolon (IV)	4	IV	-	1/160		3	4
30	137651	L	13	42	38	-	Ciprofloxacin (IV)	Paracetamol (IV) + Zink (Oral)	2	IV	1/160	1/320		5	5
31	125316	L	21	167	56	Hiponatremia + Anemia normositik hormokrom	Ceftriaxone (IV)	Paracetamol (IV) + Ranitidine(IV) + Metamizol (IV) +Gelofusal (IV)	4	lv	1/160	1/160	6	4	6
32	135679	L	56	161	68	DBD Grade 1	Ceftriaxone (IV) + Levofloxacin (Oral)	Paracetamol (IV) + Domperidon (Oral)+ Paracetamol (Oral)	3	Oral + IV	1/160	1/320		4	8
33	135584	P	21	150	47	DBD Grade 1	Ceftriaxone (IV) + cefixime (Oral)	Paracetamol (Oral) + Domperidon (Oral)+ Ranitidine (IV) + Ranitidine (Oral)	4	Oral + IV	1/180	1/180		6	7
34	135667	P	30	150	40	-	Ceftriaxone (IV)	Paracetamol (Oral)) + Ranitidine(Oral)	2	Oral	1/320	1/160		5	5
35	135325	P	21	153	45	-	Ceftriaxone (IV)	Paracetamol (Oral) + Domperidon (Oral)	2	Oral			6	3	4
36	135342	L	35	169	84	-	Ceftriaxone (IV)	Maxiliv(Oral)+ N-Ace (Oral) +Domperidone	4	Oral	1/80	1/80		5	5

								(Oral)+ Paracetamol (Oral)										
37	135662	L	30	169	92	Aki DDKI	Ceftriaxone (IV)	Paracetamol (IV) + Ondansetron (IV)+ Ranitidine (IV)+Sistenol (Oral)	4	Oral + IV	1/80	1/80			4		5	
38	137921	L	12	140	22	Tonsilofaringitis Akut + Intake tidak terjamin	Ceftriaxone (IV) + Ampicillin (IV)	Paracetamol (IV)	1	IV			4		5		8	
39	135717	L	14	152	47	Stomatitia+ Intake tidak terjamin	Ceftriaxone (IV)	Paracetamol (IV) + Nistatin drops (Oral)	2	IV	1/80	1/80			8		8	
40	136053	P	29	143	50	-	Ceftriaxone (IV)	Paracetamol (IV) + Domperidon (oral)	2	IV			4		4		4	
41	135323	P	15	150	45	-	Ceftriaxone (IV)	Paracetamol (IV)	1	IV			10		10		10	
42	73723	L	21	155	56	DBD	Ceftriaxone (IV)	Paracetamol (IV) + Ranitidine(IV)	2	IV	1/80	1/160			3		4	
43	19005	P	52	165	60	-	Ceftriaxone (IV)	Paracetamol (IV) + Ranitidine(IV)	2	IV		1/320'			5		5	
44	84352	P	20	160	61	DBD + Dispepsia	Ceftriaxone (IV)	Paracetamol (IV) + Zink (Oral)	2	IV		1/160			3		4	
45	138561	L	32	171	85	DBD	-	Paracetamol (IV)	1	-	1/160	1/80			-		3	
46	138731	L	22	172	71	-	Levofloxacin (Oral)	Paracetamol (Oral)+ Paracetamol (IV) + Metoclopramide	6	IV	1/320	1/160			4		5	

								(IV) + N-Ace (Oral) + Ranitidine (IV) + Domperidone (Oral)							
47	138985	P	11	136	25	Faringitis Akut + Leukositosis	Ceftriaxone (IV) + Ampicillin (IV)	Parecetamol (IV)	1	IV	1/160	1/160		8	10
48	100920	L	13	150	45	Leukositosis + Infeksi Saluran Kemih	Ceftriaxone (IV)	Parecetamol (IV) + Cetirizine (Oral)	2	IV	1/160	-		4	6
49	139187	L	9	128	19	-	Ceftriaxone (IV)	Parecetamol (IV)	1	IV			4	5	6
50	139320	P	17	155	43	-	Ceftriaxone (IV)	Parecetamol (IV) + Ambroxol (Oral) + Ranitidine(IV) + Ondansentron (IV) + Nebulizer (Inhalasi)	5	IV	1/320'	1/80		4	4
51	139103	L	3	80	15	Leukositosis	Ceftriaxone (IV)	Paracetamol (IV)	1	IV			8	5	5
52	114268	P	38	165	60	-	Ceftriaxone (IV)	Parecetamol (IV) + Ranitidine(IV)	2	IV	1/160	1/320'		5	6
53	139764	L	14	139	32	Faringitis Akut	Ceftriaxone (IV) + Ciprofloxacin (IV)	Parecetamol (IV) + Zink (Oral)	2	Oral + IV	1/80	1/80		10	10
54	143693	P	33	154	50	Anemia Normusitik	Ceftriaxone (IV)	Paracetamol (Oral) ++ Zink (Oral)	2	IV			6	4	4

55	147278	P	10	120	30	Tonsilofaringitis Akut + Stomatitis	Ceftriaxone (IV) + Ampicillin (IV)	Paracetamol (IV) + Ambroxol (Oral)+ Zink (Oral)	1	IV			10	8	9
56	120339	L	22	159	50	ISPA (Bronkhitis)	Ceftriaxone (IV)	Parecetamol (IV) + N-Ace (oral)	2	iv	1/80	1/320'		5	5
57	30317	P	45	167	60	-	Ceftriaxone (IV)	Parecetamol (IV) + Ranitidine(IV)	2	IV	1/160	1/320'		5	6
58	120552	P	29	150	50	-	Ceftriaxone (IV)	Parecetamol (Oral)) + Ranitidine(Oral)	2	Oral	1/160	1/160		5	6
59	120565	P	19	157	58	DBD	Ceftriaxone (IV)	Parecetamol (IV) + Ranitidine(IV)	2	IV	1/80	1/80		3	4
60	120079	L	21	158	44	diare akut + DBD Grade 1	Ceftriaxone (IV) + cefixime (IV)	Parecetamol (IV) + Zink (Oral)	2	iv			8	6	9
61	6536	P	23	150	45	-	Ceftriaxone (IV)	Parecetamol (Oral)) + Ranitidine(Oral)	2	Oral	1/320	1/160		5	5
62	120923	L	23	166	60	DBD Grade 2 + Dispepsia fungsional	Ceftriaxone (IV) + cefixime (IV)	Ranitidine + Metoclopramide + Novalgin	3	IV	1/160	1/80	2	5	6
63	121189	P	16	139	32	Faringitis Akut	Ceftriaxone (IV) + Ciprofloxacin (IV)	Parecetamol (IV) + Zink (Oral)	2	Oral + IV	1/80	1/160		7	7
64	72031	P	30	160	72	-	Ceftriaxone (IV)	Parecetamol (IV) + Zink (Oral)	2	Oral	1/80	1/80		4	5
65	37866	L	31	169	80	DBD Grade 1	Ceftriaxone (IV)	N-Ace (Oral) +Domperidone (Oral)+	3	Oral	1/80	1/80		5	6

								Paracetamol (Oral)							
66	130297	P	19	152	46	DBD Grade 1 + Anemia Kronik	Ceftriaxone (IV)	Paracetamol (IV)	1	IV	1/80	1/320'		3	5
67	131014	P	23	155	50	Anemia normositik hipokrom susp. Def. Fe	Cefixime (IV)	Paracetamol (IV) + SF Tablet (Oral)	2	Oral + IV	1/80	1/160		7	8
68	105271	P	22	160	50	-	Ceftriaxone (IV)	Paracetamol (IV) + Domperidon (Oral)+ Ranitidine (IV) + Omeprazole (IV) + Sotatic (IV) + N- Ace (Oral) + Domperidone (Oral) + Ondansentron (IV)	8	IV			6	6	7
69	128987	P	21	155	47	Faringitis Akut + Encephalitis	Ceftriaxone (IV)	Paracetamol (IV) + Paracetamol (Oral) + Diazepam (IV)	3	IV			6	5	5
70	129703	P	23	155	57	Bisotopenia	Ceftriaxone (IV)	Paracetamol (IV) + New diatabs(Oral)	2	IV	1/80	1/320'		4	5
71	129139	P	21	165	55	-	Ceftriaxone (IV) + cefixime (Oral)	Paracetamol (IV) + Paracetamol (Oral) + Omeprazole (Oral)	3	Oral + IV	1/320'	1/320'		5	6

72	129964	P	22	167	56	DBD Grade 1	-	Paracetamol (IV) + Paracetamol (Oral) + Gelafusal (IV)	3	-			4	-	5
73	123245	L	24	161	52	Tonsilofaringitis Akut	Ceftriaxone (IV)	Paracetamol (IV) + Paracetamol (Oral) + Domperidone (Oral) + Ranitidine (IV) + Omeprazole (Oral)	5	IV	1/320'	1/160		4	4
74	139103	L	4	87	12	Tonsilofaringitis Akut + Sepsis + Leukositosis + Tromositopenia + Trombositosis	Ampicillin (IV) + Cefotaxim (IV) + Gentamicin (IV) + Ceftazidim (IV) + Amikasin (IV)	Paracetamol (IV) + Cetirizin (Oral) + Nistatin Drops(Oral) + Ranitidine (IV) + Nutri parental (IV)	5	IV			8	10	18
75	58578	P	5	95	13	Tonsilofaringitis Akut + DBD Grade 1 + Community Acurated Pneumonia	-	Paracetamol (IV)	1	-			4	-	7
76	139187	L	10	139	43	Faringitis Akut	Ceftriaxone (IV)	Paracetamol (IV) + Ambroxol (Oral) + Elkana Sirup (Oral)	3	IV	1/320'	1/160		5	5
77	160757	L	14	148	37	-	Ceftriaxone (IV)	Paracetamol (IV)	1	IV	1/80	1/160		6	7

78	125748	P	21	165	54	Hepatitis	Ceftriaxone (IV) + Ciprofloxacin (Oral)	Paracetamol (IV) + Curcuma (Oral) + Urdafalk(Oral) + Ranitidine (IV) + Domperidon (Oral)	2	Oral + IV	1/160	1/160		6	7
79	125268	P	56	150	60	DBD Grade 1	Cefixime (Oral) + Ciprofloxacin (IV)	Paracetamol (IV) + Omeprazole (IV) + Lorazepam (Oral) + Rifaster (Oral) + Sucralfat Syr (Oral) + Haloperidol (Oral)	6	Oral + IV	1/80	1/320'		7	13
80	124448	L	9	123	28	Lekositosis	Ceftriaxone (IV) + cefadroxil (Oral)	Paracetamol (IV)	1	Oral + IV			6	3	8
81	110767	P	42	161	52	Partus arteri	-	Sangobion (Oral)	1	-			4	3	3
82	124445	P	20	145	40	-	Ceftriaxone (IV)	Paracetamol (Oral) + Ranitidine(IV)	2	IV	-	1/320'		2	3
83	122856	P	24	145	37	Dispepsia Fungsional	Ceftriaxone (IV) + Ciprofloxacin (IV) + Thiampenicol (Oral)	Paracetamol (IV) + Domperidone (Oral) + Ranitidine (IV)	3	Oral + IV	1/320'	1/80		4	6



84	125076	L	35	171	72	DBD Grade 1	Ceftriaxone (IV)	Paracetamol (Oral)) + Ranitidine(IV) + Curcuma (Oral)	3	IV	1/80	1/160		3	5
85	132159	P	61	150	56	CA. Mamae Dextra + Aslites (Grade II) + tumor hepar + efusi piema sinistra	Ceftriaxone (IV) + Levofloxacin (IV)	Paracetamol (IV) + Paracetamol (Oral) + Vip Albumin (Oral) + Zink (Oral) + As. Folat (Oral) + Becom-c (Oral) + Pulmicort (Inhalasi) + Combivart (Inhalasi) + Furosemide + Ondansentron (IV)	10	IV	1/80	1/320'		9	16
86	131723	P	14	150	47	Tonsilofaringitis Akut + DBD Grade 1	Thiampenicol (Oral)	Paracetamol (IV) + Paracetamol (Oral) + Ambroxol (Oral)	3	IV			4	11	13
87	128119	P	24	155	39	ISK	Ceftriaxone (IV) + Ciprofloxacin (IV)	Paracetamol (IV)	1	IV	1/320'	1/160		6	7
88	131216	P	19	169	77	DBD Grade 1 + Community Acquired Pneumonia + Anemia	Cefotaxim (IV) + Gentamicin (IV) + Amikasin (IV)	Paracetamol (IV) + Zink (Oral) + Meropenem (IV)	3	IV			10	6	14

89	131174	L	14	142	30	-	Ceftriaxone (IV)	Paracetamol (IV)	1	IV	1/160	1/160	4	3	5
90	130739	P	25	147	50	-	Ceftriaxone (IV)	Paracetamol (IV) + N-ace (Oral)	2	IV	1/320'	1/160		5	5
91	134341	P	9	139	43	Faringitis Akut	Ceftriaxone (IV)	Paracetamol (IV) + Ambroxol (Oral) + Elkana Sirup (Oral)	3	IV	1/320'	1/160		5	5
92	78352	P	11	140	35	Tonsilofaringitis Akut	Ceftriaxone (IV) + Ampicillin (IV)	Paracetamol (IV)	1	IV	1/160	1/160		5	6
93	132789	L	11	122	30	Tonsilofaringitis Akut + Stomatitis	Ceftriaxone (IV) + Ampicillin (IV)	Paracetamol (IV) + Ambroxol (Oral)+ Zink (Oral)	3	IV			8	7	9
94	118824	L	29	169	75	DBD Grade 1	Ceftriaxone (IV)	Domperidone (Oral)+ Paracetamol (Oral)	2	Oral	1/80	1/80		5	5
95	135161	L	21	155	52	-	Ceftriaxone (IV)	Paracetamol (IV) + Paracetamol (Oral)	2	IV	1/320'	1/160		4	5
96	133059	L	23	155	50	-	Cefixime (IV)	Paracetamol (IV) + Zink (Oral)	2	Oral + IV	1/80	1/160		5	5
97	135318	P	13	148	37	-	Ceftriaxone (IV)	Paracetamol (IV)	1	IV	1/80	1/160		6	7
98	78531	P	23	155	59	-	Cefixime (IV)	Paracetamol (IV)	1	IV	1/80	1/160		6	6
99	73225	P	23	160	50	Tonsilofaringitis Akut	Ceftriaxone (IV)	Paracetamol (IV) + Paracetamol (Oral) + Domperidone	4	IV	1/320'	1/160		4	6

								(Oral) + Ranitidine (oral)							
100	69478	L	52	161	65	DBD Grade 1	Ceftriaxone (IV) + Levofloxacin (Oral)	Paracetamol (IV) + Domperidon (Oral)	2	Oral + IV	1/160	1/320		4	6
101	135680	P	16	155	51	diare akut + DBD Grade 1	Ceftriaxone (IV)	Paracetamol (IV) + Zink (Oral)	2	iv			6	6	6
102	136056	L	27	160	65	-	Ceftriaxone (IV)	Paracetamol (IV) + Zink (Oral)	2	Oral	1/80	1/80		4	5
103	39008	P	49	165	55	-	Ceftriaxone (IV)	Paracetamol (IV) + Ranitidine(IV)	2	IV	1/160	1/160		4	5
104	50678	P	41	160	62	DBD Grade 1	Ceftriaxone (IV) + Levofloxacin (Oral)	Paracetamol (IV) + Domperidon (Oral)	2	Oral + IV	1/160	1/160		4	4
105	136055	P	20	157	52	Tonsilofaringitis Akut	Ceftriaxone (IV)	Paracetamol (IV) + Paracetamol (Oral)	2	IV	1/160	1/160		4	4
106	51577	L	42	170	73	DBD	Ceftriaxone (IV)	Paracetamol (IV)	1	iv	1/160	1/80		4	5
107	49007	L	72	168	75	Hipertensi	Ceftriaxone (IV) + Levofloxacin (Oral)	paracetamol + Domperidone (Oral)	2	Oral + IV	1/160	1/320'		4	4
108	29236	P	72	157	68	DBD Grade 1	Ceftriaxone (IV) + Levofloxacin (Oral)	Paracetamol (IV) + Domperidon (Oral)+ Paracetamol (Oral)	3	Oral + IV	1/160	1/320		4	5

109	136849	L	15	156	45	DBD Grade 1	Ceftriaxone (IV)	Paracetamol (IV)	1	iv			8	5	7
110	33900	P	16	150	39	-	Ceftriaxone (IV)	Paracetamol (IV)	1	IV	1/160	1/320		6	7
111	125185	L	58	165	62	DBD Grade 1	Ceftriaxone (IV) + Levofloxacin (Oral)	Paracetamol (IV)	1	Oral + IV	1/160	1/160		5	6
112	119489	P	7	131	40	Faringitis Akut	Ceftriaxone (IV)	Paracetamol (IV) + Ambroxol (Oral)	2	IV	1/160	1/160		4	5
113	88818	P	57	160	77	DBD	Ceftriaxone (IV)	Paracetamol (IV)	1	IV	1/160	1/80		5	5
114	137320	P	3	75	12	Tonsilofaringitis AkuT	Ceftriaxone (IV)	Paracetamol (IV) + Ranitidine (IV)	2	IV			6	6	6
115	137453	P	29	156	61	-	Ceftriaxone (IV)	Paracetamol (IV)	1	Oral	1/80	1/160		5	5
116	137535	L	23	165	57	Tonsilofaringitis Akut	Ceftriaxone (IV)	Paracetamol (IV) + Paracetamol (Oral) + Ranitidine (oral)	3	IV	1/160	1/160		4	4
117	110126	P	23	157	60	ISK	Ceftriaxone (IV) + Ciprofloxacin (IV)	Paracetamol (IV)	1	IV	1/320'	1/320'		5	5
118	138081	L	13	157	43	-	Ceftriaxone (IV)	Paracetamol (IV)	1	iv			8	6	6
119	130365	P	66	157	68	DBD Grade 1	Ceftriaxone (IV) + Levofloxacin (Oral)	Paracetamol (IV) + Domperidon (Oral)+	3	Oral + IV	1/160	1/320		4	5

								Paracetamol (Oral)											
120	73723	L	23	169	68	DBD Grade 1	Ceftriaxone (IV)	Domperidone (Oral)+ Paracetamol (Oral)	2	Oral	1/80	1/80			5		5		
121	112377	L	8	142	43	DBD Grade 1	Ceftriaxone (IV) + Levofloxacin (Oral)	Paracetamol (IV)	1	Oral + IV	1/160	1/320			5		6		
122	67004	P	7	137	45	Faringitis Akut	Ceftriaxone (IV)	Paracetamol (IV)	1	IV	1/320'	1/160			4		5		
123	111617	P	36	155	59	DBD Grade 1	Ceftriaxone (IV) + Levofloxacin (Oral)	Paracetamol (IV) + Domperidon (Oral)	2	Oral + IV	1/160	1/80			3		4		
124	113163	L	44	169	72	-	Ceftriaxone (IV)	Paracetamol (IV)	1	IV	1/80	1/160			4		4		
125	113173	L	37	170	66	-	Ceftriaxone (IV)	Paracetamol (IV) + Ranitidine(IV)	2	IV	1/160	1/320'			5		7		
126	16522	L	59	167	62	DBD Grade 1	Ceftriaxone (IV) + Levofloxacin (Oral)	Paracetamol (IV)	2	Oral + IV	1/160	1/160			4		5		
127	91178	L	5	100	21	Faringitis Akut	Ceftriaxone (IV)	Paracetamol (IV)	1	IV	1/160	1/160			5		5		
128	68537	L	52	169	75	DBD Grade 1	Ceftriaxone (IV) + Levofloxacin (Oral)	Paracetamol (IV)	1	Oral + IV	1/160	1/320			5		6		

129	115068	L	23	168	58	Tonsilofaringitis Akut	Ceftriaxone (IV)	Paracetamol (IV)	1	IV	1/320'	1/160		4	5
130	99030	L	8	127	30	DBD Grade 1	Ceftriaxone (IV) + Levofloxacin (Oral)	Paracetamol (IV)	1	Oral + IV			6	3	6
131	116219	P	47	165	58	-	Ceftriaxone (IV)	Paracetamol (IV) + Ranitidine(IV)	2	IV	1/160	1/320'		5	5
132	23141	P	15	148	37	-	Ceftriaxone (IV)	Paracetamol (IV)	1	IV	1/160	1/160		6	7
133	116414	P	9	140	33	Tonsilofaringitis Akut	Ceftriaxone (IV) + Ampicillin (IV)	Paracetamol (IV)	1	IV	1/160	1/160		5	5
134	116606	P	42	163	65	DBD Grade 1	Ceftriaxone (IV)	Paracetamol (IV) + Domperidon (Oral)	2	IV	1/160	1/320		6	6
135	116770	L	52	169	77	DBD	Ceftriaxone (IV)	Paracetamol (IV)	1	IV	1/160	1/80		3	4
136	116611	P	38	165	63	-	Ceftriaxone (IV)	Paracetamol (IV)	1	IV	1/160	1/160		5	5
137	99416	P	29	159	70	-	Ceftriaxone (IV)	Paracetamol (IV)	2	IV	1/80	1/80		4	4
138	54852	L	23	161	50	-	Ceftriaxone (IV)	Paracetamol (IV) + Paracetamol (Oral) + Domperidone (Oral) + Ranitidine (IV)	4	IV	1/320'	1/160		5	5
139	117462	P	45	163	56	-	Ceftriaxone (IV)	Paracetamol (IV) + Ranitidine(IV)	2	IV	1/160	1/320'		5	5

140	117485	L	13	148	37	-	Ceftriaxone (IV)	Paracetamol (IV)	1	IV	1/80	1/160		6	7
141	89617	P	28	155	55	Tonsilofaringitis Akut	Ceftriaxone (IV)	Paracetamol (Oral)	1	IV	1/80	1/160		3	4
142	52497	P	10	139	29	-	Ceftriaxone (IV)	Paracetamol (IV)	1	IV			6	5	6
143	119459	L	21	163	54	Tonsilofaringitis Akut	Ceftriaxone (IV)	Paracetamol (IV) + Paracetamol (Oral) + Ranitidine (IV)	3	IV	1/320'	1/160		3	4
144	55209	P	5	113	22	Tonsilofaringitis Akut	Ceftriaxone (IV)	Paracetamol (IV)	1	IV			4	4	4
145	119723	P	10	125	29	Tonsilofaringitis Akut	Ceftriaxone (IV)	Paracetamol (IV)	1	IV	1/80	1/80		3	5
146	119881	P	32	155	63	-	Ceftriaxone (IV)	Paracetamol (IV)	1	IV	1/80	1/80		3	5
147	42527	L	22	159	51	Tonsilofaringitis Akut	Ceftriaxone (IV)	Paracetamol (IV)	1	IV	1/320'	1/160		4	5
148	120177	P	58	158	68	DBD Grade 1	Ceftriaxone (IV)	Paracetamol (IV) + Paracetamol (Oral)	2	IV	1/160	1/320		4	5
149	120181	P	15	155	45	Tonsilofaringitis Akut	Ceftriaxone (IV)	Paracetamol (IV)	1	iv			6	5	6
150	120187	P	30	157	50	DBD Grade 1	Ceftriaxone (IV)	Paracetamol (Oral)	1	IV	1/80	1/160		4	5
151	120239	P	35	154	50	-	Ceftriaxone (IV)	Paracetamol (Oral)	1	IV	1/80	1/320'		4	7
152	100757	L	14	150	38	-	Ceftriaxone (IV)	Paracetamol (IV)	1	IV	1/80	1/160		4	5
153	125917	L	33	158	60	-	Ceftriaxone (IV)	Paracetamol (IV) + Zink (Oral)	2	IV	1/80	1/320'		4	6

154	126075	L	32	150	49	DBD Grade 1	Ceftriaxone (IV)	Paracetamol (Oral)	1	IV	1/80	1/160		4	4
155	2011	L	33	153	54	DBD Grade 1	Ceftriaxone (IV)	Paracetamol (Oral) + Zink (Oral)	2	IV			8	4	6
156	126502	P	21	158	48	diare akut + DBD Grade 1	Ceftriaxone (IV) + cefixime (IV)	Paracetamol (IV) + Zink (Oral)	2	iv	1/80	1/320'		6	6
157	126568	L	9	139	45	Faringitis Akut	Ceftriaxone (IV)	Paracetamol (IV) + Ambroxol (Oral)	2	IV	1/320'	1/160		5	5
158	126721	P	47	160	55	-	Ceftriaxone (IV)	Paracetamol (IV) + Ranitidine (IV)	2	IV	1/80	1/80		4	4
159	126944	L	46	166	71	-	Ceftriaxone (IV)	Paracetamol (IV) + Domperidon (Oral)	2	IV	1/160	1/80		4	4
160	108938	L	53	159	60	Dispepsia Fungsional	Ceftriaxone (IV) + Ciprofloxacin (IV)	Paracetamol (IV) + Domperidone (Oral) + Ranitidine (IV)	3	Oral + IV	1/320'	1/80		4	6
161	127411	L	10	138	22	-	Ceftriaxone (IV)	Paracetamol (IV)	1	IV			4	5	6
162	127862	L	19	160	50	Bronkhitis	Ceftriaxone (IV)	Paracetamol (IV) + N-Ace (oral)	2	iv	1/80	1/320'		4	4
163	127953	L	49	167	68	-	Ceftriaxone (IV)	Paracetamol (IV)	1	IV	1/80	1/320'		5	6
164	127855	P	52	161	68	DBD Grade 1	Ceftriaxone (IV) + Levofloxacin (Oral)	Paracetamol (IV) + Domperidon (Oral) + Paracetamol (Oral)	3	Oral + IV	1/160	1/80		4	6



165	128119	P	23	164	57	-	Ceftriaxone (IV)	Paracetamol (IV) + Paracetamol (Oral) + Domperidone (Oral)	3	IV	1/320'	1/160		3	4
166	128345	P	21	155	45	-	Ceftriaxone (IV)	Paracetamol (Oral) + Ranitidine(IV)	2	IV	1/160	1/80		3	4
167	128396	L	24	154	50	Anemia Normusitik	Ceftriaxone (IV)	Paracetamol (Oral) ++ Zink (Oral)	2	IV			6	4	4
168	128451	L	14	148	37	-	Ceftriaxone (IV)	Paracetamol (IV)	1	IV	1/80	1/160		6	7
169	128563	P	19	150	43	DBD Grade 1	Ceftriaxone (IV)	Paracetamol (Oral) + Ranitidine(IV)	2	IV	-	1/160		3	3
170	49696	L	8	140	43	Faringitis Akut	Ceftriaxone (IV)	Paracetamol (IV)	1	IV	1/320'	1/160		5	5
171	128652	P	35	154	50	Anemia Normusitik	Ceftriaxone (IV)	Paracetamol (Oral) ++ Zink (Oral)	2	IV			6	4	4
172	125042	P	59	164	66	Hipertensi Terkontrol	Ceftriaxone (IV)	paracetamol (Oral)	1	IV	1/160	1/320'		3	5
173	128882	L	6	116	21	DBD Grade 1	Ceftriaxone (IV)	Paracetamol (IV)	1	IV			4	4	6
174	128868	P	29	160	65	-	Ceftriaxone (IV)	Paracetamol (IV)	1	IV	1/80	1/80		4	4
175	128929	L	44	168	65	DBD Grade 1	Ceftriaxone (IV)	Paracetamol (IV)	1	IV	1/160	1/320		4	5

176	129231	L	21	156	52	Tonsilofaringitis Akut	Ceftriaxone (IV)	Paracetamol (IV) + Paracetamol (Oral)	2	IV	1/320'	1/160		3	4
-----	--------	---	----	-----	----	---------------------------	---------------------	---	---	----	--------	-------	--	---	---

## Lampiran 4. Data Statistik

### Frekuensi

		Lama Rawat (A)			Cumulative
		Frequency	Percent	Valid Percent	Percent
Valid	1-7 hari	120	78.4	78.4	78.4
	> 7 hari	33	21.6	21.6	100.0
	Total	153	100.0	100.0	

		Jenis kelamin				Cumulative
Lama Rawat (A)		Frequency	Percent	Valid Percent	Valid Percent	Percent
1-7 hari	Valid	laki-laki	55	45.8	45.8	45.8
		perempuan	65	54.2	54.2	100.0
		Total	120	100.0	100.0	
> 7 hari	Valid	laki-laki	15	45.5	45.5	45.5
		perempuan	18	54.5	54.5	100.0
		Total	33	100.0	100.0	

		Komorbiditas				Cumulative
Lama Rawat (A)		Frequency	Percent	Valid Percent	Valid Percent	Percent
1-7 hari	Valid	Tidak ada Komorbid	45	37.5	37.5	37.5
		1-3 komorbid	75	62.5	62.5	100.0
		Total	120	100.0	100.0	
> 7 hari	Valid	Tidak ada Komorbid	14	42.4	42.4	42.4
		1-3 komorbid	17	51.5	51.5	93.9
		> 3 komorbid	2	6.1	6.1	100.0
		Total	33	100.0	100.0	

**Rute AB**

Lama Rawat (A)			Frequency	Percent	Valid Percent	Cumulative Percent
1-7 hari	Valid	IV	90	75.0	75.0	75.0
		Per oral	12	10.0	10.0	85.0
		IV + Per oral	18	15.0	15.0	100.0
		Total	120	100.0	100.0	
> 7 hari	Valid	IV	23	69.7	69.7	69.7
		IV + Per oral	10	30.3	30.3	100.0
		Total	33	100.0	100.0	

**Golongan AB**

Lama Rawat (A)			Frequency	Percent	Valid Percent	Cumulative Percent
1-7 hari	Valid	Cefalosporin	106	88.3	88.3	88.3
		Cefalosporin + Floroquinolon	14	11.7	11.7	100.0
		Total	120	100.0	100.0	
> 7 hari	Valid	Cefalosporin	24	72.7	72.7	72.7
		Cefalosporin + Floroquinolon	9	27.3	27.3	100.0
		Total	33	100.0	100.0	

**Mekanisme AB**

Lama Rawat (A)			Frequency	Percent	Valid Percent	Cumulative Percent
1-7 hari	Valid	menghambat sintesis dinding sel	106	88.3	88.3	88.3
		menghambat sintesis dinding sel dan sintesis DNA	14	11.7	11.7	100.0
		Total	120	100.0	100.0	
> 7 hari	Valid	menghambat sintesis dinding sel	24	72.7	72.7	72.7
		menghambat sintesis dinding sel dan sintesis DNA	9	27.3	27.3	100.0
		Total	33	100.0	100.0	

**Data Lab**

Lama Rawat (A)			Frequency	Percent	Valid Percent	Cumulative Percent
1-7 hari	Valid	widal tes >1/ 160	97	80.8	80.8	80.8
		IgM >=4	23	19.2	19.2	100.0
		Total	120	100.0	100.0	
> 7 hari	Valid	widal tes >1/ 160	21	63.6	63.6	63.6
		IgM >=4	12	36.4	36.4	100.0
		Total	33	100.0	100.0	

**Kelas Perawatan**

Lama Rawat (A)			Frequency	Percent	Valid Percent	Cumulative Percent
1-7 hari	Valid	kelas 1 dan atau VIP	19	15.8	15.8	15.8
		kelas 2	13	10.8	10.8	26.7
		kelas 3	88	73.3	73.3	100.0
		Total	120	100.0	100.0	
> 7 hari	Valid	kelas 1 dan atau VIP	3	9.1	9.1	9.1
		kelas 2	4	12.1	12.1	21.2
		kelas 3	26	78.8	78.8	100.0
		Total	33	100.0	100.0	

**Crosstabs****Lama Rawat (A) \* Rute AB Crosstabulation**

Count

		Rute AB			Total
		IV	Per oral	IV + Per oral	
Lama Rawat (A)	1-7 hari	90	12	18	120
	> 7 hari	23	0	10	33
Total		113	12	28	153

### Chi-Square Tests

	Value	df	Asymptotic Significance (2-sided)
Pearson Chi-Square	6.711 <sup>a</sup>	2	.035
Likelihood Ratio	8.857	2	.012
Linear-by-Linear Association	1.781	1	.182
N of Valid Cases	153		

a. 1 cells (16.7%) have expected count less than 5. The minimum expected count is 2.59.

### Lama Rawat (A) \* Golongan AB Crosstabulation

Count

		Golongan AB		Total
		Cefalosporin	Cefalosporin + Floroquinolon	
Lama Rawat (A)	1-7 hari	106	14	120
	> 7 hari	24	9	33
Total		130	23	153

### Lama Rawat (A) \* Mekanisme AB Crosstabulation

Count

		Mekanisme AB		Total
		menghambat sintesis dinding sel	menghambat sintesis dinding sel dan sintesis DNA	
Lama Rawat (A)	1-7 hari	106	14	120
	> 7 hari	24	9	33
Total		130	23	153

### Lama Rawat (A) \* Data Lab Crosstabulation

Count

		Data Lab		Total
		widal tes >1/ 160	IgM >=4	
Lama Rawat (A)	1-7 hari	97	23	120
	> 7 hari	21	12	33

Total	118	35	153
-------	-----	----	-----

### Lama Rawat (A) \* Kelas Perawatan Crosstabulation

Count

		Kelas Perawatan			Total
		kelas 1 dan atau			
		VIP	kelas 2	kelas 3	
Lama Rawat (A)	1-7 hari	19	13	88	120
	> 7 hari	3	4	26	33
Total		22	17	114	153

### Case Processing Summary

Lama Rawat (A)		Valid		Cases Missing		Total	
		N	Percent	N	Percent	N	Percent
1-7 hari	Tinggi Badan	120	100.0%	0	0.0%	120	100.0%
> 7 hari	Tinggi Badan	33	100.0%	0	0.0%	33	100.0%

### Descriptives

Lama Rawat (A)		Statistic	Std. Error		
1-7 hari	Tinggi Badan	Mean	153.29	1.580	
		95% Confidence Interval for	Lower Bound	150.16	
		Mean	Upper Bound	156.42	
		5% Trimmed Mean		155.67	
		Median		157.00	
		Variance		299.452	
		Std. Deviation		17.305	
		Minimum		75	
		Maximum		171	
		Range		96	
		Interquartile Range		14	
		Skewness		-2.532	.221
		Kurtosis		7.698	.438
> 7 hari	Tinggi Badan	Mean	150.48	1.690	
		95% Confidence Interval for	Lower Bound	147.04	
		Mean	Upper Bound	153.93	
		5% Trimmed Mean		150.95	
		Median		150.00	

Variance	94.258	
Std. Deviation	9.709	
Minimum	123	
Maximum	170	
Range	47	
Interquartile Range	8	
Skewness	-.810	.409
Kurtosis	1.712	.798

### Tests of Normality

Lama Rawat (A)	Kolmogorov-Smirnov <sup>a</sup>			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
1-7 hari Tinggi Badan	.225	120	.000	.733	120	.000
> 7 hari Tinggi Badan	.187	33	.005	.939	33	.065

a. Lilliefors Significance Correction

### Descriptives

Lama Rawat (A)			Statistic	Std. Error	
1-7 hari	Umur	Mean	28.09	1.427	
		95% Confidence Interval for Mean	Lower Bound	25.27	
			Upper Bound	30.92	
		5% Trimmed Mean	27.41		
		Median	23.00		
		Variance	244.403		
		Std. Deviation	15.633		
		Minimum	3		
		Maximum	72		
		Range	69		
		Interquartile Range	17		
		Skewness	.686	.221	
		Kurtosis	.050	.438	
> 7 hari	Umur	Mean	21.24	2.308	
		95% Confidence Interval for Mean	Lower Bound	16.54	
			Upper Bound	25.94	
		5% Trimmed Mean	19.80		



Median	16.00	
Variance	175.814	
Std. Deviation	13.260	
Minimum	9	
Maximum	61	
Range	52	
Interquartile Range	9	
Skewness	2.047	.409
Kurtosis	3.535	.798

### Tests of Normality

Lama Rawat (A)		Kolmogorov-Smirnov <sup>a</sup>			Shapiro-Wilk		
		Statistic	df	Sig.	Statistic	df	Sig.
1-7 hari	Umur	.136	120	.000	.949	120	.000
> 7 hari	Umur	.237	33	.000	.708	33	.000

a. Lilliefors Significance Correction

### Descriptives

Lama Rawat (A)			Statistic	Std. Error
1-7 hari	Jumlah AB	Mean	1.16	.033
		95% Confidence Interval for Mean	Lower Bound	1.09
		Upper Bound	1.22	
		5% Trimmed Mean	1.12	
		Median	1.00	
		Variance	.134	
		Std. Deviation	.367	
		Minimum	1	
		Maximum	2	
		Range	1	
		Interquartile Range	0	
		Skewness	1.896	.221
		Kurtosis	1.620	.438
		> 7 hari	Jumlah AB	Mean
95% Confidence Interval for Mean	Lower Bound			1.25
Upper Bound	1.60			

5% Trimmed Mean	1.42	
Median	1.00	
Variance	.252	
Std. Deviation	.502	
Minimum	1	
Maximum	2	
Range	1	
Interquartile Range	1	
Skewness	.321	.409
Kurtosis	-2.023	.798

### Tests of Normality

Lama Rawat (A)		Kolmogorov-Smirnov <sup>a</sup>			Shapiro-Wilk		
		Statistic	df	Sig.	Statistic	df	Sig.
1-7 hari	Jumlah AB	.509	120	.000	.438	120	.000
> 7 hari	Jumlah AB	.377	33	.000	.629	33	.000

a. Lilliefors Significance Correction

### Descriptives

Lama Rawat (A)			Statistic	Std. Error	
1-7 hari	Jumlah Obat Non AB	Mean	1.98	.088	
		95% Confidence Interval for			
		Mean	Lower Bound	1.80	
			Upper Bound	2.15	
		5% Trimmed Mean		1.89	
		Median		2.00	
		Variance		.932	
		Std. Deviation		.965	
		Minimum		1	
		Maximum		5	
		Range		4	
		Interquartile Range		1	
		Skewness		1.133	.221
Kurtosis		1.221	.438		
> 7 hari	Jumlah Obat Non AB	Mean	2.24	.246	
		95% Confidence Interval for			
		Mean	Lower Bound	1.74	
	Upper Bound	2.74			

5% Trimmed Mean	2.12	
Median	2.00	
Variance	2.002	
Std. Deviation	1.415	
Minimum	1	
Maximum	6	
Range	5	
Interquartile Range	2	
Skewness	1.232	.409
Kurtosis	.662	.798

### Tests of Normality

Lama Rawat (A)		Kolmogorov-Smirnov <sup>a</sup>			Shapiro-Wilk	
		Statistic	df	Sig.	Statistic	df
1-7 hari	Jumlah Obat Non AB	.281	120	.000	.811	120
> 7 hari	Jumlah Obat Non AB	.295	33	.000	.799	33

a. Lilliefors Significance Correction

### Descriptives

Lama Rawat (A)			Statistic	Std. E
1-7 hari	Lama Pemberian AB	Mean	4.29	
		95% Confidence Interval for Mean	Lower Bound	4.13
			Upper Bound	4.45
		5% Trimmed Mean	4.29	
		Median	4.00	
		Variance	.797	
		Std. Deviation	.893	
		Minimum	2	
		Maximum	6	
		Range	4	
		Interquartile Range	1	
		Skewness	-.107	
		Kurtosis	-.317	
> 7 hari	Lama Pemberian AB	Mean	6.48	
		95% Confidence Interval for Mean	Lower Bound	5.85
			Upper Bound	7.12

5% Trimmed Mean	6.48
Median	6.00
Variance	3.195
Std. Deviation	1.787
Minimum	3
Maximum	10
Range	7
Interquartile Range	2
Skewness	.219
Kurtosis	.062

### Tests of Normality

Lama Rawat (A)		Kolmogorov-Smirnov <sup>a</sup>			Shapiro-Wilk		
		Statistic	df	Sig.	Statistic	df	Sig.
1-7 hari	Lama Pemberian AB	.211	120	.000	.891	120	.000
> 7 hari	Lama Pemberian AB	.213	33	.001	.932	33	.039

a. Lilliefors Significance Correction

### Mann-Whitney Test

		Ranks		
Lama Rawat (A)		N	Mean Rank	Sum of Ranks
Bobot Badan	1-7 hari	120	84.37	10124.50
	> 7 hari	33	50.20	1656.50
	Total	153		

### Test Statistics<sup>a</sup>

Bobot Badan	
Mann-Whitney U	1095.500
Wilcoxon W	1656.500
Z	-3.927
Asymp. Sig. (2-tailed)	.000

a. Grouping Variable: Lama Rawat (A)

## NPar Tests

### Mann-Whitney Test

	Ranks			
	Lama Rawat (A)	N	Mean Rank	Sum of Ranks
Umur	1-7 hari	120	82.33	9879.00
	> 7 hari	33	57.64	1902.00
	Total	153		

### Test Statistics<sup>a</sup>

	Umur
Mann-Whitney U	1341.000
Wilcoxon W	1902.000
Z	-2.838
Asymp. Sig. (2-tailed)	.005

a. Grouping Variable: Lama Rawat (A)

## Explore

### Tests of Normality

Lama Rawat (A)		Kolmogorov-Smirnov <sup>a</sup>			Shapiro-Wilk	
		Statistic	df	Sig.	Statistic	df
1-7 hari	Lama Pemberian AB	.211	120	.000	.891	120
> 7 hari	Lama Pemberian AB	.213	33	.001	.932	33

a. Lilliefors Significance Correction

## Lama Pemberian AB

### Explore

### escriptives

Lama Rawat (A)			Statistic	Std. Error	
1-7 hari	Umur	Mean	28.09	1.427	
		95% Confidence Interval for Mean	Lower Bound	25.27	
			Upper Bound	30.92	
		5% Trimmed Mean	27.41		
		Median	23.00		
		Variance	244.403		

		Std. Deviation	15.633	
		Minimum	3	
		Maximum	72	
		Range	69	
		Interquartile Range	17	
		Skewness	.686	.221
		Kurtosis	.050	.438
> 7 hari	Umur	Mean	21.24	2.308
		95% Confidence Interval for Mean	Lower Bound	16.54
			Upper Bound	25.94
		5% Trimmed Mean	19.80	
		Median	16.00	
		Variance	175.814	
		Std. Deviation	13.260	
		Minimum	9	
		Maximum	61	
		Range	52	
		Interquartile Range	9	
		Skewness	2.047	.409
		Kurtosis	3.535	.798

### Tests of Normality

Lama Rawat (A)		Kolmogorov-Smirnov <sup>a</sup>			Shapiro-Wilk		
		Statistic	df	Sig.	Statistic	df	Sig.
1-7 hari	Umur	.136	120	.000	.949	120	.000
> 7 hari	Umur	.237	33	.000	.708	33	.000

a. Lilliefors Significance Correction

### NPar Tests Mann-Whitney Test

		Ranks			
		Lama Rawat (A)	N	Mean Rank	Sum of Ranks
Tinggi Badan	1-7 hari		120	82.58	9910.00
	> 7 hari		33	56.70	1871.00
	Total		153		

**Test Statistics<sup>a</sup>**

Tinggi Badan	
Mann-Whitney U	1310.000
Wilcoxon W	1871.000
Z	-2.976
Asymp. Sig. (2-tailed)	.003

a. Grouping Variable: Lama Rawat (A)

**NPar Tests****Mann-Whitney Test**

		Ranks		
	Lama Rawat (A)	N	Mean Rank	Sum of Ranks
Bobot Badan	1-7 hari	120	84.37	10124.50
	> 7 hari	33	50.20	1656.50
	Total	153		

**Test Statistics<sup>a</sup>**

Bobot Badan	
Mann-Whitney U	1095.500
Wilcoxon W	1656.500
Z	-3.927
Asymp. Sig. (2-tailed)	.000

a. Grouping Variable: Lama Rawat (A)

**T-Test**

		Group Statistics			
	Lama Rawat (A)	N	Mean	Std. Deviation	Std. Error Mean
Jumlah AB	1-7 hari	120	1.16	.367	.033
	> 7 hari	33	1.42	.502	.087

**NPar Tests****Mann-Whitney Test**

		Ranks		
	Lama Rawat (A)	N	Mean Rank	Sum of Ranks
Tinggi Badan	1-7 hari	120	82.58	9910.00
	> 7 hari	33	56.70	1871.00

Total	153	
-------	-----	--

### Test Statistics<sup>a</sup>

Tinggi Badan	
Mann-Whitney U	1310.000
Wilcoxon W	1871.000
Z	-2.976
Asymp. Sig. (2-tailed)	.003

a. Grouping Variable: Lama Rawat (A)

### NPar Tests Mann-Whitney Test

Ranks				
	Lama Rawat (A)	N	Mean Rank	Sum of Ranks
Bobot Badan	1-7 hari	120	84.37	10124.50
	> 7 hari	33	50.20	1656.50
	Total	153		

### T-Test

Group Statistics					
	Lama Rawat (A)	N	Mean	Std. Deviation	Std. Error Mean
Jumlah Obat Non AB	1-7 hari	120	1.98	.965	.088
	> 7 hari	33	2.24	1.415	.246
	Total	153			

### T-Test

Group Statistics					
	Lama Rawat (A)	N	Mean	Std. Deviation	Std. Error Mean
Lama Pemberian AB	1-7 hari	120	4.29	.893	.081
	> 7 hari	33	6.48	1.787	.311
	Total	153			

### Logistic Regression

#### Case Processing Summary

Unweighted Cases <sup>a</sup>		N	Percent
Selected Cases	Included in Analysis	153	100.0
	Missing Cases	0	.0
	Total	153	100.0



Unselected Cases	0	.0
Total	153	100.0

a. If weight is in effect, see classification table for the total number of cases.

### Dependent Variable Encoding

Original Value	Internal Value
1-7 hari	0
> 7 hari	1

### Classification Table<sup>a,b</sup>

	Observed		Predicted		Percentage Correct
			Lama Rawat (A) 1-7 hari	> 7 hari	
Step 0	Lama Rawat (A)	1-7 hari	120	0	100.0
		> 7 hari	33	0	.0
Overall Percentage					78.4

a. Constant is included in the model.

b. The cut value is .500

### Variables in the Equation

		B	S.E.	Wald	df	Sig.	Exp(B)
Step 0	Constant	-1.291	.197	43.137	1	.000	.275

### Variables not in the Equation

		Score	df	Sig.	
Step 0	Variables	Tinggi Badan	.803	1	.370
Overall Statistics			.803	1	.370

### Block 1: Method = Enter

#### Omnibus Tests of Model Coefficients

		Chi-square	df	Sig.
Step 1	Step	.750	1	.386
	Block	.750	1	.386
	Model	.750	1	.386

### Model Summary

Step	-2 Log likelihood	Cox & Snell R	Nagelkerke R
		Square	Square
1	158.797 <sup>a</sup>	.005	.008

a. Estimation terminated at iteration number 4 because parameter estimates changed by less than .001.

### Classification Table<sup>a</sup>

	Observed	Predicted		Percentage Correct
		Lama Rawat (A)		
		1-7 hari	> 7 hari	
Step 1	Lama Rawat (A)	120	0	100.0
		33	0	.0
Overall Percentage				78.4

a. The cut value is .500

### Variables in the Equation

	B	S.E.	Wald	df	Sig.	Exp(B)
Step 1 <sup>a</sup>						
Tinggi Badan	-.010	.011	.786	1	.375	.990
Constant	.234	1.724	.018	1	.892	1.264

a. Variable(s) entered on step 1: Tinggi Badan.

## Logistic Regression

### Case Processing Summary

Unweighted Cases <sup>a</sup>		N	Percent
Selected Cases	Included in Analysis	153	100.0
	Missing Cases	0	.0
	Total	153	100.0
Unselected Cases		0	.0
Total		153	100.0

a. If weight is in effect, see classification table for the total number of cases.

### Dependent Variable Encoding

Original Value	Internal Value
----------------	----------------

1-7 hari	0
> 7 hari	1

**Classification Table<sup>a,b</sup>**

	Observed		Predicted		Percentage Correct
			Lama Rawat (A) 1-7 hari	> 7 hari	
Step 0	Lama Rawat (A)	1-7 hari	120	0	100.0
		> 7 hari	33	0	.0
Overall Percentage					78.4

a. Constant is included in the model.

b. The cut value is .500

**Variables in the Equation**

		B	S.E.	Wald	df	Sig.	Exp(B)
Step 0	Constant	-1.291	.197	43.137	1	.000	.275

**Variables not in the Equation**

		Score	df	Sig.	
Step 0	Variables	Tinggi Badan	.803	1	.370
Overall Statistics		.803	1	.370	

**Block 1: Method = Enter****Omnibus Tests of Model Coefficients**

		Chi-square	df	Sig.
Step 1	Step	.750	1	.386
	Block	.750	1	.386
	Model	.750	1	.386

**Model Summary**

Step	-2 Log likelihood	Cox & Snell R Square	Nagelkerke R Square
1	158.797 <sup>a</sup>	.005	.008

a. Estimation terminated at iteration number 4 because parameter estimates changed by less than .001.

**Classification Table<sup>a</sup>**

	Observed	Predicted		Percentage Correct	
		Lama Rawat (A)			
		1-7 hari	> 7 hari		
Step 1	Lama Rawat (A)	1-7 hari	120	0	100.0
		> 7 hari	33	0	.0
Overall Percentage					78.4

a. The cut value is .500

**Variables in the Equation**

		B	S.E.	Wald	df	Sig.	Exp(B)
Step 1 <sup>a</sup>	Tinggi Badan	-.010	.011	.786	1	.375	.990
	Constant	.234	1.724	.018	1	.892	1.264

a. Variable(s) entered on step 1: Tinggi Badan.

## Logistic Regression

### Case Processing Summary

Unweighted Cases <sup>a</sup>		N	Percent
Selected Cases	Included in Analysis	153	100.0
	Missing Cases	0	.0
	Total	153	100.0
Unselected Cases		0	.0
Total		153	100.0

a. If weight is in effect, see classification table for the total number of cases.

### Dependent Variable Encoding

Original Value	Internal Value
1-7 hari	0
> 7 hari	1

**Classification Table<sup>a,b</sup>**

	Observed	Predicted		Percentage Correct	
		Lama Rawat (A)			
		1-7 hari	> 7 hari		
Step 0	Lama Rawat (A)	1-7 hari	120	0	100.0
		> 7 hari	33	0	.0
Overall Percentage					78.4

a. Constant is included in the model.

b. The cut value is .500

#### Variables in the Equation

		B	S.E.	Wald	df	Sig.	Exp(B)
Step 0	Constant	-1.291	.197	43.137	1	.000	.275

#### Variables not in the Equation

		Score	df	Sig.	
Step 0	Variables	Tinggi Badan	.803	1	.370
	Overall Statistics		.803	1	.370

### Block 1: Method = Enter

#### Omnibus Tests of Model Coefficients

		Chi-square	df	Sig.
Step 1	Step	.750	1	.386
	Block	.750	1	.386
	Model	.750	1	.386

#### Model Summary

Step	-2 Log likelihood	Cox & Snell R Square	Nagelkerke R Square
1	158.797 <sup>a</sup>	.005	.008

a. Estimation terminated at iteration number 4 because parameter estimates changed by less than .001.

### Logistic Regression

#### Case Processing Summary

Unweighted Cases <sup>a</sup>		N	Percent
Selected Cases	Included in Analysis	153	100.0
	Missing Cases	0	.0
	Total	153	100.0
Unselected Cases		0	.0
Total		153	100.0

a. If weight is in effect, see classification table for the total number of cases.

#### Dependent Variable Encoding

Original Value	Internal Value
1-7 hari	0

> 7 hari	1
----------	---

### Categorical Variables Codings

		Frequency	Parameter coding (1)
Kororbiditas	Tidak ada Komorbid	59	.000
	ada kororbiditas	94	1.000

### Block 0: Beginning Block

#### Classification Table<sup>a,b</sup>

	Observed	Predicted		Percentage Correct
		1-7 hari	> 7 hari	
Step 0	Lama Rawat (A)	120	0	100.0
		33	0	.0
Overall Percentage				78.4

a. Constant is included in the model.

b. The cut value is .500

### Variables in the Equation

		B	S.E.	Wald	df	Sig.	Exp(B)
Step 0	Constant	-1.291	.197	43.137	1	.000	.275

### Variables not in the Equation

		Score	df	Sig.	
Step 0	Variables	Kororbiditas(1)	.265	1	.607
Overall Statistics		.265	1	.607	

### Block 1: Method = Enter

#### Omnibus Tests of Model Coefficients

		Chi-square	df	Sig.
Step 1	Step	.263	1	.608
	Block	.263	1	.608
	Model	.263	1	.608

### Model Summary

Step	-2 Log likelihood	Cox & Snell R Square	Nagelkerke R Square
1	159.284 <sup>a</sup>	.002	.003

a. Estimation terminated at iteration number 4 because parameter estimates changed by less than .001.

### Classification Table<sup>a</sup>

	Observed	Predicted		Percentage Correct
		Lama Rawat (A) 1-7 hari	Lama Rawat (A) > 7 hari	
Step 1	Lama Rawat (A) 1-7 hari	120	0	100.0
	Lama Rawat (A) > 7 hari	33	0	.0
Overall Percentage				78.4

a. The cut value is .500

## Logistic Regression

### Case Processing Summary

Unweighted Cases <sup>a</sup>		N	Percent
Selected Cases	Included in Analysis	153	100.0
	Missing Cases	0	.0
	Total	153	100.0
Unselected Cases		0	.0
Total		153	100.0

a. If weight is in effect, see classification table for the total number of cases.

### Dependent Variable Encoding

Original Value	Internal Value
1-7 hari	0
> 7 hari	1

## Block 0: Beginning Block

### Classification Table<sup>a,b</sup>

	Observed	Predicted	
		Lama Rawat (A)	

			1-7 hari	> 7 hari	Percentage Correct
Step 0	Lama Rawat (A)	1-7 hari	120	0	100.0
		> 7 hari	33	0	.0
Overall Percentage					78.4

a. Constant is included in the model.

b. The cut value is .500

### Variables in the Equation

		B	S.E.	Wald	df	Sig.	Exp(B)
Step 0	Constant	-1.291	.197	43.137	1	.000	.275

### Variables not in the Equation

			Score	df	Sig.
Step 0	Variables	Jumlah AB	10.818	1	.001
Overall Statistics			10.818	1	.001

## Block 1: Method = Enter

### Omnibus Tests of Model Coefficients

		Chi-square	df	Sig.
Step 1	Step	9.704	1	.002
	Block	9.704	1	.002
	Model	9.704	1	.002

### Model Summary

Step	-2 Log likelihood	Cox & Snell R Square	Nagelkerke R Square
1	149.842 <sup>a</sup>	.061	.095

a. Estimation terminated at iteration number 4 because parameter estimates changed by less than .001.

### Classification Table<sup>a</sup>

		Predicted		Percentage Correct	
		Lama Rawat (A)			
Observed		1-7 hari	> 7 hari		
Step 1	Lama Rawat (A)	1-7 hari	120	0	100.0
		> 7 hari	33	0	.0
Overall Percentage					78.4



a. The cut value is .500

## Logistic Regression

### Case Processing Summary

Unweighted Cases <sup>a</sup>		N	Percent
Selected Cases	Included in Analysis	153	100.0
	Missing Cases	0	.0
	Total	153	100.0
Unselected Cases		0	.0
Total		153	100.0

a. If weight is in effect, see classification table for the total number of cases.

### Dependent Variable Encoding

Original Value	Internal Value
1-7 hari	0
> 7 hari	1

## Block 0: Beginning Block

### Classification Table<sup>a,b</sup>

		Observed	Predicted		Percentage Correct
			Lama Rawat (A) 1-7 hari	> 7 hari	
Step 0	Lama Rawat (A)	1-7 hari	120	0	100.0
		> 7 hari	33	0	.0
		Overall Percentage			78.4

a. Constant is included in the model.

b. The cut value is .500

### Variables in the Equation

		B	S.E.	Wald	df	Sig.	Exp(B)
Step 0	Constant	-1.291	.197	43.137	1	.000	.275

### Variables not in the Equation

		Score	df	Sig.	
Step 0	Variables	Jumlah Obat Non AB	1.601	1	.206

Overall Statistics	1.601	1	.206
--------------------	-------	---	------

### Block 1: Method = Enter

#### Omnibus Tests of Model Coefficients

		Chi-square	df	Sig.
Step 1	Step	1.523	1	.217
	Block	1.523	1	.217
	Model	1.523	1	.217

#### Variables in the Equation

		B	S.E.	Wald	df	Sig.	Exp. B
Step 1 <sup>a</sup>	Jumlah Obat Non AB	.216	.172	1.572	1	.210	
	Constant	-1.745	.422	17.062	1	.000	

a. Variable(s) entered on step 1: Jumlah Obat Non AB.

### Logistic Regression

#### Model Summary

Step	-2 Log likelihood	Cox & Snell R	Nagelkerke R
		Square	Square
1	158.023 <sup>a</sup>	.010	.015

a. Estimation terminated at iteration number 4 because parameter estimates changed by less than .001.

#### Classification Table<sup>a</sup>

	Observed	Predicted		Percentage Correct	
		Lama Rawat (A)			
		1-7 hari	> 7 hari		
Step 1	Lama Rawat (A)	1-7 hari	120	0	100.0
		> 7 hari	33	0	.0
Overall Percentage					78.4

a. The cut value is .500

### Case Processing Summary

Unweighted Cases <sup>a</sup>		N	Percent
Selected Cases	Included in Analysis	153	100.0
	Missing Cases	0	.0
	Total	153	100.0
Unselected Cases		0	.0
Total		153	100.0

a. If weight is in effect, see classification table for the total number of cases.

### Dependent Variable Encoding

Original Value	Internal Value
1-7 hari	0
> 7 hari	1

### Block 0: Beginning Block

Classification Table<sup>a,b</sup>

	Observed		Predicted		Percentage Correct
			Lama Rawat (A)		
			1-7 hari	> 7 hari	
Step 0	Lama Rawat (A)	1-7 hari	120	0	100.0
		> 7 hari	33	0	.0
	Overall Percentage				

a. Constant is included in the model.

b. The cut value is .500

### Variables in the Equation

		B	S.E.	Wald	df	Sig.	Exp(B)
Step 0	Constant	-1.291	.197	43.137	1	.000	.275

### Variables not in the Equation

		Score	df	Sig.	
Step 0	Variables	Lama Pemberian AB	59.241	1	.000
Overall Statistics		59.241	1	.000	

## Block 1: Method = Enter

### Omnibus Tests of Model Coefficients

		Chi-square	df	Sig.
Step 1	Step	65.017	1	.000
	Block	65.017	1	.000
	Model	65.017	1	.000

### Model Summary

Step	-2 Log likelihood	Cox & Snell R Square	Nagelkerke R Square
1	94.529 <sup>a</sup>	.346	.535

a. Estimation terminated at iteration number 6 because parameter estimates changed by less than .001.

### Classification Table<sup>a</sup>

		Predicted			Percentage Correct
		Lama Rawat (A)			
Observed		1-7 hari	> 7 hari		
Step 1	Lama Rawat (A)	1-7 hari	111	9	92.5
		> 7 hari	7	26	78.8
Overall Percentage					89.5

a. The cut value is .500

## Logistic Regression

### Case Processing Summary

Unweighted Cases <sup>a</sup>		N	Percent
Selected Cases	Included in Analysis	153	100.0
	Missing Cases	0	.0
	Total	153	100.0
Unselected Cases		0	.0
Total		153	100.0

a. If weight is in effect, see classification table for the total number of cases.

### Dependent Variable Encoding

Original Value	Internal Value
----------------	----------------

1-7 hari	0
> 7 hari	1

### Block 0: Beginning Block

Classification Table<sup>a,b</sup>

	Observed	Predicted		Percentage Correct	
		Lama Rawat (A) 1-7 hari	> 7 hari		
Step 0	Lama Rawat (A)	1-7 hari	120	0	100.0
		> 7 hari	33	0	.0
Overall Percentage					78.4

a. Constant is included in the model.

b. The cut value is .500

Variables in the Equation

	B	S.E.	Wald	df	Sig.	Exp(B)	
Step 0	Constant	-1.291	.197	43.137	1	.000	.275

Variables not in the Equation

	Score	df	Sig.		
Step 0	Variables	Jumlah Obat Non AB	1.601	1	.206
	Overall Statistics		1.601	1	.206

### Block 1: Method = Enter

Omnibus Tests of Model Coefficients

	Chi-square	df	Sig.	
Step 1	Step	1.523	1	.217
	Block	1.523	1	.217
	Model	1.523	1	.217

Variables in the Equation

	B	S.E.	Wald	df	Sig.	Exp(B)
Step 1 <sup>a</sup>	Jumlah Obat Non AB	.216	.172	1.572	1	.210
	Constant	-1.745	.422	17.062	1	.000

a. Variable(s) entered on step 1: Jumlah Obat Non AB.

**Classification Table<sup>a,b</sup>**

	Observed	Predicted		Percentage Correct	
		Lama Rawat (A)			
		1-7 hari	> 7 hari		
Step 0	Lama Rawat (A)	1-7 hari	120	0	100.0
		> 7 hari	33	0	.0
Overall Percentage					78.4

a. Constant is included in the model.

b. The cut value is .500

**Case Processing Summary**

Unweighted Cases <sup>a</sup>		N	Percent
Selected Cases	Included in Analysis	153	100.0
	Missing Cases	0	.0
	Total	153	100.0
Unselected Cases		0	.0
Total		153	100.0

a. If weight is in effect, see classification table for the total number of cases.

**Logistic Regression****Model Summary**

Step	-2 Log likelihood	Cox & Snell R Square	Nagelkerke R Square
1	158.023 <sup>a</sup>	.010	.015

a. Estimation terminated at iteration number 4 because parameter estimates changed by less than .001.

**Classification Table<sup>a</sup>**

	Observed	Predicted		Percentage Correct	
		Lama Rawat (A)			
		1-7 hari	> 7 hari		
Step 1	Lama Rawat (A)	1-7 hari	120	0	100.0
		> 7 hari	33	0	.0
Overall Percentage					78.4

a. The cut value is .500

### Case Processing Summary

Unweighted Cases <sup>a</sup>		N	Percent
Selected Cases	Included in Analysis	153	100.0
	Missing Cases	0	.0
	Total	153	100.0
Unselected Cases		0	.0
Total		153	100.0

a. If weight is in effect, see classification table for the total number of cases.

### Dependent Variable Encoding

Original Value	Internal Value
1-7 hari	0
> 7 hari	1

### Block 0: Beginning Block

#### Variables in the Equation

		B	S.E.	Wald	df	Sig.	Exp(B)
Step 0	Constant	-1.291	.197	43.137	1	.000	.275

#### Variables not in the Equation

			Score	df	Sig.
Step 0	Variables	Lama Pemberian AB	59.241	1	.000
Overall Statistics			59.241	1	.000

### Block 1: Method = Enter

#### Omnibus Tests of Model Coefficients

		Chi-square	df	Sig.
Step 1	Step	65.017	1	.000
	Block	65.017	1	.000
	Model	65.017	1	.000

#### Model Summary

Step	-2 Log likelihood	Cox & Snell R Square	Nagelkerke R Square
1	94.529 <sup>a</sup>	.346	.535

a. Estimation terminated at iteration number 6 because parameter estimates changed by less than .001.

**Classification Table<sup>a</sup>**

	Observed		Predicted		Percentage Correct
			Lama Rawat (A)		
			1-7 hari	> 7 hari	
Step 1	Lama Rawat (A)	1-7 hari	111	9	92.5
		> 7 hari	7	26	78.8
Overall Percentage					89.5

a. The cut value is .500

## Logistic Regression

### Dependent Variable Encoding

Original Value	Internal Value
1-7 hari	0
> 7 hari	1

### Categorical Variables Codings

		Frequency	Parameter coding (1)
Golongan AB	Cefalosporin	130	.000
	Cefalosporin + Floroquinolon	23	1.000

## Block 0: Beginning Block

**Classification Table<sup>a,b</sup>**

	Observed		Predicted		Percentage Correct
			Lama Rawat (A)		
			1-7 hari	> 7 hari	
Step 0	Lama Rawat (A)	1-7 hari	120	0	100.0
		> 7 hari	33	0	.0
Overall Percentage					78.4

a. Constant is included in the model.

b. The cut value is .500

### Variables not in the Equation

Score	df	Sig.
-------	----	------



Step 0	Variables	Golongan AB(1)	4.935	1	.026
	Overall Statistics		4.935	1	.026

### Omnibus Tests of Model Coefficients

		Chi-square	df	Sig.
Step 1	Step	4.394	1	.036
	Block	4.394	1	.036
	Model	4.394	1	.036

### Model Summary

Step	-2 Log likelihood	Cox & Snell R Square	Nagelkerke R Square
1	155.152 <sup>a</sup>	.028	.044

a. Estimation terminated at iteration number 4 because parameter estimates changed by less than .001.

## Logistic Regression

### Dependent Variable Encoding

Original Value	Internal Value
1-7 hari	0
> 7 hari	1

### Categorical Variables Codings

		Frequency	Parameter coding (1)
Golongan AB	Cefalosporin	130	.000
	Cefalosporin + Floroquinolon	23	1.000

## Block 0: Beginning Block

### Classification Table<sup>a,b</sup>

		Predicted		Percentage Correct	
		Lama Rawat (A)			
Observed		1-7 hari	> 7 hari		
Step 0	Lama Rawat (A)	1-7 hari	120	0	100.0
		> 7 hari	33	0	.0
Overall Percentage					78.4

a. Constant is included in the model.

b. The cut value is .500

### Variables in the Equation

		B	S.E.	Wald	df	Sig.	Exp(B)
Step 0	Constant	-1.291	.197	43.137	1	.000	.275

### Variables not in the Equation

		Score	df	Sig.
Step 0	Variables Golongan AB(1)	4.935	1	.026
	Overall Statistics	4.935	1	.026

### Omnibus Tests of Model Coefficients

		Chi-square	df	Sig.
Step 1	Step	4.394	1	.036
	Block	4.394	1	.036
	Model	4.394	1	.036

### Model Summary

Step	-2 Log likelihood	Cox & Snell R Square	Nagelkerke R Square
1	155.152 <sup>a</sup>	.028	.044

a. Estimation terminated at iteration number 4 because parameter estimates changed by less than .001.

### Dependent Variable Encoding

Original Value	Internal Value
1-7 hari	0
> 7 hari	1

### Categorical Variables Codings

		Frequency	Parameter coding (1)
Data Lab	widal tes >1/ 160	118	.000
	IgM >=4	35	1.000

## Block 0: Beginning Block

**Classification Table<sup>a,b</sup>**

	Observed	Predicted		Percentage Correct	
		Lama Rawat (A) 1-7 hari	Lama Rawat (A) > 7 hari		
Step 0	Lama Rawat (A)	1-7 hari	120	0	100.0
		> 7 hari	33	0	.0
Overall Percentage					78.4

a. Constant is included in the model.

b. The cut value is .500

**Variables in the Equation**

		B	S.E.	Wald	df	Sig.	Exp(B)
Step 0	Constant	-1.291	.197	43.137	1	.000	.275

**Variables not in the Equation**

		Score	df	Sig.	
Step 0	Variables	Data Lab(1)	4.339	1	.037
Overall Statistics			4.339	1	.037

## Block 1: Method = Enter

**Omnibus Tests of Model Coefficients**

		Chi-square	df	Sig.
Step 1	Step	4.025	1	.045
	Block	4.025	1	.045
	Model	4.025	1	.045

**Model Summary**

Step	-2 Log likelihood	Cox & Snell R Square	Nagelkerke R Square
1	155.522 <sup>a</sup>	.026	.040

a. Estimation terminated at iteration number 4 because parameter estimates changed by less than .001.

**Classification Table<sup>a</sup>**

		Observed	Predicted		Percentage Correct
			Lama Rawat (A) 1-7 hari	> 7 hari	
Step 1	Lama Rawat (A)	1-7 hari	120	0	100.0
		> 7 hari	33	0	.0
		Overall Percentage			78.4

a. The cut value is .500

**Logistic Regression**

**Case Processing Summary**

Unweighted Cases <sup>a</sup>		N	Percent
Selected Cases	Included in Analysis	153	100.0
	Missing Cases	0	.0
	Total	153	100.0
Unselected Cases		0	.0
Total		153	100.0

a. If weight is in effect, see classification table for the total number of cases.

**Dependent Variable Encoding**

Original Value	Internal Value
1-7 hari	0
> 7 hari	1

**Categorical Variables Codings**

		Frequency	Parameter coding	
			(1)	(2)
Rute AB	IV	113	.000	.000
	Per oral	12	1.000	.000
	IV + Per oral	28	.000	1.000

**Block 0: Beginning Block**

**Classification Table<sup>a,b</sup>**

		Observed	Predicted		Percentage Correct
			Lama Rawat (A) 1-7 hari	> 7 hari	
Step 0	Lama Rawat (A)	1-7 hari	120	0	100.0
		> 7 hari	33	0	.0
		Overall Percentage			78.4

- a. Constant is included in the model.  
b. The cut value is .500

#### Variables in the Equation

		B	S.E.	Wald	df	Sig.	Exp(B)
Step 0	Constant	-1.291	.197	43.137	1	.000	.275

#### Variables not in the Equation

			Score	df	Sig.
Step 0	Variables	Rute AB	6.711	2	.035
		Rute AB(1)	3.581	1	.058
		Rute AB(2)	4.054	1	.044
	Overall Statistics		6.711	2	.035

### Block 1: Method = Enter

#### Omnibus Tests of Model Coefficients

		Chi-square	df	Sig.
Step 1	Step	8.857	2	.012
	Block	8.857	2	.012
	Model	8.857	2	.012

#### Model Summary

Step	-2 Log likelihood	Cox & Snell R Square	Nagelkerke R Square
1	150.690 <sup>a</sup>	.056	.087

- a. Estimation terminated at iteration number 20 because maximum iterations has been reached. Final solution cannot be found.

#### Classification Table<sup>a</sup>

	Observed	Predicted		Percentage Correct	
		Lama Rawat (A)			
		1-7 hari	> 7 hari		
Step 1	Lama Rawat (A)	1-7 hari	120	0	100.0
		> 7 hari	33	0	.0
	Overall Percentage				78.4

- a. The cut value is .500

## Logistic Regression

### Case Processing Summary

Unweighted Cases <sup>a</sup>		N	Percent
Selected Cases	Included in Analysis	153	100.0
	Missing Cases	0	.0
	Total	153	100.0
Unselected Cases		0	.0
Total		153	100.0

a. If weight is in effect, see classification table for the total number of cases.

### Dependent Variable Encoding

Original Value	Internal Value
1-7 hari	0
> 7 hari	1

### Categorical Variables Codings

		Frequency	Parameter coding	
			(1)	(2)
Kelas Perawatan	kelas 1 dan atau VIP	22	.000	.000
	kelas 2	17	1.000	.000
	kelas 3	114	.000	1.000

## Block 0: Beginning Block

### Classification Table<sup>a,b</sup>

		Predicted		Percentage Correct	
		Lama Rawat (A)			
	Observed	1-7 hari	> 7 hari		
Step 0	Lama Rawat (A)	1-7 hari	120	0	100.0
		> 7 hari	33	0	.0
Overall Percentage					78.4

a. Constant is included in the model.

b. The cut value is .500

### Variables in the Equation

		B	S.E.	Wald	df	Sig.	Exp(B)
Step 0	Constant	-1.291	.197	43.137	1	.000	.275

### Variables not in the Equation

			Score	df	Sig.
Step 0	Variables	Kelas Perawatan	.960	2	.619
		Kelas Perawatan(1)	.043	1	.835
		Kelas Perawatan(2)	.405	1	.524
	Overall Statistics		.960	2	.619

### Block 1: Method = Enter

#### Omnibus Tests of Model Coefficients

		Chi-square	df	Sig.
Step 1	Step	1.050	2	.592
	Block	1.050	2	.592
	Model	1.050	2	.592

#### Model Summary

Step	-2 Log likelihood	Cox & Snell R Square	Nagelkerke R Square
1	158.497 <sup>a</sup>	.007	.011

a. Estimation terminated at iteration number 4 because parameter estimates changed by less than .001.

#### Classification Table<sup>a</sup>

	Observed	Predicted		Percentage Correct
		Lama Rawat (A) 1-7 hari	> 7 hari	
Step 1	Lama Rawat (A)	120	0	100.0
		33	0	.0
	Overall Percentage			78.4

a. The cut value is .500