

## DAFTAR PUSTAKA

1. Djalalinia S, Qorbani M, Peykari N et al. Health impacts of obesity. *Pakistan Journal of Medical Sciences*. 2015;31:239-42.
2. Fruh SM. Obesity: Risk factors, complications, and strategies for sustainable long-term weight management. *Journal of The American Association of Nurse Practitioners*. 2017;29:3-14. doi:10.1002/2327-6924.12510.
3. Jensen MD. Role of body fat distribution and the metabolic complications of obesity. *The Journal of Clinical Endocrinology and Metabolism*. 2008;93(11):57-63. doi:10.1210/jc.2008-1585.
4. Frank AP, de Souza Santos R, Palmer BF et al. Determinants of body fat distribution in humans may provide insight about obesity-related health risks. *Journal of Lipid Research*. 2019;60:1710-9.
5. Goossens GH. The metabolic phenotype in obesity: Fat Mass, body fat distribution, and adipose tissue function. *Obesity Facts*. 2017;10:207-15.
6. Badan Penelitian dan Pengembangan Kesehatan. Hasil Utama RISKESDAS 2018. Kementerian Kesehatan. 2018.
7. Endalifer ML, Diress G et al. Epidemiology, Predisposing Factors, Biomarkers, and Prevention Mechanism of Obesity: A Systematic Review. *Journal of Obesity*. 2020;2020:6134362
8. Kementrian Kesehatan Republik Indonesia. Epidemi Obesitas. 2018.
9. Kurniati N. Obesity and central obesity. *Medical Journal of Indonesia*. 2018;27(2):69-70.
10. Feingold K, Abawalt B, Boyce A et al. Obesity and Dyslipidemia. *Endotext*. 2020. Available from: <https://www.ncbi.nlm.nih.gov/books/NBK305895/>
11. Vekic J, Zeljkovic A, Stefanovic A et al. Obesity and dyslipidemia. *Metabolism: Clinical and Experimental*. 2019;92:71-81.
12. Ye J. Mechanisms of insulin resistance in obesity. *Frontiers of Medicine in China*. 2013;7:14-24.
13. Ishizaka N, Ishizaka Y, Toda EI et al. Impact of changes in WC and BMI over one year period on serum lipid data in Japanese individuals. *Journal of Atherosclerosis and Thrombosis*. 2009;16(6): 764-71.
14. Yang Z, Ding X, Liu J et al. Associations between anthropometric parameters and lipid profiles in Chinese individuals with age 40 years and BMI <28kg/m<sup>2</sup>. *PLoS ONE*. 2017;12:36-47.
15. Zhou J et al. Association of change in waist circumference and dyslipidaemia risk: The rural Chinese cohort study. *Diabetes/Metabolism Research and Review*. 2018;34:56-63.

16. Brenner DR, Tepylo K, Eny KM et al. A. Comparison of body mass index and waist circumference as predictors of cardiometabolic health in a population of young Canadian adults. *Diabetology & Metabolic Syndrome*. 2010;2(28):45-62.
17. Kobayashi J, Murano S, Kawamura I et al. The relationship of percent body fat by bioelectrical impedance analysis with blood pressure, and glucose and lipid parameters. *Journal of Atherosclerosis and Thrombosis*. 2006;13:221-6.
18. Zhang ZQ, He LP, Xie XT et al. Association of simple anthropometric indices and body fat with early atherosclerosis and lipid profiles in Chinese adults. *PLoS ONE*. 2014;9(8):22-8.
19. Mazzeo F. Current concept of obesity. *Sport Science*. 2016;2(9):42-8.
20. At A, et Crowther NJ. Factors predisposing to obesity: a review of the literature. *Journal of Endocrinology, Metabolism and Diabetes of South Africa*. 2009;14(2):24-8.
21. Ahmad N , Adam SIM, Nawi AM et al. Abdominal obesity indicators: Waist circumference or waist-to-hip ratio in Malaysian adults population. *International Journal of Preventive Medicine*. 2016;12(3):56-62.
22. Jayawardana R, Ranasinghe P, Sheriff MHR et al. Waist to height ratio: A better anthropometric marker of diabetes and cardio-metabolic risks in South Asian adults. *Diabetes Research and Clinical Practice*. 2013;99(3):292-9.
23. Jo A. & Mainous, A. G. Informational value of percent body fat with body mass index for the risk of abnormal blood glucose: A nationally representative cross-sectional study. *BMJ Open*. 2018;8:56-64.
24. Gheshmaty Sangachin, M., Cavuoto, L. A. & Wang, Y. Use of various obesity measurement and classification methods in occupational safety and health research: A systematic review of the literature. *BMC Obesit*. 2018;5:81-9.
25. De, K. Waist Circumference, Waist-Hip Ratio and Body Mass Index in Assessing Nutritional Status and Central Obesity of Adolescent. *Global Journal of Archaeology & Anthropology*. 2017;1:24-32.
26. Snehalatha, C., Viswanathan, V., Ramachandran, A. & Ramachandran, A. Cutoff Values for Normal Anthropometric Variables in Asian Indian Adults. *DIABETES CARE* vol. 26 <http://diabetesjournals.org/care/article-pdf/26/5/1380/592534/dc0503001380.pdf> (2003).
27. Liang, X., Chen, X., Li, J., Yan, M. & Yang, Y. Study on body composition and its correlation with obesity A Cohort Study in 5121 Chinese Han participants. (2018) doi:10.1097/MD.00000000000010722.
28. Heydari, S.-T., Ayatollahi, S.-M.-T. & Zare, N. Diagnostic Value of Bioelectrical Impedance Analysis versus Body Mass Index for Detection of Obesity among Students. *Asian Journal of Sports Medicine* vol. 2 (2011).

29. Álvarez-López, H., Ruiz-Gastélum, E. & Díaz-Aragón, A. Knowing the Basic Mechanism of Lipids Metabolism. *Cardiovascular and Metabolic Science* 32, 147–152 (2021).
30. Carpentier, Y. & Sobotka, L. Basics in clinical nutrition: Lipid metabolism. *e-SPEN* vol. 3 (2008).
31. Kovalenko & Kaplaushenko. *Metabolism of lipids and its regulation.* (2015).
32. Rashid, S. & Genest, J. Effect of obesity on high-density lipoprotein metabolism. *Obesity* vol. 15 2875–2888 (2007).
33. Mooradian, A. D., Haas, M. J., Wehmeier, K. R. & Wong, N. C. W. Obesity-related changes in high-density lipoprotein metabolism. *Obesity* vol. 16 1152–1160 (2008).
34. Bays, H. E. et al. Obesity, adiposity, and dyslipidemia: A consensus statement from the National Lipid Association. *Journal of Clinical Lipidology* 7, 304–383 (2013).
35. Yazıcı, D. & Sezer, H. Insulin resistance, obesity and lipotoxicity. in *Advances in Experimental Medicine and Biology* vol. 960 277–304 (Springer New York LLC, 2017).
36. Subramanian, S. & Chait, A. Hypertriglyceridemia secondary to obesity and diabetes. *Biochimica et Biophysica Acta - Molecular and Cell Biology of Lipids* vol. 1821 819–825 (2012).
37. Bora, K., Pathak, M. S., Borah, P. & Das, D. Association of decreased high-density lipoprotein cholesterol (HDL-C) with obesity and risk estimates for decreased HDL-C attributable to obesity: Preliminary findings from a hospital-based study in a city from Northeast India. *Journal of Primary Care and Community Health* 8, 26–30 (2017).
38. Gómez-Hernández, A., Beneit, N., Díaz-Castroverde, S. & Escribano, Ó. Differential Role of Adipose Tissues in Obesity and Related Metabolic and Vascular Complications. *International Journal of Endocrinology* vol. 2016 (2016).
39. Rashid, S. & Genest, J. Effect of Obesity on High-density Lipoprotein Metabolism. (2007).
40. Ormazabal, V. et al. Association between insulin resistance and the development of cardiovascular disease. *Cardiovascular Diabetology* vol. 17 (2018).
41. Kaur H, et Aeri BT. Assessing the Prevalence of Dyslipidemia in Apparently Healthy Urban Obese Adults Residing in South Delhi, India. *Jurnal Gizi dan Pangan.* 2020;15:63-70.
42. Qi L, Ding X, Tang W et al. Prevalence and risk factors associated with dyslipidemia in Chongqing, China. *International Journal of Environmental Research and Public Health.* 2015;12:55-65.
43. Sudargo T, Sari FT, et Naomi ND. The correlation of obesity, smoking, fried foods consumption pattern and food intake with lipid profile in civil servant in Yogyakarta, Indonesia. *International Journal Of Community Medicine And Public Health.* 2017;4:90-71.

44. Madhu, K., Manjunath, C., Rawal, J. & Irani, P. Atherogenic dyslipidemia. *Indian Journal of Endocrinology and Metabolism* 17, 969 (2013).
45. Klop, B., Elte, J. W. F. & Cabezas, M. C. Dyslipidemia in Obesity: Mechanisms and Potential Targets. *Nutrients* vol. 5 1218–1240 (2013).
46. Bohn B, Muller MJ, Schleicher GS et al. BMI or BIA: Is body mass index or body fat mass a better predictor of cardiovascular risk in overweight or obese children and adolescents? *Obesity Facts*. 2015;8:156-65.
47. Nurbaya S et Azzahra F. Correlation of Body Mass Index and Bioelectrical Impedance Analysis of Total Body Fat with Serum Lipid Profile. *eJournal Kedokteran Indonesia*. 2017;7. <https://doi.org/10.23886/ejki.7.10817>.
48. Chehrei A, Sadrnia S, Keshteli AM et al. Correlation of dyslipidemia with waist to height ratio, waist circumference, and body mass index in Iranian adults. *Asia Pacific Journal of Clinical Nutrition*. 2007;16(2):248-53.
49. Hou X, Lu J, Weng J et al. Impact of Waist Circumference and Body Mass Index on Risk of Cardiometabolic Disorder and Cardiovascular Disease in Chinese Adults: A National Diabetes and Metabolic Disorders Survey. *PloS One*. 2013;8(3):e57319.
50. Cao L, Zhou J, Chen Y et al. Effects of body mass index, waist circumference, waist-to-height ratio and their changes on risks of dyslipidemia among chinese adults: The guizhou population health cohort study. *International Journal of Environmental Research and Public Health*. 2022;19(1):341.
51. Hendarto A. Small dense LDL sebagai prediktor risiko penyakit jantung koroner pada anak lelaki obese pra-pubertal. *Sari Pediatri*. 2010;

LAMPIRAN

Tabel 3. Analisa Profil Lipid terhadap Obesitas Berdasarkan Berbagai Indeks Obesitas

Status	Indeks	Total	K-Total		OR 95% CI <sup>a</sup>	K-LDL		OR 95% CI <sup>a</sup>	K-HDL		OR 95% CI <sup>a</sup>	TG		OR 95% CI <sup>a</sup>
			Tinggi	Normal		Tinggi	Normal		Rendah	Normal		Tinggi	Normal	
Obesitas	IMT	57	31	26	1.222 (0.544 – 2.744) p= 0.627	32	25	1.202 (0.531 – 2.719) p= 0.659	11	46	9.814 <sup>b</sup> (1.213 – 79.379) p= 0.032	15	42	4.618 <sup>b</sup> (1.240-17.204) p= 0.023
		100	54.39	45.61		56.14	43.86		19.30	80.70		26.32	75.68	
Non-Obesitas		42	21	21		22	20		1	41		3	39	
		100	50	50		52.38	47.64		2.38	97.62		7.14	92.86	
Obesitas	%LT	72	40	32	1.789 (0.713 – 4.491) p= 0.215	40	32	1.351 (0.539 – 3.387) p=0.522	12	60	N/A	15	57	2.031 (0.532 – 7.755) p= 0.300
		100	55.56	44.44		55.56	44.44		16.67	83.33		20.83	79.17	
Non-Obesitas		27	12	15		14	13		0	27		3	24	
		100	44.44	55.56		51.85	48.15		0	100		11.11	88.89	
Obesitas sentral	LP	74	42	32	2.109 (0.823 – 5.405) p= 0.120	49	25	3.100 <sup>b</sup> (1.170 – 8.218) p= 0.023	10	64	1.798 (0.365 – 8.848) p= 0.471	15	59	1.830 (0.481 – 6.961) p= 0.375
		100	56.76	43.42		66.22	33.78		13.52	86.49		20.27	79.73	
Non-obesitas sentral		25	10	15		9	16		2	23		3	22	
		100	40	60		36	64		8	92		12	88	

**Keterangan:** *Chi-square test*; <sup>a</sup>disesuaikan dengan jenis kelamin, <sup>b</sup>p<0.05; IMT= indeks massa tubuh; %LT= persentase lemak tubuh; LP= lingkaran pinggang; K-Total= kolesterol total; K-LDL= kolesterol *low density lipoprotein*; K-HDL= kolesterol *high density lipoprotein*; TG= trigliserida; OR= odds ratio; CI= *confidence interval*