

## DAFTAR PUSTAKA

- Ahmed S.R., G. Ramm & G. Faltin., 1984. Some Salient Features of the time-averaged Ground Vehicle Wake, SAE Technical Paper Series, No. 840300, Detroit.
- Aider J.L., Beaudoin J.F., and Wesfreid J.E., 2009. *Drag and Lift Reduction Of a 3D Bluff-Body using Active Vortex Generators, Experimental in Fluids*, Springer.
- Altaf A., Omar A.A., Asrar W., 2014. *Passive Drag Reduction of Square Road Vehicles. Journal of Wind Engineering and Industrial Aerodynamics*. Journal homepage: [www.elsevier.com/locate/jweia](http://www.elsevier.com/locate/jweia).
- Anderson, 2001. Fundamental of Aerodynamics. McGraw-Hill Series in Aeronautical and Aerospace Engineering. University of Mayland. Third edition. ISBN 0-07237335-0.
- Anderson, J.D., 2010. *Fundamental of Aerodynamics. 5<sup>th</sup> ed.* Singapore: Mc Graw Hill.
- Azizi, 2010. *Perkembangan Aerodinamika Pada Mobil.* Politeknik Wiworotomo: Purwokerto.
- Badan Pusat Statistik Republik Indonesia 2015.
- Bayraktar I., Landmann D., Baysal O., 2001. *Eksperimental and Computational Investigation of Ahmed Body for Ground Vehicle Aerodynamics.* Sae Technical Paper Series. 2001-01-2742.
- Bellman M et al, 2009. *Numerical Drag Reduction Studies of Generic Truck Models Using Active Flow Control.* Mechanical, Aerospace and Structural Engineering Departement, Washington University in St. Louis. 39<sup>th</sup> AIAA Fluid Dynamics Conference.
- Blocken, B., and Y. Topalar. 2015. "A following Car Influences Cyclist Drag: CFD Simulations and Wind Tunnel Measurements." *Journal of Wind Engineering and Industrial Aerodynamics* Elsevier 145 (October): 178–186. doi:10.1016/J.JWEIA.2015.06.015.
- Bonnavion, G., O. Cadot, A. Évrard, V. Herbert, S. Parpail, R. Vigneron, and J. Dély. 2017. "On Multistabilities of Real Car's Wake." *Journal of Wind Engineering and Industrial Aerodynamics* 164 (May): 22–33. Elsevier. doi:10.1016/J.JWEIA.2017.02.004.
- Bruneau C.H, 2010. Coupling Active and Passive Techniques to Control the Flow Past the Square Back Ahmed Body. *Computers & Fluids* 39, pp. 1875-1892.
- Bruneau C.H., Creuse E., Depeyras D., Gillieron P., and Mortazavi I., 2009. *International Journal Aerodynamics, Inderscience Enterprises Ltd.*

- Brunn A, Wassen E, Sperber D, Nitsche W, Thiele F, 2007. Active Drag Control for a Generic Car Model. DOI: 10.1007/978-3-540-71439-2\_15.
- Budyi Suswanto dan Nurida Finahari., 2013. *Studi Pengaruh Model Mobil dan Variasi Kecepatan Angin Terhadap Gaya Drag*. Widya Teknika Vol. 20 No. 1. ISSN 1411-0660: 14-19.
- Cengel Y.A, Cimbala, 2006. *Fluid Mechanics, Fundamentals and Applications*. McGraw Hill. New York.
- Conan B., Anthonie J., and Planquart P., 2011. *Experimental Aerodynamic Study Of a Car-Type Bluff Body, Experimental in Fluids*, 50, pp. 1273-1284.
- Fares E, 2006. *Unsteady Flow Simulation of the Ahmed Reference Body Using a Lattice Boltzmann Approach*. Computers & Fluids 35 (2006) 940-950. [www.elsevier.com/locate/compfluid](http://www.elsevier.com/locate/compfluid).
- Fieldler H.E, Fernholz H.H, 1990. *On Management and Control of Turbulent Shear Flows, Prog. Aerospace Sci.* 27, pp. 305-387.
- Fourrie G., Keirsbulck., Labraga L., Gillieron P, 2011. *Bluff-body Drag Reduction using a Deflector*. Exp Fluids 50:385-395. DOI 10.1007/s00348-010-0937-6.
- Gerop, D. & Odenthal, H.J., 2000. *Drag Reduction of Motor Vehicle by Active Flow Control Using the Coanda Effect*. Springer-Verlag, Experiments in Fluid. 28. Pp. 74-85
- Gillieron P., Kourta A., 2010. *Aerodynamics Drag Reduction by Vertical Splitter Plates*. Exp Fluid (2010) 48:1-16. DOI 10.1007/s00348-009-0705-7.
- Gillieron, P & Chometon, F., 1999. *Modelling of Stationary three-dimensional detached airflows around an Ahmed Reference Body*. International Workshop on Vortex, 3, ESAIM, Proceedings 7, pp. 173-182.
- Harinaldi, Budiarto, Warjito, Kosasih E.A, Tarakka R, Simanungkalit S.P, 2012. Active Technique by Suction to Control the Flow Structure Over a Van Model. Volume 1440, Issue 1 > 10.1063/1.4704356. DOI: <https://doi.org/10.1063/1.4704356>.
- Harinaldi., Budiarto., Tarakka R., and Simanungkalit S.P., 2011. *Computational Analysis of Active Flow Control to Reduce Aerodynamics Drag on a Van Model*. International Journal of Mechanical and Mechatronics Engineering IJMME-IJENS. 11(03) 2011 (24-30).
- Harinaldi., Budiarto., Warjito., Kosasih E.A., Tarakka R., Simanungkalit S.P., Teryanto I.G.M.F.L., 2012. *Modification of Flow Structure over a Van Model by Suction Flow Control to Reduce Aerodynamics Drag*. Makara, Teknologi, Vol. 16, No. 10, April 2012: 15-21.
- Hassan S.M.R, Islam T, Ali M, Islam Md.Q. Numerical Study on Aerodynamic Drag Reduction of Racing Cars. Procedia Engineering 90 (2014) 308-313. 10<sup>th</sup> International Conference on Mechanical Engineering, ICME 2013.

- Heisler, H. (2002). *Advanced Vehicle Technology*. North West London.
- Hetawal, S., B. K. A. Mandar Gophane, and Y. Mukkamala. 2014. "Aerodynamic Study of Formula SAE Car." *Procedia Engineering* 97 (January): 1198–1207. Elsevier. doi:10.1016/J.PROENG.2014.12.398.
- Hilleman T.B, 2007. Vhicle drag reduction with air scoop vortex impeller and trailing edge surface texture treatment. United State Patent No. : US 7, 192,007 BI. Mar. 20, 2007.
- Hinterberger A., Villalba M. G. & Rodi W., 2004. *Large eddy Simulation of Flow around the Ahmed Body*. Institute for Hydromechanics, University of Karlsruhe, Germany.
- Hucho W.H, Ahmed S.R, Emmelmann H.J, Emmenthal K.D, Flegel H, Gengenbach W., 1990. *Aerodynamics of Road Vehicle*, Butterworth Heinemann, London.
- Hyams, D. G., K. Sreenivas, D. Ramesh Pankajakshan, W. Stephen Nichols, R. Briley, and D. L. Whitfield. 2011. Computational Simulation of Model and Full Scale Class 8 Trucks with Drag Reduction Devices. *Computers & Fluids* 41 (1): 27–40. Pergamon. doi:10.1016/J.COMPFLUID.2010.09.015.
- Jahanmiri, M., and Abbaspour, M, 2011. Experimental investigation of drag reduction on ahmed model using a combination of active flow control methods, International Journal of Engineering-Transactions A: Basics, Vol.24(4), pp403-410.
- Kourta A. & Gillieron P., 2009. *Impact of the Automotive Aerodynamic Control on the Economics Issues*. Journal of Applied Fluid Mechanics, 2, pp. 69-75.
- Krajnovic, S & Fernandes, J., 2011. Numerical simulation of the flow around a simplified vehicle model with active flow control. *International Journal of Heat and Fluid Flow*, Vol. 32, Issue 1, pp.192-200.
- Krishnani, Nari P, 2006. CFD Studi of Drag Reduction of a Generic Sport Utility Vehicle. Mumbai University.
- Kumar, R., Varshan, N., Kannan, 2019. Aerodynamics design optimization of an automobile car using computational fluid dynamics approach. *Australian Journal of Mechanical Engineering*. DOI: 10.1080/14484846.2019.1654963.
- Kundu, P. K., I. M. Cohen, D. R. Dowling, P. K. Kundu, I. M. Cohen, and D. R. Dowling. 2016. "Aerodynamics." *Fluid Mechanics*. 773–817. Academic Press.doi: 10.1016/B978-0-12-4059351.00014-9.
- Lehugeur B. & P. Gillieron., 2006. *Drag reduction by control of Apillar vortex breakdown on a simplified Car Geometry, European Drag Reduction and Flow Control Meeting, Ischia, Italy*.

- Meile W., Brenn G., Reppenhagen A., Lechner B., Fuchs A., 2011. *Eksperiment and Numerical Simulation on the Aerodynamics of the Ahmed Body*. Vol. 3(1) March 2011. [www.cfdl.issres.net](http://www.cfdl.issres.net).
- Minguez M., Pasquetti R., & Serre E., 2008. *High-order Large eddy Simulation of Flow over the Ahmed Body "Car Model" Physics of Fluids*, 20.
- Morel T, 1978. Aerodynamic Drag of Bluff Body Shapes Characteristic of Hatch-Back Cars. Vol. 87, Section 2: 780230-780458 (1978), pp. 1270-1279. Published by: SAE International.
- Moussa, A. A., R. Yadav, and J. Fischer.2014. "Aerodynamic Drag Reduction for A Generic Sport Utility Vehicle Using Rear Suction." Journal of Engineering Research and Applications 4. [www.ijera.com](http://www.ijera.com).
- Munson B.R, Young D.F, Okiishi T.H, 2002. *Fluid Mechanics*. Four Edition.
- Nallusamy S.P, Mahali P.K, 2016. Numerical and Experimental Investigations of Drag Force on Scaled Car Model. *Thermal Science*: Yaer 2016, Vol. 20, Suppl. 4, pp. S1153-S1158. Original Scientific Paper. DOI. 10.2298/TSCI16S4153P.
- Pusat data dan informasi energi dan sumber daya mineral, (2012), Kementrian Energi dan Sumber Daya Mineral.
- Ragavan, T., S. Palanikumar, D. Anastraj, and R. Arulalagan. 2014. "Aerodynamic Drag Reduction on Race Cars." *Journal of Basic and Applied Engineering Research* 1 (4): 99–103. <http://www.krishisankriti.org/jbaer.html>.
- Rajamani G.K, 2006. *CFD Analysis of Air Flow Interaction in Vehicle Platoons*. School Of Aerospace, Mechanical and Manufacturing Engineering RMIT University.
- Rencana Strategis Kementrian Energi dan Sumber Daya Mineral 2015-2019.
- Roumeas M., Gillieron P., & Kourta A., 2009. *Analysis and Control of the Near-Wake over a Square-Back Geometry*. *Computers & Fluids*. 38 (2009) 60-70.
- Roumeas M., Gillieron P., and Kourta A., 2008. *Separated Flow around the Rear Window of a Simplified Car Geometry*. *Journal of Fluids Engineering*, 130.
- Roumeas M., Gillieron P., Kourta A., 2009. *Drag Reduction by Flow Separation Control on a Car after Body*. *Groupe "Mecanique des Fluides et Aerodinamique", Direction de la recherche Renault, Institut du Golf (TCR AVA 058)*, 78288 Guyancourt, France.
- Saunders S.W.J.W & Hoffmann P.H., 1993. *Comparison of Road and Wind-Tunnel Drag Reduction for Commercial Vehicles*. *Journal of Wind Engineering and Industrial Aerodynamics*, 49 (1993) 411-420.

- Tarakka R, Salam N, Jalaluddin, Ihsan M, 2018. Active Flow Control by Suction on Vehicle Models with Variation on Front Geometry. Vol. 12, No 2 (2018). DOI: <https://doi.org/10.15866/ireme.v12i2.13876>.
- Tarakka, R., Salam, N., Jalaluddin., Ihsan, M., 2019. Effect of Blowing Flow Control and Front Geometry towards the Reduction of Aerodynamic Drag on Vehicle Models. FME Transaction, Vol. 47, No.3, 552-559, doi: 10.5937/fmet1903552T.
- Tastan, U., 2011. *Investigation of Turbulence Models Used in Automotive Industry, Submitted to The Graduate School of Natural and Applied Sciences of Middle East Technical University.*
- Thacker A., Aubrun S., Leroy A., Devinant P., 2012. *Effects of Suppressing the 3D Separation on the Rear Slant on the Flow Structures Around an Ahmed Body.* Journal of Wind Engineering and Industrial Aerodynamics. 107-108 (2012) 237-243. [www.elsevier/locate/jweia](http://www.elsevier/locate/jweia).
- Uruba. V & Hladik O., 2009. *On the Ahmed Body Wake.* Collquium Fluid Dynamics 2009 Institute of Thermomechanics AS CR, v.v.i.v Prague, October 21-23.
- Wessen E, Thiele F, 2009. Road Vehicle Drag Reduction by Combined Steady Blowing and Suction. Technical University Berlin, 10623 Berlin, Germany.
- Wolf-Heinrich Hucho, Gino Sovran, 1993. *Aerodynamics of Road Vehicles. Annu, Rev Fluid Mechanics.* 25: 485-537.

## DOKUMENTASI



Proses komputasi numerik



CONFIDENTIAL

Proses Setting kecepatan *suction*



Proses setting posisi model uji



Proses pengambilan data eksperimental