

## DAFTAR PUSTAKA

- Adhyapak, S. M., Pujar, S. V., Mahala, B. K. & Shetty, P. K. 2006. Echocardiographic evaluation of the morphology and function of the right ventricle in Eisenmenger's syndrome and idiopathic pulmonary hypertension. *Indian Heart J*, 58, 341-4.
- Al Habeeb, W., Stewart, G. C. & Mudge, G. H. 2009. Management of end-stage heart failure: a perspective on the Arab Gulf states. *Ann Saudi Med*, 29, 460-6.
- Anderson, K. M. 2014. Discharge clinical characteristics and 60-day readmission in patients hospitalized with heart failure. *J Cardiovasc Nurs*, 29, 232-41.
- Bansal, M., Kasliwal, R.R. 2013. How do I do it? Speckle-tracking echocardiography. *Indian Heart J*, 65, 117-23.
- Bakos, Z., Ostenfeld, E., Markstad, H., Werther-Evaldsson, A., Roijer, A., Arheden, H., Carlsson, M., Borgquist, R. 2014. A comparison between radial strain evaluation by speckle tracking echocardiography and cardiac magnetic resonance imaging, for assessment of suitable segments for left ventricular lead placement in cardiac resynchronization therapy. *Europace*, 16, 1779-86.
- Baysan, O., Ocakli, E.P., Saglam, Y., Altuner, T.K., Hospital, G. 2018. Advances in echocardiography: global longitudinal strain, intra-cardiac multidirectional flow imaging and automated 3d volume analysis. *HVT J*, 2.
- Bosch, L., Carluccio, E., Coiro, S., Gong, L., Sim, D., Yeo, D., Jaufeerally, F., Leong, K. T. G., Ong, H. Y., Pin, N. T., Richards, A. M., Arslan, F., Ling, L. H., Lam, C. S. P. & Ambrosio, G. 2017. Risk stratification of Asian patients with heart failure and reduced ejection fraction: the effectiveness of the Echo Heart Failure Score. *Eur J Heart Fail*, 19, 1732-1735.
- Buggey, J., Alenezi, F., Yoon, H.J., Phelan, M., DeVore, A.D., Khouri, M.G., Schulte, P.J., Velazquez, E.J. 2017. Left Ventricular Global Longitudinal Strain in Patients with Heart Failure with Preserved Ejection Fraction: outcomes following an acute heart failure hospitalization. *ESC*, 4, 432-439.
- Carluccio, E., Dini, F. L., Biagioli, P., Lauciello, R., Simionici, A., Zuchi, C., Alunni, G., Reboldi, G., Marzilli, M. & Ambrosio, G. 2013. The 'Echo Heart Failure Score': an echocardiographic risk prediction score of mortality in systolic heart failure. *Eur J Heart Fail*, 15, 868-76.
- Choudhary, G., Lakshmanadoss, U. & Prasad, H. 2014. Poor Right Ventricular Systolic Function (Lower TAPSE) and Higher Pulmonary Artery Systolic Pressure (PASP) Predicts Early Readmission and All Cause Mortality In Elderly Patients with Heart Failure. *Journal of Cardiac Failure*, 20, S108
- Cotter, G., Metra, M., Weatherley, B. D., Dittrich, H. C., Massie, B. M., Ponikowski, P., Bloomfield, D. M. & O'connor, C. M. 2010. Physician-determined worsening heart failure: a novel definition for early worsening heart failure in patients hospitalized for acute heart failure--association with signs and symptoms, hospitalization duration, and 60-day outcomes. *Cardiology*, 115, 29-36.

- Dickstein, K., Vardas, P. E., Auricchio, A., Daubert, J. C., Linde, C., McMurray, J., Ponikowski, P., Priori, S. G., Sutton, R., Van Veldhuisen, D. J. & Guidelines, E. S. C. C. F. P. 2010. 2010 Focused Update of ESC Guidelines on device therapy in heart failure: an update of the 2008 ESC Guidelines for the diagnosis and treatment of acute and chronic heart failure and the 2007 ESC guidelines for cardiac and resynchronization therapy. Developed with the special contribution of the Heart Failure Association and the European Heart Rhythm Association. *Eur Heart J*, 31, 2677-87.
- Fisher, S. R., Graham, J. E., Krishnan, S. & Ottenbacher, K. J. 2016. Predictors of 30-Day Readmission Following Inpatient Rehabilitation for Patients at High Risk for Hospital Readmission. *Phys Ther*, 96, 62-70.
- Fonarow, G. C. 2004. Strategies to improve the use of evidence-based heart failure therapies: OPTIMIZE-HF. *Rev Cardiovasc Med*, 5 Suppl 1, S45-54.
- Fonarow, G. C. & Ziaecian, B. 2017. Holding the Readmission Gates: Incentivizing Quality and Cost-Effective Care for Heart Failure. *JACC Heart Fail*, 5, 589-590.
- Gheorghide, M., Vaduganathan, M., Fonarow, G. C. & Bonow, R. O. 2013. Rehospitalization for heart failure: problems and perspectives. *J Am Coll Cardiol*, 61, 391-403.
- Ghio, S., Klersy, C., Magrini, G., D'armini, A. M., Scelsi, L., Raineri, C., Pasotti, M., Serio, A., Campana, C. & Vigano, M. 2010. Prognostic relevance of the echocardiographic assessment of right ventricular function in patients with idiopathic pulmonary arterial hypertension. *Int J Cardiol*, 140, 272-8.
- Giannuzzi, P, Temporelli, PL & Bosmini, E. 1996. Independent and Incremental Prognostic Value of Doppler-derived Mitral Deceleration Time of Early Filling In Both Symptomatic And Asymptomatic Patients with Left Ventricular Dysfunction. *J Am Coll Cardiol*, 28, 383-390
- Huynh, Q. L., Saito, M., Blizzard, C. L., Eskandari, M., Johnson, B., Adabi, G., Hawson, J., Negishi, K., Marwick, T. H. & Investigators, M. 2015. Roles of nonclinical and clinical data in prediction of 30-day rehospitalization or death among heart failure patients. *J Card Fail*, 21, 374-381.
- Hwang, I.C., Cho, G.Y., Yoon, Y.E., Park,J.J. 2018. Association Between Global Longitudinal Strain and Cardiovascular Events in Patients With Left Bundle Branch Block Assessed Using Two-Dimensional Speckle-Tracking Echocardiography. *J Am Soc Echocardiogr*, 31,52-63.
- Indraprasta,D. 2019. Echo Heart Failure Score As 60 Days Readmission Predictor in Congestive Heart Failure Patients With Left Ventricle Systolic Dysfunction In Makassar City. *Tesis*. Program Pendidikan Dokter Spesialis Universitas Hasanuddin Makassar.
- Kabo, P. 2010. *Bagaimana Menggunakan Obat-Obat Kardiovaskular secara Rasional* Jakarta, Balai Penerbit FKUI.
- Kelsey JI, Whittemore As, Evans As & Wd., T. 1996. *Methods in Observational Epidemiology*, New York, Oxford University Press.
- Kilgore, M., Patel, H. K., Kielhorn, A., Maya, J. F. & Sharma, P. 2017. Economic burden of hospitalizations of Medicare beneficiaries with heart failure. *Risk Manag Healthc Policy*, 10, 63-70.

- Lang, R. M., Badano, L. P., Mor-Avi, V., Afilalo, J., Armstrong, A., Ernande, L., Flachskampf, F. A., Foster, E., Goldstein, S. A., Kuznetsova, T., Lancellotti, P., Muraru, D., Picard, M. H., Rietzschel, E. R., Rudski, L., Spencer, K. T., Tsang, W. & Voigt, J. U. 2015a. Recommendations for cardiac chamber quantification by echocardiography in adults: an update from the American Society of Echocardiography and the European Association of Cardiovascular Imaging. *J Am Soc Echocardiogr*, 28, 1-39 e14.
- Lang, R. M., Badano, L. P., Mor-Avi, V., Afilalo, J., Armstrong, A., Ernande, L., Flachskampf, F. A., Foster, E., Goldstein, S. A., Kuznetsova, T., Lancellotti, P., Muraru, D., Picard, M. H., Rietzschel, E. R., Rudski, L., Spencer, K. T., Tsang, W. & Voigt, J. U. 2015b. Recommendations for cardiac chamber quantification by echocardiography in adults: an update from the American Society of Echocardiography and the European Association of Cardiovascular Imaging. *Eur Heart J Cardiovasc Imaging*, 16, 233-70.
- Lily, L.S., Lemieux, J.E., Edelman, E.R., Strichartz, G.R. 2016. Pathophysiology of Heart Disease. 6 edition, Wolters Kluwer, Philadelphia, USA.
- Maharani, D. 2015. Klaim BPJS untuk Gagal Ginjal capai Rp. 2 Triliun dan jantung Rp. 8 Triliun. *Kompas*.
- Mann, D. L. 2006. Heart failure: beyond practice guidelines. *Tex Heart Inst J*, 33, 201-3.
- Marwick, T. H. 2015. The Role of Echocardiography in Heart Failure. *J Nucl Med*, 56, 31S-38S
- Mcalister, F. A., Youngson, E., Bakal, J. A., Kaul, P., Ezekowitz, J. & Van Walraven, C. 2013. Impact of physician continuity on death or urgent readmission after discharge among patients with heart failure. *CMAJ*, 185, E681-9.
- Mcmanus, D. D., Shah, S. J., Fabi, M. R., Rosen, A., Whooley, M. A. & Schiller, N. B. 2009. Prognostic value of left ventricular end-systolic volume index as a predictor of heart failure hospitalization in stable coronary artery disease: data from the Heart and Soul Study. *J Am Soc Echocardiogr*, 22, 190-7.
- Mignot, A., Donal, E., Zaroui, A., & et al. 2010. Global Longitudinal Strain as a Major Predictor of Cardiac Events in Patients with Depressed Left Ventricular Function: A Multicenter Study. *J Am Soc Echocardiogr*, 23(10), 1019-1024.
- Mondilo, S., Galerisi, M., Mele, D., Cameli, M., Lomoriello, V.S., Zaca, V., Ballo, P., D'Andrea, A., Muraru, D., Losi, M., Agricola, E.D., Errico, A., Buralli, S., Sciomer, S., Nistri, S., Badano, L. 2011. Speckle-tracking echocardiography: a new technique for assessing myocardial function. *J Ultrasound Med*, 30, 71-83
- Mudge, G. H., Goldstein, S. & Addonizio, L. J. 1993. Task Force 3: Receptient Guidelines/Prioritization, Presented at 24<sup>th</sup> Bethesda Conference: Cardiac Transplantation. *J Am Coll Cardiol*, 22, 21-31
- Nagueh, S. F., Appleton, C. P., Gillebert, T. C., Marino, P. N., Oh, J. K., Smiseth, O. A., Waggoner, A. D., Flachskampf, F. A., Pellikka, P. A. & Evangelista,

- A. 2009. Recommendations for the evaluation of left ventricular diastolic function by echocardiography. *J Am Soc Echocardiogr*, 22, 107-33.
- O'Connor, C. M. 2017. High Heart Failure Readmission Rates: Is It the Health System's Fault? *JACC Heart Fail*, 5, 393.
- O'Connor, C. M., Stough, W. G., Gallup, D. S., Hasselblad, V. & Gheorghiade, M. 2005. Demographics, clinical characteristics, and outcomes of patients hospitalized for decompensated heart failure: observations from the IMPACT-HF registry. *J Card Fail*, 11, 200-5.
- Park, J.J., Park, J.B., Park, J.H., Cho, G.Y. 2018. Global Longitudinal Strain to Predict Mortality in Patients with Acute Heart Failure. *JACC Heart Fail*, 18, 1947-57
- Payvar, S., Orlandi, C., Stough, W. G., Elkayam, U., Ouyang, J., Casscells, S. W., Gheorghiade, M., Acute & Chronic Therapeutic Impact of a Vasopressin Antagonist in Congestive Heart Failure, I. 2006. Comparison of 60-day mortality in hospitalized heart failure patients with versus without hypothermia. *Am J Cardiol*, 98, 1485-8.
- Ponikowski, P., Voors, A. A., Anker, S. D., Bueno, H., Cleland, J. G. F., Coats, A. J. S., Falk, V., Gonzalez-Juanatey, J. R., Harjola, V. P., Jankowska, E. A., Jessup, M., Linde, C., Nihoyannopoulos, P., Parissis, J. T., Pieske, B., Riley, J. P., Rosano, G. M. C., Ruilope, L. M., Ruschitzka, F., Rutten, F. H. & Van Der Meer, P. 2016a. 2016 ESC Guidelines for the Diagnosis and Treatment of Acute and Chronic Heart Failure. *Rev Esp Cardiol (Engl Ed)*, 69, 1167.
- Ponikowski, P., Voors, A. A., Anker, S. D., Bueno, H., Cleland, J. G. F., Coats, A. J. S., Falk, V., Gonzalez-Juanatey, J. R., Harjola, V. P., Jankowska, E. A., Jessup, M., Linde, C., Nihoyannopoulos, P., Parissis, J. T., Pieske, B., Riley, J. P., Rosano, G. M. C., Ruilope, L. M., Ruschitzka, F., Rutten, F. H., Van Der Meer, P. & Group, E. S. C. S. D. 2016b. 2016 ESC Guidelines for the diagnosis and treatment of acute and chronic heart failure: The Task Force for the diagnosis and treatment of acute and chronic heart failure of the European Society of Cardiology (ESC) Developed with the special contribution of the Heart Failure Association (HFA) of the ESC. *Eur Heart J*, 37, 2129-2200.
- Prater, D., Vogel, J. 2014. Automated Cardiac Motion Quantification. Philips Health Care, accessed 25 Februari 2019, [https://images.philips.com/is/content/PhilipsConsumer/Campaigns/HC20140401\\_DG/Documents/LR\\_452299111541\\_aCMQ\\_WP\\_FNL.pdf?elqTrackedId=6a7a5a77c87440f7a436ae4e3f741539&elqaid=208&elqat=2](https://images.philips.com/is/content/PhilipsConsumer/Campaigns/HC20140401_DG/Documents/LR_452299111541_aCMQ_WP_FNL.pdf?elqTrackedId=6a7a5a77c87440f7a436ae4e3f741539&elqaid=208&elqat=2)
- Purwowiyoto, S.L. 2017, 'Aplikasi Klinis Ekokardiografi Dua Dimensi Speckle Tracking pada Pasien Gagal Jantung', YARSI, 24, 52-67.
- Ristow, B., Ali, S., Whooley, M. A. & Schiller, N. B. 2008. Usefulness of left atrial volume index to predict heart failure hospitalization and mortality in ambulatory patients with coronary heart disease and comparison to left ventricular ejection fraction (from the Heart and Soul Study). *Am J Cardiol*, 102, 70-6.
- Romano, S., Judd, R.M., Kim, R.J., Kim, H.W., Klem, I., Heitner, J., Shah, D.J., Jue, J., White, B.E., Shenoy, C., Farzaneh, A. 2017. Association of Feature-

- Tracking Cardiac Magnetic Resonance Imaging Left Ventricular Global Longitudinal Strain with All Cause Mortality in Patients with Reduced Left Ventricular Ejection Fraction. *Circ* *AHA*, 135, 2313-2315
- Rudski, L. G., Lai, W. W., Afilalo, J., Hua, L., Handschumacher, M. D., Chandrasekaran, K., Solomon, S. D., Louie, E. K. & Schiller, N. B. 2010. Guidelines for the echocardiographic assessment of the right heart in adults: a report from the American Society of Echocardiography endorsed by the European Association of Echocardiography, a registered branch of the European Society of Cardiology, and the Canadian Society of Echocardiography. *J Am Soc Echocardiogr*, 23, 685-713; quiz 786-8.
- Sani, M. U., Davison, B. A., Cotter, G., Damasceno, A., Mayosi, B. M., Ogah, O. S., Mondo, C., Dzudie, A., Ojji, D. B., Kouam, C. K., Suliman, A., Yonga, G., Ba, S. A., Maru, F., Alemayehu, B., Edwards, C. & Sliwa, K. 2017. Echocardiographic predictors of outcome in acute heart failure patients in sub-Saharan Africa: insights from THESUS-HF. *Cardiovasc J Afr*, 28, 60-67.
- Savarese, G. & Lund, L. H. 2017. Global Public Health Burden of Heart Failure. *Card Fail Rev*, 3, 7-11.
- Smeltzer, S. C. O. C. & Brunner, L. S. 2008. *Brunner & Suddarth's textbook of medical-surgical nursing*, Philadelphia, PA, Lippincott Williams & Wilkins.
- Takigiku, K., Takeuchi, M., Izumi, C., Yuda, S., Sakata, K., Ohte, N., Tanabe, K., Nakatani, S. 2012. 'Normal range of left ventricular 2-dimensional strain: Japanese Ultrasound Speckle Tracking of the Left Ventricle (JUSTICE) study', *Circ J*, 76, no.11, 2623-2632.
- Tamura, A., Nagase, K., Mikuriya, Y. & Nasu, M. 1999. Significance of spontaneous normalization of negative T waves in infarct-related leads during healing of anterior wall acute myocardial infarction. *Am J Cardiol*, 84, 1341-4, A7.
- Tamura, H., Watanabe, T., Nishiyama, S., Sasaki, S., Arimoto, T., Takahashi, H., Shishido, T., Miyashita, T., Miyamoto, T., Nitobe, J., Hirono, O. & Kubota, I. 2011. Increased left atrial volume index predicts a poor prognosis in patients with heart failure. *J Card Fail*, 17, 210-6.
- Temporelli, P. L., Corra, U., Imparato, A., Bosimini, E., Scapellato, F. & Giannuzzi, P. 1998. Reversible restrictive left ventricular diastolic filling with optimized oral therapy predicts a more favorable prognosis in patients with chronic heart failure. *J Am Coll Cardiol*, 31, 1591-7.
- Thavendiranathan, P., Yingchoncharoen, T., Grant, A., Seicean, S., Landers, S. H., Gorodeski, E. Z. & Marwick, T. H. 2014. Prediction of 30-day heart failure-specific readmission risk by echocardiographic parameters. *Am J Cardiol*, 113, 335-41.
- Timby, B. K., Smith, N. E. & Smith, D. W. 2018. *Introductory medical-surgical nursing*.

- Tribouilloy, C., Rusinaru, D., Mahjoub, H., Goissen, T., Levy, F. & Peltier, M. 2008. Impact of echocardiography in patients hospitalized for heart failure: a prospective observational study. *Arch Cardiovasc Dis*, 101, 465-73.
- Vader, J. M., Larue, S. J., Stevens, S. R., Mentz, R. J., Devore, A. D., Lala, A., Groarke, J. D., Abouezzeddine, O. F., Dunlay, S. M., Grodin, J. L., Davila-Roman, V. G. & De Las Fuentes, L. 2016. Timing and Causes of Readmission After Acute Heart Failure Hospitalization-Insights From the Heart Failure Network Trials. *J Card Fail*, 22, 875-883.
- Van Walraven, C., Wong, J. & Forster, A. J. 2012. LACE+ index: extension of a validated index to predict early death or urgent readmission after hospital discharge using administrative data. *Open Med*, 6, e80-90.
- Wengkang, Y.A.S. 2018. Echo Heart Failure Score As a Short -Term Rehospitalization Predictor in Congestive Heart Failure Patients With Left Ventricle Systolic Dysfunction In Makassar City. *Tesis*. Program Pendidikan Dokter Spesialis Universitas Hasanuddin Makassar.
- Yanai, H., Adachi, H. & Hakoshima, M. 2018. Understanding of hypertension and heart failure in patients with type 2 diabetes by studying effects of sodium-glucose cotransporter 2 inhibitors on plasma B-type natriuretic peptide levels. *J Clin Hypertens (Greenwich)*, 20, 411-412.
- Yancy, C. W., Jessup, M., Bozkurt, B., Butler, J., Casey, D. E., Jr., Colvin, M. M., Drazner, M. H., Filippatos, G. S., Fonarow, G. C., Givertz, M. M., Hollenberg, S. M., Lindenfeld, J., Masoudi, F. A., McBride, P. E., Peterson, P. N., Stevenson, L. W. & Westlake, C. 2017. 2017 ACC/AHA/HFSA Focused Update of the 2013 ACCF/AHA Guideline for the Management of Heart Failure: A Report of the American College of Cardiology/American Heart Association Task Force on Clinical Practice Guidelines and the Heart Failure Society of America. *J Am Coll Cardiol*, 70, 776-803.
- Yingchoncharoen,T., Agarwal,S., Popovic, Z.B., Marwick, T.H. 2013. Normal ranges of left ventricular strain: a meta-analysis. *J Am Soc Echocardiogr*, 26,185-191.
- Zhang, W.,French,B., Khan, M.A., Plappert,T., Fang, J.C., Sweitzer,N.K., Borlaug,B.A., Chirinos,J.A., Sutton,J., Cappola,T.P. 2014. Strain Improves Risk Prediction Beyond Ejection Fraction in Chronic Systolic Heart Failure. *J Am Heart Assoc*, 3,1-9.



**KEMENTERIAN RISET, TEKNOLOGI DAN PENDIDIKAN TINGGI**  
**UNIVERSITAS HASANUDDIN**  
**FAKULTAS KEDOKTERAN**  
**RSPTN UNIVERSITAS HASANUDDIN**  
**RSUP Dr. WAHIDIN SUDIROHUSODO MAKASSAR**  
**KOMITE ETIK PENELITIAN KESEHATAN**

Sekretariat : Lantai 3 Gedung Laboratorium Terpadu  
JL.PERINTIS KEMERDEKAAN KAMPUS TAMALANREA KM.10 MAKASSAR 90245.  
Contact Person: dr. Agussalim Bukhari, MMed, PhD, SpGK TELP. 081225704670 e-mail : agussalimbukhari@yahoo.com

**REKOMENDASI PERSETUJUAN ETIK**

Nomor : 518/UN4.6.4.5.31/ PP36/ 2019

Tanggal: 16 Juli 2019

Dengan ini Menyatakan bahwa Protokol dan Dokumen yang Berhubungan Dengan Protokol berikut ini telah mendapatkan Persetujuan Etik :

No Protokol	UH19070399	No Sponsor Protokol	
Peneliti Utama	<b>dr. Fritz Alfred Tandean</b>	Sponsor	
Judul Peneliti	Peranan Global Longitudinal Strain dan Global Circumferential Strain Pada Echo Heart Failure Score Sebagai Prediktor Readmisi Dalam 60 Hari Pada Penderita Gagal Jantung Kongestif Dengan Disfungsi Sistolik Ventrikel Kiri di Kota Makassar		
No Versi Protokol	1	Tanggal Versi	1 Juli 2019
No Versi PSP	1	Tanggal Versi	1 Juli 2019
Tempat Penelitian	<b>RSUP dr. Wahidin Sudirohusodo Makassar</b>		
Jenis Review	<input type="checkbox"/> Exempted <input checked="" type="checkbox"/> Expedited <input type="checkbox"/> Fullboard Tanggal	Masa Berlaku <b>16 Juli 2019</b> sampai <b>16 Juli 2020</b>	Frekuensi review lanjutan
Wakil Ketua Komisi Etik Penelitian	Nama <b>Prof.Dr.dr. Suryani As'ad, M.Sc.,Sp.GK (K)</b>	Tanda tangan 	
Sekretaris Komisi Etik Penelitian	Nama <b>dr. Agussalim Bukhari, M.Med.,Ph.D.,Sp.GK (K)</b>	Tanda tangan 	

**Kewajiban Peneliti Utama:**

- Menyerahkan Amandemen Protokol untuk persetujuan sebelum di implementasikan
- Menyerahkan Laporan SAE ke Komisi Etik dalam 24 Jam dan dilengkapi dalam 7 hari dan Laporan SUSAR dalam 72 Jam setelah Peneliti Utama menerima laporan
- Menyerahkan Laporan Kemajuan (progress report) setiap 6 bulan untuk penelitian resiko tinggi dan setiap setahun untuk penelitian resiko rendah
- Menyerahkan laporan akhir setelah Penelitian berakhir
- Melaporkan penyimpangan dari prokol yang disetujui (protocol deviation / violation)
- Mematuhi semua peraturan yang ditentukan

Subject	Age	Gender	LVEF	LAVI	ESVI	E_DT	TAPSE	PASP	GLS_strain	Circ_strain	Readmisi 1bulan	Readmisi 2bulan	EHFS
763782	38	Female	22,10	36,5	102,02	130,0	1,6	40,0	-4,9	-7,1	Ya	Ya	3
859708	48	Male	14,70	53,3	100,53	97,0	0,8	97,0	-6,8	-6,1	Ya	Tidak	5
803567	51	Male	18,90	29,0	168,28	134,0	1,6	48,0	-5,7	-6,1	Tidak	Ya	4
864113	51	Female	22,30	32,5	59,86	127,0	1,2	49,0	-6,1	-6,1	Ya	Tidak	3
864494	63	Female	33,70	50,8	45,80	134,0	1,5	31,0	-10,0	-9,0	Ya	Ya	3
686207	61	Female	22,30	32,9	116,50	180,0	2,1	42,0	-7,6	-6,0	Tidak	Tidak	1
853129	58	Male	24,80	29,5	48,65	240,0	2,2	46,0	-10,9	-12,9	Ya	Ya	0
863836	56	Male	23,40	31,3	64,37	102,0	1,6	38,0	-6,8	-9,9	Tidak	Tidak	2
860280	65	Male	14,90	39,0	151,29	123,0	1,8	38,0	-6,8	-7,7	Tidak	Tidak	2
854742	60	Male	36,70	37,5	65,68	102,0	1,6	37,0	-11,8	-5,8	Tidak	Tidak	2
459765	51	Male	23,80	27,4	104,97	162,0	1,8	40,0	-10,2	-9,6	Tidak	Tidak	1
829260	50	Female	22,10	47,2	77,36	102,0	1,0	32,0	-5,0	-6,1	Tidak	Ya	4
852261	29	Male	30,20	67,5	132,54	113,0	1,8	46,0	-11,5	-11,5	Ya	Ya	4
864747	42	Male	36,40	25,5	59,63	144,0	1,8	53,0	-10,8	-9,7	Ya	Ya	4
864846	63	Male	27,00	43,7	84,88	123,0	1,0	47,0	-8,0	-7,0	Ya	Tidak	4
864861	39	Male	25,10	27,5	78,87	148,0	1,7	48,0	-4,7	-7,4	Tidak	Tidak	1
670953	65	Male	29,50	33,3	84,84	148,0	1,8	59,0	-9,1	-6,8	Tidak	Tidak	2
864618	62	Male	28,30	30,6	113,01	173,0	1,3	39,0	-9,4	-4,9	Tidak	Tidak	2
711062	36	Male	17,30	50,6	128,52	183,0	0,9	47,0	-4,6	-5,0	Tidak	Tidak	4
839380	65	Male	33,00	39,9	67,26	197,0	2,0	39,0	-11,4	-15,6	Tidak	Tidak	0
806946	53	Male	23,20	28,4	85,70	155,0	2,2	38,0	-6,5	-3,5	Tidak	Tidak	1
864998	58	Male	26,50	48,7	83,94	109,0	1,5	47,0	-5,8	-8,9	Tidak	Ya	3
724874	59	Male	16,70	46,6	88,61	176,0	1,0	43,0	-6,1	-8,1	Tidak	Tidak	4
865015	63	Female	24,20	28,8	86,65	275,0	1,4	55,0	-7,7	-11,8	Tidak	Tidak	2
865158	50	Male	24,40	41,0	80,75	204,0	1,3	35,0	-6,0	-4,8	Ya	Ya	2
864423	44	Male	39,00	16,7	40,52	102,0	2,3	45,0	-7,6	-13,0	Ya	Tidak	1
865123	66	Male	24,50	66,4	121,60	121,0	1,8	45,0	-10,0	-5,0	Ya	Ya	3
475807	52	Male	27,50	27,6	79,11	109,0	1,6	45,0	-8,9	-13,2	Tidak	Ya	2
787873	46	Male	20,00	33,4	76,88	197,0	2,4	32,0	-8,5	-7,4	Tidak	Tidak	0
865417	53	Male	22,60	50,2	92,84	190,0	1,4	30,0	-8,0	-11,8	Ya	Ya	3



763725	50	Female	33,20	15,3	32,38	165,0	1,7	74,0	-8,8	-9,1	Tidak	Tidak	0
865423	56	Female	20,00	48,0	88,20	134,0	0,9	52,0	-6,5	-7,3	Ya	Ya	5
864639	66	Male	21,20	43,6	114,00	102,0	1,4	37,0	-6,7	-6,0	Tidak	Ya	4
865490	63	Male	28,70	48,0	93,45	194,0	1,7	37,0	-2,6	-3,6	Tidak	Ya	2
508000	40	Male	26,80	26,5	91,22	158,0	1,7	30,0	-8,0	-11,3	Tidak	Tidak	1
796372	61	Male	30,10	43,6	77,98	183,0	1,3	35,0	-7,7	-6,4	Ya	Ya	1
708287	51	Male	24,50	60,0	58,92	155,0	1,5	53,0	-6,6	-5,6	Tidak	Tidak	2
864500	39	Male	30,00	40,7	51,79	71,0	1,4	43,0	-8,3	-9,5	Ya	Ya	3
470198	48	Female	24,70	42,0	96,55	127,0	1,2	39,0	-5,7	-9,0	Tidak	Ya	3
856957	32	Male	19,40	46,7	88,14	95,0	1,3	41,0	-9,8	-10,6	Ya	Ya	4
816820	29	Male	36,00	62,5	74,12	190,0	1,9	30,0	-12,6	-16,4	Tidak	Tidak	1
865877	68	Male	39,20	27,0	36,84	349,0	2,1	30,0	-11,6	-7,8	Ya	Ya	0
763337	61	Female	21,00	35,2	85,25	123,0	1,0	72,0	-5,3	-8,4	Ya	Tidak	3
774429	41	Male	19,00	47,7	155,05	116,0	1,3	39,0	-3,1	-5,4	Tidak	Ya	5
852924	60	Male	32,10	44,4	86,98	148,0	2,1	48,0	-7,9	-14,2	Tidak	Tidak	1
866093	48	Female	19,40	44,4	54,32	158,0	1,7	39,0	-5,6	-9,1	Tidak	Tidak	1
865940	78	Female	20,30	41,0	46,20	112,0	1,2	51,0	-2,6	-8,3	Tidak	Ya	3
859801	65	Male	30,30	43,3	71,24	165,0	1,1	39,0	-9,2	-8,3	Tidak	Tidak	2
818390	76	Male	32,60	34,6	40,21	160,0	1,3	51,0	-3,8	-11,4	Tidak	Tidak	1
180153	51	Female	22,10	37,5	59,06	106,0	1,4	28,0	-5,8	-6,1	Ya	Ya	3
616803	45	Female	32,30	34,0	85,35	236,0	1,6	60,0	-12,6	-13,1	Tidak	Tidak	2
802792	65	Male	26,20	40,8	120,00	95,0	1,8	34,0	-7,7	-6,7	Tidak	Tidak	2
820481	60	Male	38,00	43,9	57,00	135,0	1,7	33,0	-13,8	-18,9	Tidak	Tidak	1
866337	60	Male	28,80	54,4	127,30	111,0	1,3	37,0	-7,8	-6,8	Tidak	Ya	5
866294	56	Male	27,20	80,5	136,94	85,0	1,3	53,0	-4,9	-9,6	Ya	Ya	5
861824	64	Female	35,50	41,2	42,94	120,0	1,9	85,0	-11,8	-11,6	Tidak	Ya	1
866061	61	Male	27,20	43,7	92,44	116,0	1,4	35,0	-9,2	-7,9	Tidak	Tidak	4
865459	64	Female	28,60	40,1	61,45	141,0	1,7	33,0	-4,1	-6,2	Ya	Tidak	0
759579	71	Male	38,60	35,7	42,17	268,0	2,2	32,0	-13,6	-17,5	Tidak	Tidak	0
866514	56	Male	24,30	46,3	104,28	116,0	2,0	34,0	-10,9	-8,1	Ya	Ya	3
695061	43	Male	28,50	18,1	69,87	81,0	1,4	37,0	-8,1	-7,9	Ya	Tidak	3
866206	51	Male	20,40	44,5	98,85	137,0	1,3	56,0	-3,2	-2,5	Ya	Ya	3

584378	51	Male	19,20	46,2	89,60	102,0	1,6	36,0	-6,3	-4,3	Tidak	Ya	5
866881	72	Male	34,40	29,0	40,15	175,0	1,1	78,0	-8,5	-9,5	Ya	Tidak	1
744336	39	Male	35,30	44,7	53,02	204,0	1,7	38,0	-9,3	-7,7	Tidak	Tidak	0
866773	44	Female	35,10	16,0	30,56	173,0	1,8	41,0	-8,4	-11,9	Tidak	Tidak	0
866934	47	Male	25,50	41,5	101,17	173,0	2,0	41,0	-6,9	-10,0	Tidak	Tidak	1
859238	61	Male	19,40	46,1	84,18	110,0	1,3	42,0	-5,2	-9,1	Tidak	Ya	4
866281	63	Male	30,40	72,4	57,11	116,0	2,1	40,0	-10,9	-12,7	Tidak	Ya	2
796930	64	Male	23,10	47,0	152,29	183,0	1,8	32,0	-8,7	-8,6	Tidak	Tidak	2
779844	56	Male	30,70	55,2	70,03	123,0	2,5	44,0	-4,2	-6,6	Ya	Ya	3
866804	57	Male	28,20	90,1	150,57	120,0	1,1	66,0	-11,4	-11,3	Ya	Ya	5
867057	51	Male	32,40	52,0	80,75	155,0	1,9	84,0	-7,2	-7,6	Tidak	Tidak	1
867018	70	Male	36,40	41,0	77,35	99,0	1,9	43,0	-11,2	-13,4	Tidak	Tidak	1
426285	52	Male	19,20	26,3	95,13	299,0	1,9	42,0	-8,3	-10,0	Tidak	Tidak	1
867067	63	Male	28,50	38,6	88,78	95,0	1,1	37,0	-5,4	-7,4	Tidak	Ya	4
557679	36	Female	39,00	23,7	28,85	144,0	2,0	50,0	-12,7	-14,2	Tidak	Tidak	0
647852	51	Male	25,10	37,7	75,03	151,0	1,6	33,0	-8,4	-11,4	Tidak	Tidak	1
817259	51	Male	20,70	83,3	121,67	134,0	1,6	38,0	-7,6	-4,6	Tidak	Ya	5
867413	65	Female	18,90	46,3	94,60	117,0	1,2	67,0	-5,2	-8,2	Tidak	Ya	5
867333	60	Male	35,50	56,8	127,13	204,0	2,0	45,0	-9,5	-13,2	Tidak	Tidak	2
867661	53	Male	38,00	34,7	44,80	135,0	1,6	39,0	-7,1	-9,0	Ya	Tidak	2
867605	44	Male	25,60	45,6	131,50	190,0	1,8	40,0	-7,0	-6,0	Tidak	Tidak	2
867625	40	Male	31,00	42,1	89,34	208,0	1,1	41,0	-6,9	-6,2	Tidak	Tidak	2
867612	62	Male	28,00	20,9	73,20	130,0	1,6	40,0	-4,2	-7,0	Ya	Tidak	2
867638	29	Female	22,50	78,0	165,22	132,0	1,4	42,0	-7,6	-9,5	Ya	Ya	5
868110	38	Male	20,30	15,7	75,16	116,0	1,4	46,0	-7,3	-7,7	Tidak	Tidak	2
867905	60	Male	21,20	40,0	79,15	137,0	1,8	33,0	-4,9	-6,4	Ya	Tidak	1
867909	47	Male	37,00	24,1	49,10	106,0	2,0	30,0	-13,2	-15,0	Ya	Tidak	1
657020	49	Female	18,50	58,0	115,02	137,0	1,5	31,0	-6,5	-7,0	Ya	Ya	5
868266	61	Male	31,50	40,0	46,13	147,0	1,8	48,0	-6,0	-9,5	Tidak	Tidak	0
868288	58	Male	28,80	62,8	80,61	145,0	1,8	32,0	-3,5	-7,0	Tidak	Tidak	1
868451	59	Female	23,30	48,6	105,10	123,0	1,5	33,0	-3,3	-5,3	Tidak	Ya	5
868318	58	Male	21,50	52,1	102,88	123,0	1,6	64,0	-6,1	-6,7	Ya	Ya	5

868109	47	Male	26,30	58,2	119,00	113,0	1,8	70,0	-11,7	-13,5	Tidak	Ya	4
355135	78	Female	27,00	46,0	64,39	201,0	1,8	50,0	-9,9	-10,1	Tidak	Ya	1
418820	58	Male	20,40	54,6	131,56	121,0	1,2	33,0	-4,1	-8,4	Tidak	Tidak	5
868826	50	Male	25,70	41,0	85,53	125,0	2,0	51,0	-5,9	-10,8	Tidak	Tidak	2
551387	63	Female	22,20	48,0	75,84	204,0	2,3	36,0	-6,3	-7,7	Tidak	Tidak	1
859892	56	Male	38,00	36,7	29,02	264,0	2,0	38,0	-12,4	-14,6	Tidak	Tidak	0
682120	59	Male	27,80	41,0	60,01	195,0	2,2	36,0	-9,3	-12,8	Tidak	Tidak	0
843827	30	Male	24,10	49,6	69,53	124,0	1,2	37,0	-5,5	-4,2	Tidak	Ya	3
869473	54	Male	30,60	29,3	41,95	195,0	0,9	44,0	-6,5	-6,6	Tidak	Tidak	1
869785	67	Male	38,20	43,0	33,25	190,0	1,9	34,0	-11,3	-13,1	Tidak	Tidak	1
691386	44	Male	30,60	45,8	78,07	95,0	1,3	33,0	-6,3	-7,1	Ya	Ya	4
869947	34	Male	24,10	49,0	48,00	141,0	1,6	57,0	-3,7	-5,5	Ya	Ya	3
442754	58	Female	22,60	49,0	69,41	148,0	0,9	50,0	-5,8	-7,0	Tidak	Ya	3
632000	57	Male	33,90	30,9	85,84	187,0	1,1	45,0	-8,7	-10,8	Tidak	Tidak	2
821752	69	Male	18,40	54,6	86,98	113,0	1,6	39,0	-6,4	-7,3	Ya	Ya	5
747971	56	Female	36,80	26,3	48,46	144,0	1,7	53,0	-8,5	-9,9	Tidak	Tidak	0
245522	79	Male	37,30	53,0	38,94	112,0	1,6	30,0	-1,5	-5,0	Ya	Ya	4
870388	61	Male	30,10	48,7	36,04	119,0	1,6	65,0	-12,6	-13,4	Tidak	Tidak	4
869968	49	Male	39,00	38,5	28,19	208,0	1,8	58,0	-13,5	-14,5	Tidak	Tidak	0
870470	53	Female	29,60	52,5	53,40	229,0	1,1	44,0	-2,5	-3,6	Tidak	Ya	2
868231	59	Male	32,10	36,6	65,37	167,0	1,8	41,0	-7,5	-8,3	Tidak	Tidak	0
870778	51	Male	33,20	24,9	83,57	90,0	1,4	44,0	-5,0	-8,6	Ya	Tidak	2
870236	18	Female	29,40	16,8	61,60	190,0	1,6	44,0	-10,9	-11,9	Tidak	Tidak	1
297	67	Male	28,00	45,1	68,00	185,0	1,6	44,0	-5,1	-6,5	Tidak	Tidak	2
870427	62	Male	23,10	48,1	60,83	123,0	1,5	38,0	-3,5	-5,3	Ya	Ya	3
870443	42	Male	15,40	48,3	89,21	131,0	1,3	43,0	-3,5	-7,9	Ya	Ya	5
863553	63	Male	37,70	35,3	101,36	250,0	1,8	46,0	-13,2	-15,1	Tidak	Tidak	1
871001	62	Female	38,70	31,5	80,39	176,0	2,0	42,0	-9,0	-12,0	Tidak	Tidak	0
686958	42	Male	23,00	54,3	86,09	80,0	1,2	39,0	-6,0	-8,5	Ya	Ya	5
748837	57	Male	33,50	33,6	46,49	88,0	1,8	49,0	-7,3	-9,4	Tidak	Ya	2
871799	78	Male	22,90	42,0	33,33	96,0	1,7	61,0	-7,2	-8,9	Tidak	Tidak	1
871748	62	Male	38,40	16,5	40,67	197,0	1,8	35,0	-9,7	-10,5	Tidak	Tidak	0

305193	68	Female	36,80	35,0	26,87	183,0	1,8	35,0	-11,9	-13,7	Tidak	Tidak	0
871908	59	Male	29,60	48,0	65,24	91,0	0,9	35,0	-7,8	-9,5	Ya	Ya	4
872073	40	Male	20,00	45,0	99,48	92,0	1,4	57,0	-3,4	-6,1	Ya	Ya	5
872131	47	Male	19,10	51,3	63,89	115,0	1,1	58,0	-5,7	-7,5	Ya	Ya	5
872241	57	Male	33,20	38,6	79,57	147,0	1,8	46,0	-9,1	-11,4	Tidak	Tidak	0
872239	49	Male	30,30	48,4	115,41	109,0	1,3	39,0	-4,5	-7,3	Ya	Ya	5
872482	57	Female	22,30	55,0	136,28	183,0	1,7	35,0	-7,2	-8,7	Tidak	Ya	2
872496	47	Male	19,90	34,3	75,84	116,0	1,7	36,0	-6,5	-7,6	Ya	Ya	1
117459	69	Male	34,00	34,2	59,37	211,0	2,3	37,0	-9,1	-11,1	Tidak	Tidak	1
240643	59	Male	20,40	30,4	168,88	141,0	1,7	38,0	-1,5	-9,3	Tidak	Ya	1
815703	57	Male	27,00	41,8	58,38	123,0	1,6	31,0	-6,2	-7,2	Tidak	Tidak	0
872764	49	Male	22,00	41,2	111,85	92,0	1,6	32,0	-7,1	-8,2	Tidak	Tidak	2
872824	52	Male	23,70	54,4	123,24	165,0	1,6	39,0	-6,6	-7,3	Ya	Tidak	2
635475	70	Male	29,70	48,3	110,99	204,0	1,6	37,0	-9,5	-9,6	Tidak	Ya	2
837492	53	Male	18,00	56,5	90,68	118,0	1,0	31,0	-5,4	-5,6	Ya	Tidak	4
878451	31	Male	38,20	29,3	50,73	211,0	2,1	32,0	-12,5	-18,5	Tidak	Tidak	0
867677	53	Female	25,30	34,2	72,83	134,0	1,4	50,0	-6,6	-7,3	Tidak	Tidak	3
417342	60	Male	25,60	31,4	91,02	115,0	1,6	21,0	-3,1	-9,0	Tidak	Ya	2
875709	50	Male	35,00	43,0	40,28	99,0	1,6	25,0	-8,7	-11,4	Tidak	Tidak	1
875484	61	Female	19,70	26,9	68,03	120,0	1,1	46,0	-6,5	-7,6	Tidak	Ya	3
875615	18	Female	26,40	47,6	29,00	106,0	1,6	23,0	-9,9	-10,9	Tidak	Tidak	0
875647	53	Female	35,60	45,8	60,65	137,0	1,6	27,0	-7,7	-9,5	Ya	Tidak	2
875606	58	Female	30,70	41,0	92,20	124,0	2,1	25,0	-8,3	-9,1	Tidak	Tidak	2
875173	61	Male	20,50	47,2	109,87	124,0	1,3	55,0	-4,9	-6,1	Ya	Ya	5
875203	73	Male	34,10	40,3	105,02	112,0	1,6	58,0	-4,7	-10,1	Tidak	Tidak	3
876096	53	Male	25,00	32,3	61,07	169,0	1,9	23,0	-9,0	-11,4	Ya	Tidak	0
778245	49	Male	30,50	23,9	43,37	191,0	1,7	27,0	-12,0	-15,2	Tidak	Tidak	0
821649	44	Male	33,10	36,0	77,77	130,0	1,9	25,0	-7,2	-9,5	Tidak	Ya	1
876238	72	Male	27,40	41,0	84,10	113,0	1,7	29,0	-6,7	-9,0	Ya	Tidak	2
876233	57	Male	31,30	13,1	41,89	130,0	1,6	28,0	-5,9	-12,9	Tidak	Tidak	1
597789	63	Male	23,20	48,3	73,11	112,0	1,7	46,0	-8,2	-9,3	Tidak	Tidak	3
781567	44	Male	28,40	43,7	68,10	85,0	1,6	32,0	-4,5	-8,2	Ya	Ya	2

808180	55	Male	14,10	74,1	143,00	120,0	1,5	33,0	-4,1	-4,8	Ya	Ya	4
379584	79	Male	38,10	29,9	67,41	236,0	1,7	35,0	-13,3	-14,6	Tidak	Tidak	0
876811	59	Male	20,30	36,4	101,16	116,0	1,5	70,0	-4,1	-4,2	Ya	Ya	4
877595	56	Male	27,30	31,1	107,26	218,0	1,7	21,0	-5,9	-10,8	Tidak	Tidak	1
877689	43	Male	21,00	42,7	48,07	130,0	1,3	31,0	-3,8	-7,2	Ya	Ya	2
867312	66	Male	35,00	35,1	54,19	144,0	2,0	36,0	-11,9	-13,6	Tidak	Tidak	0
840780	60	Male	34,40	42,7	71,42	123,0	1,7	25,0	-8,8	-9,7	Tidak	Ya	1
877703	47	Male	18,40	75,1	132,00	110,0	1,4	61,0	-5,0	-7,6	Ya	Ya	5
877744	41	Male	26,60	41,0	60,33	120,0	1,8	23,0	-10,5	-10,8	Tidak	Tidak	1
810087	57	Female	19,70	85,7	80,26	116,0	1,7	54,0	-9,2	-9,8	Tidak	Ya	3
877860	55	Male	17,60	59,9	190,00	95,0	2,0	22,0	-11,3	-11,9	Tidak	Tidak	3
877293	54	Female	37,90	50,5	45,52	155,0	1,7	45,0	-9,3	-13,7	Tidak	Tidak	2
877874	42	Male	18,90	40,6	97,17	92,0	0,8	27,0	-3,5	-4,7	Ya	Ya	2
832296	47	Male	39,00	35,1	90,65	145,0	2,2	40,0	-13,7	-18,9	Tidak	Tidak	1
878193	66	Male	39,60	21,2	32,08	130,0	1,8	29,0	-8,6	-11,9	Tidak	Tidak	1
875097	58	Male	27,50	57,0	77,32	141,0	1,3	82,0	-9,5	-11,1	Tidak	Tidak	3
764956	44	Male	34,00	51,0	70,14	113,0	1,6	24,0	-7,2	-7,3	Tidak	Tidak	2