

DAFTAR PUSTAKA

1. *Situasi Penyakit Ginjal Kronis*. **Kemenkes RI, Infodatin Pusat Data Dan Informasi**. Jakarta : Kementerian Kesehatan Republik Indonesia, 2017. ISSN2442-7659.
2. **Bill F, Foundation MG**. *Global , regional , and national burden of chronic kidney disease , 1990 – 2017 : a systematic analysis for the Global Burden of Disease Study 2017*. 2017.
3. *Global Prevalence of Chronic Kidney Disease – A Systematic Review and Meta-Analysis*. **Hill, Fatoba, Oke, et al**. 2016, Journal Pone, pp. 1-18.
4. *Global Kidney Disease 3 Chronic Kidney Disease : Global Dimension and Perspectives*. **Jha, Garcia, Kunitoshi, et al**. 382, s.l. : Lancet, 2013, Lancet, Vol. 9888, pp. 260-272.
5. *Hasil Utama Riskesdas*. **Kemenkes**. Jakarta : Kementerian Kesehatan Indonesia, 2018.
6. *Country Health Profiles. Indonesia: statistical profile*. **WHO**. 2012.
7. *Risk Factor Hypertension, Diabetes and Consuming Herbal Medicine of Chronic Kidney Disease in dr. Wahidin Sudirohusodo Hospitals Makassar 2015*. **Pongsibidang**. 2, 2016, Jurnal Wiyata, Vol. III, pp. 162-167.
8. *Update on Inflammation in Chronic Kidney Disease*. **Akchurin, Keskel**. 10021, 2015, Blood Purif, Vol. 39, pp. 84-92. doi.org/10.1159/000368940.
9. *Prediction of Malnutrition Using Modified Subjective Global Assessment-dialysis Malnutrition Score in Patients on Hemodialysis*. **Janardhan, Soundararajan, Rani , et al**. 2011, Indian Journal of Pharmaceutical Sciences, pp. 38-45.
10. *Geriatric Nutritional Risk Index Is Associated with Unique Health Conditions and Clinical Outcomes in Chronic Kidney Disease Patients*. **Ting-Yun Lin, Szu-Chun Hung**. 2769, 2019, Nutrients, Vol. 11, pp. 1-10.
11. *Neutrophil to Lymphocyte Ratio and Platelet to Lymphocyte Ratio in the Evaluation of Inflammation and Nutritional Status Among Predialysis Chronic*

Kidney Disease Patients. **Behairy, Bawady.** 2019, Nephrology Dialysis Transplantation, p. 498. doi.org/10.1093/ndt/gfz103.SP416.

12. *Eosinophilia and Kidney Disease: More than Just an Incidental Finding?* **Gauckler, Shin , Mayer, Kronbichler.** 529, s.l. : J Clin Med, 2018, Vol. VII. doi:10.3390/jcm7120529.

13. *WHO-defined eosinophilic disorder: 2017 update on diagnosis, risk stratification and management.* **Gotlib.** 92, s.l. : Am J Hematol, 2017, Vol. XI.

14. *Eosinophil count and mortality risk in incident hemodialysis patients.* **Kang, Lee, Kleine, Lee, et al.** s.l. : Nephrol Dial Transplant, 2020, Nephrol Dial Transplant, pp. 1-11. doi: 10.1093/ndt/gfz296.

15. *Eosinophilia and risk of incident end stage kidney disease.* **Tariq.** 21, s.l. : BMC Nephrology, 2020, BMC Nephrology, Vol. XIV, pp. 1-10. doi.org/10.1186/s12882-020-1685-3.

16. *Clinical Practice Guideline for the Evaluation and Management of Chronic Kidney Disease. Suppl.* **KDIGO, CKD Work Group.** 2013, Vol. III.

17. *Common pathophysiological mechanism of chronic kidney disease: Therapeutic perspectives.* **Lopez-Novoa, Martinez-Salgado, Rodriguez-Pena, Hernandez.** 128, s.l. : Pharmacol Ther , 2010.

18. *A proposed nomenclatur and diagnostic criteria for protein energy wasting in acute and chronic kidney disease.* **Fouque, Kalantar-Zadeh, Kopple, Cano, Chauveau, Cuppari.** 73, s.l. : Kidney Int, 2008.

19. *Review Article Protein energy wasting in chronic kidney disease : An update with focus on nutritional interventions to improve outcomes.* **Jadeja, Kher.** 16, 2012, Vol. II. doi.org/10.4103/2230-8210.93743.

20. *Recent advances in the pathophysiology and management of protein-energy wasting in chronic kidney disease. Renal Replacement Therapy.* **Nitta, Tsuchiya.** 2016. doi.org/10.1186/s41100-016-0015-5.

21. *Correlation Between Anthropometry, Biochemical Markers and Subjective Global Assessment – Dialysis Malnutrition Score As Predictors Of Nutritional Status Of The Maintenance Hemodialysis Patients.* **Kavimani, Soundararajan, Chamundeeswari, Gopal.** 4, 2015, Vol. IV. doi.org/10.5958/2319-5886.2015.00169.1.

22. *Neutrophil/lymphocyte ratio: A promising prognostic marker in patients with chronic kidney disease.* **Kato S, Abe T, Lindholm B, Maruyama S.** s.l. : Inflamm Cell Signal, 2015. 1-5.
23. *Simplified nutritional screening tools for patients on maintenance hemodialysis.* **Yamada, et al.** 2008, Am J Clin Nutr, Vol. 87, pp. 106-113.
24. **Gatta, Verardo, Bolognesi.** Hypoalbuminemia. [book auth.] Departement of Medicine University of Padova. Padua, Italy : s.n., 2012.
25. *The Level of Serum Albumin is Associated with Renal Prognosis in Patients with Diabetic Nephropathy .* **Zhang, Zhang, Wang, Li, Han, Wu.** s.l. : J Diabetes Res, 2019.
26. *Human serum albumin: From bench to bedside.* **Fanali, Di Masi, Trezza, Marino, Fasano, Ascenzi.** 33, s.l. : Mol Aspects Med, 2012, Vol. III. doi.org/10.1016/j.mam.2011.12.002.
27. *Albumin: Pathophysiologic basis of its role in the treatment of cirrhosis and its complications.* **Garcia-martinez, Caraceni, Bernardi, Gines, Arroyo, Jalan.** 59, 2013, Vol. V.
28. *The higher mortality associated with low serum albumin is dependent on systemic inflammation in end-stage kidney disease.* **Alves, Sun, Qureshi, Dai, Snaedal, Bárány.** 13, s.l. : PLoS One, 2018, Vol. I.
29. *Reassessment of albumin as a nutritional marker in kidney disease.* **Friedman, Fadem.** 21, s.l. : J Am Soc Nephrol, 2010, Vol. II.
30. *The prevalence and meaning of eosinophilia in renal diseases on a nephrology consultation service.* **Diskin, et al.** 26, s.l. : Nephrol Dial Transplant , 2011. doi: 10.1093/ndt/gfq745..
31. *Eosinophils from Physiology to Disease: A Comprehensive Review.* **Ramirez, et al.** s.l. : BioMed Research International , 2018. doi.org/10.1155/2018/9095275..
32. *Impact of Geriatric Nutritional Risk Index on cardiovascular outcomes in patients with stable coronary artery disease.* **Kunimura, et al.** 383–388, s.l. : Journal of Cardiology, 2017, Vol. 69.
33. **Lexico.com.** *Oxford English and Spanish Dictionary.* 2020.
34. **M, Arif.** *Hitung Jenis Leukosit. Penuntun Praktikum Hematologi.* s.l. : Unhas, 2009.

35. **IRR.** *11th Report Of Indonesian Renal Registry.* s.l. : PERNEFRI, 2018.
36. *Dialysis initiation, modality choice, access, and prescription: conclusions from a Kidney Disease: Improving Global Outcomes (KDIGO) Controversies Conference.* **Chan, Blankestijn, Dember, et al.** 2019, *Kidney International* , Vol. 96, pp. 37–47.
37. *The relationship between malnutrition and TH2 immune markers: a study in school-aged children of different socio-economic backgrounds in Makassar, Indonesia.* **Wahyuni, van Dorst, Amaruddin, et al.** 2, 2021, *Tropical Medicine and International Health*, Vol. 26, pp. 195–203.
38. *Tobacco and end stage renal disease: a multicenter, cross-sectional study in Argentinian Northern Patagonia.* **Alba, Citarelli, Menni, et al.** 28, 2015, *Biomed central*, Vol. 13, pp. 1-8.
39. *Cigarette smoking and chronic kidney disease in the general population: a systematic review and meta-analysis of prospective cohort studies.* **Xia J, Wang L, Ma Z, Zhong L, et al.** 3, s.l. : *Nephrol Dial Transplant*, 2017, Vol. 32. p 475-487.
40. *Increased prevalence of eosinophilia in a hemodialysis population: Longitudinal and case control studies.* **Hildebrand, Corbett, Duncan, Ashby.** 2016, *Hemodial Int*, Vol. 20, pp. 414–420.
41. *Correlation between eosinophil count, its genetic background and body mass index: The Nagahama Study.* **Sunadome H, Matsumoto H, Izuhara Y, Nagasaki T, et al.** s.l. : *Japanese Society of Allergology*, 2019, Vol. 69. pp. 46-52.
42. *Leptin is an eosinophil survival factor.* **Conus S, Bruno A, Simon H.** 6, s.l. : *American Academy of Allergy, Asthma and Immunology*, 2005, Vol. 116. pp. 1228-34.
43. *Leptin in the interplay of inflammation, metabolism and immune system disorders.* **Abella V, a Scotece M, Conde J, Pino J, et al.** s.l. : *Nature Reviews Rheumatology*, 2017. pp. 1-10.
44. *Low eosinophil and low lymphocyte counts and the incidence of 12 cardiovascular diseases: a CALIBER cohort study.* **Shah, Denaxas, Nicholas, et al.** 2016, *Open Heart*, Vol. 3, pp. 1-9.
45. *The immunological axis in heart failure: importance of the leukocyte differential.* **Vaduganathan, Greene, Butler, et al.** 2013, *Heart Fail rev*, Vol. 18, pp. 835–45.

46. *Eosinopenia as an indicator for organ dysfunction in sepsis patient.* **Arif.** 2019, Crit care shock, Vol. 22, pp. 243-248.
47. *Geriatric Nutritional Risk Index, a simplified nutritional screening index, is a significant predictor of mortality in chronic dialysis patients.* **Kobayashi, Ishimura, Kato, et al.** 25, 2010, Nephrol Dial Transplant, Vol. 10, pp. 3361-5.
48. *Association of Geriatric Nutritional Risk Index with Mortality in Hemodialysis Patients: A Meta-Analysis of Cohort Studies.* **Xiong, Wang, Zang, et al.** 2018, Kidney Blood Press Res, Vol. 43, pp. 1878-1889.
49. *Impact of Annual Change in Geriatric Nutritional Risk Index on Mortality in Patients Undergoing Hemodialysis.* **Yajima, Yajima, Takahashi.** 3333, 2020, Nutrients, Vol. 12, pp. 1-9.
50. *The relationship of the geriatric nutritional risk index to mortality and length of stay in elderly patients with acute respiratory failure: A retrospective cohort study.* **Xiawei Shi, Yueqian Shen, Jia Yang, et al.** 2021, Heart & Lung, Vol. 50, pp. 898-905 .
51. *Relationship among Activities of Daily Living, Nutritional Status, and 90 Day Readmission in Elderly Patients with Heart Failure.* **Kitamura, Izawa, Yaekura, et al.** 2019, Int. J. Environ. Res. Public Health, Vol. 16, pp. 1-10.