

## DAFTAR PUSTAKA

1. Butterworth J, Mackey DC, Wasnic JD. Airway Management. In: Morgan, Mikhail, editors. Clinical Anesthesiology. 6th ed. New York: McGraw Hill Education; 2018. p. 307-28
2. Smitha K. S, Divya Shukla, Sathesha M, Raghavendra Rao, Nethra S. S, K. Sudheesh. comparison of two different doses of dexmedetomidine inattenuating hemodynamic changes during laryngoscopy. Journal of Evolution of Medical and Dental Sciences 2014;3(61)13501-13508
3. Vohra A, Kumar S, Charlton A. Effect of diabetes mellitus on the cardiovascular responses to induction of anaesthesia and tracheal intubation. Br J Anaesth. 1993;7(2):258-61.
4. Kovac L. Controlling the hemodynamic response to laryngoscopy and endotracheal intubation. J Clin Anesth. 1996;8(1):63-79.
5. Yoo, KY, Lee JU, Kim HS, Im WM, Hemodynamic and Catecholamine Responses to Laryngoscopy and Tracheal Intubation in Patients with Complete Spinal Cord Injuries. Anesthesiology 2001; 95:647–51
6. Derbyshare DR, Chmielewski A, Feel D, Vater M, Achola K, Smith G. Plasma catecholamine responses to tracheal intubation. Br. J. Anaesth. (1983), 55, 855
7. Teong CY, Huang CC, Sun FJ.. The Haemodynamic Response to Endotracheal Intubation at Different Time of Fentanil Given During Induction: A Randomised Controlled Trial. *Scientific Reports* . Volume 10, Article number: 8829 (2020)
8. Samuel H, Melekamayhu A, Woldeyohannes M, Tesfaye S, Shitemaw T. A Comparative Study between Intravenous Fentanil and Intravenous Lidocaine on Attenuation of Hemodynamic Pressor Responses to Laryngoscopic Intubation: A Prospective Cohort Study, Ethiopia. Open Journal of Anesthesiology. 2019.9, 167-178
9. Kumar R, Gandhi R, Mallick I, Wadhwa R, Adlakha N, Bose M. Attenuation of hemodynamic response to laryngoscopy and endotracheal intubation with two different doses of labetalol in hypertensive patients. Egyptian Journal of Anaesthesia (2016) 32,339-344
10. Swamy SN, madhusudhana R. Attenuation of hemodynamic responses to endotracheal extubation with different doses of diltiazem with lignocaine : A Placebo-controlled study. Anesth Essays Res 2018;12:428-33
11. Keputusan Menteri Kesehatan Republik Indonesia, Daftar obat esensial nasional 2013, Nomor 312/Menkes/SK/IX/2013: Bab 2.
12. International Narcotics Control Board (INCB), World drug report, 2007.
13. Suryawati, S. Analysis of the world situation, INCB, 2014
14. Elsharkawy H, Naguib MA. Centrally Acting Nonopioid analgesics. in Stoelting. Pharmacology and Physiology in Anesthetic Practice 5th ed. Wolters Kluwer. Philadelphia. 2015. p258-9, 278, 476, 504
15. Gertler, R. Brown HC, Mitchell DH, Silvius EN. Dexmedetomidine: a novel sedative-analgesic agent. Proc (Bayl Univ Med Cent). 2001 Jan; 14(1): 13–21

16. Giovannitti JA, Thoms SM, Crawford JJ. Alpha-2 Adrenergic Receptor Agonists: A Review of Current Clinical Applications. *Anesth Prog.* 2015;62:31–38
17. Harsoor SS, Rani D, Roopa MN, Lathashree S, Sudheesh K, Nethra SS. Anesthetic Sparing Effect Of Intraoperative Lignocaine Or Dexmedetomidine Infusion On Sevoflurane During General Anesthesia. *Middle East J Anaesthesiol.* 2015 Oct;23(3):301-7.
18. Song, J, Ji, Q, Sun Q, Gao T, Liu K, Li, L. The Opioid-sparing Effect of Intraoperative Dexmedetomidine Infusion After Craniotomy. *Journal of Neurosurgical Anesthesiology:* 2016.14-20
19. Aksu R, Akın A, Biçer C, Esmoğlu Tosun Z, and Boyacı A. Comparison of the Effects of Dexmedetomidine Versus Fentanyl on Airway Reflexes and Hemodynamic Responses to Tracheal Extubation During Rhinoplasty: A Double-Blind, Randomized, Controlled Study. *Curr Ther Res Clin Exp.* 2009;70(3):209-20.
20. Gogus N, Akan B, Serger N, Baydar M. The comparison of the effects of dexmedetomidine, fentanyl and esmolol on prevention of hemodynamic response to intubation. *Rev Bras Anesthesiol.* 2014;64(5):314-9.
21. Kumari K, Gombar <https://pubmed.ncbi.nlm.nih.gov/26510669/> - affiliation-2S, Kapoor <https://pubmed.ncbi.nlm.nih.gov/26510669/> - affiliation-3D, Sandhu HS. Clinical Study To Evaluate The Role Of Preoperative Dexmedetomidine In Attenuation Of Hemodynamic Response To Direct Laryngoscopy And Tracheal Intubation. *Acta Anaesthesiol Taiwan* 2015 Dec;53(4):123-30.
22. Kalla RS, Abdullah MA, Elyazed MM. Intubation stress responses: Pre anesthetic dexmedetomidine versus fentanyl in pre-eclamptic patients undergoing caesarean delivery: A prospective double blind randomized study. *Egyptian Journal of Anaesthesia* 2017(3):2
23. Arif SK, Amri I, Mallongi A. Comparison Between the Effect of the Intravenous Dexmedetomidine with Fentanyl on the Propofol Induction Dose Requirement and the Hemodynamic Response Due to Laryngoscopy and Tracheal Intubation. 2016. *American Journal of Drug Discovery and Development*, 7: 39-47.
24. Mathur S, Patel J, Goldstein S; Jain A. Bispectral Index. 2021. <https://www.ncbi.nlm.nih.gov/books/NBK539809/>. Diakses tanggal 11 Oktober 2021 jam 19.30 WITA.
25. Avva U, Lata JM, Kiel J. Airway Management. 2021. *Airway Management - StatPearls - NCBI Bookshelf (nih.gov)*. diakses tanggal 05 November 2021.
26. Pani N, Rath SK. Regional & Topical Anaesthesia of Upper Airways. *Indian J Anaesth.* 2009; 53(6): 641–648.
27. Brown DL. Airway Block Anatomy. *Atlas of Regional Anesthesia*. 4rd ed. 2017. p205.
28. Heusch, G. Heart rate in the pathophysiology of coronary blood flow and myocardial ischaemia: benefit from selective bradycardic agents. *British Journal of Pharmacology.* 2008. 153(8), 1589–1601.

29. Campbell, R. L, & Langston, W. G. A comparison of cardiac rate-pressure product and pressure-rate quotient in healthy and medically compromised patients. *Oral Surgery, Oral Medicine, Oral Pathology, Oral Radiology, and Endodontology*. 1995. 80(2), 145–152. doi:10.1016/s1079-2104(05)80193-3
30. Cummings K, Naguib MA. Opioid Agonis and Antagonist. in *Stoelting.Pharmacology and Physiology in Anesthetic Practice 5th ed.*Wolters Kluwer.Philadelphia.2015.p231-235
31. Wilde, M., Pichini, S., Pacifici, R., Tagliabracchi, A., Busardò, F. P., Auwärter, V., & Solimini, R. Metabolic Pathways and Potencies of New Fentanil Analogs. 2019. *Frontiers in Pharmacology*, 10.
32. Lacoumenta S, Burrin JM, Bloom SR, Paterson JL, Hall GM. Fentanil and the  $\beta$ -endorphin, acth and glucoregulatory hormonal response to surgery. 1987. *Br.J. Anaesth*. 59, 713-720
33. Reitan JA, Stengert KB, Wymore ML, Martucci RW. Central vagal control of fentanil induced bradycardia during halothane anesthetic. *Anesth Analg*. 1978;57(1):31-6.
34. Grell FL, Koons RA, Denson JS. Fentanil in anesthesia: a report of 500 cases. *Anesth Analg*. 1970;40:523-32.
35. Kamibayashi T, Maze M. Clinical uses of alpha 2-adrenergic agonists.*Anesthesiology*2000;93:1345–1349
36. Chrysostomou C, Schmidt CG. Dexmedetomidine: sedation, analgesia and beyond. *Expert Opin Drug Metab Toxicol* 2008;4:619-627
37. Kamibayashi T, Maze M. Clinical uses of alpha 2-adrenergic agonists.*Anesthesiology*2000;93:1345–1349
38. Yost Y, Eiler H. *General Anesthetics in Basic and clinical Pharmacology 13<sup>th</sup> ed.*2015.McGraw-Hill Education. New York. US.p649-650, 786-816
39. Bottros, M. M., Palanca, B. J. A., Mashour, G. A., Patel, A., Butler, C., Taylor, A., et al. (2011). Estimation of the Bispectral Index by Anesthesiologists. *Anesthesiology*, 114(5), 1093–1101.
40. Medical Advisory Secretariat. Bispectral Index Monitor. 2004. *Ont Health Technol Assess Ser*. 2004; 4(9): 1–70
41. Schwarz G, Litscher G, Wang L, Schoepfer A, Roetzer I. The Effect of Acupressure on the Bispectral Index and Entropy Parameters in Mentally Handicapped Humans: A Pilot Study. *The Internet Journal of Neuromonitoring Volume 4 Number 1*
42. Sigl JC, Chamoun NG. An introduction to bispectral analysis for the electroencephalogram. *J Clin Monit*. 1994;10:392-404
43. Katoh T, Kobayashi S, Suzuki A, Kato S, Iwamoto T, Bito H, Sato S. Fentanil augments block of sympathetic responses to skin incision during sevoflurane anaesthesia in children. *BJAnaesth* 84 (1): 63–6 (2000)
44. Haidry MA, Khan FA. Comparison of hemodynamic response to tracheal intubation with Macintosh and McCoy laryngoscopes. *J Anaesthesiol Clin Pharmacol*. 2013;29(2):196-99
45. Shah RB, Bhavsar GM, Ghetia HR, Thakkar MV, Prajapati SN. Comparison of Fentanil and Lignocaine for Attenuation of Cardiovascular Stress Response

- to Laryngoscopy and Endotracheal Intubation. *International Journal of Scientific Research*. 2014;3(1):298- 30
46. Bajwa SJS, Kaur J, Singh A, Parmar SS, Singh G, Kulshresta A et al. Attenuation of pressor response and dose sparing of opioids and anaesthetics with pre-operative dexmedetomidine. *Indian J Anaesth*. 2012;56(2):123-8
  47. Dorsey DP, Joffe AM. Physiologic and Pathophysiologic Responses to Intubation in Hegberg and Benumof' Airway Management. p163-176
  48. Anderson J, Klock PA. Airway Assessment and Prediction of the Difficult Airway. in Hegberg and Benumof' Airway Management. Elsevier.4<sup>th</sup> Ed. 2018. p 185-196
  49. Zeleznik MW, Dunn PF. Airway Evaluation and Management. In: Dunn PF. *Clinical Anesthesia Procedures of the Massachusetts General Hospital*. 7th Ed. Philadelphia: Lippincott Williams & Wilkins, 2007. p 208-27
  50. Nørskov AK, Rosenstock CV, Wetterslev J, et al. Incidence of unanticipated difficult airway using an objective airway score versus a standard clinical airway assessment: the DIFFICAIR trial – trial protocol for a cluster randomized clinical trial. *Trials*. 2013; 14: 347
  51. Sharma N, Mehta N. Therapeutic Efficacy of Two Different Doses of Dexmedetomidine on the Hemodynamic Response to Intubation, the Intubating Conditions, and the Effect on the Induction Dose of Propofol: A Randomized, Double-Blind, Placebo-Controlled Study. *Anesth Essays Res*. 2018 Apr-Jun; 12(2): 566–571.
  52. Mahiswar AP, Dubey PK, Ranjan A. Comparison between dexmedetomidine and fentanylbolus in attenuating the stress response to laryngoscopy and tracheal intubation: a randomizeddouble-blind trial. *Brazilian Journal of Anesthesiology*.2021.
  53. Bhadiyadra R, Vaghela A, Patel S, Vachharajani P. Comparison of Intravenous Fentanyl vs Dexmedetomidine in Attenuation of Pressure Response during Laryngoscopy and Endotracheal Intubation. *International Journal of Science and Research*.2018.7;2:306-309
  54. Jaakola ML, Ali-Melkkilä T, Kanto J, et al. Dexmedetomidinereduces intraocular pressure, intubation responses, and anaesthetic requirements in patients undergoing ophthalmic surgery.*Br J Anaesth*. 1992;68:570---5.15