

Daftar Pustaka

1. KDIGO 2012 Clinical Practice Guideline for the Evaluation and Management of Chronic Kidney disease. KDIGO 2012 Clinical Practice Guideline for the Evaluation and Management of Chronic Kidney Disease. J Int Soc Nephrol KDIGO [Internet]. 2013;3(1):1–163. Available from: Albuminuria; Chronic kidney disease; Classification; Clinical practice guideline; Evidence-based recommendation; GFR; Glomerular filtration rate; KDIGO; Proteinuria; Systematic review
2. Bikbov B, Perico N, Remuzzi G. Disparities in Chronic Kidney Disease Prevalence among Males and Females in 195 Countries: Analysis of the Global Burden of Disease 2016 Study. *Nephron*. 2018;139(4):313–8.
3. Bikbov B, Purcell CA, Levey AS, Smith M, Abdoli A, Abebe M, et al. Global, regional, and national burden of chronic kidney disease, 1990–2017: a systematic analysis for the Global Burden of Disease Study 2017. *Lancet*. 2020;395(10225):709–33.
4. Kemenkes RI. Hasil Utama Riskesdas 2018. 2018;
5. Iorember FM. Malnutrition in chronic kidney disease. *Front Pediatr*. 2018;6(June).
6. A. G-B, B. F, R. O, J. R. The influence of inflammation on anemia in CKD patients. *Int J Mol Sci* [Internet]. 2020;21(3). Available from: <http://www.embase.com/search/results?subaction=viewrecord&from=export&id=L2003658122%0Ahttp://dx.doi.org/10.3390/ijms21030725>
7. Agustí A, Edwards LD, Rennard SI, MacNee W, Tal-Singer R, Miller BE, et al. Persistent systemic inflammation is associated with poor clinical outcomes in copd: A novel phenotype. *PLoS One*. 2012;7(5).
8. Karahan I. Effects of Comorbidities, Inflammation and Glycaemic Control on Length of Hospital Stay/Potentially Avoidable

- Readmission Risk in Type 2 Diabetic Patients- A Retrospective Analysis. *J Evol Med Dent Sci*. 2019;8(40):2991–5.
9. Carrero JJ, Stenvinkel P, Cuppari L, Ikizler TA, Kalantar-Zadeh K, Kaysen G, et al. Etiology of the Protein-Energy Wasting Syndrome in Chronic Kidney Disease: A Consensus Statement From the International Society of Renal Nutrition and Metabolism (ISRNM). *J Ren Nutr*. 2013;23(2):77–90.
 10. Salvagno GL, Sanchis-gomar F, Picanza A, Lippi G. Red blood cell distribution width: A simple parameter with multiple clinical applications Red blood cell distribution width: A simple parameter with multiple clinical applications. *Crit Rev Clin Lab Sci* [Internet]. 2014;00(00):1–20. Available from: <http://dx.doi.org/10.3109/10408363.2014.992064>
 11. Silva NC da, Prestes IV, Gontijo WA, Pena G das G. High red blood cell distribution width is associated with a risk of short-term mortality in hospitalized surgical, but not clinical patients. *Clin Nutr ESPEN*. 2020;39:150–6.
 12. Vashistha T, Streja E, Molnar MZ, Rhee CM, Moradi H, Soohoo M, et al. Red Cell Distribution Width and Mortality in Hemodialysis Patients. *Am J Kidney Dis*. 2016;68(1):110–21.
 13. Zhang T, Li J, Lin Y, Yang H, Cao S. Association Between Red Blood Cell Distribution Width and All-cause Mortality in Chronic Kidney Disease Patients: A Systematic Review and Meta-analysis. *Arch Med Res* [Internet]. 2017;48(4):378–85. Available from: <http://dx.doi.org/10.1016/j.arcmed.2017.06.009>
 14. Schepens T, De Dooy JJ, Verbrugghe W, Jorens PG. Red cell distribution width (RDW) as a biomarker for respiratory failure in a pediatric ICU. *J Inflamm (United Kingdom)*. 2017;14(1):1–7.
 15. Horta-Baas G, Romero-Figueroa M del S. Clinical utility of red blood cell distribution width in inflammatory and non-inflammatory joint diseases. *Int J Rheum Dis*. 2019;22(1):47–54.

16. Tam-Tham H, Ravani P, Zhang J, Weaver RG, Quinn RR, James MT, et al. Association of Initiation of Dialysis With Hospital Length of Stay and Intensity of Care in Older Adults With Kidney Failure. *JAMA Netw open*. 2020;3(2):e200222.
17. Tonelli M, Wiebe N, James MT, Naugler C, Manns BJ, Klarenbach SW, et al. Red cell distribution width associations with clinical outcomes: A population-based cohort study. *PLoS One*. 2019;14(3):95–9.
18. Yonemoto S, Hamano T, Fujii N, Shimada K, Yamaguchi S, Matsumoto A, et al. Red cell distribution width and renal outcome in patients with non-dialysis-dependent chronic kidney disease. *PLoS One*. 2018;13(6):1–13.
19. Hill NR, Fatoba ST, Oke JL, Hirst JA, O'Callaghan CA, Lasserson DS, et al. Global Prevalence of Chronic Kidney Disease – A Systematic Review and Meta-Analysis. *PLoS One* [Internet]. 2016;1–18. Available from: <https://journals.plos.org/plosone/article?id=10.1371/journal.pone.0158765>
20. Chen TK, Knicely DH, Grams ME. Chronic Kidney Disease Diagnosis and Management: A Review. *JAMA - J Am Med Assoc*. 2019;322(13):1294–304.
21. Webster AC, Nagler E V., Morton RL, Masson P. Chronic Kidney Disease. *Lancet* [Internet]. 2017;389(10075):1238–52. Available from: [http://dx.doi.org/10.1016/S0140-6736\(16\)32064-5](http://dx.doi.org/10.1016/S0140-6736(16)32064-5)
22. Malekmakan L, Khajehdehi P, Pakfetrat M, Malekmakan A, Mahdaviazad H, Roozbeh J. Prevalence of Chronic Kidney Disease and Its Related Risk Factors in Elderly of Southern Iran: A Population-Based Study. *ISRN Nephrol*. 2013;2013:6.
23. Jadeja Y, Kher V. Protein energy wasting in chronic kidney disease: An update with focus on nutritional interventions to improve outcomes. *Indian J Endocrinol Metab*. 2012;16(2):246.


24. Pérez-Torres A, González García ME, San José-Valiente B, Bajo Rubio MA, Celadilla Díez O, López-Sobaler AM, et al. Protein-energy wasting syndrome in advanced chronic kidney disease: Prevalence and specific clinical characteristics. *Nefrología* [Internet]. 2018;38(2):141–51. Available from: <http://dx.doi.org/10.1016/j.nefro.2017.11.018>
25. De Mutsert R, Grootendorst DC, Boeschoten EW, Brandts H, Van Manen JG, Krediet RT, et al. Subjective global assessment of nutritional status is strongly associated with mortality in chronic dialysis patients. *Am J Clin Nutr*. 2009;89(3):787–93.
26. Vegine PM, Fernandes ACP, Simas MR, Torres G, Silva MIB, Avesani CM. Assessment of methods to identify protein-energy wasting in patients on hemodialysis. *J Bras Nefrol* [Internet]. 2011;33(1):55–61. Available from: <https://pubmed.ncbi.nlm.nih.gov/21541464/>
27. Guan JC, Bian W, Zhang XH, Shou ZF, Chen JH. Influence of peritoneal transport characteristics on nutritional status and clinical outcome in Chinese diabetic nephropathy patients on peritoneal dialysis. *Chin Med J (Engl)*. 2015;128(7):859–64.
28. Furusho M, Weng J, Mori T, Wang T. Impact of hydration and nutrition status on the Watson formula in peritoneal dialysis patients. *Adv Perit Dial* [Internet]. 2014;30:110–4. Available from: <https://pubmed.ncbi.nlm.nih.gov/25338431/>
29. Carrero JJ, Thomas F, Nagy K, Arogundade F, Avesani CM, Chan M, et al. Global Prevalence of Protein-Energy Wasting in Kidney Disease: A Meta-analysis of Contemporary Observational Studies From the International Society of Renal Nutrition and Metabolism. *J Ren Nutr*. 2018;28(6):380–92.
30. Obi Y, Qader H, Kovesdy CP, Kalantar-Zadeh K. Latest consensus and update on protein-energy wasting in chronic kidney disease. *Curr Opin Clin Nutr Metab Care*. 2015;18(3):254–62.


31. Hanna RM, Ghobry L, Wassef O, Rhee CM, Kalantar-Zadeh K. A Practical Approach to Nutrition, Protein-Energy Wasting, Sarcopenia, and Cachexia in Patients with Chronic Kidney Disease. *Blood Purif.* 2020;49(1–2):202–11.
32. Zivot A, Lipton JM, Narla A, Blanc L. Erythropoiesis: insights into pathophysiology and treatments in 2017. *Mol Med.* 2018;24(11):1–15.
33. Lewis I, Lee S-H. The physiology of haemopoiesis. *J R Inst Public Health.* 2006;12(1):19–34.
34. Burgos R, Joaquín C, Blay C, Vaqué C. Disease-related malnutrition in hospitalized chronic patients with complex needs. *Clin Nutr.* 2020;39(5):1447–53.
35. Zurauskaite G, Meier M, Voegeli A, Koch D, Haubitz S, Kutz A, et al. Biological pathways underlying the association of red cell distribution width and adverse clinical outcome: Results of a prospective cohort study. *PLoS One.* 2018;13(1):1–13.
36. Tekce H, Kin Tekce B, Aktas G, Tanrisev M, Sit M. The evaluation of red cell distribution width in chronic hemodialysis patients. *Int J Nephrol.* 2014;2014.
37. Hong N, Kim CO, Youm Y, Choi JY, Kim HC, Rhee Y. Elevated Red Blood Cell Distribution Width Is Associated with Morphometric Vertebral Fracture in Community-Dwelling Older Adults, Independent of Anemia, Inflammation, and Nutritional Status: The Korean Urban Rural Elderly (KURE) Study. *Calcif Tissue Int* [Internet]. 2019;104(1):26–33. Available from: <http://dx.doi.org/10.1007/s00223-018-0470-9>
38. FöhrécZ Z, Gombos T, Borgulya G, Pozsonyi Z, Prohászka Z, Jánoskúti L. Red cell distribution width in heart failure: Prediction of clinical events and relationship with markers of ineffective erythropoiesis, inflammation, renal function, and nutritional state. *Am Heart J.* 2009;158(4):659–66.

39. Garlo K, Williams D, Lucas L, Wong R, Botler J, Abramson S, et al. Severity of anemia predicts hospital length of stay but not readmission in patients with chronic kidney disease. *Med (United States)*. 2015;94(25):e964.
40. Su G, Xu H, Marrone G, Lindholm B, Wen Z, Liu X, et al. Chronic kidney disease is associated with poorer in-hospital outcomes in patients hospitalized with infections: Electronic record analysis from China. *Sci Rep*. 2017;7(1):1–10.
41. Kshirsagar A V., Hogan SL, Mandelkehr L, Falk RJ. Length of stay and costs for hospitalized hemodialysis patients: Nephrologists versus internists. *J Am Soc Nephrol*. 2000;11(8):1526–33.
42. Bohlouli B, Tonelli M, Jackson T, Hemmelgam B, Klarenbach S. Risk of hospital-acquired complications in patients with chronic kidney disease. *Clin J Am Soc Nephrol*. 2016;11(6):956–63.
43. Fernandez R, Cano S, Catalan I, Rubio O, Subira C, Masclans J, et al. High red blood cell distribution width as a marker of hospital mortality after ICU discharge: A cohort study. *J Intensive Care*. 2018;6(1):1–7.
44. Kim CH, Park JT, Kim EJ, Han JH, Han JS, Choi JY, et al. An increase in red blood cell distribution width from baseline predicts mortality in patients with severe sepsis or septic shock. *Crit Care*. 2013;17(6).
45. Zhang Z, Xu X, Ni H, Deng H. Red cell distribution width is associated with hospital mortality in unselected critically ill patients. *J Thorac Dis*. 2013;5(6):730–6.
46. Lee JH, Chung HJ, Kim K, Jo YH, Rhee JE, Kim YJ, et al. Red cell distribution width as a prognostic marker in patients with community-acquired pneumonia. *Am J Emerg Med* [Internet]. 2013;31(1):72–9. Available from: <http://dx.doi.org/10.1016/j.ajem.2012.06.004>
47. Abdullah HR, Sim YE, Sim YT, Ang AL, Chan YH, Richards T, et al. Preoperative Red Cell Distribution Width and 30-day mortality in

- older patients undergoing non-cardiac surgery: A retrospective cohort observational study. *Sci Rep* [Internet]. 2018;8(1):1–10. Available from: <http://dx.doi.org/10.1038/s41598-018-24556-z>
48. Cederholm T, Bosaeus I, Barazzoni R, Bauer J, Van Gossum A, Klek S, et al. Diagnostic criteria for malnutrition - An ESPEN Consensus Statement. *Clin Nutr* [Internet]. 2015;34(3):335–40. Available from: <http://dx.doi.org/10.1016/j.clnu.2015.03.001>
 49. Borelli P, Blatt SL, Rogero MM, Fock RA. Haematological alterations in protein malnutrition. *Rev Bras Hematol Hemoter*. 2004;26(1):49–56.
 50. Bhatti JS, Bhatti GK, Reddy PH. Mitochondrial dysfunction and oxidative stress in metabolic disorders — A step towards mitochondria based therapeutic strategies. *Biochim Biophys Acta - Mol Basis Dis* [Internet]. 2017;1863(5):1066–77. Available from: <http://dx.doi.org/10.1016/j.bbadis.2016.11.010>
 51. Tozoni SS, Dias GF, Bohnen G, Grobe N, Pecoits-Filho R, Kotanko P, et al. Uremia and hypoxia independently induce eryptosis and erythrocyte redox imbalance. *Cell Physiol Biochem*. 2019;53(5):794–804.
 52. Thompson S, James M, Wiebe N, Hemmelgarn B, Manns B, Klarenbach S, et al. Cause of death in patients with reduced kidney function. *J Am Soc Nephrol*. 2015;26(10):2504–11.
 53. Babitt JL, Lin HY. Mechanisms of anemia in CKD. *J Am Soc Nephrol*. 2012;23(10):1631–4.

Lampiran 1


KEMENTERIAN PENDIDIKAN DAN KEBUDAYAAN
UNIVERSITAS HASANUDDIN FAKULTAS KEDOKTERAN
KOMITE ETIK PENELITIAN KESEHATAN
RSPTN UNIVERSITAS HASANUDDIN
RSUP Dr. WAHIDIN SUDIROHUSODO MAKASSAR
 Sekretariat : Lantai 2 Gedung Laboratorium Terpadu
 JL.PERINTIS KEMERDEKAAN KAMPUS TAMALANREA KM.10 MAKASSAR 90245.
 Contact Person: dr. Agussalim Bukhari, MMed,PhD, SpGK TELP. 081241850858, 0411 5780103, Fax : 0411-581431



REKOMENDASI PERSETUJUAN ETIK

Nomor : 427/UN4.6.4.5.31/ PP36/ 2020

Tanggal: 13 Agustus 2020


Dengan ini Menyatakan bahwa Protokol dan Dokumen yang Berhubungan Dengan Protokol berikut ini telah mendapatkan Persetujuan Etik :

No Protokol	UH20080366		No Sponsor	
Peneliti Utama	dr. Layle Rahmiyanti		Protokol	
Judul Peneliti	Analisis Level Red Cell Distribution Width Terhadap Level Anemia, Albumin dan Status Gizi pada Pasien Penyakit Ginjal Kronis di RSUP Dr Wahidin Sudirohusodo Periode 2017-2019			
No Versi Protokol	1	Tanggal Versi	11 Agustus 2020	
No Versi PSP		Tanggal Versi		
Tempat Penelitian	RSUP Dr.Wahidin Sudirohusodo Makassar			
Jenis Review	<input checked="" type="checkbox"/> Exempted <input type="checkbox"/> Expedited <input type="checkbox"/> Fullboard Tanggal	Masa Berlaku	Frekuensi review lanjutan	
Ketua Komisi Etik Penelitian Kesehatan FKUH	Nama Prof.Dr.dr. Suryani As'ad, M.Sc.,Sp.GK (K)	13 Agustus 2020 sampai 13 Agustus 2021		
Sekretaris Komisi Etik Penelitian Kesehatan FKUH	Nama dr. Agussalim Bukhari, M.Med.,Ph.D.,Sp.GK (K)	Tanda tangan		

Kewajiban Peneliti Utama:

- Menyerahkan Amandemen Protokol untuk persetujuan sebelum di implementasikan
- Menyerahkan Laporan SAE ke Komisi Etik dalam 24 Jam dan dilengkapi dalam 7 hari dan Laporan SUSAR dalam 72 Jam setelah Peneliti Utama menerima laporan
- Menyerahkan Laporan Kemajuan (progress report) setiap 6 bulan untuk penelitian resiko tinggi dan setiap setahun untuk penelitian resiko rendah
- Menyerahkan laporan akhir setelah Penelitian berakhir
- Melaporkan penyimpangan dari prokol yang disetujui (protocol deviation / violation)
- Mematuhi semua peraturan yang ditentukan

Lampiran 2



Nomor : LB.02.01/2.2/13910/2020

09 September 2020

Hal : Izin Penelitian

Yth. Ka. Inst. SIRS

Dengan ini kami hadapkan peneliti :

Nama : dr. Layle Rahmiyanti
 NIM : C117216201
 Prog. Studi : Dokter Spesialis Gizi Klinik
 Instansi : Fak. Kedokteran Unhas
 No. HP : +62 852-4608-2455

Untuk di sirs untuk pengambilan data dari pasien chronic kidney disease/penyakit ginjal kronis dalam 3 thn terakhir yaitu 2017-2019 di Lontara 1, 2, 3, 4 dan Brain Center sbt

1. No rekam medis
2. Diagnosa pasien (primer dan sekunder)
3. Kondisi saat keluar Ra

Sesuai dengan judul penelitian "Analisis Level Red Cell Distribution Width Terhadap Level Anemia Albumin dan Status Gizi pada Pasien Penyakit Ginjal Kronik, di RSUP. Dr. Wahidin Sudirohusodo", sesuai surat dari KPS Dep. Gizi Klinik FKUH dengan Nomor 13697/UN4.6.8/PT.01.04/2020, tertanggal 25 Agustus 2020 Penelitian ini berlangsung selama tanggal 09 September s.d 09 Oktober 2020, dengan catatan selama penelitian berlangsung peneliti :

1. Wajib memakai ID Card selama melakukan penelitian
2. Wajib mematuhi peraturan dan tata tertib yang berlaku
3. Tidak mengganggu proses pelayanan terhadap pasien
4. Tidak diperkenankan membawa status pasien keluar dari Ruang Rekam Medik
5. Tidak diperbolehkan mengambil gambar pasien dan identitas pasien harus dirahasiakan
6. Mematuhi protokol pencegahan Covid 19

Demikian Surat ini dibuat untuk di gunakan sebagaimana mestinya



dr. Erwan Palguna, Sp.A, M.Kes.
 NIP 196105151987032009

✕

KETERANGAN SELESAI MENGUMPULKAN DATA PENELITIAN

Bersama ini disampaikan bahwa mahasiswa yang tersebut dibawah ini :

Nama : dr. Layle Rahmiyanti
 NIM : C117216201
 Prog. Studi : Dokter Spesialis Gizi Klinik FKUH

BENAR telah melakukan penelitian pada tanggal 09 September s.d 09 Oktober 2020 dengan tanpa mengganggu proses pelayanan.

Demikian keterangan ini dibuat untuk di gunakan sebagaimana mestinya.

Makassar,

a.n.





KEMENTERIAN KESEHATAN REPUBLIK INDONESIA
DIREKTORAT JENDERAL PELAYANAN KESEHATAN
RUMAH SAKIT UMUM PUSAT DR. WAHIDIN SUDIROHUSODO
 Jalan Perintis Kemerdekaan Km. 11 Tamalanrea, Makassar, Kode Pos 90245
 Telp. (0411) 584675 – 581818 (Menteng), Fax. (0411) 587676
 Laman : www.rsupesahidin.com Surat Elektronik : tu@rsupesahidin.com



Nomor : LB.02.01/2.2/1371/2020
 Hal : Izin Penelitian

09 September 2020

Yth.

- | | | |
|-------------------------------|-------------------------------|-----------------------------|
| 1. Ka. Inst. Lontara 1 | 7. Ka. Inst. PJT | 13. Kayan. Lontara 4 |
| 2. Ka. Inst. Lontara 2 | 8. Ka. Inst. Infection Center | 14. Koord. Hemodialisa |
| 3. Ka. Inst. Lontara 3 | 9. Ka. Inst. Rekam Medik | 15. Kayan. Brain Center |
| 4. Ka. Inst. Mother and Child | 10. Kayan. Lontara 1 | 16. Kayan. PJT |
| 5. Ka. Inst. Brain Center | 11. Kayan. Lontara 2 | 17. Kayan. Infection Center |
| 6. Ka. Inst. Rawat Jalan | 12. Kayan. Lontara 3 | |

Dengan ini kami hadapkan peneliti :

Nama : dr. Layle Rahmiyanti
 NIM : C117216201
 Prog. Studi : Dokter Spesialis Gizi Klinik
 Institusi : Fak. Kedokteran Unhas
 No. HP : +62 852-4608-2455

Yang bersangkutan akan melakukan penelitian dengan judul "Analisis Level Red Cell Distribution Width Terhadap Level Anemia Albumin dan Status Gizi pada Pasien Penyakit Ginjal Kronik, di RSUD. Dr. Wahidin Sudirohusodo", sesuai surat dari KPS Dep. Gizi Klinik FKUH dengan Nomor 13697/UN4.6.8/PT.01.04/2020, tertanggal 25 Agustus 2020. Penelitian ini berlangsung selama tanggal 09 September s.d 09 Oktober 2020, dengan catatan selama penelitian berlangsung peneliti :

1. Wajib memakai ID Card selama melakukan penelitian
2. Wajib mematuhi peraturan dan tata tertib yang berlaku
3. Tidak mengganggu proses pelayanan terhadap pasien.
4. Tidak diperkenankan membawa status pasien keluar dari Ruang Rekam Medik
5. Tidak diperbolehkan mengambil gambar pasien dan identitas pasien harus dirahasiakan
6. Mematuhi protokol pencegahan Covid 19

Demikian Surat ini dibuat untuk di pergunakan sebagaimana mestinya



Dr. Sriwati Palaguna, Sp.A. M.Kes.
 NIP.198105151987032009

✕

KETERANGAN SELESAI MENGUMPULKAN DATA PENELITIAN

Bersama ini disampaikan bahwa mahasiswa yang tersebut dibawah ini :

Nama : dr. Layle Rahmiyanti
 NIM : C117216201
 Prog. Studi : Dokter Spesialis Gizi Klinik FKUH

BENAR telah melakukan penelitian pada tanggal 09 September s.d 09 Oktober 2020 dengan tanpa mengganggu proses pelayanan.

Demikian keterangan ini dibuat untuk di pergunakan sebagaimana mestinya.

Makassar,

a.n.

