

DAFTAR PUSTAKA

- ADA (American Diabetes Assosiation), 2013. Clinical Practice Recommendations Report of the Expert Commite on the Diagnosis and Classifications of Diabetes Mellitus Diabetes Cadxre, USA: p.S4-S24.
- ADA (American Diabetes Assosiation), 2013. Clinical Practice Recommendations Report of the Expert Commite on the Diagnosis and Classifications of Diabetes Mellitus Diabetes Care, USA: p.S4-S24.
- Al-Ishaq, R. K. *et al.* (2019) 'Flavonoids and their anti-diabetic effects: Cellular mechanisms and effects to improve blood sugar levels', *Biomolecules*, 9(9). doi: 10.3390/biom9090430.
- Ang Lin Kang; Vinodhkumar Ramalingam (2018) 'Scientia Medica', *Scientia Medica Review*, 27(1), pp. 1–7.
- Buettner, R., Schölmerich, J. and Bollheimer, L. C. (2007) 'High-fat diets: Modeling the metabolic disorders of human obesity in rodents', *Obesity*, 15(4), pp. 798–808. doi: 10.1038/oby.2007.608.
- Coskun, O. *et al.* (2005) 'Quercetin, a flavonoid antioxidant, prevents and protects streptozotocin-induced oxidative stress and β -cell damage in rat pancreas', *Pharmacological Research*, 51(2), pp. 117–123. doi: 10.1016/j.phrs.2004.06.002.
- Dwisatyadini, M. (2010) 'Pemanfaatan tanaman obat untuk pencegah an dan pengo batan penyakit degeneratif', *Optimalisasi Peran Sains dan Teknologi untuk Mewujudkan Smart City*, pp. 237–270.
- Elksnis, A. *et al.* (2019) 'Heterogeneity of metabolic defects in type 2 diabetes and its relation to reactive oxygen species and alterations in beta-cell mass', *Frontiers in Physiology*, 10(FEB), pp. 1–13. doi: 10.3389/fphys.2019.00107.
- Farzaei, M. H. *et al.* (2019) *Targeting inflammation by flavonoids: Novel therapeutic strategy for metabolic disorders*, *International Journal of*

Molecular Sciences. doi: 10.3390/ijms20194957.

- Haerani, A., Chaerunisa, A. Y. and Subarnas, A. (2019) 'Antioxidant Activities of *Muntingia calabura*, *Syzygium cumini*, *Ocimum basilicum*, and *Eleutherine bulbosa* using DPPH Method', *Indonesian Journal of Pharmaceutics*, 1(2). doi: 10.24198/idjp.v1i2.21531.
- Ighodaro, O. M., Adeosun, A. M. and Akinloye, O. A. (2017) 'Alloxan-induced diabetes, a common model for evaluating the glycemic-control potential of therapeutic compounds and plants extracts in experimental studies', *Medicina (Lithuania)*, 53(6), pp. 365–374. doi: 10.1016/j.medici.2018.02.001.
- Jameson, J. L. *et al.* (2018) *Harrison's Principles of Internal Medicine*. 20th edn. Edited by J. L. Jameson. New York: McGraw-Hill Education.
- Karita, D. *et al.* (2021) 'Pengaruh Ekstrak Daun Kersen Terhadap Kadar Malondialdehid Rattus norvegicus Model Diabetes Tipe II Induksi Streptozotocin-Nicotinamide', *Muhammadiyah Journal of Geriatric*, 2(2), pp. 67–72. doi: 10.24853/mujg.2.2.67-72.
- Khiraoui, A. *et al.* (2018) 'Antioxidant Ability, Total phenolic and Flavonoid contents of Leaf extract of *Stevia rebaudiana* Bertoni Cultivated in Morocco', *International Jpurnal of Scientific % Engineering Research*, 9(5), pp. 1585–1590.
- Khoubnasabjafari, M., Ansarin, K. and Jouyban, A. (2015) 'Reliability of malondialdehyde as a biomarker of oxidative stress in psychological disorders', *BiolImpacts*, 5(3), pp. 123–127. doi: 10.15171/bi.2015.20.
- Lenzen, S. (2008) 'The mechanisms of alloxan- and streptozotocin-induced diabetes', *Diabetologia*, 51(2), pp. 216–226. doi: 10.1007/s00125-007-0886-7.
- Leyva-López, N. *et al.* (2016) 'Flavonoids as cytokine modulators: A possible therapy for inflammation-related diseases', *International Journal of Molecular Sciences*, 17(6). doi: 10.3390/ijms17060921.

- Lotfy, M. *et al.* (2016) 'Chronic Complications of Diabetes Mellitus: A Mini Review', *Current Diabetes Reviews*, 13(1), pp. 3–10. doi: 10.2174/1573399812666151016101622.
- Mahmood, N. D. *et al.* (2014) 'Muntingia calabura: A review of its traditional uses, chemical properties, and pharmacological observations', *Pharmaceutical Biology*, 52(12), pp. 1598–1623. doi: 10.3109/13880209.2014.908397.
- Mistry, K. N., Dabhi, B. K. and Joshi, B. B. (2020) 'Evaluation of oxidative stress biomarkers and inflammation in pathogenesis of diabetes and diabetic nephropathy', *Indian Journal of Biochemistry and Biophysics*, 57(1), pp. 45–50.
- Modlinska, K. and Pisula, W. (2020) 'The Norway rat, from an obnoxious pest to a laboratory pet', *eLife*. Edited by S. R. F. King *et al.*, 9, p. e50651. doi: 10.7554/eLife.50651.
- Newsholme, P. *et al.* (2014) 'Nutrient regulation of insulin secretion and action', *Journal of Endocrinology*, 221(3). doi: 10.1530/JOE-13-0616.
- Nosiri, C. I. *et al.* (2016) 'Histopathology of the Pancreatic Cells of Alloxan Induced Wistar Rats Treated with Psidium Guajava Ethanolic Leaf Extract', *IOSR Journal of Biotechnology and Biochemistry*, 2(4), pp. 28–32.
- Ojiako, O. A., Chikezie, P. C. and Ogbuji, A. C. (2016) 'Blood glucose level and lipid profile of alloxan-induced hyperglycemic rats treated with single and combinatorial herbal formulations', *Journal of Traditional and Complementary Medicine*, 6(2), pp. 184–192. doi: 10.1016/j.jtcme.2014.12.005.
- Ozougwu, O. (2013) 'The pathogenesis and pathophysiology of type 1 and type 2 diabetes mellitus', *Journal of Physiology and Pathophysiology*, 4(4), pp. 46–57. doi: 10.5897/jpap2013.0001.
- Panche, A. N., Diwan, A. D. and Chandra, S. R. (2016) 'Flavonoids: An overview', *Journal of Nutritional Science*, 5, pp. 1–15. doi:


10.1017/jns.2016.41.

- Papatheodorou, K. *et al.* (2018) 'Complications of Diabetes 2017', *Journal of Diabetes Research*, 2018. doi: 10.1155/2018/3086167.
- Peluso, I., Raguzzini, A. and Serafini, M. (2013) 'Effect of flavonoids on circulating levels of TNF- α and IL-6 in humans: A systematic review and meta-analysis', *Molecular Nutrition and Food Research*, 57(5), pp. 784–801. doi: 10.1002/mnfr.201200721.
- Puspitasari, A. D. and Wulandari, R. L. (2017) 'Antioxidant activity, determination of total phenolic and flavonoid content of *Muntingia calabura* L. Extracts', *Pharmaciana*, 7(2), p. 147. doi: 10.12928/pharmaciana.v7i2.7104.
- Radenković, M., Stojanović, M. and Prostran, M. (2016) 'Experimental diabetes induced by alloxan and streptozotocin: The current state of the art', *Journal of Pharmacological and Toxicological Methods*, 78, pp. 13–31. doi: 10.1016/j.vascn.2015.11.004.
- Rani, K., GAVEL, P. and BHARTI, S. (2019) 'MDA , Oxidative Stress Marker-Role in Diabetic Nephropathy With Special Reference to Type II Diabetes Mellitus Medical Science Keywords MDA , Oxidative Stress Marker-Role in Diabetic Nephropathy With Special Reference to Type II Diabetes Mellitus', *Indian Journal of Applied Research*, 6(5), pp. 128–130.
- Riskesdas (2018) 'Laporan Riskesdas Tahun 2018 Nasional'.
- Rudijianto, A. *et al.* (2015) 'Pengelolaan Dan Pencegahan Diabetes Melitus Tipe 2 Di Indonesia 2015', *Perkeni*, p. 93.
- Schwartz, S. S. *et al.* (2016) 'The time is right for a new classification system for diabetes: Rationale and implications of the β -cell-centric classification schema', *Diabetes Care*, 39(2), pp. 179–186. doi: 10.2337/dc15-1585.
- Siddiq, M. N. A. A. *et al.* (2019) 'Effects of Kersen leaves extract (*Muntingia calabura* L.) on SGOT and SGPT levels of soft drink induced mice', *Jurnal Gizi dan Pangan*, 14(2), pp. 69–76. doi:

10.25182/jgp.2019.14.2.69-76.

- Situmorang, N., Utara, U. S. and Utara, S. (2020) 'Malondialdehyde', *Definitions*, 2(2). doi: 10.32388/dxq704.
- Unuofin, J. O. and Lebelo, S. L. (2020) 'Antioxidant Effects and Mechanisms of Medicinal Plants and Their Bioactive Compounds for the Prevention and Treatment of Type 2 Diabetes: An Updated Review', *Oxidative Medicine and Cellular Longevity*, 2020(February). doi: 10.1155/2020/1356893.
- Volpe, C. M. O. *et al.* (2018) 'Cellular death, reactive oxygen species (ROS) and diabetic complications review-Article', *Cell Death and Disease*, 9(2). doi: 10.1038/s41419-017-0135-z.
- Yan, L. (2018) 'Redox imbalance stress in diabetes mellitus: Role of the polyol pathway', *Animal Models and Experimental Medicine*, 1(1), pp. 7–13. doi: 10.1002/ame2.12001.

LAMPIRAN 1. ALUR PENELITIAN



Total Hasil Analisis

