

Chi-Square Tests					
	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	1,650 ^a	1	,199		
Continuity Correction ^b	1,118	1	,290		
Likelihood Ratio	1,662	1	,197		
Fisher's Exact Test				,258	,145
Linear-by-Linear Association	1,630	1	,202		
N of Valid Cases	82				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 14.83.

b. Computed only for a 2x2 table

Var.Edu * Variabel Hubungan Sosial

					Crosstab		
			Variabel Hubungan Sosial		Total		
			Buruk	Baik			
Var.Edu	Rendah	Count	27	23	50		
		% within Var.Edu	54,0%	46,0%	100,0%		
		% within Variabel Hubungan Sosial	71,1%	52,3%	61,0%		
	Tinggi	Count	11	21	32		
		% within Var.Edu	34,4%	65,6%	100,0%		
		% within Variabel Hubungan Sosial	26,9%	47,7%	39,0%		
Total		Count	38	44	82		
		% within Var.Edu	46,3%	53,7%	100,0%		
		% within Variabel Hubungan Sosial	100,0%	100,0%	100,0%		

Chi-Square Tests					
	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	3,022 ^a	1	,082		
Continuity Correction ^b	2,284	1	,131		
Likelihood Ratio	3,059	1	,080		
Fisher's Exact Test				,113	,065
Linear-by-Linear Association	2,985	1	,084		
N of Valid Cases	82				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 14.83.

b. Computed only for a 2x2 table

Var.Edu * Variabel Spiritual

					Crosstab		
			Variabel Spiritual		Total		
			Buruk	Baik			
Var.Edu	Rendah	Count	19	31	50		
		% within Var.Edu	38,0%	62,0%	100,0%		
		% within Variabel Spiritual	73,1%	55,4%	61,0%		
	Tinggi	Count	7	25	32		
		% within Var.Edu	21,9%	78,1%	100,0%		
		% within Variabel Spiritual	26,9%	44,6%	39,0%		
Total		Count	26	56	82		
		% within Var.Edu	31,7%	68,3%	100,0%		
		% within Variabel Spiritual	100,0%	100,0%	100,0%		

Chi-Square Tests					
	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	2,343 ^a	1	,126		
Continuity Correction ^b	1,657	1	,198		
Likelihood Ratio	2,415	1	,120		
Fisher's Exact Test				,150	,098
Linear-by-Linear Association	2,314	1	,128		
N of Valid Cases	82				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 10,15.

b. Computed only for a 2x2 table

Var.Edu * Variabel Domain Kognitif

					Crosstab		
			Variabel Domain Kognitif		Total		
			Buruk	Baik			
Var.Edu	Rendah	Count	21	29	50		
		% within Var.Edu	42,0%	58,0%	100,0%		
		% within Variabel Domain Kognitif	53,8%	67,4%	61,0%		
	Tinggi	Count	18	14	32		
		% within Var.Edu	56,3%	43,8%	100,0%		
		% within Variabel Domain Kognitif	46,2%	32,6%	39,0%		
Total		Count	39	43	82		
		% within Var.Edu	47,6%	52,4%	100,0%		
		% within Variabel Domain Kognitif	100,0%	100,0%	100,0%		

Chi-Square Tests					
	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	1,589 ^a	1	,208		
Continuity Correction ^b	1,069	1	,301		
Likelihood Ratio	1,592	1	,207		

Fisher's Exact Test					.259	.151
Linear-by-Linear Association	1,569	1		.210		
N of Valid Cases	82					

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 15.22.
b. Computed only for a 2x2 table

Var.Edu * Domain Finansial

			Domain Finansial		Total
			Buruk	Baik	
Var.Edu	Rendah	Count	30	20	50
		% within Var.Edu	60,0%	40,0%	100,0%
		% within Domain Finansial	60,0%	62,5%	61,0%
Tinggi	Tinggi	Count	20	12	32
		% within Var.Edu	62,5%	37,5%	100,0%
		% within Domain Finansial	40,0%	37,5%	39,0%
Total	Total	Count	50	32	82
		% within Var.Edu	61,0%	39,0%	100,0%
		% within Domain Finansial	100,0%	100,0%	100,0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	,051 ^a	1	,821		
Continuity Correction ^b	,000	1	1,000		
Likelihood Ratio	,051	1	,821		
Fisher's Exact Test				1,000	,504
Linear-by-Linear Association	,051	1	,822		
N of Valid Cases	82				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 12.49.
b. Computed only for a 2x2 table

Var.Edu * Variabel Rumah Tangga

			Variabel Rumah Tangga		Total
			Buruk	Baik	
Var.Edu	Rendah	Count	31	19	50
		% within Var.Edu	62,0%	38,0%	100,0%
		% within Variabel Rumah Tangga	64,6%	55,9%	61,0%
Tinggi	Tinggi	Count	17	15	32
		% within Var.Edu	53,1%	46,9%	100,0%
		% within Variabel Rumah Tangga	35,4%	44,1%	39,0%
Total	Total	Count	48	34	82
		% within Var.Edu	58,5%	41,5%	100,0%
		% within Variabel Rumah Tangga	100,0%	100,0%	100,0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	,633 ^a	1	,426		
Continuity Correction ^b	,320	1	,571		
Likelihood Ratio	,631	1	,427		
Fisher's Exact Test				,494	,285
Linear-by-Linear Association	,625	1	,429		
N of Valid Cases	82				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 13.27.
b. Computed only for a 2x2 table

Var.Edu * Domain Harga Diri

			Domain Harga Diri		Total
			Buruk	Baik	
Var.Edu	Rendah	Count	24	26	50
		% within Var.Edu	48,0%	52,0%	100,0%
		% within Domain Harga Diri	68,6%	55,3%	61,0%
Tinggi	Tinggi	Count	11	21	32
		% within Var.Edu	34,4%	65,6%	100,0%
		% within Domain Harga Diri	31,4%	44,7%	39,0%
Total	Total	Count	35	47	82
		% within Var.Edu	42,7%	57,3%	100,0%
		% within Domain Harga Diri	100,0%	100,0%	100,0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	1,481 ^a	1	,224		
Continuity Correction ^b	,976	1	,323		
Likelihood Ratio	1,496	1	,221		
Fisher's Exact Test				,258	,162
Linear-by-Linear Association	1,463	1	,227		
N of Valid Cases	82				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 13.66.
b. Computed only for a 2x2 table

Var.Edu * Variabel Kemandirian

Crosstab

			Variabel Kemandirian		Total
			Buruk	Baik	
Var.Edu	Rendah	Count	25	25	50
		% within Var.Edu	50,0%	50,0%	100,0%
		% within Variabel Kemandirian	61,0%	61,0%	61,0%
	Tinggi	Count	16	16	32
		% within Var.Edu	50,0%	50,0%	100,0%
		% within Variabel Kemandirian	39,0%	39,0%	39,0%
Total	Count	41	41	82	
	% within Var.Edu	50,0%	50,0%	100,0%	
	% within Variabel Kemandirian	100,0%	100,0%	100,0%	

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	,000 ^a	1	1,000		
Continuity Correction ^b	,000	1	1,000		
Likelihood Ratio	,000	1	1,000		
Fisher's Exact Test				1,000	,589
Linear-by-Linear Association	,000	1	1,000		
N of Valid Cases	82				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 16.00.

b. Computed only for a 2x2 table

Var.Edu * Variabel Identitas Diri

Crosstab

			Variabel Identitas Diri		Total
			Buruk	Baik	
Var.Edu	Rendah	Count	20	30	50
		% within Var.Edu	40,0%	60,0%	100,0%
		% within Variabel Identitas Diri	57,1%	63,8%	61,0%
	Tinggi	Count	15	17	32
		% within Var.Edu	46,9%	53,1%	100,0%
		% within Variabel Identitas Diri	42,9%	36,2%	39,0%
Total	Count	35	47	82	
	% within Var.Edu	42,7%	57,3%	100,0%	
	% within Variabel Identitas Diri	100,0%	100,0%	100,0%	

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	,377 ^a	1	,539		
Continuity Correction ^b	,148	1	,700		
Likelihood Ratio	,376	1	,540		
Fisher's Exact Test				,648	,349
Linear-by-Linear Association	,372	1	,542		
N of Valid Cases	82				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 13.66.

b. Computed only for a 2x2 table

Var.Edu * Variabel Pekerjaan

Crosstab

			Variabel Pekerjaan		Total
			Buruk	Baik	
Var.Edu	Rendah	Count	36	14	50
		% within Var.Edu	72,0%	28,0%	100,0%
		% within Variabel Pekerjaan	87,8%	34,1%	61,0%
	Tinggi	Count	5	27	32
		% within Var.Edu	15,6%	84,4%	100,0%
		% within Variabel Pekerjaan	12,2%	65,9%	39,0%
Total	Count	41	41	82	
	% within Var.Edu	50,0%	50,0%	100,0%	
	% within Variabel Pekerjaan	100,0%	100,0%	100,0%	

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	24,805 ^a	1	,000		
Continuity Correction ^b	22,601	1	,000		
Likelihood Ratio	26,643	1	,000		
Fisher's Exact Test				,000	,000
Linear-by-Linear Association	24,503	1	,000		
N of Valid Cases	82				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 16.00.

b. Computed only for a 2x2 table

Var.Edu * Variabel Pendidikan

Crosstab

			Variabel Pendidikan		Total
			Buruk	Baik	
Var.Edu	Rendah	Count	41	9	50
		% within Var.Edu	82,0%	18,0%	100,0%
		% within Variabel Pendidikan	61,2%	60,0%	61,0%
	Tinggi	Count	26	6	32
		% within Var.Edu	81,3%	18,8%	100,0%
		% within Variabel Pendidikan	80,6%	50,0%	61,0%

	% within Var.Edu	81,3%	18,8%	100,0%
	% within Variabel Pendidikan	38,8%	40,0%	39,0%
Total	Count	67	15	82
	% within Var.Edu	81,7%	18,3%	100,0%
	% within Variabel Pendidikan	100,0%	100,0%	100,0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	,007 ^a	1	,932		
Continuity Correction ^b	,000	1	1,000		
Likelihood Ratio	,007	1	,932		
Fisher's Exact Test				1,000	,576
Linear-by-Linear Association	,007	1	,932		
N of Valid Cases	82				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 5.85.

b. Computed only for a 2x2 table

Var.Edu * Variabel Kualitas Hidup

Crosstab

			Variabel Kualitas Hidup		Total
			Kualitas Hidup Buruk	Kualitas Hidup Baik	
Var.Edu	Rendah	Count	33	17	50
		% within Var.Edu	66,0%	34,0%	100,0%
		% within Variabel Kualitas Hidup	76,7%	43,6%	61,0%
	Tinggi	Count	10	22	32
		% within Var.Edu	31,3%	68,8%	100,0%
		% within Variabel Kualitas Hidup	23,3%	56,4%	39,0%
Total	Count	43	39	82	
	% within Var.Edu	52,4%	47,6%	100,0%	
	% within Variabel Kualitas Hidup	100,0%	100,0%	100,0%	

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	9,447 ^a	1	,002		
Continuity Correction ^b	8,105	1	,004		
Likelihood Ratio	9,628	1	,002		
Fisher's Exact Test				,003	,002
Linear-by-Linear Association	9,332	1	,002		
N of Valid Cases	82				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 15.22.

b. Computed only for a 2x2 table

Var.Job * Variabel Kesehatan Fisik

Crosstab

			Variabel Kesehatan Fisik		Total
			Buruk	Baik	
Var.Job	Tidak bekerja	Count	21	31	52
		% within Var.Job	40,4%	59,6%	100,0%
		% within Variabel Kesehatan Fisik	65,6%	60,8%	62,7%
	Bekerja	Count	11	20	31
		% within Var.Job	35,5%	64,5%	100,0%
		% within Variabel Kesehatan Fisik	34,4%	39,2%	37,3%
Total	Count	32	51	83	
	% within Var.Job	38,6%	61,4%	100,0%	
	% within Variabel Kesehatan Fisik	100,0%	100,0%	100,0%	

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	,197 ^a	1	,657		
Continuity Correction ^b	,044	1	,833		
Likelihood Ratio	,198	1	,656		
Fisher's Exact Test				,816	,418
Linear-by-Linear Association	,195	1	,659		
N of Valid Cases	83				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 11.95.

b. Computed only for a 2x2 table

Var.Job * Variabel Waktu tidur

Crosstab

			Variabel Waktu tidur		Total
			Buruk	Baik	
Var.Job	Tidak bekerja	Count	27	25	52
		% within Var.Job	51,9%	48,1%	100,0%
		% within Variabel Waktu tidur	60,0%	65,8%	62,7%
	Bekerja	Count	18	13	31
		% within Var.Job	58,1%	41,9%	100,0%
		% within Variabel Waktu tidur	40,0%	34,2%	37,3%
Total	Count	45	38	83	
	% within Var.Job	54,2%	45,8%	100,0%	
	% within Variabel Waktu tidur	100,0%	100,0%	100,0%	

Chi-Square Tests					
	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	,295 ^a	1	,587		
Continuity Correction ^b	,100	1	,752		
Likelihood Ratio	,296	1	,586		
Fisher's Exact Test				,653	,377
Linear-by-Linear Association	,292	1	,589		
N of Valid Cases	83				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 14.19.
b. Computed only for a 2x2 table

Var.Job * Domain Suasana Hati

			Domain Suasana Hati		
			Buruk	Baik	Total
Var.Job	Tidak bekerja	Count	15	37	52
		% within Var.Job	28,8%	71,2%	100,0%
		% within Domain Suasana Hati	55,6%	66,1%	62,7%
	Bekerja	Count	12	19	31
		% within Var.Job	38,7%	61,3%	100,0%
		% within Domain Suasana Hati	44,4%	33,9%	37,3%
Total		Count	27	56	83
		% within Var.Job	32,5%	67,5%	100,0%
		% within Domain Suasana Hati	100,0%	100,0%	100,0%

Chi-Square Tests					
	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	,861 ^a	1	,353		
Continuity Correction ^b	,470	1	,493		
Likelihood Ratio	,852	1	,356		
Fisher's Exact Test				,468	,245
Linear-by-Linear Association	,851	1	,356		
N of Valid Cases	83				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 10.08.
b. Computed only for a 2x2 table

Var.Job * Variabel Waktu Luang

			Variabel Waktu Luang		
			Buruk	Baik	Total
Var.Job	Tidak bekerja	Count	26	26	52
		% within Var.Job	50,0%	50,0%	100,0%
		% within Variabel Waktu Luang	68,4%	57,8%	62,7%
	Bekerja	Count	12	19	31
		% within Var.Job	38,7%	61,3%	100,0%
		% within Variabel Waktu Luang	31,6%	42,2%	37,3%
Total		Count	38	45	83
		% within Var.Job	45,8%	54,2%	100,0%
		% within Variabel Waktu Luang	100,0%	100,0%	100,0%

Chi-Square Tests					
	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	,997 ^a	1	,318		
Continuity Correction ^b	,594	1	,441		
Likelihood Ratio	1,003	1	,317		
Fisher's Exact Test				,367	,221
Linear-by-Linear Association	,985	1	,321		
N of Valid Cases	83				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 14.19.
b. Computed only for a 2x2 table

Var.Job * Variabel Hubungan Sosial

			Variabel Hubungan Sosial		
			Buruk	Baik	Total
Var.Job	Tidak bekerja	Count	26	26	52
		% within Var.Job	50,0%	50,0%	100,0%
		% within Variabel Hubungan Sosial	66,7%	59,1%	62,7%
	Bekerja	Count	13	18	31
		% within Var.Job	41,9%	58,1%	100,0%
		% within Variabel Hubungan Sosial	33,3%	40,9%	37,3%
Total		Count	39	44	83
		% within Var.Job	47,0%	53,0%	100,0%
		% within Variabel Hubungan Sosial	100,0%	100,0%	100,0%

Chi-Square Tests					
	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	,507 ^a	1	,476		
Continuity Correction ^b	,235	1	,628		
Likelihood Ratio	,509	1	,476		

Fisher's Exact Test					.504	.314
Linear-by-Linear Association	.501	1	.479			
N of Valid Cases	83					

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 14.57.
b. Computed only for a 2x2 table

Var.Job * Variabel Spiritual

Crosstab

			Variabel Spiritual		Total
			Buruk	Baik	
Var.Job	Tidak bekerja	Count	15	37	52
		% within Var.Job	28,8%	71,2%	100,0%
		% within Variabel Spiritual	57,7%	64,9%	62,7%
	Bekerja	Count	11	20	31
		% within Var.Job	35,5%	64,5%	100,0%
		% within Variabel Spiritual	42,3%	35,1%	37,3%
Total		Count	26	57	83
		% within Var.Job	31,3%	68,7%	100,0%
		% within Variabel Spiritual	100,0%	100,0%	100,0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.398 ^a	1	.528		
Continuity Correction ^b	.149	1	.699		
Likelihood Ratio	.395	1	.530		
Fisher's Exact Test				.626	.347
Linear-by-Linear Association	.393	1	.531		
N of Valid Cases	83				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 9.71.
b. Computed only for a 2x2 table

Var.Job * Variabel Domain Kognitif

Crosstab

			Variabel Domain Kognitif		Total
			Buruk	Baik	
Var.Job	Tidak bekerja	Count	24	28	52
		% within Var.Job	46,2%	53,8%	100,0%
		% within Variabel Domain Kognitif	60,0%	65,1%	62,7%
	Bekerja	Count	16	15	31
		% within Var.Job	51,6%	48,4%	100,0%
		% within Variabel Domain Kognitif	40,0%	34,9%	37,3%
Total		Count	40	43	83
		% within Var.Job	48,2%	51,8%	100,0%
		% within Variabel Domain Kognitif	100,0%	100,0%	100,0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.232 ^a	1	.630		
Continuity Correction ^b	.065	1	.799		
Likelihood Ratio	.232	1	.630		
Fisher's Exact Test				.656	.399
Linear-by-Linear Association	.229	1	.632		
N of Valid Cases	83				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 14.94.
b. Computed only for a 2x2 table

Var.Job * Domain Finansial

Crosstab

			Domain Finansial		Total
			Buruk	Baik	
Var.Job	Tidak bekerja	Count	31	21	52
		% within Var.Job	59,6%	40,4%	100,0%
		% within Domain Finansial	62,0%	63,6%	62,7%
	Bekerja	Count	19	12	31
		% within Var.Job	61,3%	38,7%	100,0%
		% within Domain Finansial	38,0%	36,4%	37,3%
Total		Count	50	33	83
		% within Var.Job	60,2%	39,8%	100,0%
		% within Domain Finansial	100,0%	100,0%	100,0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.023 ^a	1	.880		
Continuity Correction ^b	.000	1	1,000		
Likelihood Ratio	.023	1	.880		
Fisher's Exact Test				1,000	.534
Linear-by-Linear Association	.022	1	.881		
N of Valid Cases	83				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 12.33.
b. Computed only for a 2x2 table

Var.Job * Variabel Rumah Tangga

Crosstab

			Variabel Rumah Tangga		Total
			Buruk	Baik	
Var.Job	Tidak bekerja	Count	32	20	52
		% within Var.Job	61,5%	38,5%	100,0%
		% within Variabel Rumah Tangga	66,7%	57,1%	62,7%
	Bekerja	Count	16	15	31
		% within Var.Job	51,6%	48,4%	100,0%
		% within Variabel Rumah Tangga	33,3%	42,9%	37,3%
Total		Count	48	35	83
		% within Var.Job	57,8%	42,2%	100,0%
		% within Variabel Rumah Tangga	100,0%	100,0%	100,0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	,785 ^a	1	,376		
Continuity Correction ^b	,430	1	,512		
Likelihood Ratio	,782	1	,377		
Fisher's Exact Test				,491	,256
Linear-by-Linear Association	,775	1	,379		
N of Valid Cases	83				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 13.07.
b. Computed only for a 2x2 table

Var.Job * Domain Harga Diri

Crosstab

			Domain Harga Diri		Total
			Buruk	Baik	
Var.Job	Tidak bekerja	Count	26	26	52
		% within Var.Job	50,0%	50,0%	100,0%
		% within Domain Harga Diri	74,3%	54,2%	62,7%
	Bekerja	Count	9	22	31
		% within Var.Job	29,0%	71,0%	100,0%
		% within Domain Harga Diri	25,7%	45,8%	37,3%
Total		Count	35	48	83
		% within Var.Job	42,2%	57,8%	100,0%
		% within Domain Harga Diri	100,0%	100,0%	100,0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	3,501 ^a	1	,061		
Continuity Correction ^b	2,694	1	,101		
Likelihood Ratio	3,579	1	,059		
Fisher's Exact Test				,070	,049
Linear-by-Linear Association	3,459	1	,063		
N of Valid Cases	83				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 13.07.
b. Computed only for a 2x2 table

Var.Job * Variabel Kemandirian

Crosstab

			Variabel Kemandirian		Total
			Buruk	Baik	
Var.Job	Tidak bekerja	Count	24	28	52
		% within Var.Job	46,2%	53,8%	100,0%
		% within Variabel Kemandirian	58,5%	66,7%	62,7%
	Bekerja	Count	17	14	31
		% within Var.Job	54,8%	45,2%	100,0%
		% within Variabel Kemandirian	41,5%	33,3%	37,3%
Total		Count	41	42	83
		% within Var.Job	49,4%	50,6%	100,0%
		% within Variabel Kemandirian	100,0%	100,0%	100,0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	,586 ^a	1	,444		
Continuity Correction ^b	,290	1	,590		
Likelihood Ratio	,587	1	,444		
Fisher's Exact Test				,501	,295
Linear-by-Linear Association	,579	1	,447		
N of Valid Cases	83				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 15.31.
b. Computed only for a 2x2 table

Var.Job * Variabel Identitas Diri

Crosstab

			Variabel Identitas Diri		Total
			Buruk	Baik	
Var.Job	Tidak bekerja	Count	23	29	52
		% within Var.Job	44,2%	55,8%	100,0%

		% within Variabel Identitas Diri	63,9%	61,7%	62,7%
Bekerja	Count		13	18	31
	% within Var.Job		41,9%	58,1%	100,0%
	% within Variabel Identitas Diri		36,1%	38,3%	37,3%
Total	Count		36	47	83
	% within Var.Job		43,4%	56,6%	100,0%
	% within Variabel Identitas Diri		100,0%	100,0%	100,0%

Chi-Square Tests					
	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	,042 ^a	1	,838		
Continuity Correction ^b	,000	1	1,000		
Likelihood Ratio	,042	1	,838		
Fisher's Exact Test				1,000	,511
Linear-by-Linear Association	,041	1	,839		
N of Valid Cases	83				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 13.45.

b. Computed only for a 2x2 table

Var.Job * Variabel Pekerjaan

		Crosstab			
		Variabel Pekerjaan		Total	
		Buruk	Baik		
Var.Job	Tidak bekerja	Count	35	17	52
		% within Var.Job	67,3%	32,7%	100,0%
		% within Variabel Pekerjaan	85,4%	40,5%	62,7%
Bekerja	Count	6	25	31	
	% within Var.Job	19,4%	80,6%	100,0%	
	% within Variabel Pekerjaan	14,6%	59,5%	37,3%	
Total	Count	41	42	83	
	% within Var.Job	49,4%	50,6%	100,0%	
	% within Variabel Pekerjaan	100,0%	100,0%	100,0%	

Chi-Square Tests					
	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	17,866 ^a	1	,000		
Continuity Correction ^b	16,000	1	,000		
Likelihood Ratio	18,862	1	,000		
Fisher's Exact Test				,000	,000
Linear-by-Linear Association	17,651	1	,000		
N of Valid Cases	83				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 15.31.

b. Computed only for a 2x2 table

Var.Job * Variabel Pendidikan

		Crosstab			
		Variabel Pendidikan		Total	
		Buruk	Baik		
Var.Job	Tidak bekerja	Count	41	11	52
		% within Var.Job	78,8%	21,2%	100,0%
		% within Variabel Pendidikan	60,3%	73,3%	62,7%
Bekerja	Count	27	4	31	
	% within Var.Job	87,1%	12,9%	100,0%	
	% within Variabel Pendidikan	39,7%	26,7%	37,3%	
Total	Count	68	15	83	
	% within Var.Job	81,9%	18,1%	100,0%	
	% within Variabel Pendidikan	100,0%	100,0%	100,0%	

Chi-Square Tests					
	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	,893 ^a	1	,345		
Continuity Correction ^b	,423	1	,516		
Likelihood Ratio	,929	1	,335		
Fisher's Exact Test				,394	,262
Linear-by-Linear Association	,882	1	,348		
N of Valid Cases	83				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 5.60.

b. Computed only for a 2x2 table

Var.Job * Variabel Kualitas Hidup

		Crosstab			
		Variabel Kualitas Hidup		Total	
		Kualitas Hidup Buruk	Kualitas Hidup Baik		
Var.Job	Tidak bekerja	Count	31	21	52
		% within Var.Job	59,6%	40,4%	100,0%
		% within Variabel Kualitas Hidup	72,1%	52,5%	62,7%
Bekerja	Count	12	19	31	
	% within Var.Job	38,7%	61,3%	100,0%	
	% within Variabel Kualitas Hidup	27,9%	47,5%	37,3%	
Total	Count	43	40	83	
	% within Var.Job	51,8%	48,2%	100,0%	
	% within Variabel Kualitas Hidup	100,0%	100,0%	100,0%	

Chi-Square Tests					
	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	3,400 ^a	1	,065		
Continuity Correction ^b	2,614	1	,106		
Likelihood Ratio	3,421	1	,064		
Fisher's Exact Test				,074	,053
Linear-by-Linear Association	3,359	1	,067		
N of Valid Cases	83				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 14.94.

b. Computed only for a 2x2 table

Var.Marriage * Variabel Kesehatan Fisik

			Crosstab		
			Variabel Kesehatan Fisik		Total
			Buruk	Baik	
Var.Marriage	Belum Menikah	Count	15	24	39
		% within Var.Marriage	38,5%	61,5%	100,0%
		% within Variabel Kesehatan Fisik	46,9%	47,1%	47,0%
	Menikah	Count	12	24	36
		% within Var.Marriage	33,3%	66,7%	100,0%
		% within Variabel Kesehatan Fisik	37,5%	47,1%	43,4%
	Berceraai	Count	5	3	8
		% within Var.Marriage	62,5%	37,5%	100,0%
		% within Variabel Kesehatan Fisik	15,6%	5,9%	9,6%
Total	Count	32	51	83	
	% within Var.Marriage	38,6%	61,4%	100,0%	
	% within Variabel Kesehatan Fisik	100,0%	100,0%	100,0%	

Chi-Square Tests				
	Value	df	Asymp. Sig. (2-sided)	
Pearson Chi-Square	2,351 ^a	2	,309	
Likelihood Ratio	2,290	2	,318	
Linear-by-Linear Association	,449	1	,503	
N of Valid Cases	83			

a. 2 cells (33.3%) have expected count less than 5. The minimum expected count is 3.08.

Var.Marriage * Variabel Waktu tidur

			Crosstab		
			Variabel Waktu tidur		Total
			Buruk	Baik	
Var.Marriage	Belum Menikah	Count	20	19	39
		% within Var.Marriage	51,3%	48,7%	100,0%
		% within Variabel Waktu tidur	44,4%	50,0%	47,0%
	Menikah	Count	20	16	36
		% within Var.Marriage	55,6%	44,4%	100,0%
		% within Variabel Waktu tidur	44,4%	42,1%	43,4%
	Berceraai	Count	5	3	8
		% within Var.Marriage	62,5%	37,5%	100,0%
		% within Variabel Waktu tidur	11,1%	7,9%	9,6%
Total	Count	45	38	83	
	% within Var.Marriage	54,2%	45,8%	100,0%	
	% within Variabel Waktu tidur	100,0%	100,0%	100,0%	

Chi-Square Tests				
	Value	df	Asymp. Sig. (2-sided)	
Pearson Chi-Square	,382 ^a	2	,826	
Likelihood Ratio	,385	2	,825	
Linear-by-Linear Association	,367	1	,545	
N of Valid Cases	83			

a. 2 cells (33.3%) have expected count less than 5. The minimum expected count is 3.66.

Var.Marriage * Domain Suasana Hati

			Crosstab		
			Domain Suasana Hati		Total
			Buruk	Baik	
Var.Marriage	Belum Menikah	Count	13	26	39
		% within Var.Marriage	33,3%	66,7%	100,0%
		% within Domain Suasana Hati	48,1%	46,4%	47,0%
	Menikah	Count	11	25	36
		% within Var.Marriage	30,6%	69,4%	100,0%
		% within Domain Suasana Hati	40,7%	44,6%	43,4%
	Berceraai	Count	3	5	8
		% within Var.Marriage	37,5%	62,5%	100,0%
		% within Domain Suasana Hati	11,1%	8,9%	9,6%
Total	Count	27	56	83	
	% within Var.Marriage	32,5%	67,5%	100,0%	
	% within Domain Suasana Hati	100,0%	100,0%	100,0%	

Chi-Square Tests				
	Value	df	Asymp. Sig. (2-sided)	

Pearson Chi-Square	,165 ^a	2	,921
Likelihood Ratio	,164	2	,921
Linear-by-Linear Association	,001	1	,976
N of Valid Cases	83		

a. 1 cells (16.7%) have expected count less than 5. The minimum expected count is 2.60.

Var.Marriage * Variabel Waktu Luang

			Variabel Waktu Luang		Total
			Buruk	Baik	
Var.Marriage	Belum Menikah	Count	20	19	39
		% within Var.Marriage	51,3%	48,7%	100,0%
		% within Variabel Waktu Luang	52,6%	42,2%	47,0%
	Menikah	Count	14	22	36
		% within Var.Marriage	38,9%	61,1%	100,0%
		% within Variabel Waktu Luang	36,8%	48,9%	43,4%
	Bercerai	Count	4	4	8
		% within Var.Marriage	50,0%	50,0%	100,0%
		% within Variabel Waktu Luang	10,5%	8,9%	9,6%
Total	Count	38	45	83	
	% within Var.Marriage	45,8%	54,2%	100,0%	
	% within Variabel Waktu Luang	100,0%	100,0%	100,0%	

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	1,222 ^a	2	,543
Likelihood Ratio	1,227	2	,541
Linear-by-Linear Association	,367	1	,545
N of Valid Cases	83		

a. 2 cells (33.3%) have expected count less than 5. The minimum expected count is 3.66.

Var.Marriage * Variabel Hubungan Sosial

			Variabel Hubungan Sosial		Total
			Buruk	Baik	
Var.Marriage	Belum Menikah	Count	21	18	39
		% within Var.Marriage	53,8%	46,2%	100,0%
		% within Variabel Hubungan Sosial	53,8%	40,9%	47,0%
	Menikah	Count	15	21	36
		% within Var.Marriage	41,7%	58,3%	100,0%
		% within Variabel Hubungan Sosial	38,5%	47,7%	43,4%
	Bercerai	Count	3	5	8
		% within Var.Marriage	37,5%	62,5%	100,0%
		% within Variabel Hubungan Sosial	7,7%	11,4%	9,6%
Total	Count	39	44	83	
	% within Var.Marriage	47,0%	53,0%	100,0%	
	% within Variabel Hubungan Sosial	100,0%	100,0%	100,0%	

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	1,435 ^a	2	,488
Likelihood Ratio	1,440	2	,487
Linear-by-Linear Association	1,320	1	,251
N of Valid Cases	83		

a. 2 cells (33.3%) have expected count less than 5. The minimum expected count is 3.76.

Var.Marriage * Variabel Spiritual

			Variabel Spiritual		Total
			Buruk	Baik	
Var.Marriage	Belum Menikah	Count	13	26	39
		% within Var.Marriage	33,3%	66,7%	100,0%
		% within Variabel Spiritual	50,0%	45,6%	47,0%
	Menikah	Count	11	25	36
		% within Var.Marriage	30,6%	69,4%	100,0%
		% within Variabel Spiritual	42,3%	43,9%	43,4%
	Bercerai	Count	2	6	8
		% within Var.Marriage	25,0%	75,0%	100,0%
		% within Variabel Spiritual	7,7%	10,5%	9,6%
Total	Count	26	57	83	
	% within Var.Marriage	31,3%	68,7%	100,0%	
	% within Variabel Spiritual	100,0%	100,0%	100,0%	

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	,232 ^a	2	,891
Likelihood Ratio	,237	2	,888
Linear-by-Linear Association	,215	1	,643
N of Valid Cases	83		

a. 1 cells (16.7%) have expected count less than 5. The minimum expected count is 2.51.

Var.Marriage * Variabel Domain Kognitif

			Variabel Domain Kognitif		Total
			Buruk	Baik	
Var.Marriage	Belum Menikah	Count	15	24	39
		% within Var.Marriage	38,5%	61,5%	100,0%
		% within Variabel Domain Kognitif	37,5%	55,8%	47,0%
	Menikah	Count	19	17	36
		% within Var.Marriage	52,8%	47,2%	100,0%
		% within Variabel Domain Kognitif	47,5%	39,5%	43,4%
	Bercerai	Count	6	2	8
		% within Var.Marriage	75,0%	25,0%	100,0%
		% within Variabel Domain Kognitif	15,0%	4,7%	9,6%
Total	Count	40	43	83	
	% within Var.Marriage	48,2%	51,8%	100,0%	
	% within Variabel Domain Kognitif	100,0%	100,0%	100,0%	

Chi-Square Tests			
	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	4,085 ^a	2	,130
Likelihood Ratio	4,191	2	,123
Linear-by-Linear Association	3,941	1	,047
N of Valid Cases	83		

a. 2 cells (33.3%) have expected count less than 5. The minimum expected count is 3.86.

Var.Marriage * Domain Finansial

			Domain Finansial		Total
			Buruk	Baik	
Var.Marriage	Belum Menikah	Count	22	17	39
		% within Var.Marriage	56,4%	43,6%	100,0%
		% within Domain Finansial	44,0%	51,5%	47,0%
	Menikah	Count	24	12	36
		% within Var.Marriage	66,7%	33,3%	100,0%
		% within Domain Finansial	48,0%	36,4%	43,4%
	Bercerai	Count	4	4	8
		% within Var.Marriage	50,0%	50,0%	100,0%
		% within Domain Finansial	8,0%	12,1%	9,6%
Total	Count	50	33	83	
	% within Var.Marriage	60,2%	39,8%	100,0%	
	% within Domain Finansial	100,0%	100,0%	100,0%	

Chi-Square Tests			
	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	1,210 ^a	2	,546
Likelihood Ratio	1,214	2	,545
Linear-by-Linear Association	,053	1	,818
N of Valid Cases	83		

a. 2 cells (33.3%) have expected count less than 5. The minimum expected count is 3.18.

Var.Marriage * Variabel Rumah Tangga

			Variabel Rumah Tangga		Total
			Buruk	Baik	
Var.Marriage	Belum Menikah	Count	26	13	39
		% within Var.Marriage	66,7%	33,3%	100,0%
		% within Variabel Rumah Tangga	54,2%	37,1%	47,0%
	Menikah	Count	17	19	36
		% within Var.Marriage	47,2%	52,8%	100,0%
		% within Variabel Rumah Tangga	35,4%	54,3%	43,4%
	Bercerai	Count	5	3	8
		% within Var.Marriage	62,5%	37,5%	100,0%
		% within Variabel Rumah Tangga	10,4%	8,6%	9,6%
Total	Count	48	35	83	
	% within Var.Marriage	57,8%	42,2%	100,0%	
	% within Variabel Rumah Tangga	100,0%	100,0%	100,0%	

Chi-Square Tests			
	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	2,981 ^a	2	,225
Likelihood Ratio	2,989	2	,224
Linear-by-Linear Association	1,080	1	,299
N of Valid Cases	83		

a. 2 cells (33.3%) have expected count less than 5. The minimum expected count is 3.37.

Var.Marriage * Domain Harga Diri

			Domain Harga Diri		Total
			Buruk	Baik	
Var.Marriage	Belum Menikah	Count	18	21	39
		% within Var.Marriage	46,2%	53,8%	100,0%
		% within Domain Harga Diri	51,4%	43,8%	47,0%

Menikah	Count	14	22	36
	% within Var.Marriage	38,9%	61,1%	100,0%
	% within Domain Harga Diri	40,0%	45,8%	43,4%
Bercerai	Count	3	5	8
	% within Var.Marriage	37,5%	62,5%	100,0%
	% within Domain Harga Diri	8,6%	10,4%	9,6%
Total	Count	35	48	83
	% within Var.Marriage	42,2%	57,8%	100,0%
	% within Domain Harga Diri	100,0%	100,0%	100,0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	,484 ^a	2	,785
Likelihood Ratio	,484	2	,785
Linear-by-Linear Association	,425	1	,514
N of Valid Cases	83		

a. 2 cells (33.3%) have expected count less than 5. The minimum expected count is 3.37.

Var.Marriage * Variabel Kemandiaan

Crosstab

			Variabel Kemandiaan		Total
			Buruk	Baik	
Var.Marriage	Belum Menikah	Count	15	24	39
		% within Var.Marriage	38,5%	61,5%	100,0%
		% within Variabel Kemandiaan	36,6%	57,1%	47,0%
	Menikah	Count	20	16	36
		% within Var.Marriage	55,6%	44,4%	100,0%
		% within Variabel Kemandiaan	48,8%	38,1%	43,4%
Bercerai	Count	6	2	8	
	% within Var.Marriage	75,0%	25,0%	100,0%	
	% within Variabel Kemandiaan	14,6%	4,8%	9,6%	
Total	Count	41	42	83	
	% within Var.Marriage	49,4%	50,6%	100,0%	
	% within Variabel Kemandiaan	100,0%	100,0%	100,0%	

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	4,510 ^a	2	,105
Likelihood Ratio	4,622	2	,099
Linear-by-Linear Association	4,447	1	,035
N of Valid Cases	83		

a. 2 cells (33.3%) have expected count less than 5. The minimum expected count is 3.95.

Var.Marriage * Variabel Identitas Diri

Crosstab

			Variabel Identitas Diri		Total
			Buruk	Baik	
Var.Marriage	Belum Menikah	Count	16	23	39
		% within Var.Marriage	41,0%	59,0%	100,0%
		% within Variabel Identitas Diri	44,4%	48,9%	47,0%
	Menikah	Count	17	19	36
		% within Var.Marriage	47,2%	52,8%	100,0%
		% within Variabel Identitas Diri	47,2%	40,4%	43,4%
Bercerai	Count	3	5	8	
	% within Var.Marriage	37,5%	62,5%	100,0%	
	% within Variabel Identitas Diri	8,3%	10,6%	9,6%	
Total	Count	36	47	83	
	% within Var.Marriage	43,4%	56,6%	100,0%	
	% within Variabel Identitas Diri	100,0%	100,0%	100,0%	

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	,417 ^a	2	,812
Likelihood Ratio	,418	2	,812
Linear-by-Linear Association	,023	1	,881
N of Valid Cases	83		

a. 2 cells (33.3%) have expected count less than 5. The minimum expected count is 3.47.

Var.Marriage * Variabel Pekerjaan

Crosstab

			Variabel Pekerjaan		Total
			Buruk	Baik	
Var.Marriage	Belum Menikah	Count	25	14	39
		% within Var.Marriage	64,1%	35,9%	100,0%
		% within Variabel Pekerjaan	61,0%	33,3%	47,0%
	Menikah	Count	14	22	36
		% within Var.Marriage	38,9%	61,1%	100,0%
		% within Variabel Pekerjaan	34,1%	52,4%	43,4%
Bercerai	Count	2	6	8	
	% within Var.Marriage	25,0%	75,0%	100,0%	
	% within Variabel Pekerjaan	4,9%	14,3%	9,6%	

Total	Count	41	42	83
	% within Var.Marriage	49,4%	50,6%	100,0%
	% within Variabel Pekerjaan	100,0%	100,0%	100,0%

Chi-Square Tests			
	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	6,869 ^a	2	,032
Likelihood Ratio	7,019	2	,030
Linear-by-Linear Association	6,593	1	,010
N of Valid Cases	83		

a. 2 cells (33.3%) have expected count less than 5. The minimum expected count is 3.95.

Var.Marriage * Variabel Pendidikan

			Variabel Pendidikan		Total
			Buruk	Baik	
Var.Marriage	Belum Menikah	Count	28	11	39
		% within Var.Marriage	71,8%	28,2%	100,0%
		% within Variabel Pendidikan	41,2%	73,3%	47,0%
	Menikah	Count	33	3	36
		% within Var.Marriage	91,7%	8,3%	100,0%
		% within Variabel Pendidikan	48,5%	20,0%	43,4%
	Bercerai	Count	7	1	8
		% within Var.Marriage	87,5%	12,5%	100,0%
		% within Variabel Pendidikan	10,3%	6,7%	9,6%
Total		Count	68	15	83
		% within Var.Marriage	81,9%	18,1%	100,0%
		% within Variabel Pendidikan	100,0%	100,0%	100,0%

Chi-Square Tests			
	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	5,178 ^a	2	,075
Likelihood Ratio	5,352	2	,069
Linear-by-Linear Association	3,643	1	,056
N of Valid Cases	83		

a. 1 cells (16.7%) have expected count less than 5. The minimum expected count is 1.45.

Var.Marriage * Variabel Kualitas Hidup

			Variabel Kualitas Hidup		Total
			Kualitas Hidup Buruk	Kualitas Hidup Baik	
Var.Marriage	Belum Menikah	Count	17	22	39
		% within Var.Marriage	43,6%	56,4%	100,0%
		% within Variabel Kualitas Hidup	39,5%	55,0%	47,0%
	Menikah	Count	20	16	36
		% within Var.Marriage	55,6%	44,4%	100,0%
		% within Variabel Kualitas Hidup	46,5%	40,0%	43,4%
	Bercerai	Count	6	2	8
		% within Var.Marriage	75,0%	25,0%	100,0%
		% within Variabel Kualitas Hidup	14,0%	5,0%	9,6%
Total		Count	43	40	83
		% within Var.Marriage	51,8%	48,2%	100,0%
		% within Variabel Kualitas Hidup	100,0%	100,0%	100,0%

Chi-Square Tests			
	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	2,981 ^a	2	,225
Likelihood Ratio	3,073	2	,215
Linear-by-Linear Association	2,860	1	,091
N of Valid Cases	83		

a. 2 cells (33.3%) have expected count less than 5. The minimum expected count is 3.86.

Var. Gen Revisi * Variabel Kesehatan Fisik

			Variabel Kesehatan Fisik		Total
			Buruk	Baik	
Var. Gen Revisi	Tidak ada	Count	20	27	47
		% within Var. Gen Revisi	42,6%	57,4%	100,0%
		% within Variabel Kesehatan Fisik	62,5%	52,9%	56,6%
	Ada	Count	12	24	36
		% within Var. Gen Revisi	33,3%	66,7%	100,0%
		% within Variabel Kesehatan Fisik	37,5%	47,1%	43,4%
Total		Count	32	51	83
		% within Var. Gen Revisi	38,6%	61,4%	100,0%
		% within Variabel Kesehatan Fisik	100,0%	100,0%	100,0%

Chi-Square Tests					
	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	,731 ^a	1	,392		

Continuity Correction ^b	,394	1	,530		
Likelihood Ratio	,736	1	,391		
Fisher's Exact Test				,496	,266
Linear-by-Linear Association	,723	1	,395		
N of Valid Cases	83				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 13.88.

b. Computed only for a 2x2 table

Var. Gen Revisi * Variabel Waktu tidur

			Variabel Waktu tidur		
			Buruk	Baik	Total
Var. Gen Revisi	Tidak ada	Count	26	21	47
		% within Var. Gen Revisi	55,3%	44,7%	100,0%
		% within Variabel Waktu tidur	57,8%	55,3%	56,6%
	Ada	Count	19	17	36
		% within Var. Gen Revisi	52,8%	47,2%	100,0%
		% within Variabel Waktu tidur	42,2%	44,7%	43,4%
Total	Count	45	38	83	
	% within Var. Gen Revisi	54,2%	45,8%	100,0%	
	% within Variabel Waktu tidur	100,0%	100,0%	100,0%	

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	,053 ^a	1	,818		
Continuity Correction ^b	,000	1	,994		
Likelihood Ratio	,053	1	,818		
Fisher's Exact Test				,828	,496
Linear-by-Linear Association	,052	1	,819		
N of Valid Cases	83				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 16.48.

b. Computed only for a 2x2 table

Var. Gen Revisi * Domain Suasana Hati

			Domain Suasana Hati		Total
			Buruk	Baik	
Var. Gen Revisi	Tidak ada	Count	17	30	47
		% within Var. Gen Revisi	36,2%	63,8%	100,0%
		% within Domain Suasana Hati	63,0%	53,6%	56,6%
	Ada	Count	10	26	36
		% within Var. Gen Revisi	27,8%	72,2%	100,0%
		% within Domain Suasana Hati	37,0%	46,4%	43,4%
Total	Count	27	56	83	
	% within Var. Gen Revisi	32,5%	67,5%	100,0%	
	% within Domain Suasana Hati	100,0%	100,0%	100,0%	

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	,654 ^a	1	,419		
Continuity Correction ^b	,328	1	,567		
Likelihood Ratio	,660	1	,417		
Fisher's Exact Test				,483	,285
Linear-by-Linear Association	,646	1	,421		
N of Valid Cases	83				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 11.71.

b. Computed only for a 2x2 table

Var. Gen Revisi * Variabel Waktu Luang

			Variabel Waktu Luang		Total
			Buruk	Baik	
Var. Gen Revisi	Tidak ada	Count	23	24	47
		% within Var. Gen Revisi	48,9%	51,1%	100,0%
		% within Variabel Waktu Luang	60,5%	53,3%	56,6%
	Ada	Count	15	21	36
		% within Var. Gen Revisi	41,7%	58,3%	100,0%
		% within Variabel Waktu Luang	39,5%	46,7%	43,4%
Total	Count	38	45	83	
	% within Var. Gen Revisi	45,8%	54,2%	100,0%	
	% within Variabel Waktu Luang	100,0%	100,0%	100,0%	

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	,434 ^a	1	,510		
Continuity Correction ^b	,191	1	,662		
Likelihood Ratio	,435	1	,510		
Fisher's Exact Test				,657	,332
Linear-by-Linear Association	,429	1	,513		
N of Valid Cases	83				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 16.48.

b. Computed only for a 2x2 table

Var. Gen Revisi * Variabel Hubungan Sosial

			Crosstab		
			Variabel Hubungan Sosial		Total
		Buruk	Baik		
Var. Gen Revisi	Tidak ada	Count	22	25	47
		% within Var. Gen Revisi	46,8%	53,2%	100,0%
		% within Variabel Hubungan Sosial	56,4%	56,8%	56,6%
	Ada	Count	17	19	36
		% within Var. Gen Revisi	47,2%	52,8%	100,0%
		% within Variabel Hubungan Sosial	43,6%	43,2%	43,4%
Total		Count	39	44	83
		% within Var. Gen Revisi	47,0%	53,0%	100,0%
		% within Variabel Hubungan Sosial	100,0%	100,0%	100,0%

Chi-Square Tests					
	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	,001 ^a	1	,970		
Continuity Correction ^b	,000	1	1,000		
Likelihood Ratio	,001	1	,970		
Fisher's Exact Test				1,000	,573
Linear-by-Linear Association	,001	1	,970		
N of Valid Cases	83				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 16.92.

b. Computed only for a 2x2 table

Var. Gen Revisi * Variabel Spiritual

			Crosstab		
			Variabel Spiritual		Total
		Buruk	Baik		
Var. Gen Revisi	Tidak ada	Count	15	32	47
		% within Var. Gen Revisi	31,9%	68,1%	100,0%
		% within Variabel Spiritual	57,7%	56,1%	56,6%
	Ada	Count	11	25	36
		% within Var. Gen Revisi	30,6%	69,4%	100,0%
		% within Variabel Spiritual	42,3%	43,9%	43,4%
Total		Count	26	57	83
		% within Var. Gen Revisi	31,3%	68,7%	100,0%
		% within Variabel Spiritual	100,0%	100,0%	100,0%

Chi-Square Tests					
	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	,018 ^a	1	,895		
Continuity Correction ^b	,000	1	1,000		
Likelihood Ratio	,018	1	,895		
Fisher's Exact Test				1,000	,544
Linear-by-Linear Association	,017	1	,895		
N of Valid Cases	83				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 11.28.

b. Computed only for a 2x2 table

Var. Gen Revisi * Variabel Domain Kognitif

			Crosstab		
			Variabel Domain Kognitif		Total
		Buruk	Baik		
Var. Gen Revisi	Tidak ada	Count	24	23	47
		% within Var. Gen Revisi	51,1%	48,9%	100,0%
		% within Variabel Domain Kognitif	60,0%	53,5%	56,6%
	Ada	Count	16	20	36
		% within Var. Gen Revisi	44,4%	55,6%	100,0%
		% within Variabel Domain Kognitif	40,0%	46,5%	43,4%
Total		Count	40	43	83
		% within Var. Gen Revisi	48,2%	51,8%	100,0%
		% within Variabel Domain Kognitif	100,0%	100,0%	100,0%

Chi-Square Tests					
	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	,358 ^a	1	,550		
Continuity Correction ^b	,142	1	,707		
Likelihood Ratio	,358	1	,550		
Fisher's Exact Test				,659	,354
Linear-by-Linear Association	,353	1	,552		
N of Valid Cases	83				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 17.35.

b. Computed only for a 2x2 table

Var. Gen Revisi * Domain Finansial

			Crosstab		
			Domain Finansial		Total
		Buruk	Baik		

Var. Gen Revisi	Tidak ada	Count	28	19	47
		% within Var. Gen Revisi	59,6%	40,4%	100,0%
		% within Domain Finansial	56,0%	57,6%	56,6%
	Ada	Count	22	14	36
		% within Var. Gen Revisi	61,1%	38,9%	100,0%
		% within Domain Finansial	44,0%	42,4%	43,4%
Total		Count	50	33	83
		% within Var. Gen Revisi	60,2%	39,8%	100,0%
		% within Domain Finansial	100,0%	100,0%	100,0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	,020 ^a	1	,887		
Continuity Correction ^b	,000	1	1,000		
Likelihood Ratio	,020	1	,887		
Fisher's Exact Test				1,000	,534
Linear-by-Linear Association	,020	1	,888		
N of Valid Cases	83				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 14.31.
b. Computed only for a 2x2 table

Var. Gen Revisi * Variabel Rumah Tangga

Crosstab

Var. Gen Revisi	Tidak ada	Count	Variabel Rumah Tangga		Total
			Buruk	Baik	
		% within Var. Gen Revisi	57,4%	42,6%	100,0%
		% within Variabel Rumah Tangga	56,3%	57,1%	56,6%
	Ada	Count	21	15	36
		% within Var. Gen Revisi	58,3%	41,7%	100,0%
		% within Variabel Rumah Tangga	43,8%	42,9%	43,4%
Total		Count	48	35	83
		% within Var. Gen Revisi	57,8%	42,2%	100,0%
		% within Variabel Rumah Tangga	100,0%	100,0%	100,0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	,007 ^a	1	,935		
Continuity Correction ^b	,000	1	1,000		
Likelihood Ratio	,007	1	,935		
Fisher's Exact Test				1,000	,557
Linear-by-Linear Association	,006	1	,936		
N of Valid Cases	83				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 15.18.
b. Computed only for a 2x2 table

Var. Gen Revisi * Domain Harga Diri

Crosstab

Var. Gen Revisi	Tidak ada	Count	Domain Harga Diri		Total
			Buruk	Baik	
		% within Var. Gen Revisi	48,9%	51,1%	100,0%
		% within Domain Harga Diri	65,7%	50,0%	56,6%
	Ada	Count	12	24	36
		% within Var. Gen Revisi	33,3%	66,7%	100,0%
		% within Domain Harga Diri	34,3%	50,0%	43,4%
Total		Count	35	48	83
		% within Var. Gen Revisi	42,2%	57,8%	100,0%
		% within Domain Harga Diri	100,0%	100,0%	100,0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	2,035 ^a	1	,154		
Continuity Correction ^b	1,446	1	,229		
Likelihood Ratio	2,054	1	,152		
Fisher's Exact Test				,183	,114
Linear-by-Linear Association	2,011	1	,156		
N of Valid Cases	83				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 15.18.
b. Computed only for a 2x2 table

Var. Gen Revisi * Variabel Kemandirian

Crosstab

Var. Gen Revisi	Tidak ada	Count	Variabel Kemandirian		Total
			Buruk	Baik	
		% within Var. Gen Revisi	42,6%	57,4%	100,0%
		% within Variabel Kemandirian	48,8%	64,3%	56,6%
	Ada	Count	21	15	36
		% within Var. Gen Revisi	58,3%	41,7%	100,0%

	% within Variabel Kemandian	51,2%	35,7%	43,4%
Total	Count	41	42	83
	% within Var. Gen Revisi	49,4%	50,6%	100,0%
	% within Variabel Kemandian	100,0%	100,0%	100,0%

Chi-Square Tests					
	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	2,031 ^a	1	,154		
Continuity Correction ^b	1,449	1	,229		
Likelihood Ratio	2,039	1	,153		
Fisher's Exact Test				,187	,114
Linear-by-Linear Association	2,006	1	,157		
N of Valid Cases	83				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 17.78.
b. Computed only for a 2x2 table

Var. Gen Revisi * Variabel Identitas Diri

Crosstab					
			Variabel Identitas Diri		Total
			Buruk	Baik	
Var. Gen Revisi	Tidak ada	Count	21	26	47
		% within Var. Gen Revisi	44,7%	55,3%	100,0%
		% within Variabel Identitas Diri	58,3%	55,3%	56,6%
	Ada	Count	15	21	36
		% within Var. Gen Revisi	41,7%	58,3%	100,0%
		% within Variabel Identitas Diri	41,7%	44,7%	43,4%
Total	Count	36	47	83	
	% within Var. Gen Revisi	43,4%	56,6%	100,0%	
	% within Variabel Identitas Diri	100,0%	100,0%	100,0%	

Chi-Square Tests					
	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	,075 ^a	1	,784		
Continuity Correction ^b	,003	1	,959		
Likelihood Ratio	,075	1	,784		
Fisher's Exact Test				,826	,480
Linear-by-Linear Association	,074	1	,785		
N of Valid Cases	83				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 15.61.
b. Computed only for a 2x2 table

Var. Gen Revisi * Variabel Pekerjaan

Crosstab					
			Variabel Pekerjaan		Total
			Buruk	Baik	
Var. Gen Revisi	Tidak ada	Count	24	23	47
		% within Var. Gen Revisi	51,1%	48,9%	100,0%
		% within Variabel Pekerjaan	58,5%	54,8%	56,6%
	Ada	Count	17	19	36
		% within Var. Gen Revisi	47,2%	52,8%	100,0%
		% within Variabel Pekerjaan	41,5%	45,2%	43,4%
Total	Count	41	42	83	
	% within Var. Gen Revisi	49,4%	50,6%	100,0%	
	% within Variabel Pekerjaan	100,0%	100,0%	100,0%	

Chi-Square Tests					
	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	,120 ^a	1	,729		
Continuity Correction ^b	,016	1	,900		
Likelihood Ratio	,120	1	,729		
Fisher's Exact Test				,826	,450
Linear-by-Linear Association	,119	1	,730		
N of Valid Cases	83				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 17.78.
b. Computed only for a 2x2 table

Var. Gen Revisi * Variabel Pendidikan

Crosstab					
			Variabel Pendidikan		Total
			Buruk	Baik	
Var. Gen Revisi	Tidak ada	Count	40	7	47
		% within Var. Gen Revisi	85,1%	14,9%	100,0%
		% within Variabel Pendidikan	58,8%	46,7%	56,6%
	Ada	Count	28	8	36
		% within Var. Gen Revisi	77,8%	22,2%	100,0%
		% within Variabel Pendidikan	41,2%	53,3%	43,4%
Total	Count	68	15	83	
	% within Var. Gen Revisi	81,9%	18,1%	100,0%	
	% within Variabel Pendidikan	100,0%	100,0%	100,0%	

Chi-Square Tests					
	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	,739 ^a	1	,390		

Continuity Correction ^b	,327	1	,567		
Likelihood Ratio	,733	1	,392		
Fisher's Exact Test				,406	,282
Linear-by-Linear Association	,731	1	,393		
N of Valid Cases	83				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 6.51.

b. Computed only for a 2x2 table

Var. Gen Revisi * Variabel Kualitas Hidup

			Variabel Kualitas Hidup		Total
			Kualitas Hidup Buruk	Kualitas Hidup Baik	
Var. Gen Revisi	Tidak ada	Count	29	18	47
		% within Var. Gen Revisi	61,7%	38,3%	100,0%
		% within Variabel Kualitas Hidup	67,4%	45,0%	56,6%
	Ada	Count	14	22	36
		% within Var. Gen Revisi	38,9%	61,1%	100,0%
		% within Variabel Kualitas Hidup	32,6%	55,0%	43,4%
Total	Count	43	40	83	
	% within Var. Gen Revisi	51,8%	48,2%	100,0%	
	% within Variabel Kualitas Hidup	100,0%	100,0%	100,0%	

Chi-Square Tests					
	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	4,249 ^a	1	,039		
Continuity Correction ^b	3,385	1	,066		
Likelihood Ratio	4,283	1	,039		
Fisher's Exact Test				,048	,033
Linear-by-Linear Association	4,198	1	,040		
N of Valid Cases	83				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 17.35.

b. Computed only for a 2x2 table

Var.Onset * Variabel Kesehatan Fisik

			Variabel Kesehatan Fisik		Total
			Buruk	Baik	
Var.Onset	Onset Awal	Count	14	30	44
		% within Var.Onset	31,8%	68,2%	100,0%
		% within Variabel Kesehatan Fisik	43,8%	58,8%	53,0%
	Onset Lanjut	Count	18	21	39
		% within Var.Onset	46,2%	53,8%	100,0%
		% within Variabel Kesehatan Fisik	56,3%	41,2%	47,0%
Total	Count	32	51	83	
	% within Var.Onset	38,6%	61,4%	100,0%	
	% within Variabel Kesehatan Fisik	100,0%	100,0%	100,0%	

Chi-Square Tests					
	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	1,794 ^a	1	,180		
Continuity Correction ^b	1,239	1	,266		
Likelihood Ratio	1,797	1	,180		
Fisher's Exact Test				,259	,133
Linear-by-Linear Association	1,772	1	,183		
N of Valid Cases	83				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 15.04.

b. Computed only for a 2x2 table

Var.Onset * Variabel Waktu tidur

			Variabel Waktu tidur		Total
			Buruk	Baik	
Var.Onset	Onset Awal	Count	21	23	44
		% within Var.Onset	47,7%	52,3%	100,0%
		% within Variabel Waktu tidur	46,7%	60,5%	53,0%
	Onset Lanjut	Count	24	15	39
		% within Var.Onset	61,5%	38,5%	100,0%
		% within Variabel Waktu tidur	53,3%	39,5%	47,0%
Total	Count	45	38	83	
	% within Var.Onset	54,2%	45,8%	100,0%	
	% within Variabel Waktu tidur	100,0%	100,0%	100,0%	

Chi-Square Tests					
	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	1,589 ^a	1	,208		
Continuity Correction ^b	1,081	1	,298		
Likelihood Ratio	1,596	1	,207		
Fisher's Exact Test				,271	,149
Linear-by-Linear Association	1,570	1	,210		
N of Valid Cases	83				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 17.86.

b. Computed only for a 2x2 table

Var.Onset * Domain Suasana Hati

Crosstab			Domain Suasana Hati		Total
			Buruk	Baik	
Var.Onset	Onset Awal	Count	13	31	44
		% within Var.Onset	29,5%	70,5%	100,0%
		% within Domain Suasana Hati	48,1%	55,4%	53,0%
	Onset Lanjut	Count	14	25	39
		% within Var.Onset	35,9%	64,1%	100,0%
		% within Domain Suasana Hati	51,9%	44,6%	47,0%
Total	Count	27	56	83	
	% within Var.Onset	32,5%	67,5%	100,0%	
	% within Domain Suasana Hati	100,0%	100,0%	100,0%	

Chi-Square Tests					
	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	,380 ^a	1	,538		
Continuity Correction ^b	,146	1	,703		
Likelihood Ratio	,380	1	,538		
Fisher's Exact Test				,640	,351
Linear-by-Linear Association	,375	1	,540		
N of Valid Cases	83				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 12.69.
b. Computed only for a 2x2 table

Var.Onset * Variabel Waktu Luang

Crosstab			Variabel Waktu Luang		Total
			Buruk	Baik	
Var.Onset	Onset Awal	Count	20	24	44
		% within Var.Onset	45,5%	54,5%	100,0%
		% within Variabel Waktu Luang	52,6%	53,3%	53,0%
	Onset Lanjut	Count	18	21	39
		% within Var.Onset	46,2%	53,8%	100,0%
		% within Variabel Waktu Luang	47,4%	46,7%	47,0%
Total	Count	38	45	83	
	% within Var.Onset	45,8%	54,2%	100,0%	
	% within Variabel Waktu Luang	100,0%	100,0%	100,0%	

Chi-Square Tests					
	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	,004 ^a	1	,949		
Continuity Correction ^b	,000	1	1,000		
Likelihood Ratio	,004	1	,949		
Fisher's Exact Test				1,000	,562
Linear-by-Linear Association	,004	1	,949		
N of Valid Cases	83				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 17.86.
b. Computed only for a 2x2 table

Var.Onset * Variabel Hubungan Sosial

Crosstab			Variabel Hubungan Sosial		Total
			Buruk	Baik	
Var.Onset	Onset Awal	Count	24	20	44
		% within Var.Onset	54,5%	45,5%	100,0%
		% within Variabel Hubungan Sosial	61,5%	45,5%	53,0%
	Onset Lanjut	Count	15	24	39
		% within Var.Onset	38,5%	61,5%	100,0%
		% within Variabel Hubungan Sosial	38,5%	54,5%	47,0%
Total	Count	39	44	83	
	% within Var.Onset	47,0%	53,0%	100,0%	
	% within Variabel Hubungan Sosial	100,0%	100,0%	100,0%	

Chi-Square Tests					
	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	2,147 ^a	1	,143		
Continuity Correction ^b	1,550	1	,213		
Likelihood Ratio	2,159	1	,142		
Fisher's Exact Test				,187	,106
Linear-by-Linear Association	2,121	1	,145		
N of Valid Cases	83				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 18.33.
b. Computed only for a 2x2 table

Var.Onset * Variabel Spiritual

Crosstab			Variabel Spiritual		Total
			Buruk	Baik	
Var.Onset	Onset Awal	Count	11	33	44
		% within Var.Onset	25,0%	75,0%	100,0%
		% within Variabel Spiritual	42,3%	57,9%	53,0%
	Onset Lanjut	Count	15	24	39
		% within Var.Onset	38,5%	61,5%	100,0%
		% within Variabel Spiritual	57,7%	42,1%	47,0%
Total	Count	26	57	83	

% within Var.Onset	31,3%	68,7%	100,0%
% within Variabel Spiritual	100,0%	100,0%	100,0%

Chi-Square Tests					
	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	1,742 ^a	1	,187		
Continuity Correction ^b	1,172	1	,279		
Likelihood Ratio	1,743	1	,187		
Fisher's Exact Test				,238	,140
Linear-by-Linear Association	1,721	1	,190		
N of Valid Cases	83				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 12.22.
b. Computed only for a 2x2 table

Var.Onset * Variabel Domain Kognitif

		Crosstab			
		Variabel Domain Kognitif		Total	
		Buruk	Baik		
Var.Onset	Onset Awal	Count	18	26	44
		% within Var.Onset	40,9%	59,1%	100,0%
		% within Variabel Domain Kognitif	45,0%	60,5%	53,0%
	Onset Lanjut	Count	22	17	39
		% within Var.Onset	56,4%	43,6%	100,0%
		% within Variabel Domain Kognitif	55,0%	39,5%	47,0%
Total	Count	40	43	83	
	% within Var.Onset	48,2%	51,8%	100,0%	
	% within Variabel Domain Kognitif	100,0%	100,0%	100,0%	

Chi-Square Tests					
	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	1,990 ^a	1	,158		
Continuity Correction ^b	1,417	1	,234		
Likelihood Ratio	1,997	1	,158		
Fisher's Exact Test				,190	,117
Linear-by-Linear Association	1,966	1	,161		
N of Valid Cases	83				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 18.80.
b. Computed only for a 2x2 table

Var.Onset * Domain Finansial

		Crosstab			
		Domain Finansial		Total	
		Buruk	Baik		
Var.Onset	Onset Awal	Count	24	20	44
		% within Var.Onset	54,5%	45,5%	100,0%
		% within Domain Finansial	48,0%	60,6%	53,0%
	Onset Lanjut	Count	26	13	39
		% within Var.Onset	66,7%	33,3%	100,0%
		% within Domain Finansial	52,0%	39,4%	47,0%
Total	Count	50	33	83	
	% within Var.Onset	60,2%	39,8%	100,0%	
	% within Domain Finansial	100,0%	100,0%	100,0%	

Chi-Square Tests					
	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	1,268 ^a	1	,260		
Continuity Correction ^b	,813	1	,367		
Likelihood Ratio	1,275	1	,259		
Fisher's Exact Test				,273	,184
Linear-by-Linear Association	1,253	1	,263		
N of Valid Cases	83				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 15.51.
b. Computed only for a 2x2 table

Var.Onset * Variabel Rumah Tangga

		Crosstab			
		Variabel Rumah Tangga		Total	
		Buruk	Baik		
Var.Onset	Onset Awal	Count	26	18	44
		% within Var.Onset	59,1%	40,9%	100,0%
		% within Variabel Rumah Tangga	54,2%	51,4%	53,0%
	Onset Lanjut	Count	22	17	39
		% within Var.Onset	56,4%	43,6%	100,0%
		% within Variabel Rumah Tangga	45,8%	48,6%	47,0%
Total	Count	48	35	83	
	% within Var.Onset	57,8%	42,2%	100,0%	
	% within Variabel Rumah Tangga	100,0%	100,0%	100,0%	

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	,061 ^a	1	,805		
Continuity Correction ^b	,001	1	,981		
Likelihood Ratio	,061	1	,805		
Fisher's Exact Test				,827	,490
Linear-by-Linear Association	,060	1	,806		
N of Valid Cases	83				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 16.45.

b. Computed only for a 2x2 table

Var.Onset * Domain Harga Diri

			Domain Harga Diri		Total
			Buruk	Baik	
Var.Onset	Onset Awal	Count	18	26	44
		% within Var.Onset	40,9%	59,1%	100,0%
		% within Domain Harga Diri	51,4%	54,2%	53,0%
	Onset Lanjut	Count	17	22	39
		% within Var.Onset	43,6%	56,4%	100,0%
		% within Domain Harga Diri	48,6%	45,8%	47,0%
Total	Count	35	48	83	
	% within Var.Onset	42,2%	57,8%	100,0%	
	% within Domain Harga Diri	100,0%	100,0%	100,0%	

Chi-Square Tests					
	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	,061 ^a	1	,805		
Continuity Correction ^b	,001	1	,981		
Likelihood Ratio	,061	1	,805		
Fisher's Exact Test				,827	,490
Linear-by-Linear Association	,060	1	,806		
N of Valid Cases	83				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 16.45.

b. Computed only for a 2x2 table

Var.Onset * Variabel Kemandirian

			Variabel Kemandirian		Total
			Buruk	Baik	
Var.Onset	Onset Awal	Count	19	25	44
		% within Var.Onset	43,2%	56,8%	100,0%
		% within Variabel Kemandirian	46,3%	59,5%	53,0%
	Onset Lanjut	Count	22	17	39
		% within Var.Onset	56,4%	43,6%	100,0%
		% within Variabel Kemandirian	53,7%	40,5%	47,0%
Total	Count	41	42	83	
	% within Var.Onset	49,4%	50,6%	100,0%	
	% within Variabel Kemandirian	100,0%	100,0%	100,0%	

Chi-Square Tests					
	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	1,447 ^a	1	,229		
Continuity Correction ^b	,967	1	,326		
Likelihood Ratio	1,451	1	,228		
Fisher's Exact Test				,275	,163
Linear-by-Linear Association	1,430	1	,232		
N of Valid Cases	83				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 19.27.

b. Computed only for a 2x2 table

Var.Onset * Variabel Identitas Diri

			Variabel Identitas Diri		Total
			Buruk	Baik	
Var.Onset	Onset Awal	Count	19	25	44
		% within Var.Onset	43,2%	56,8%	100,0%
		% within Variabel Identitas Diri	52,8%	53,2%	53,0%
	Onset Lanjut	Count	17	22	39
		% within Var.Onset	43,6%	56,4%	100,0%
		% within Variabel Identitas Diri	47,2%	46,8%	47,0%
Total	Count	36	47	83	
	% within Var.Onset	43,4%	56,6%	100,0%	
	% within Variabel Identitas Diri	100,0%	100,0%	100,0%	

Chi-Square Tests					
	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	,001 ^a	1	,970		
Continuity Correction ^b	,000	1	1,000		
Likelihood Ratio	,001	1	,970		
Fisher's Exact Test				1,000	,573
Linear-by-Linear Association	,001	1	,970		
N of Valid Cases	83				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 16.92.

b. Computed only for a 2x2 table

Var.Onset * Variabel Pekerjaan

Crosstab

			Variabel Pekerjaan		Total
			Buruk	Baik	
Var.Onset	Onset Awal	Count	26	18	44
		% within Var.Onset	59,1%	40,9%	100,0%
		% within Variabel Pekerjaan	63,4%	42,9%	53,0%
	Onset Lanjut	Count	15	24	39
		% within Var.Onset	38,5%	61,5%	100,0%
		% within Variabel Pekerjaan	36,6%	57,1%	47,0%
Total	Count	41	42	83	
	% within Var.Onset	49,4%	50,6%	100,0%	
	% within Variabel Pekerjaan	100,0%	100,0%	100,0%	

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	3,520 ^a	1	,061		
Continuity Correction ^b	2,743	1	,098		
Likelihood Ratio	3,546	1	,060		
Fisher's Exact Test				,079	,049
Linear-by-Linear Association	3,478	1	,062		
N of Valid Cases	83				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 19.27.
b. Computed only for a 2x2 table

Var.Onset * Variabel Pendidikan

Crosstab

			Variabel Pendidikan		Total
			Buruk	Baik	
Var.Onset	Onset Awal	Count	32	12	44
		% within Var.Onset	72,7%	27,3%	100,0%
		% within Variabel Pendidikan	47,1%	80,0%	53,0%
	Onset Lanjut	Count	36	3	39
		% within Var.Onset	92,3%	7,7%	100,0%
		% within Variabel Pendidikan	52,9%	20,0%	47,0%
Total	Count	68	15	83	
	% within Var.Onset	81,9%	18,1%	100,0%	
	% within Variabel Pendidikan	100,0%	100,0%	100,0%	

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	5,354 ^a	1	,021		
Continuity Correction ^b	4,113	1	,043		
Likelihood Ratio	5,716	1	,017		
Fisher's Exact Test				,024	,019
Linear-by-Linear Association	5,289	1	,021		
N of Valid Cases	83				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 7.05.
b. Computed only for a 2x2 table

Var.Onset * Variabel Kualitas Hidup

Crosstab

			Variabel Kualitas Hidup		Total
			Kualitas Hidup Buruk	Kualitas Hidup Baik	
Var.Onset	Onset Awal	Count	18	26	44
		% within Var.Onset	40,9%	59,1%	100,0%
		% within Variabel Kualitas Hidup	41,9%	65,0%	53,0%
	Onset Lanjut	Count	25	14	39
		% within Var.Onset	64,1%	35,9%	100,0%
		% within Variabel Kualitas Hidup	58,1%	35,0%	47,0%
Total	Count	43	40	83	
	% within Var.Onset	51,8%	48,2%	100,0%	
	% within Variabel Kualitas Hidup	100,0%	100,0%	100,0%	

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	4,454 ^a	1	,035		
Continuity Correction ^b	3,574	1	,059		
Likelihood Ratio	4,499	1	,034		
Fisher's Exact Test				,048	,029
Linear-by-Linear Association	4,401	1	,036		
N of Valid Cases	83				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 18.80.
b. Computed only for a 2x2 table

Var.Comorbid * Variabel Kesehatan Fisik

Crosstab

			Variabel Kesehatan Fisik		Total
			Buruk	Baik	
Var.Comorbid	Ada	Count	32	32	64
		% within Var.Comorbid	50,0%	50,0%	100,0%
		% within Variabel Kesehatan Fisik	100,0%	62,7%	77,1%
	Tidak ada	Count	0	19	19
		% within Var.Comorbid	0,0%	100,0%	100,0%
		% within Variabel Kesehatan Fisik			

	% within Variabel Kesehatan Fisik	0,0%	37,3%	22,9%
Total	Count	32	51	83
	% within Var.Comorbid	38,6%	61,4%	100,0%
	% within Variabel Kesehatan Fisik	100,0%	100,0%	100,0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	15,461 ^a	1	,000		
Continuity Correction ^b	13,422	1	,000		
Likelihood Ratio	21,951	1	,000		
Fisher's Exact Test				,000	,000
Linear-by-Linear Association	15,275	1	,000		
N of Valid Cases	83				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 7.33.

b. Computed only for a 2x2 table

Var.Comorbid * Variabel Waktu tidur

Crosstab

		Variabel Waktu tidur		Total	
		Buruk	Baik		
Var.Comorbid	Ada	Count	38	26	64
		% within Var.Comorbid	59,4%	40,6%	100,0%
		% within Variabel Waktu tidur	84,4%	68,4%	77,1%
	Tidak ada	Count	7	12	19
		% within Var.Comorbid	36,8%	63,2%	100,0%
		% within Variabel Waktu tidur	15,6%	31,6%	22,9%
Total		Count	45	38	83
		% within Var.Comorbid	54,2%	45,8%	100,0%
		% within Variabel Waktu tidur	100,0%	100,0%	100,0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	2,997 ^a	1	,083		
Continuity Correction ^b	2,158	1	,142		
Likelihood Ratio	3,004	1	,083		
Fisher's Exact Test				,116	,071
Linear-by-Linear Association	2,961	1	,085		
N of Valid Cases	83				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 8.70.

b. Computed only for a 2x2 table

Var.Comorbid * Domain Suasana Hati

Crosstab

		Domain Suasana Hati		Total	
		Buruk	Baik		
Var.Comorbid	Ada	Count	21	43	64
		% within Var.Comorbid	32,8%	67,2%	100,0%
		% within Domain Suasana Hati	77,8%	76,8%	77,1%
	Tidak ada	Count	6	13	19
		% within Var.Comorbid	31,6%	68,4%	100,0%
		% within Domain Suasana Hati	22,2%	23,2%	22,9%
Total		Count	27	56	83
		% within Var.Comorbid	32,5%	67,5%	100,0%
		% within Domain Suasana Hati	100,0%	100,0%	100,0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	,010 ^a	1	,920		
Continuity Correction ^b	,000	1	1,000		
Likelihood Ratio	,010	1	,920		
Fisher's Exact Test				1,000	,577
Linear-by-Linear Association	,010	1	,920		
N of Valid Cases	83				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 6.18.

b. Computed only for a 2x2 table

Var.Comorbid * Variabel Waktu Luang

Crosstab

		Variabel Waktu Luang		Total	
		Buruk	Baik		
Var.Comorbid	Ada	Count	29	35	64
		% within Var.Comorbid	45,3%	54,7%	100,0%
		% within Variabel Waktu Luang	76,3%	77,8%	77,1%
	Tidak ada	Count	9	10	19
		% within Var.Comorbid	47,4%	52,6%	100,0%
		% within Variabel Waktu Luang	23,7%	22,2%	22,9%
Total		Count	38	45	83
		% within Var.Comorbid	45,8%	54,2%	100,0%
		% within Variabel Waktu Luang	100,0%	100,0%	100,0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	,025 ^a	1	,874		

Continuity Correction ^b	,000	1	1,000		
Likelihood Ratio	,025	1	,875	1,000	,540
Fisher's Exact Test					
Linear-by-Linear Association	,025	1	,875		
N of Valid Cases	83				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 8.70.

b. Computed only for a 2x2 table

Var.Comorbid * Variabel Hubungan Sosial

			Variabel Hubungan Sosial		Total
			Buruk	Baik	
Var.Comorbid	Ada	Count	29	35	64
		% within Var.Comorbid	45,3%	54,7%	100,0%
		% within Variabel Hubungan Sosial	74,4%	79,5%	77,1%
	Tidak ada	Count	10	9	19
		% within Var.Comorbid	52,6%	47,4%	100,0%
		% within Variabel Hubungan Sosial	25,6%	20,5%	22,9%
Total		Count	39	44	83
		% within Var.Comorbid	47,0%	53,0%	100,0%
		% within Variabel Hubungan Sosial	100,0%	100,0%	100,0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	,315 ^a	1	,575		
Continuity Correction ^b	,090	1	,765		
Likelihood Ratio	,315	1	,575		
Fisher's Exact Test				,610	,382
Linear-by-Linear Association	,311	1	,577		
N of Valid Cases	83				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 8.93.

b. Computed only for a 2x2 table

Var.Comorbid * Variabel Spiritual

			Variabel Spiritual		Total
			Buruk	Baik	
Var.Comorbid	Ada	Count	23	41	64
		% within Var.Comorbid	35,9%	64,1%	100,0%
		% within Variabel Spiritual	88,5%	71,9%	77,1%
	Tidak ada	Count	3	16	19
		% within Var.Comorbid	15,8%	84,2%	100,0%
		% within Variabel Spiritual	11,5%	28,1%	22,9%
Total		Count	26	57	83
		% within Var.Comorbid	31,3%	68,7%	100,0%
		% within Variabel Spiritual	100,0%	100,0%	100,0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	2,765 ^a	1	,096		
Continuity Correction ^b	1,907	1	,167		
Likelihood Ratio	3,033	1	,082		
Fisher's Exact Test				,158	,080
Linear-by-Linear Association	2,731	1	,098		
N of Valid Cases	83				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 5.95.

b. Computed only for a 2x2 table

Var.Comorbid * Variabel Domain Kognitif

			Variabel Domain Kognitif		Total
			Buruk	Baik	
Var.Comorbid	Ada	Count	30	34	64
		% within Var.Comorbid	46,9%	53,1%	100,0%
		% within Variabel Domain Kognitif	75,0%	79,1%	77,1%
	Tidak ada	Count	10	9	19
		% within Var.Comorbid	52,6%	47,4%	100,0%
		% within Variabel Domain Kognitif	25,0%	20,9%	22,9%
Total		Count	40	43	83
		% within Var.Comorbid	48,2%	51,8%	100,0%
		% within Variabel Domain Kognitif	100,0%	100,0%	100,0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	,194 ^a	1	,659		
Continuity Correction ^b	,032	1	,858		
Likelihood Ratio	,194	1	,659		
Fisher's Exact Test				,795	,428
Linear-by-Linear Association	,192	1	,661		
N of Valid Cases	83				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 9.16.

b. Computed only for a 2x2 table

Var.Comorbid * Domain Finansial

			Domain Finansial		Total
			Buruk	Baik	
Var.Comorbid	Ada	Count	40	24	64
		% within Var.Comorbid	62,5%	37,5%	100,0%
		% within Domain Finansial	80,0%	72,7%	77,1%
	Tidak ada	Count	10	9	19
		% within Var.Comorbid	52,6%	47,4%	100,0%
		% within Domain Finansial	20,0%	27,3%	22,9%
Total	Count	50	33	83	
	% within Var.Comorbid	60,2%	39,8%	100,0%	
	% within Domain Finansial	100,0%	100,0%	100,0%	

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	,596 ^a	1	,440		
Continuity Correction ^b	,255	1	,614		
Likelihood Ratio	,589	1	,443		
Fisher's Exact Test				,594	,305
Linear-by-Linear Association	,589	1	,443		
N of Valid Cases	83				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 7.55.

b. Computed only for a 2x2 table

Var.Comorbid * Variabel Rumah Tangga

			Variabel Rumah Tangga		Total
			Buruk	Baik	
Var.Comorbid	Ada	Count	40	24	64
		% within Var.Comorbid	62,5%	37,5%	100,0%
		% within Variabel Rumah Tangga	83,3%	68,6%	77,1%
	Tidak ada	Count	8	11	19
		% within Var.Comorbid	42,1%	57,9%	100,0%
		% within Variabel Rumah Tangga	16,7%	31,4%	22,9%
Total	Count	48	35	83	
	% within Var.Comorbid	57,8%	42,2%	100,0%	
	% within Variabel Rumah Tangga	100,0%	100,0%	100,0%	

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	2,499 ^a	1	,114		
Continuity Correction ^b	1,733	1	,188		
Likelihood Ratio	2,474	1	,116		
Fisher's Exact Test				,185	,095
Linear-by-Linear Association	2,469	1	,116		
N of Valid Cases	83				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 8.01.

b. Computed only for a 2x2 table

Var.Comorbid * Domain Harga Diri

			Domain Harga Diri		Total
			Buruk	Baik	
Var.Comorbid	Ada	Count	29	35	64
		% within Var.Comorbid	45,3%	54,7%	100,0%
		% within Domain Harga Diri	82,9%	72,9%	77,1%
	Tidak ada	Count	6	13	19
		% within Var.Comorbid	31,6%	68,4%	100,0%
		% within Domain Harga Diri	17,1%	27,1%	22,9%
Total	Count	35	48	83	
	% within Var.Comorbid	42,2%	57,8%	100,0%	
	% within Domain Harga Diri	100,0%	100,0%	100,0%	

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	1,133 ^a	1	,287		
Continuity Correction ^b	,640	1	,424		
Likelihood Ratio	1,159	1	,282		
Fisher's Exact Test				,428	,213
Linear-by-Linear Association	1,119	1	,290		
N of Valid Cases	83				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 8.01.

b. Computed only for a 2x2 table

Var.Comorbid * Variabel Kemandirian

			Variabel Kemandirian		Total
			Buruk	Baik	
Var.Comorbid	Ada	Count	32	32	64

	% within Var.Comorbid	50,0%	50,0%	100,0%
	% within Variabel Kemandirian	78,0%	76,2%	77,1%
Tidak ada	Count	9	10	19
	% within Var.Comorbid	47,4%	52,6%	100,0%
	% within Variabel Kemandirian	22,0%	23,8%	22,9%
Total	Count	41	42	83
	% within Var.Comorbid	49,4%	50,6%	100,0%
	% within Variabel Kemandirian	100,0%	100,0%	100,0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	,041 ^a	1	,840		
Continuity Correction ^b	,000	1	1,000		
Likelihood Ratio	,041	1	,840		
Fisher's Exact Test				1,000	,524
Linear-by-Linear Association	,040	1	,841		
N of Valid Cases	83				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 9.39.

b. Computed only for a 2x2 table

Var.Comorbid * Variabel Identitas Diri

Crosstab

			Variabel Identitas Diri		Total
			Buruk	Baik	
Var.Comorbid	Ada	Count	27	37	64
		% within Var.Comorbid	42,2%	57,8%	100,0%
		% within Variabel Identitas Diri	75,0%	78,7%	77,1%
Tidak ada	Tidak ada	Count	9	10	19
		% within Var.Comorbid	47,4%	52,6%	100,0%
		% within Variabel Identitas Diri	25,0%	21,3%	22,9%
Total		Count	36	47	83
		% within Var.Comorbid	43,4%	56,6%	100,0%
		% within Variabel Identitas Diri	100,0%	100,0%	100,0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	,160 ^a	1	,689		
Continuity Correction ^b	,019	1	,891		
Likelihood Ratio	,159	1	,690		
Fisher's Exact Test				,794	,443
Linear-by-Linear Association	,158	1	,691		
N of Valid Cases	83				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 8.24.

b. Computed only for a 2x2 table

Var.Comorbid * Variabel Pekerjaan

Crosstab

			Variabel Pekerjaan		Total
			Buruk	Baik	
Var.Comorbid	Ada	Count	31	33	64
		% within Var.Comorbid	48,4%	51,6%	100,0%
		% within Variabel Pekerjaan	75,6%	78,6%	77,1%
Tidak ada	Tidak ada	Count	10	9	19
		% within Var.Comorbid	52,6%	47,4%	100,0%
		% within Variabel Pekerjaan	24,4%	21,4%	22,9%
Total		Count	41	42	83
		% within Var.Comorbid	49,4%	50,6%	100,0%
		% within Variabel Pekerjaan	100,0%	100,0%	100,0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	,103 ^a	1	,748		
Continuity Correction ^b	,004	1	,952		
Likelihood Ratio	,103	1	,748		
Fisher's Exact Test				,796	,476
Linear-by-Linear Association	,102	1	,750		
N of Valid Cases	83				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 9.39.

b. Computed only for a 2x2 table

Var.Comorbid * Variabel Pendidikan

Crosstab

			Variabel Pendidikan		Total
			Buruk	Baik	
Var.Comorbid	Ada	Count	54	10	64
		% within Var.Comorbid	84,4%	15,6%	100,0%
		% within Variabel Pendidikan	79,4%	66,7%	77,1%
Tidak ada	Tidak ada	Count	14	5	19
		% within Var.Comorbid	73,7%	26,3%	100,0%
		% within Variabel Pendidikan	20,6%	11,9%	22,9%

	% within Variabel Pendidikan	20,6%	33,3%	22,9%
Total	Count	68	15	83
	% within Var.Comorbid	81,9%	18,1%	100,0%
	% within Variabel Pendidikan	100,0%	100,0%	100,0%

Chi-Square Tests					
	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	1,131 ^a	1	,288		
Continuity Correction ^b	,524	1	,469		
Likelihood Ratio	1,057	1	,304		
Fisher's Exact Test				,317	,229
Linear-by-Linear Association	1,117	1	,291		
N of Valid Cases	83				

a. 1 cells (25.0%) have expected count less than 5. The minimum expected count is 3.43.
b. Computed only for a 2x2 table

Var.Comorbid * Variabel Kualitas Hidup

Crosstab					
			Variabel Kualitas Hidup		Total
			Kualitas Hidup Buruk	Kualitas Hidup Baik	
Var.Comorbid	Ada	Count	38	26	64
		% within Var.Comorbid	59,4%	40,6%	100,0%
		% within Variabel Kualitas Hidup	88,4%	65,0%	77,1%
	Tidak ada	Count	5	14	19
		% within Var.Comorbid	26,3%	73,7%	100,0%
		% within Variabel Kualitas Hidup	11,6%	35,0%	22,9%
Total		Count	43	40	83
		% within Var.Comorbid	51,8%	48,2%	100,0%
		% within Variabel Kualitas Hidup	100,0%	100,0%	100,0%

Chi-Square Tests					
	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	6,413 ^a	1	,011		
Continuity Correction ^b	5,157	1	,023		
Likelihood Ratio	6,594	1	,010		
Fisher's Exact Test				,018	,011
Linear-by-Linear Association	6,336	1	,012		
N of Valid Cases	83				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 9.16.
b. Computed only for a 2x2 table

Hasil Total Dukungan Keluarga * Variabel Kesehatan Fisik

Crosstab					
			Variabel Kesehatan Fisik		Total
			Buruk	Baik	
Hasil Total Dukungan Keluarga	Tidak ada dukungan	Count	9	36	45
		% within Hasil Total Dukungan Keluarga	20,0%	80,0%	100,0%
		% within Variabel Kesehatan Fisik	28,1%	70,6%	54,2%
	Ada dukungan	Count	23	15	38
		% within Hasil Total Dukungan Keluarga	60,5%	39,5%	100,0%
		% within Variabel Kesehatan Fisik	71,9%	29,4%	45,8%
Total		Count	32	51	83
		% within Hasil Total Dukungan Keluarga	38,6%	61,4%	100,0%
		% within Variabel Kesehatan Fisik	100,0%	100,0%	100,0%

Chi-Square Tests					
	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	14,283 ^a	1	,000		
Continuity Correction ^b	12,624	1	,000		
Likelihood Ratio	14,656	1	,000		
Fisher's Exact Test				,000	,000
Linear-by-Linear Association	14,111	1	,000		
N of Valid Cases	83				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 14.65.
b. Computed only for a 2x2 table

Hasil Total Dukungan Keluarga * Variabel Waktu tidur

Crosstab					
			Variabel Waktu tidur		Total
			Buruk	Baik	
Hasil Total Dukungan Keluarga	Tidak ada dukungan	Count	26	19	45
		% within Hasil Total Dukungan Keluarga	57,8%	42,2%	100,0%
		% within Variabel Waktu tidur	57,8%	50,0%	54,2%
	Ada dukungan	Count	19	19	38
		% within Hasil Total Dukungan Keluarga	50,0%	50,0%	100,0%
		% within Variabel Waktu tidur	42,2%	50,0%	45,8%
Total		Count	45	38	83
		% within Hasil Total Dukungan Keluarga	54,2%	45,8%	100,0%
		% within Variabel Waktu tidur	100,0%	100,0%	100,0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	,502 ^a	1	,479		
Continuity Correction ^b	,238	1	,626		
Likelihood Ratio	,502	1	,479		
Fisher's Exact Test				,514	,313
Linear-by-Linear Association	,496	1	,481		
N of Valid Cases	83				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 17.40.

b. Computed only for a 2x2 table

Hasil Total Dukungan Keluarga * Domain Suasana Hati

			Crosstab		
			Domain Suasana Hati		Total
			Buruk	Baik	
Hasil Total Dukungan Keluarga	Tidak ada dukungan	Count	10	35	45
		% within Hasil Total Dukungan Keluarga	22,2%	77,8%	100,0%
		% within Domain Suasana Hati	37,0%	62,5%	54,2%
	Ada dukungan	Count	17	21	38
		% within Hasil Total Dukungan Keluarga	44,7%	55,3%	100,0%
		% within Domain Suasana Hati	63,0%	37,5%	45,8%
Total		Count	27	56	83
		% within Hasil Total Dukungan Keluarga	32,5%	67,5%	100,0%
		% within Domain Suasana Hati	100,0%	100,0%	100,0%

Chi-Square Tests					
	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	4,758 ^a	1	,029		
Continuity Correction ^b	3,788	1	,052		
Likelihood Ratio	4,782	1	,029		
Fisher's Exact Test				,036	,026
Linear-by-Linear Association	4,701	1	,030		
N of Valid Cases	83				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 12.36.

b. Computed only for a 2x2 table

Hasil Total Dukungan Keluarga * Variabel Waktu Luang

			Crosstab		
			Variabel Waktu Luang		Total
			Buruk	Baik	
Hasil Total Dukungan Keluarga	Tidak ada dukungan	Count	20	25	45
		% within Hasil Total Dukungan Keluarga	44,4%	55,6%	100,0%
		% within Variabel Waktu Luang	52,6%	55,6%	54,2%
	Ada dukungan	Count	18	20	38
		% within Hasil Total Dukungan Keluarga	47,4%	52,6%	100,0%
		% within Variabel Waktu Luang	47,4%	44,4%	45,8%
Total		Count	38	45	83
		% within Hasil Total Dukungan Keluarga	45,8%	54,2%	100,0%
		% within Variabel Waktu Luang	100,0%	100,0%	100,0%

Chi-Square Tests					
	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	,071 ^a	1	,790		
Continuity Correction ^b	,002	1	,964		
Likelihood Ratio	,071	1	,790		
Fisher's Exact Test				,828	,482
Linear-by-Linear Association	,070	1	,791		
N of Valid Cases	83				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 17.40.

b. Computed only for a 2x2 table

Hasil Total Dukungan Keluarga * Variabel Hubungan Sosial

			Crosstab		
			Variabel Hubungan Sosial		Total
			Buruk	Baik	
Hasil Total Dukungan Keluarga	Tidak ada dukungan	Count	21	24	45
		% within Hasil Total Dukungan Keluarga	46,7%	53,3%	100,0%
		% within Variabel Hubungan Sosial	53,8%	54,5%	54,2%
	Ada dukungan	Count	18	20	38
		% within Hasil Total Dukungan Keluarga	47,4%	52,6%	100,0%
		% within Variabel Hubungan Sosial	46,2%	45,5%	45,8%
Total		Count	39	44	83
		% within Hasil Total Dukungan Keluarga	47,0%	53,0%	100,0%
		% within Variabel Hubungan Sosial	100,0%	100,0%	100,0%

Chi-Square Tests					
	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	,004 ^a	1	,949		
Continuity Correction ^b	,000	1	1,000		
Likelihood Ratio	,004	1	,949		
Fisher's Exact Test				1,000	,562
Linear-by-Linear Association	,004	1	,949		
N of Valid Cases	83				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 17.86.

b. Computed only for a 2x2 table

Hasil Total Dukungan Keluarga * Variabel Spiritual

			Variabel Spiritual		Total
			Buruk	Baik	
Hasil Total Dukungan Keluarga	Tidak ada dukungan	Count	14	31	45
		% within Hasil Total Dukungan Keluarga	31,1%	68,9%	100,0%
		% within Variabel Spiritual	53,8%	54,4%	54,2%
	Ada dukungan	Count	12	26	38
		% within Hasil Total Dukungan Keluarga	31,6%	68,4%	100,0%
		% within Variabel Spiritual	46,2%	45,6%	45,8%
Total		Count	26	57	83
		% within Hasil Total Dukungan Keluarga	31,3%	68,7%	100,0%
		% within Variabel Spiritual	100,0%	100,0%	100,0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	,002 ^a	1	,963		
Continuity Correction ^b	,000	1	1,000		
Likelihood Ratio	,002	1	,963		
Fisher's Exact Test				1,000	,575
Linear-by-Linear Association	,002	1	,964		
N of Valid Cases	83				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 11.90.

b. Computed only for a 2x2 table

Hasil Total Dukungan Keluarga * Variabel Domain Kognitif

			Variabel Domain Kognitif		Total
			Buruk	Baik	
Hasil Total Dukungan Keluarga	Tidak ada dukungan	Count	17	28	45
		% within Hasil Total Dukungan Keluarga	37,8%	62,2%	100,0%
		% within Variabel Domain Kognitif	42,5%	65,1%	54,2%
	Ada dukungan	Count	23	15	38
		% within Hasil Total Dukungan Keluarga	60,5%	39,5%	100,0%
		% within Variabel Domain Kognitif	57,5%	34,9%	45,8%
Total		Count	40	43	83
		% within Hasil Total Dukungan Keluarga	48,2%	51,8%	100,0%
		% within Variabel Domain Kognitif	100,0%	100,0%	100,0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	4,270 ^a	1	,039		
Continuity Correction ^b	3,408	1	,065		
Likelihood Ratio	4,305	1	,038		
Fisher's Exact Test				,049	,032
Linear-by-Linear Association	4,219	1	,040		
N of Valid Cases	83				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 18.31.

b. Computed only for a 2x2 table

Hasil Total Dukungan Keluarga * Domain Finansial

			Domain Finansial		Total
			Buruk	Baik	
Hasil Total Dukungan Keluarga	Tidak ada dukungan	Count	24	21	45
		% within Hasil Total Dukungan Keluarga	53,3%	46,7%	100,0%
		% within Domain Finansial	48,0%	63,6%	54,2%
	Ada dukungan	Count	26	12	38
		% within Hasil Total Dukungan Keluarga	68,4%	31,6%	100,0%
		% within Domain Finansial	52,0%	36,4%	45,8%
Total		Count	50	33	83
		% within Hasil Total Dukungan Keluarga	60,2%	39,8%	100,0%
		% within Domain Finansial	100,0%	100,0%	100,0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	1,958 ^a	1	,162		
Continuity Correction ^b	1,379	1	,240		
Likelihood Ratio	1,975	1	,160		
Fisher's Exact Test				,183	,120
Linear-by-Linear Association	1,935	1	,164		
N of Valid Cases	83				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 15.11.

b. Computed only for a 2x2 table

Hasil Total Dukungan Keluarga * Variabel Rumah Tangga

			Variabel Rumah Tangga		Total
			Buruk	Baik	
Hasil Total Dukungan Keluarga	Tidak ada dukungan	Count	20	25	45
		% within Hasil Total Dukungan Keluarga	44,4%	55,6%	100,0%

		% within Variabel Rumah Tangga	41,7%	71,4%	54,2%
Ada dukungan	Count		28	10	38
	% within Hasil Total Dukungan Keluarga		73,7%	26,3%	100,0%
	% within Variabel Rumah Tangga		58,3%	28,6%	45,8%
Total	Count		48	35	83
	% within Hasil Total Dukungan Keluarga		57,8%	42,2%	100,0%
	% within Variabel Rumah Tangga		100,0%	100,0%	100,0%

Chi-Square Tests					
	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	7,223 ^a	1	,007		
Continuity Correction ^b	6,074	1	,014		
Likelihood Ratio	7,390	1	,007		
Fisher's Exact Test				,008	,006
Linear-by-Linear Association	7,136	1	,008		
N of Valid Cases	83				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 16.02.

b. Computed only for a 2x2 table

Hasil Total Dukungan Keluarga * Domain Harga Diri

			Crosstab		
			Domain Harga Diri		Total
			Buruk	Baik	
Hasil Total Dukungan Keluarga	Tidak ada dukungan	Count	23	22	45
		% within Hasil Total Dukungan Keluarga	51,1%	48,9%	100,0%
		% within Domain Harga Diri	65,7%	45,8%	54,2%
Ada dukungan	Count	12	26	38	
	% within Hasil Total Dukungan Keluarga	31,6%	68,4%	100,0%	
	% within Domain Harga Diri	34,3%	54,2%	45,8%	
Total	Count	35	48	83	
	% within Hasil Total Dukungan Keluarga	42,2%	57,8%	100,0%	
	% within Domain Harga Diri	100,0%	100,0%	100,0%	

Chi-Square Tests					
	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	3,223 ^a	1	,073		
Continuity Correction ^b	2,472	1	,116		
Likelihood Ratio	3,259	1	,071		
Fisher's Exact Test				,080	,057
Linear-by-Linear Association	3,184	1	,074		
N of Valid Cases	83				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 16.02.

b. Computed only for a 2x2 table

Hasil Total Dukungan Keluarga * Variabel Kemandirian

			Crosstab		
			Variabel Kemandirian		Total
			Buruk	Baik	
Hasil Total Dukungan Keluarga	Tidak ada dukungan	Count	24	21	45
		% within Hasil Total Dukungan Keluarga	53,3%	46,7%	100,0%
		% within Variabel Kemandirian	58,5%	50,0%	54,2%
Ada dukungan	Count	17	21	38	
	% within Hasil Total Dukungan Keluarga	44,7%	55,3%	100,0%	
	% within Variabel Kemandirian	41,5%	50,0%	45,8%	
Total	Count	41	42	83	
	% within Hasil Total Dukungan Keluarga	49,4%	50,6%	100,0%	
	% within Variabel Kemandirian	100,0%	100,0%	100,0%	

Chi-Square Tests					
	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	,609 ^a	1	,435		
Continuity Correction ^b	,314	1	,575		
Likelihood Ratio	,610	1	,435		
Fisher's Exact Test				,511	,288
Linear-by-Linear Association	,602	1	,438		
N of Valid Cases	83				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 18.77.

b. Computed only for a 2x2 table

Hasil Total Dukungan Keluarga * Variabel Identitas Diri

			Crosstab		
			Variabel Identitas Diri		Total
			Buruk	Baik	
Hasil Total Dukungan Keluarga	Tidak ada dukungan	Count	20	25	45
		% within Hasil Total Dukungan Keluarga	44,4%	55,6%	100,0%
		% within Variabel Identitas Diri	55,6%	53,2%	54,2%
Ada dukungan	Count	16	22	38	
	% within Hasil Total Dukungan Keluarga	42,1%	57,9%	100,0%	
	% within Variabel Identitas Diri	44,4%	46,8%	45,8%	
Total	Count	36	47	83	
	% within Hasil Total Dukungan Keluarga	43,4%	56,6%	100,0%	
	% within Variabel Identitas Diri	100,0%	100,0%	100,0%	

Chi-Square Tests					
	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	,046 ^a	1	,830		
Continuity Correction ^b	,000	1	1,000		
Likelihood Ratio	,046	1	,830		
Fisher's Exact Test				1,000	,504
Linear-by-Linear Association	,045	1	,831		
N of Valid Cases	83				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 16.48.
b. Computed only for a 2x2 table

Hasil Total Dukungan Keluarga * Variabel Pekerjaan

Crosstab					
			Variabel Pekerjaan		Total
			Buruk	Baik	
Hasil Total Dukungan Keluarga	Tidak ada dukungan	Count	26	19	45
		% within Hasil Total Dukungan Keluarga	57,8%	42,2%	100,0%
	Ada dukungan	Count	15	23	38
		% within Hasil Total Dukungan Keluarga	39,5%	60,5%	100,0%
		% within Variabel Pekerjaan	36,6%	54,8%	45,8%
Total	Count		41	42	83
	% within Hasil Total Dukungan Keluarga		49,4%	50,6%	100,0%
	% within Variabel Pekerjaan		100,0%	100,0%	100,0%

Chi-Square Tests					
	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	2,761 ^a	1	,097		
Continuity Correction ^b	2,078	1	,149		
Likelihood Ratio	2,778	1	,096		
Fisher's Exact Test				,124	,075
Linear-by-Linear Association	2,728	1	,099		
N of Valid Cases	83				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 18.77.
b. Computed only for a 2x2 table

Hasil Total Dukungan Keluarga * Variabel Pendidikan

Crosstab					
			Variabel Pendidikan		Total
			Buruk	Baik	
Hasil Total Dukungan Keluarga	Tidak ada dukungan	Count	38	7	45
		% within Hasil Total Dukungan Keluarga	84,4%	15,6%	100,0%
	Ada dukungan	Count	30	8	38
		% within Hasil Total Dukungan Keluarga	78,9%	21,1%	100,0%
		% within Variabel Pendidikan	44,1%	53,3%	45,8%
Total	Count		68	15	83
	% within Hasil Total Dukungan Keluarga		81,9%	18,1%	100,0%
	% within Variabel Pendidikan		100,0%	100,0%	100,0%

Chi-Square Tests					
	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	,420 ^a	1	,517		
Continuity Correction ^b	,131	1	,717		
Likelihood Ratio	,419	1	,517		
Fisher's Exact Test				,575	,357
Linear-by-Linear Association	,415	1	,519		
N of Valid Cases	83				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 6.87.
b. Computed only for a 2x2 table

Hasil Total Dukungan Keluarga * Variabel Kualitas Hidup

Crosstab					
			Variabel Kualitas Hidup		Total
			Kualitas Hidup Buruk	Kualitas Hidup Baik	
Hasil Total Dukungan Keluarga	Tidak ada dukungan	Count	21	24	45
		% within Hasil Total Dukungan Keluarga	46,7%	53,3%	100,0%
	Ada dukungan	Count	22	16	38
		% within Hasil Total Dukungan Keluarga	57,9%	42,1%	100,0%
		% within Variabel Kualitas Hidup	51,2%	40,0%	45,8%
Total	Count		43	40	83
	% within Hasil Total Dukungan Keluarga		51,8%	48,2%	100,0%
	% within Variabel Kualitas Hidup		100,0%	100,0%	100,0%

Chi-Square Tests					
	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	1,040 ^a	1	,308		
Continuity Correction ^b	,639	1	,424		
Likelihood Ratio	1,043	1	,307		
Fisher's Exact Test				,380	,212
Linear-by-Linear Association	1,028	1	,311		

N of Valid Cases	83
------------------	----

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 18.31.
b. Computed only for a 2x2 table

Lampiran 8 Riwayat Hidup Peneliti



A. DATA PRIBADI

Nama : Suci Sultan Nusu
NIM : K011171809
Tempat, Tanggal Lahir : Makassar, 19 November 1999
Agama : Islam
Jenis Kelamin : Perempuan
Suku : Bugis
Alamat : Jl. AP.Pettarani No.34
No. Handphone : 085770008212

B. RIWAYAT PENDIDIKAN

- SDN IKIP 1 Makassar
- SMP Islam Terpadu Athirah Makassar
- SMA Islam Terpadu Athirah Makassar
- Departemen Epidemiologi FKM Universitas Hasanuddin

C. RIWAYAT ORGANISASI

- Aiesec in Unhas
- Himpunan Mahasiswa Epidemiologi FKM Unhas 2017
- Halo Jiwa Indonesia

D. RIWAYAT KEPANITIAAN DAN PRESTASI SELAMA KULIAH

- Juara 3 Dalam Lomba Videografi Oleh Lomba Karya Tulis Ilmiah Nasional
- Berpartisipasi Dalam Lomba Debat Universitas Haluleo
- Relawan Dalam Program RISE – Basic Mosquito Identification

- Relawan Hasanuddin Contact Dalam Rangka Pengendalian Tembakau Kota Makassar