

DAFTAR PUSTAKA

- Andy Omar, S. Bin. 2013. *Modul Praktikum Biologi Perikanan*. Makassar: Universitas Hasanuddin.
- Ahyong, S. T., Chan, T., & Liao, Y.-C. 2008. A catalog of the mantis shrimps (stomatopoda) of Taiwan. National Taiwan Ocean University. Keelung. 1–203.
- Anggraeni D. 2001. Studi beberapa aspek biologi udang api-api (*Metapenaeus monoceros* Fabr.) di perairan sekitar hutan lindung Angke Kapuk, Jakarta Utara. Skripsi. Jurusan Manajemen Sumberdaya Perairan. Fakultas Perikanan, Institut Pertanian Bogor. Bogor.
- Anibeze, C. I. P. 2000. Length-weight relationship and relative condition of *Heterobranchus longifilis* (Valenciennes) from Idodo River, Nigeria. *Naga*, 23(2), 34–35. <http://www.worldfishcenter.org/naga/23-2/fb3.pdf>
- Ariyanti, N. 2010. Struktur Demografi Populasi dan Pola Pertumbuhan Udang Mantis (*Harpisquilla raphidea* Fabricius, 1798) Sebagai Dasar Pengelolaan di Kuala Tungkal, Kabupaten Tanjung Jabung Barat, Jambi.
- Arshad, A., S.M. Nurul Amin, N. Osman, Z. C. Cob and C. R. Saad. 2010. Population Parameters of Planktonic Shrimp, *Lucifer intermedius* (Decapoda: Sergestidae) from Sungai Pulai Seagrass Area Johor, Peninsular Malaysia. Ministry of Science, Technology and InnoCharvation (MOSTI), Malaysia.
- Astuti, I. R., & Ariestyani, F. 2013. Potensi Dan Prospek Ekonomis Udang Mantis Di Indonesia. *Media Akuakultur*, 8(1), 39. <https://doi.org/10.15578/ma.8.1.2013.39-44>
- Barber, P. H., & Erdmann, M. V. 2000. Molecular systematics of the Gonodactylidae (Stomatopoda) using mitochondrial cytochrome oxidase C (Subunit 1) DNA sequence data. *Journal of Crustacean Biology*, 20(5), 20–36. <https://doi.org/10.1163/1937240X-90000004>
- Berrill, M. 1975. The Burrowing, Aggressive and Early Larval Behavior of *Neaxius Vivesi* (Bouvier)(Decapoda, Thalassinidea). *Crustaceana*, 29(1), 92-98.
- BPS Kab. Pangkep. 2018. Kabupaten Pangkajene dan Kepulauan dalam Angka 2022. Badan Pusat Statistik Kabupaten Pangkajene dan Kepulauan.
- Carpenter, K. E., & Niem, V. H. 1998. The living marine resources of the Western Central Pacific, volume 2. Cephalopods, crustaceans, holothurians and sharks. In *The Living Marine Resources of thr Western Central Pacific* (Vol. 2). FAO.
- Chandra, T., Salim, G., & Wiharyanto, D. 2015. Model Populasi Pendekatan Pertumbuhan dan Indeks Kondisi *Harpisquilla raphidea* Waktu Tangkapan Pada Pagi Hari di Perairan Utara Pulau Tarakan. *Jurnal Harpodon Borneo*, 8(2), 122–131. <https://doi.org/10.35334/harpodon.v8i2.133>

- Effendi. 2002. Biologi Perikanan. Yayasan Pustaka Nusantara. Yogyakarta. 160 hal.
- Foo, C. H. 2017. Growth Models and Analysis of Crustacean Growth Data. 221.
- Froese, R. 2006. Cube Law, Condition Factor and Weight–Length Relationships: History, Meta-Analysis and Recommendations. *Journal of Applied Ichthyology*, 22(4), 241–253.
- Giyanto. 2013. Membandingkan Dua Persamaan Regresi Linear Sederhana. *Oseana*, 28(1), 19–31.
- Habibun, E. A. 2011. Aspek Pertumbuhan dan Reproduksi Ikan Ekor Kuning (*Caesio cuning*) yang Didaratkan di Pangkalan Pendaratan Ikan Pulau Pramuka, Kepulauan Seribu, Jakarta. IPB (Bogor Agricultural University).
- Hartnoll RG. 1982. Growth. : D.E. Bliss (ed.-in-chief) dan L.G.Abele (ed.). *The Biology of crustacea, Embryology, Morphology and Genetic*. Academic Press, New York. II:111-195.
- Kaisar, Nadiarti, N., Umar, M. T., Nafie, Y. A. La, Priosambodo, D., Irmawati, Tresnati, J., & Suwarni. 2021. Population dynamics of mantis shrimp (*Miyakella nepa* Fabricius, 1781) in Siwa, Bone Bay, South Sulawesi, Indonesia. *IOP Conference Series: Earth and Environmental Science*, 763(1).
- Kartini D. 1998. Parameter populasi udang api-api (*Metapenaeus monoceros* Fabricius) yang ditangkap di perairan Muara Angke, Teluk Jakarta. Skripsi. Jurusan Manajemen Sumberdaya Perairan, Fakultas Perikanan dan Ilmu Kelautan, Institut Pertanian Bogor. Bogor.
- Kasril, Dewiyanti, I., & Nurfadillah. 2017. Relationship Between Carapace Width and Body Weight of Mangrove Crab (*Scyllaserrata*) and Condition Factors Harvested from Aceh Singkil Wate. *Jurnal Ilmiah Mahasiswa Kelautan Dan Perikanan Unsyiah*, 2(3), 444–453.
- Manning, R. B. 1969. A Review of the Genus *Harpiosquilla* (Crustacea, Stomatopoda), with Descriptions of Three New Species. *Smithsonian*, 36.
- Mashar, A., & Wardiatno, Y. 2011. Distribusi Spasial Udang Mantis *Harpiosquilla raphidea* dan *Oratosquillina gravieri* di Kuala Tungkal, Kabupaten Tanjung Jabung Barat, Provinsi Jambi. *Jurnal Pertanian UMMI*, 1(1).
- Mulyono, M., Patria, M. P., Abinawanto, A., Affandi, R., Heriyansyah, & Agus, F. 2016. Growth Aspects of Giant Mantis Shrimp *Harpiosquilla Raphidea* Fabricius, 1798 Banten Bay Waters, Banten Province. *International Journal of Marine Science*, 6(32), 1–14. <https://doi.org/doi: 10.5376/ijms.2016.06.0032>
- Mulyono, M., Patria, M., Abinawanto, A., & Affandi, R. 2013. Length-weight relationship and condition factor in giant harpiosquillid Mantis shrimp , *Harpiosquilla raphidea* (Crustacea : Stomatopoda) in Banten Bay waters , Indonesia. *International Journal of Aquatic Biology*, 1, 185–187.

- Murugan, S., & Anandhi, D. U. 2016. An overview of crustacean diversity in mangrove ecosystem. *Arthropod Diversity and Conservation in the Tropics and Sub-tropics*, 81-99.
- Ndiaye, W., Diouf, K., Samba, O., Ndiaye, P., & Panfili, J. 2015. The length-weight relationship and condition factor of white grouper (*Epinephelus aeneus*, Geoffroy Saint Hilaire, 1817) at the south-west coast of Senegal, West Africa. *International Journal of Advanced Research*, 3(3), 145–153.
- Patek, S., Korff, W., & Caldwell, R. L. 2004. Deadly strike mechanism of a mantis shrimp. *Nature*, 428(17), 819.
- Priatna, A., Purbayanto, A., Simbolon, D., & Hestirianoto, T. 2014. Kemampuan Tangkap Jaring Trawl Terhadap Ikan Demersal Di Perairan Tarakan Dan Sekitarnya. *Jurnal Penelitian Perikanan Indonesia*, 20(1), 19-30.
- Rahardjo, M. F., Affandi, R., Sjafei, D. S., Sulistiono, & Hutabarat, J. 2011. Iktiologi. Lubuk Agung. Bandung (p. 395).
- Richter, T. J. 2007. Development and Evaluation of Standard Weight Equations for Bridgelip Suckers and Largescale Suckers. *North American Journal of Fisheries Management*, 27(3), 936–939. <https://doi.org/10.1577/m06-087.1>
- Samphan, P., & Ratanamusik, A. 2018. The length-weight relationship factor and sex-ratio of mantis shrimp (*Harpiosquilla* spp.) in Andaman Sea of Satun Province, Thailand. *International Journal of Agricultural Technology*, 14(1), 61-71.
- Sarkar, U. K., Khan, G. E., Dabas, A., Pathak, A. K., Mir, J. I., Rebello, S. C., Pal, A., & Singh, S. P. 2013. Length weight relationship and condition factor of selected freshwater fish species found in River Ganga, Gomti and Rapti, India. *Journal of Environmental Biology*, 34(5), 951–956.
- Setiawan, H. 2013. Status ekologi hutan mangrove pada berbagai tingkat ketebalan. *Jurnal Penelitian Kehutanan Wallacea*, 2(2), 104-120.
- Sihombing, M. O. 2018. Studi Morfometrik dan Meristik Udang Mantis (*Oratosquilla gravieri*) di Peraian Pesisir Percut Sei Tuan Provinsi Sumatera Utara. 1–47.
- Sukarni, S., Rina, R., Samsudin, A., & Purna, Y. 2018. *Harpiosquilla raphidea*, Udang Belalang Komoditas Unggulan dari Provinsi Jambi. *Jurnal Penyuluhan Perikanan Dan Kelautan*, 12(3), 179–193. <https://doi.org/10.33378/jppik.v12i3.108>
- Sumiono B & Priyono BE. 1998. Sumberdaya udang penaeid dan krustasea lainnya dalam Widodo J, Azis KA, Priyono BE, Tampubolon GH, Naamin N, & Djamali A, eds. Potensi dan penyebaran sumberdaya ikan laut di perairan Indonesia. Komisi Nasional Pengkajian Stok Sumberdaya Ikan Laut dan P₂O-LIPI. Jakarta
- Tirtadanu, Suprpto, & Suman, A. 2017. Sebaran Frekuensi Panjang, Hubungan Panjang-Berat, Tingkat Kematangan Gonad Dan Rata-Rata Ukuran Pertamakali Matang Gonad Udang Putih (*Penaeus Merquiensis* De Man, 1888) Di Perairan

Kotabaru, Kalimantan Selatan. 9(3), 145–152.

Türkmen, M., O. Erdoğan, A. Yildirim, and I. Akyurt. 2002. Reproductive Tactics, Age and Growth of *Capoeta capoeta* Umbla Heckel 1843 from The Aşkale Region of The Karasu River, Turkey. *Fisheries Research* 54: 317-328

Warahma, Mawaddatan. 2019. “Dinamika Populasi Udang Mantis (*Gonodactylus Chiragra*).” *Universitas Hasanuddin. Makassar*.

Wardiatno, Y., & Mashar, A. 2010. Biological information on the mantis shrimp, *Harpiosquilla raphidea* (Fabricius 1798) (Stomatopoda, Crustacea) in Indonesia with a highlight of its reproductive aspects¹. *Journal of Tropical Biology and Conservation*, 7(1), 65–73.

Wardiatno, Y., & Mashar, A. 2012. Population Dynamics of the Indonesian Mantis Shrimp, *Harpiosquilla raphidea* (Fabricius 1798) (Crustacea: Stomatopoda) Collected from a Mud Flat in Kuala Tungkal, Jambi Province, Sumatera Island. *Ilmu Kelautan: Indonesian Journal of Marine Sciences*, 16(2), 111–118.

Wardiatno, Y., Farajallah, A., & Mashar, A. 2009. Kajian Aspek Reproduksi Dan Genetika Udang Mantis (*Harpiosquilla Raphidea*, Fabricius 1798) Di Kuala Tungkal, Kabupaten Tanjung Jabung Barat, Jambi Sebagai Upaya Lanjutan Domestikasi Udang Mantis. Lembaga Penelitian Dan Pengabdian Kepada Masyarakat Institut Pertanian Bogor.

WoRMS 2022. *Miyakella nepa* (Latreille in Latreille, Le Peletier, Serville & Guérin, 1828). Accessed at: <https://www.marinespecies.org/aphia.php?p=taxdetails&id=409287> on 2022-07-16

Wortham-Neal L., J. 2002. Reproductive morphology and biology of male and female mantis shrimp (Stomatopoda: Squillidae). *Journal of Crustacean Biology*, 22(4), 728–741. <https://doi.org/10.1163/20021975-99990287>

Yudha, I. G., Rahardjo, M. F., Djokosetiyanto, D., & Batu, D. T. F. L. 2015. Pola Pertumbuhan dan Faktor Kondisi Ikan Lumo *Labiobarbus Ocellatus* (Heckel, 1843) di Sungai Tulang Bawang, Lampung. *Zoo Indonesia*, 24(1).

Zainudin Z. 2015. Reproductive biology, feeding habits and population dynamics of *Miyakella nepa* latreille [Masters Thesis]. Universiti Putra Malaysia. Malaysia