

DAFTAR PUSTAKA

- Abd El-Hack, M.E., El-Saadony, M.T., Swelum, A.A., Arif, M., Abo Ghanima, M.M., Shukry, M., Noreldin, A., Taha, A.E. & El-Tarably, K.A. 2021. Curcumin, the active substance of turmeric: its effects on health and ways to improve its bioavailability. *Journal of the Science of Food and Agriculture*, 101(14): 5747–5762.
- Ahmadi, S., Razazan, A., Nagpal, R., Jain, S., Wang, B., Mishra, S.P., Wang, S., Justice, J., Ding, J., McClain, D.A., Kritchevsky, S.B., Kitzman, D. & Yadav, H. 2020. Metformin reduces aging-related leaky gut and improves cognitive function by beneficially modulating gut microbiome/goblet cell/mucin axis. *Journals of Gerontology - Series A Biological Sciences and Medical Sciences*, 75(7): E9–E21.
- An, R., Wilms, E., Masclee, A.A.M., Smidt, H., Zoetendal, E.G. & Jonkers, D. 2018. Age-dependent changes in GI physiology and microbiota: Time to reconsider? *Gut*, 67(12): 2213–2222.
- Araujo, F.O., Felício, M.B., Lima, C.F., Piccolo, M.S., Pizziolo, V.R., Diaz-Muñoz, G., Bastos, D.S.S., Oliveira, L.L., Peluzio, M.D.C.G. & Diaz, M.A.N. 2022. Antioxidant and anti-inflammatory activity of curcumin transdermal gel in an IL-10 knockout mouse model of inflammatory bowel disease. *Anais da Academia Brasileira de Ciencias*, 94(4): 1–13.
- Aviello, G. & Knaus, U.G. 2016. Themed Section: Redox Biology and Oxidative Stress in Health and Disease. *British Journal od Pharmacology*, 174: 1074–1718. <http://onlinelibrary.wiley.com/doi/10.1111/bph.v174.12/>.
- Ballway, J.W. & Song, B.J. 2021. Translational approaches with antioxidant phytochemicals against alcohol-mediated oxidative stress, gut dysbiosis, intestinal barrier dysfunction, and fatty liver disease. *Antioxidants*, 10(3): 1–34.
- Bielak-Zmijewska, A., Grabowska, W., Ciolko, A., Bojko, A., Mosieniak, G., Bijoch, Ł. & Sikora, E. 2019. The role of curcumin in the modulation of ageing. *International Journal of Molecular Sciences*, 20(5).
- Boroumand, N., Samarghandian, S. & Hashemy, S.I. 2018. Immunomodulatory, anti-inflammatory, and antioxidant effects of curcumin. *Journal of HerbMed Pharmacology*, 7(4): 211–219.

- Chen, S., Chen, L., Qi, Y., Xu, J., Ge, Q., Fan, Y., Chen, D., Zhang, Y., Wang, L., Hou, T., Yang, X., Xi, Y., Si, J. & Kang, L. 2020. *Bidobacterium adolescentis* improves lifespan and healthspan by regulating catalase activity and oxidative stress-associated metabolites. *Reseach Square*: 1–15. <https://doi.org/10.21203/rs.3.rs-90247/v1>.
- Deepashree, S., Shivanandappa, T. & Ramesh, S.R. 2022. Genetic repression of the antioxidant enzymes reduces the lifespan in *Drosophila melanogaster*. *Journal of Comparative Physiology B: Biochemical, Systemic, and Environmental Physiology*, 192(1).
- Dumic, I., Nordin, T., Jecmenica, M., Stojkovic Lalosevic, M., Milosavljevic, T. & Milovanovic, T. 2019. Gastrointestinal tract disorders in older age. *Canadian Journal of Gastroenterology and Hepatology*, 2019.
- Eichele, D.D. & Kharbanda, K.K. 2017. Dextran sodium sulfate colitis murine model: An indispensable tool for advancing our understanding of inflammatory bowel diseases pathogenesis. *World Journal of Gastroenterology*, 23(33): 6016–6029.
- Eom, J.Y., Choi, S.H., Kim, H.J., Kim, D.H., Bae, J.H., Kwon, G.S., Lee, D.H., Hwang, J.H., Kim, D.K., Baek, M.C. & Cho, Y.E. 2022. Hemp-Derived Nanovesicles Protect Leaky Gut and Liver Injury in Dextran Sodium Sulfate-Induced Colitis. *International Journal of Molecular Sciences*, 23(17).
- Farré, R., Fiorani, M., Rahiman, S.A. & Matteoli, G. 2020. Intestinal permeability, inflammation and the role of nutrients. *Nutrients*, 12(4).
- Fasano, A. 2020. Open Peer Review All disease begins in the (leaky) gut: role of zonulin-mediated gut permeability in the pathogenesis of some chronic inflammatory diseases [version 1; peer review: 3 approved]. <https://doi.org/10.12688/f1000research.20510.1>.
- Flatt, T. 2020. Life-history evolution and the genetics of fitness components in *drosophila melanogaster*. *Genetics*, 214(1): 3–48.
- Fukui, H. 2016. Increased Intestinal Permeability and Decreased Barrier Function: Does It Really Influence the Risk of Inflammation? *Inflammatory Intestinal Diseases*, 1(3): 135–145.

- Galasso, M., Gambino, S., Romanelli, M.G., Donadelli, M. & Scupoli, M.T. 2021. Browsing the oldest antioxidant enzyme: catalase and its multiple regulation in cancer. *Free Radical Biology and Medicine*, 172: 264–272.
- Hawkins, S.F.C. & Guest, P.C. 2017. Multiplex analyses using real-time quantitative PCR. In *Methods in Molecular Biology*. Humana Press Inc.: 125–133.
- He, Y. & Jasper, H. 2014. Studying aging in Drosophila. *Methods*, 68(1): 129–133.
- Heck, D.E., Shakarjian, M., Kim, H.D., Laskin, J.D. & Vetrano, A.M. 2010. Mechanisms of oxidant generation by catalase. In *Annals of the New York Academy of Sciences*. Blackwell Publishing Inc.: 120–125.
- Hewlings, S.J. & Kalman, D.S. 2017. Curcumin: A review of its effects on human health. *Foods*, 6(10).
- Huang, C., Lu, H.F., Chen, Y.H., Chen, J.C., Chou, W.H. & Huang, H.C. 2020. Curcumin, demethoxycurcumin, and bisdemethoxycurcumin induced caspase-dependent and -independent apoptosis via Smad or Akt signaling pathways in HOS cells. *BMC complementary medicine and therapies*, 20(1): 68.
- Huang, J., Guan, B., Lin, L. & Wang, Y. 2021. Improvement of intestinal barrier function, gut microbiota, and metabolic endotoxemia in type 2 diabetes rats by curcumin. *Bioengineered*, 12(2): 11947–11958.
- Ighodaro, O.M. & Akinloye, O.A. 2018. First line defence antioxidants-superoxide dismutase (SOD), catalase (CAT) and glutathione peroxidase (GPX): Their fundamental role in the entire antioxidant defence grid. *Alexandria Journal of Medicine*, 54(4): 287–293.
- Joshi, M. & Deshpande, J.D. *POLYMERASE CHAIN REACTION: METHODS, PRINCIPLES AND APPLICATION*. www.ssjournals.com.
- Kinashi, Y. & Hase, K. 2021. Partners in Leaky Gut Syndrome: Intestinal Dysbiosis and Autoimmunity. *Frontiers in Immunology*, 12.
- Kuhn, P., Kalariya, H.M., Poulev, A., Ribnicky, D.M., Jaja-Chimedza, A. & Roopchand, D.E. 2018. Grape polyphenols reduce gut-localized reactive oxygen species associated with the development of metabolic syndrome in mice. *PLoS ONE*, 13(10).

- Lee, H.Y., Lee, S.H. & Min, K.J. 2022. The Increased Abundance of Commensal Microbes Decreases *Drosophila melanogaster* Lifespan through an Age-Related Intestinal Barrier Dysfunction. *Insects*, 13(2).
- Lee, K.S., Lee, B.S., Semnani, S., Avanesian, A., Um, C.Y., Jeon, H.J., Seong, K.M., Yu, K., Min, K.J. & Jafari, M. 2010. Curcumin extends life span, improves health span, and modulates the expression of age-associated aging genes in *drosophila melanogaster*. *Rejuvenation Research*, 13(5): 561–570.
- Lestari, M.L.A.D. & Indrayanto, G. 2014. Curcumin. In *Profiles of Drug Substances, Excipients and Related Methodology*. Academic Press Inc.: 113–204.
- Lü, J., Yang, C., Zhang, Y. & Pan, H. 2018. Selection of reference genes for the normalization of RT-qPCR data in gene expression studies in insects: A systematic review. *Frontiers in Physiology*, 9(NOV).
- Martel, J., Chang, S.H., Ko, Y.F., Hwang, T.L., Young, J.D. & Ojcius, D.M. 2022. Gut barrier disruption and chronic disease. *Trends in Endocrinology and Metabolism*, 33(4): 247–265.
- Martins, R., McCracken, A., Simons, M., Henriques, C. & Rera, M. 2018. How to Catch a Smurf? – Ageing and Beyond...In vivo Assessment of Intestinal Permeability in Multiple Model Organisms. *BIO-PROTOCOL*, 8(3).
- Nainu, F. 2018. Penggunaan *Drosophila melanogaster* Sebagai Organisme Model Dalam Penemuan Obat. *Jurnal Farmasi Galenika: Galenika Journal of Pharmacy*, 4(1): 50–67. <http://jurnal.untad.ac.id/jurnal/index.php/Galenika/index>.
- Onken, B., Kalinava, N. & Driscoll, M. 2020. Gluconeogenesis and PEPCK are critical components of healthy aging and dietary restriction life extension. *PLoS Genetics*, 16(8).
- Panchal, K. & Tiwari, A.K. 2017. *Drosophila melanogaster* “a potential model organism” for identification of pharmacological properties of plants/plant-derived components. *Biomedicine and Pharmacotherapy*, 89: 1331–1345.
- Paray, B.A., Albeshr, M.F., Jan, A.T. & Rather, I.A. 2020. Leaky gut and autoimmunity: An intricate balance in individuals health and the diseased state. *International Journal of Molecular Sciences*, 21(24): 1–12.


- Pereira, M.T., Malik, M., Nostro, J.A., Mahler, G.J. & Musselman, L.P. 2018. Effect of dietary additives on intestinal permeability in both *Drosophila* and a human cell co-culture. *DMM Disease Models and Mechanisms*, 11(12).
- Quinn, P.G. & Yeagley, D. 2005. *Insulin Regulation of PEPCK Gene Expression: A Model for Rapid and Reversible Modulation.*
- Rajas, F., Croset, M., Zitoun, C., Montano, S. & Mithieux, G. 2000. Induction of PEPCK gene expression in insulinopenia in rat small intestine. *Diabetes*, 49(7): 1165–1168.
- Rakotoarisoa, M., Angelov, B., Espinoza, S., Khakurel, K., Bizien, T. & Angelova, A. 2019. Cubic Liquid Crystalline Nanostructures Involving Catalase and Curcumin: BioSAXS Study and Catalase Peroxidatic Function after Cubosomal Nanoparticle Treatment of Differentiated SH-SY5Y Cells. *Molecules*, 24(17): 3058.
- Rera, M., Clark, R.I. & Walker, D.W. 2012. Intestinal barrier dysfunction links metabolic and inflammatory markers of aging to death in *Drosophila*. *Proceedings of the National Academy of Sciences of the United States of America*, 109(52): 21528–21533.
- Rinkunaite, I., Simoliunas, E., Alksne, M., Dapkute, D. & Bukelskiene, V. 2021. Anti-inflammatory effect of different curcumin preparations on adjuvant-induced arthritis in rats. *BMC Complementary Medicine and Therapies*, 21(1).
- Sharifi-Rad, J., Rayess, Y. el, Rizk, A.A., Sadaka, C., Zgheib, R., Zam, W., Sestito, S., Rapposelli, S., Neffe-Skocińska, K., Zielińska, D., Salehi, B., Setzer, W.N., Dosoky, N.S., Taheri, Y., el Beyrouthy, M., Martorell, M., Ostrander, E.A., Suleria, H.A.R., Cho, W.C., Maroyi, A. & Martins, N. 2020. Turmeric and Its Major Compound Curcumin on Health: Bioactive Effects and Safety Profiles for Food, Pharmaceutical, Biotechnological and Medicinal Applications. *Frontiers in Pharmacology*, 11.
- Shin, S.K., Cho, H.W., Song, S.E. & Song, D.K. 2018. Catalase and nonalcoholic fatty liver disease. *Pflugers Archiv European Journal of Physiology*, 470(12): 1721–1737.
- Sreejith, K.R., Ooi, C.H., Jin, J., Dao, D.V. & Nguyen, N.T. 2018. Digital polymerase chain reaction technology-recent advances and future perspectives. *Lab on a Chip*, 18(24): 3717–3732.

- Stewart, A.S., Pratt-Phillips, S. & Gonzalez, L.M. 2017. Alterations in Intestinal Permeability: The Role of the “Leaky Gut” in Health and Disease. *Journal of Equine Veterinary Science*, 52: 10–22.
- Suckow, B.K. & Suckow, M.A. 2006. *Lifespan Extension by the Antioxidant Curcumin in Drosophila Melanogaster*.
- Vanuytsel, T., Tack, J. & Farre, R. 2021. The Role of Intestinal Permeability in Gastrointestinal Disorders and Current Methods of Evaluation. *Frontiers in Nutrition*, 8.
- Wang, J., Ghosh, S.S. & Ghosh, S. 2017. Curcumin improves intestinal barrier function: modulation of intracellular signaling, and organization of tight junctions. *Am J Physiol Cell Physiol*, 312: 438–445. <http://www.ajpcell.orgC438>.
- Wang, T., Geng, S.-L., Guan, Y.-M. & Xu, W.-H. 2018. Deacetylation of metabolic enzymes by Sirt2 modulates pyruvate homeostasis to extend insect lifespan. *Aging*, 10(5): 1053–1072.
- Wang, Z. & Dong, C. 2019. Gluconeogenesis in Cancer: Function and Regulation of PEPCK, FBPase, and G6Pase. *Trends in Cancer*, 5(1): 30–45.
- Wen, Z., Liu, W., Li, X., Chen, W., Liu, Zhice, Wen, J. & Liu, Zhiping. 2019. A protective role of the Nrf2-Keap1 pathway in maintaining intestinal barrier function. *Oxidative Medicine and Cellular Longevity*, 2019.
- Wilms, E., Troost, F.J., Elizalde, M., Winkens, B., de Vos, P., Mujagic, Z., Jonkers, D.M.A.E. & Mascllee, A.A.M. 2020. Intestinal barrier function is maintained with aging – a comprehensive study in healthy subjects and irritable bowel syndrome patients. *Scientific Reports*, 10(1).
- Xu, X.-Y., Meng, X., Li, S., Gan, R.-Y., Li, Y. & Li, H.-B. 2018. nutrients Bioactivity, Health Benefits, and Related Molecular Mechanisms of Curcumin: Current Progress, Challenges, and Perspectives. www.mdpi.com/journal/nutrients.
- Zhang, Y., Cai, H., Tao, Z., Yuan, C., Jiang, Z., Liu, J., Kurihara, H. & Xu, W. 2021. Ganoderma lucidum spore oil (GLSO), a novel antioxidant, extends the average life span in *Drosophila melanogaster*. *Food Science and Human Wellness*, 10(1): 38–44.


Zia, A., Farkhondeh, T., Pourbagher-Shahri, A.M. & Samarghandian, S. 2021.
The role of curcumin in aging and senescence: Molecular mechanisms.
Biomedicine and Pharmacotherapy, 134.

LAMPIRAN

Lampiran 1. Preparasi sampel






Lampiran 2. Penyiapan Hewan Uji




Lampiran 3. Pembuatan Pakan




Lampiran 4. Pengujian Dekstran**Lampiran 5. Pengujian Smurf****Lampiran 6. Penyiapan Pakan Pengujian**

Lampiran 7. Penyiapan Sampel RNA



Lampiran 8. Analisis Ekspresi Gen



Lampiran 9. Perhitungan Pengenceran Kurkumin

Pembuatan Larutan kurkumin 50 mM (50×10^{-3} M)

$$M = \frac{m}{MR} \times \frac{1000}{ml}$$

$$50 \times 10^{-3} = \frac{m}{368,38} \times \frac{1000}{1}$$

$$m = 0,018419 \text{ gram (ad 1 ml EtOH 96%)}$$

Dibuat pengenceran dengan konsentrasi 10 mM :

$$N_1 \times V_1 = N_2 \times V_2$$

$$50 \times V_1 = 10 \times 1 \text{ ml}$$

$$V_1 = 0,2 \text{ ml}$$

$$V_1 = 200 \mu\text{l} \text{ (larutan kurkumin 10 mM, ad 1 ml etOH 96%)}$$

Dibuat pengenceran dengan konsentrasi 2 mM :

$$N_1 \times V_1 = N_2 \times V_2$$

$$50 \times V_1 = 2 \times 1 \text{ ml}$$

$$V_1 = 0,04 \text{ ml}$$

$$V_1 = 40 \mu\text{l} \text{ (Larutan kurkumin 2 mM, ad 1 ml EtOH 96%)}$$

Pembuatan pakan Drosophila yang mengandung Kurkumin dengan Konsentrasi 250 μM

$$250 \mu\text{M} = 250 \times 10^{-3} \text{ Mm}$$

$$N_1 \times V_1 = N_2 \times V_2$$

$$50 \times V_1 = 250 \times 10^{-3} \times 5 \text{ ml}$$

$$V_1 = 25 \times 10^{-3} \text{ ml}$$

$V_1 = 25 \mu\text{l}$ (dari larutan kurkumin 50 mM, ad 5 ml pakan)

Pembuatan pakan Drosophila yang mengandung kurkumin dengan konsentrasi 50 μM

$$50 \mu\text{M} = 50 \times 10^{-3} \text{ mM}$$

$$N_1 \times V_1 = N_2 \times V_2$$

$$10 \times V_1 = 50 \times 10^{-3} \times 5 \text{ ml}$$

$$V_1 = 25 \times 10^{-3} \text{ ml}$$

$V_1 = 25 \mu\text{l}$ (dari larutan kurkumin 10 mM, ad 5 ml pakan)

Pembuatan pakan Drosophila yang mengandung kurkumin dengan konsentrasi 10 μM

$$10 \mu\text{M} = 10 \times 10^{-3} \text{ mM}$$

$$N_1 \times V_1 = N_2 \times V_2$$

$$2 \times V_1 = 10 \times 10^{-3} \times 5 \text{ ml}$$

$$V_1 = 25 \times 10^{-3} \text{ ml}$$

$V_1 = 25 \mu\text{l}$ (dari larutan kurkumin 2 mM, ad 5 ml pakan)

Lampiran 10. Data Statistik

Tabel 2. Hasil *one-way anova* ekspresi gen *pepck*

ANOVA summary	Value
F	5,005
P Value	0,0536
P Value summary	ns
Significant diff among means (P<0,05)?	No
R square	0,8002

Tabel 3. Hasil uji lanjutan Tukey's Multiple Comparison Test ekspresi gen pepck

Tukey's Multiple Comparison Test	Mean	Summary	Adjusted
	Diff		P Value
Kontrol tanpa perlakuan vs pelarut	-0,2155	ns	4,090
Kontrol tanpa perlakuan vs Kurkumin 250 µM	-0,2625	ns	4,982
Kontrol tanpa perlakuan vs Kurkumin 50 µM	-0,05400	ns	1,025
Kontrol tanpa perlakuan vs Kurkumin 10 µM	-0,03250	ns	0,6168
Kontrol Pelarut vs Kurkumin 250 µM	-0,04700	ns	0,8920
Kontrol Pelarut vs Kurkumin 50 µM	0,1615	ns	3,065
Kontrol Pelarut vs Kurkumin 10 µM	0,1830	ns	3,473
Kurkumin 250 µM vs Kurkumin 50 µM	0,2085	ns	3,957
Kurkumin 250 µM vs Kurkumin 10 µM	0,2300	ns	4,365
Kurkumin 50 µM vs Kurkumin 10 µM	0,02150	ns	0,4080

Tabel 4. Hasil one-way anova ekspresi gen cat

ANOVA summary	Value
F	5,338
P Value	0,0475
P Value summary	*
Significant diff among means (P<0,05)?	Yes
R square	0,8103

Tabel 5. Hasil uji lanjutan Tukey's Multiple Comparison ekspresi gen cat

Tukey's Multiple Comparison Test	Mean	Summary	Adjusted P
	Diff		P Value
Kontrol Pelarut vs. Tanpa Perlakuan	0,03350	ns	0,3771
Kontrol tanpa perlakuan vs Kurkumin 250 µM	-0,3315	ns	5,277
Kontrol tanpa perlakuan vs Kurkumin 50 µM	-0,1455	ns	2,316
Kontrol tanpa perlakuan vs Kurkumin 10 µM	-0,0715	ns	1,138
Kontrol Pelarut vs. Kurkumin 250µM	-0,3650	*	5,810
Kontrol Pelarut vs. Kurkumin 50µM	-0,1790	ns	2,850
Kontrol Pelarut vs. Kurkumin 10µM	-0,1050	ns	1,672

Kurkumin 250 μM vs Kurkumin 50 μM	0,1860	ns	2,961
Kurkumin 250 μM vs Kurkumin 10 μM	0,2600	ns	4,139
Kurkumin 50 μM vs Kurkumin 10 μM	0,0740	ns	1,178

Lampiran 11. Dokumentasi Penelitian



Gambar 13. Penyiapan hewan uji



Gambar 14. Pengujian dosis dextran



Gambar 15. Pembuatan pakan



Gambar 16. Pembuatan pakan kurkumin



Gambar 17. Isolasi RNA



Gambar 18. Pengujian ekspresi gen