

DAFTAR PUSTAKA

- Adamopoulos, S., Corrà, U., Laoutaris, I. D., Pistono, M., Agostoni, P. G., Coats, A. J. S., Leiro, M. G. C., Cornelis, J., Davos, C. H., Filippatos, G., Lund, L. H., Jaarsma, T., Ruschitzka, F., Seferovic, P. M., Schmid, J., Volterrani, M., & Piepoli, M. F. (n.d.). *Exercise training in patients with ventricular assist devices : a review of the evidence and practical advice . A position paper from the Committee on Exercise Physiology and Training and the Committee of Advanced Heart Failure of the Heart Failure Assoc.* 1–11.
<https://doi.org/10.1002/ejhf.1352>
- Afxonidis, G., Moysidis, D. V., Papazoglou, A. S., Tsagkaris, C., Loudovikou, A., Tagarakis, G., Karapanagiotidis, G. T., Alexiou, I. A., Foroulis, C., & Anastasiadis, K. (2021). *Efficacy of Early and Enhanced Respiratory Physiotherapy and Mobilization after On-Pump Cardiac Surgery : A Prospective Randomized Controlled Trial.* 1–11.
- Agustin, W. R. (2020). Pengaruh Mobilisasi Progresif Terhadap Status Hemodinamik Pada Pasien Krisis Di Intensive Care Unit. *Jurnal Of Health Research*, 3. <https://doi.org/DOI: https://doi.org/10.36419/avicenna.v3i1.339>
- Aimo, A., Barison, A., Mammini, C., & Emdin, M. (2018). The Barthel Index in elderly acute heart failure patients. Frailty matters. *International Journal of Cardiology*, 254, 240–241. <https://doi.org/10.1016/j.ijcard.2017.11.010>
- Alaparthi, G. K., Gatty, A., Samuel, S. R., & Amaravadi, S. K. (2020). Effectiveness, safety, and barriers to early mobilization in the intensive care unit. *Critical Care Research and Practice*, 2020. <https://doi.org/10.1155/2020/7840743>
- Anekwe, D. E., Koo, K. K., Marchie, M. De, Goldberg, P., Jayaraman, D., & Spahija, J. (2017). *Interprofessional Survey of Perceived Barriers and Facilitators to Early Mobilization of Critically Ill Patients in Montreal , Canada.* <https://doi.org/10.1177/0885066617696846>
- Asgari, M. R., Jafarpoor, H., Soleimani, M., & Ghorbani, R. (2015). *Effects of Early Mobilization Program on the Heart Rate and Blood Pressure of Patients With Myocardial Infarction Hospitalized at the Coronary Care Unit.* 2(1), 1–6. <https://doi.org/10.17795/mejrh-24168>
- Bein, et al. (2015). *S2e guideline : positioning and early mobilisation in prophylaxis or therapy of pulmonary disorders Revision 2015 : S2e guideline of the German Society of Anaesthesiology.* 1–26. <https://doi.org/10.1007/s00101-015-0071-1>
- Benjamin, J.;, E., & Virani. (2018). *Heart Disease and Stroke Statistics — 2018 Update A Report From the American Heart Association.* <https://doi.org/10.1161/CIR.0000000000000558>
- Bredy, C., Ministeri, M., Kempny, A., Alonso-Gonzalez, R., Swan, L., Uebing,

- A., Diller, G. P., Gatzoulis, M. A., & Dimopoulos, K. (2018). New York Heart Association (NYHA) classification in adults with congenital heart disease: Relation to objective measures of exercise and outcome. *European Heart Journal - Quality of Care and Clinical Outcomes*, 4(1), 51–58.
<https://doi.org/10.1093/ehjqcco/qcx031>
- Cameron, et al. (2015). Early mobilization in the critical care unit: A review of adult and pediatric literature. *Journal of Critical Care*, 30(4), 664–672.
<https://doi.org/10.1016/j.jcrc.2015.03.032>
- Cameron, S., Ball, I., Cepinskas, G., Choong, K., Doherty, J., Ellis, C. G., Martin, C., Mele, T. S., Shoemaker, K., Fraser, D. D., J. D. T., G. E. C., Claudio, M., S. M. T., Kevin, S., D. F. D., Mobilization, E., & Care, C. (2015). Early Mobilization in the Critical Care Unit: A Review of Adult and Pediatric Literature. *Journal of Critical Care*.
<https://doi.org/10.1016/j.jcrc.2015.03.032>
- Chen, Y. W., Wang, C. Y., Lai, Y. H., Liao, Y. C., Wen, Y. K., Chang, S. T., Huang, J. L., & Wu, T. J. (2018). Home-based cardiac rehabilitation improves quality of life, aerobic capacity, and readmission rates in patients with chronic heart failure. *Medicine (United States)*, 97(4), 1–5.
<https://doi.org/10.1097/MD.0000000000009629>
- Clarissa, C., Salisbury, L., Rodgers, S., & Kean, S. (2019). Early mobilisation in mechanically ventilated patients: a systematic integrative review of definitions and activities. *Journal of Intensive Care*, 7(1), 3.
<https://doi.org/10.1186/s40560-018-0355-z>
- Corrà, U., & Pistono, M. (2019). Early mobilization in LVAD recipients: An obligatory step towards recovery. *Monaldi Archives for Chest Disease*, 89(1), 5–7. <https://doi.org/10.4081/monaldi.2019.1056>
- Cortes, O. L., Villar, J. C., Devereaux, P. J., & Dicenso, A. (2009). *International Journal of Nursing Studies Early mobilisation for patients following acute myocardial infarction : A systematic review and meta-analysis of experimental studies*. 46, 1496–1504.
<https://doi.org/10.1016/j.ijnurstu.2009.03.012>
- Da Conceição et al. (2017). *Safety criteria to start early mobilization in intensive care units . Systematic review*. 29(4), 509–519. <https://doi.org/10.5935/0103-507X.20170076>
- Desai, S. V., Law, T. J., & Needham, D. M. (2011). *Long-term complications of critical care*. 39(2). <https://doi.org/10.1097/CCM.0b013e3181fd66e5>
- Dunlay, S. M., Manemann, S. M., Chamberlain, A. M., Cheville, A. L., Jiang, R., Weston, S. A., & Roger, V. L. (2015). *Activities of Daily Living and Outcomes in Heart Failure*. 261–268.
<https://doi.org/10.1161/CIRCHEARTFAILURE.114.001542>

- Frownfelter, D., & Dean, E. (2014). *Cardiovascular and pulmonary physical therapy-E-Book: Evidence to practice.*
- Giannitsi, S., Bougiakli, M., Bechlioulis, A., Naka, K. K., Kotsia, A., & Michalis, L. K. (2019). *6-minute walking test : a useful tool in the management of heart failure patients.* 1–10. <https://doi.org/10.1177/1753944719870084>
- Groenewegen, A., Rutten, F. H., Mosterd, A., & Hoes, A. W. (2020). *Epidemiology of heart failure Measuring an epidemic.* 7–9. <https://doi.org/10.1002/ejhf.1858>
- Hartoyo, M. et al. (2017). Pengaruh Mobilisasi Progresif Level I Terhadap Tekanan Darah Dan Saturasi Oksigen Pasien Kritis Dengan Penurunan Kesadaran. *Jurnal Perawat Indoneias.* <https://doi.org/DOI: https://doi.org/10.32584/jpi.v1i1.3>
- Imalig, E. uli. (2014). *Gagal Jantung pada Geriatri.* 41(1), 19–24.
- Imamura, T., & Narang, N. (2020). *Advances in Hemodynamic Monitoring in Heart Failure Patients.* 1–5. <https://doi.org/10.2169/internalmedicine.4615-20>
- Inamdar, A. A., & Inamdar, A. C. (2016). Heart failure: Diagnosis, management and utilization. *Journal of Clinical Medicine,* 5(7). <https://doi.org/10.3390/jcm5070062>
- Isma yuniar, Surya ediyono, H. B. (2022). Effects of Early Mobilization on Hemodynamics in Acs Patients At Rsud Dr. Soedirman Kebumen. *IINTERNATIONAL JOURNAL OF MEDICAL SCIENCE AND CLINICAL RESEARCH STUDIES, Volume 02(Issue 05).* <https://doi.org/doi.org/10.47191/ijmscrs/v2-i5-22>
- Iswari, M. F., Ginanjar, M. R., Progresif, M., Oksigen, S., & Penurunan, P. (2019). *Pengaruh Mobilisasi Progresif Level I Terhadap Tekanan Darah Dan Saturasi.* 3(2), 57–63.
- Kachur, S., Chongthammakun, V., Lavie, C. J., De, A., Arena, R., Milani, R. V., & Franklin, B. A. (2017). Impact of Cardiac Rehabilitation and Exercise Training Programs in Coronary Heart Disease. *Progress in Cardiovascular Diseases.* <https://doi.org/10.1016/j.pcad.2017.07.002>
- Kakutani, N., Fukushima, A., Kinugawa, S., Yokota, T., Oikawa, T., Nishikawa, M., Nakamura, R., Tsukada, T., Mori, S., Yoshida, I., & Anzai, T. (2019). Progressive Mobilization Program for Patients With Acute Heart Failure Reduces Hospital Stay and Improves Clinical Outcome. *Circulation Reports,* 1(3), 123–130. <https://doi.org/10.1253/circrep.cr-19-0004>
- Kanejima, Y., Shimogai, T., Kitamura, M., & Ishihara, K. (n.d.). *Effect of Early Mobilization on Physical Function in Patients after Cardiac Surgery : A Systematic Review and Meta-Analysis.* *Cvd,* 1–11.

- Kasawara, K. T., Castellanos, M. M., Hanada, M., Reid, W. D., & Pt, B. M. R. (2019). *Patofisiologi Otot di paru dan Kondisi Kardiovaskular*. 5–14. <https://doi.org/10.1097/CPT.0000000000000096>
- Katano, S., Yano, T., Ohori, K., Kouzu, H., Nagaoka, R., Honma, S., Shimomura, K., Inoue, T., Takamura, Y., Ishigo, T., Watanabe, A., Koyama, M., Nagano, N., Fujito, T., Nishikawa, R., Ohwada, W., Hashimoto, A., Katayose, M., Ishiai, S., & Miura, T. (2022). Barthel Index Score Predicts Mortality in Elderly Heart Failure. *Circulation Journal*, 86(1), 70–78. <https://doi.org/10.1253/circj.CJ-21-0584>
- Kemenkes. (2019). Kementerian Kesehatan Republik Indonesia. *Kementerian Kesehatan RI*, 1(1), 1. <https://www.kemkes.go.id/article/view/19093000001/penyakit-jantung-penyebab-kematian-terbanyak-ke-2-di-indonesia.html>
- Kementerian Kesehatan Republik Indonesia. (2013). *Riskesdas 2013. Kementerian Kesehatan RI: Badan Penelitian dan Pengembangan Kesehatan*.
- Kono et al. (2020a). Predictive impact of early mobilization on rehospitalization for elderly Japanese heart failure patients. *Heart and Vessels*, 35(4), 531–536. <https://doi.org/10.1007/s00380-019-01517-8>
- Kono, Y., Izawa, H., Aoyagi, Y., Ishikawa, A., Sugiura, T., Mori, E., Yanohara, R., Ishiguro, T., Yamada, R., Okumura, S., Fujiwara, W., Hayashi, M., & Saitoh, E. (2020b). Predictive impact of early mobilization on rehospitalization for elderly Japanese heart failure patients. *Heart and Vessels*, 35(4), 531–536. <https://doi.org/10.1007/s00380-019-01517-8>
- Kress, J. P., & Hall, J. B. (2014). *ICU-Acquired Weakness and Recovery from Critical Illness*. 1626–1635. <https://doi.org/10.1056/NEJMra1209390>
- Kurmani, S., & Squire, I. (2017). *Acute Heart Failure : Definition , Classification and Epidemiology*. <https://doi.org/10.1007/s11897-017-0351-y>
- Leitz, K. H., & Ziemer, G. (2017). *The History of Cardiac Surgery*. 3–31. <https://doi.org/10.1007/978-3-662-52672-9>
- Lumi et al. (2021). Rehabilitasi Jantung pada Pasien Gagal Jantung Kronik. *Jurnal Biomedik*. 2021;13(3):309-316. <https://doi.org/DOI: https://doi.org/10.35790/jbm.13.3.2021.33448>
- McDonagh, T. A., Metra, M., Adamo, M., Gardner, R. S., Baumbach, A., Böhm, M., Burri, H., Butler, J., Celutkiene, J., Chioncel, O., Cleland, J. G. F., Coats, A. J. S., Crespo-Leiro, M. G., Farmakis, D., Gilard, M., & Heymans, S. (2021). 2021 ESC Guidelines for the diagnosis and treatment of acute and chronic heart failure. *European Heart Journal*, 42(36), 3599–3726. <https://doi.org/10.1093/eurheartj/ehab368>
- Miranda Rocha, A. R., Martinez, B. P., Maldaner da Silva, V. Z., & Forgiarini Junior, L. A. (2017). Early mobilization: Why, what for and how? *Medicina*

- Intensiva*, 41(7), 429–436. <https://doi.org/10.1016/j.medin.2016.10.003>
- Monteiro, M. D. F., & Filho, D. C. S. (2004). *Physical exercise and blood pressure control* *. Vol. 10, N, 517–519.
- Morris, P. E., Goad, A., Thompson, C., Taylor, K., Harry, B., Passmore, L., Ross, A., Anderson, L., Baker, S., Sanchez, M., Penley, L., Howard, A., Dixon, L., Leach, S., Small, R., Hite, R. D., & Haponik, E. (2008). *Early intensive care unit mobility therapy in the treatment of acute respiratory failure* *. 36(8). <https://doi.org/10.1097/CCM.0b013e318180b90e>
- Munir, H., Morais, J. A., & Goldfarb, M. (2021). Health-Related Quality of Life in Older Adults With Acute Cardiovascular Disease Undergoing Early Mobilization. *CJC Open*, 3(7), 888–895. <https://doi.org/10.1016/j.cjco.2021.02.013>
- Muttaqin, A & Sari, K. (2014). *Asuhan Keperawatan Gangguan Sistem Kardiovaskuler*.
- Najjar, C., Dima, D., Ccn, C., & Goldfarb, M. (2022). Patient and Family Perspectives on Early Mobilization in Acute Cardiac Care. *CJC Open*, 4(2), 230–236. <https://doi.org/10.1016/j.cjco.2021.10.007>
- Papathanasiou, J. V., Petrov, I., Tokmakova, M. P., Dimitrova, D. D., Spasov, L., Dzhafer, N. S., Tsekoura, D., Dionyssiotis, Y., Ferreira, A. S., Lopes, A. J., Rosulescu, E., & Foti, C. (2020). Group-based cardiac rehabilitation interventions. A challenge for physical and rehabilitation medicine physicians: A randomized controlled trial. *European Journal of Physical and Rehabilitation Medicine*, 56(4), 479–488. <https://doi.org/10.23736/S1973-9087.20.06013-X>
- Pollock, A., & Berge, E. (2018). *How to do a systematic review*. 13(2), 138–156. <https://doi.org/10.1177/1747493017743796>
- Ponikowski, P., Voors, A. A., Anker, S. D., Bueno, H., Cleland, J. G. F., Coats, A. J. S., Falk, V., González-Juanatey, J. R., Harjola, V. P., Jankowska, E. A., Jessup, M., Linde, C., Nihoyannopoulos, P., Parissis, J. T., Pieske, B., Riley, J. P., Rosano, G. M. C., Ruilope, L. M., Ruschitzka, F., ... Davies, C. (2016). 2016 ESC Guidelines for the diagnosis and treatment of acute and chronic heart failure. *European Heart Journal*, 37(27), 2129-2200m. <https://doi.org/10.1093/eurheartj/ehw128>
- Rawal, G., Yadav, S., & Kumar, R. (2017). *Post-intensive care syndrome : An overview*. 5(2), 90–92. <https://doi.org/10.1515/jtim-2016-0016>
- Santosa et al. (2021). Pengaruh Mobilisasi Dini Terhadap Heart Rate Pada Pasien Sindroma Koroner Akut Paska Infark. *Media Husada Journal of Nursing Science*, Vol 2(No 3. <https://doi.org/DOI: https://doi.org/10.33475/mhjns.v2i3.55>
- Setyawan, D., & Widjianto, B. (2013). *Pengaruh Ambulasi Dini terhadap*

Peningkatan Activity Of Daily Living Pada Pasien Post Kateterisasi Jantung DI RS TELOGOREJO SEMARANG Di Jawa Tengah berdasarkan Badan Penelitian dan Pengembangan Kesehatan 2013 prevalensi jantung koroner tertinggi di kota s.

Siswanto, B. B., Hersunarti, N., & Erwinanto. (n.d.). *Pedoman Tata Laksana Gagal Jantung PP PERKI 2020*.

Stiller, K., & Physio, B. (2007). *Safety Issues That Should Be Considered When Mobilizing Critically Ill Patients*. 23, 35–53.
<https://doi.org/10.1016/j.ccc.2006.11.005>

Surgery, H., Clinical, A. R., & Zeydi, A. E. (2011). *The Effect of Music on the Vital Signs and SpO 2 of Patients*. 21(82), 73–82.

Suzuki, Shoya;; Momosaki, R., Watanabe, Tomomi;; Abo, & Masahiro. (2019). *Effectiveness of Early Rehabilitation for Acute Heart Failure*. 23–25.
<https://doi.org/10.1097/HCR.0000000000000422>

Teng, H., Yeh, M., & Wang, M. (2018). *Walking with controlled breathing improves exercise tolerance , anxiety , and quality of life in heart failure patients : A randomized controlled trial*.
<https://doi.org/10.1177/1474515118778453>

Truong, A. D., Fan, E., Brower, R. G., & Needham, D. M. (2009). *Bench-to-bedside review : Mobilizing patients in the intensive care unit –from pathophysiology to clinical trials*. 8(Figure 1), 2–9.
<https://doi.org/10.1186/cc7885>

Uemura, Y., Shibata, R., Takemoto, K., Koyasu, M., Ishikawa, S., Murohara, T., & Watarai, M. (2018). *Prognostic Impact of the Preservation of Activities of Daily Living on Post-Discharge Outcomes in Patients With Acute Heart Failure*. <https://doi.org/10.1253/circj.CJ-18-0279>

Vollman, K. M. (2013). *Patients Hemodynamic Response to Mobilization*. 36(1), 17–27. <https://doi.org/10.1097/CNQ.0b013e3182750767>

Winkelmann, E. R., Dallazen, F., Beerbaum, A., Bronzatti, S., Lorenzoni, C. W., & Windmöller, P. (2015). *Analysis of steps adapted protocol in cardiac rehabilitation in the hospital phase*. 40–48. <https://doi.org/10.5935/1678-9741.20140048>

Wolfe, J. D., Wolfe, N. K., & Rich, M. W. (n.d.). *Perioperative care of the geriatric patient for noncardiac surgery*. <https://doi.org/10.1002/clc.23302>

Woods, S.L, et al. (2010). *Cardiac nursing* (6th editio). Philadelphia : Wolters Kluwer Health/Lippincott Williams & Wilkins.

Yuan, S., Chi, Y., Long, Y., He, H., & Zhao, Z. (2021). *Effect of Position Change From the Bed to a Wheelchair on the Regional Ventilation Distribution Assessed by Electrical Impedance Tomography in Patients With Respiratory*

Failure. 8(November), 1–10. <https://doi.org/10.3389/fmed.2021.744958>

Zang, K., Chen, B., Wang, M., Chen, D., & Hui, L. (2019). *The effect of early mobilization in critically ill patients : A meta-analysis*. November 2018, 1–8. <https://doi.org/10.1111/nicc.12455>

WHO Global Health Estimates <https://www.who.int/data/gho>

LAMPIRAN

Mann-Whitney Test

Ranks

	kelompok	N	Mean Rank	Sum of Ranks
hasil	intervensi	18	21.14	380.50
kontrol		18	15.86	285.50
Total		36		

Test Statistics^a

	hasil
Mann-Whitney U	114.500
Wilcoxon W	285.500
Z	-1.584
Asymp. Sig. (2-tailed)	.113
Exact Sig. [2*(1-tailed Sig.)]	.134 ^b

a. Grouping Variable: kelompok

b. Not corrected for ties.

Mann-Whitney Test

Ranks

	kelompok	N	Mean Rank	Sum of Ranks
hasil	intervensi	18	27.50	495.00
kontrol		18	9.50	171.00
Total		36		

Test Statistics^a

	hasil
Mann-Whitney U	.000
Wilcoxon W	171.000
Z	-5.253
Asymp. Sig. (2-tailed)	.000
Exact Sig. [2*(1-tailed Sig.)]	.000 ^b

a. Grouping Variable: kelompok

b. Not corrected for ties.

Mann-Whitney Test

Ranks

	kelompok	N	Mean Rank	Sum of Ranks
hasil	intervensi	18	27.50	495.00
kontrol		18	9.50	171.00
Total		36		

Test Statistics^a

	hasil
Mann-Whitney U	.000
Wilcoxon W	171.000
Z	-5.220
Asymp. Sig. (2-tailed)	.000
Exact Sig. [2*(1-tailed Sig.)]	.000 ^b

a. Grouping Variable: kelompok

b. Not corrected for ties.

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
jenis kelamin intervensi * jenis kelamin kontrol	18	100.0%	0	0.0%	18	100.0%

jenis kelamin intervensi * jenis kelamin kontrol Crosstabulation

Count

		jenis kelamin kontrol		Total
		L	P	
jenis kelamin intervensi	L	3	7	10
	P	3	5	8
Total		6	12	18

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2- sided)	Exact Sig. (1- sided)
Pearson Chi-Square	.113 ^a	1	.737		
Continuity Correction ^b	.000	1	1.000		
Likelihood Ratio	.112	1	.738		
Fisher's Exact Test				1.000	.563
N of Valid Cases	18				

a. 2 cells (50,0%) have expected count less than 5. The minimum expected count is 2,67.

b. Computed only for a 2x2 table

Mann-Whitney Test

Ranks

	kelompok	N	Mean Rank	Sum of Ranks
usia	kontrol	18	19.03	342.50
usia	intervensi	18	17.97	323.50
	Total	36		

Test Statistics^a

	usia
Mann-Whitney U	152.500
Wilcoxon W	323.500
Z	-.301
Asymp. Sig. (2-tailed)	.763
Exact Sig. [2*(1-tailed Sig.)]	.767 ^b

a. Grouping Variable: kelompok

b. Not corrected for ties.

komorbid * kelompok Crosstabulation

Count

		kelompok		Total
		intervensi	kontrol	
komorbid	AF	2	1	3
	anemia	1	1	2
	CAD	3	3	6
	CKD	2	3	5
	HHD	3	1	4
	HT urgency	1	2	3
	n stemi	1	2	3
	DM	0	1	1
	tidak ada	5	4	9
Total		18	18	36

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	3.311 ^a	8	.913
Likelihood Ratio	3.765	8	.878
Linear-by-Linear Association	.094	1	.759
N of Valid Cases	36		

a. 18 cells (100.0%) have expected count less than 5. The minimum expected count is .50.

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
jenis pekerjaan intervensi * jenis pekerjaan kontrol	18	100.0%	0	0.0%	18	100.0%

jenis pekerjaan intervensi * jenis pekerjaan kontrol Crosstabulation

Count

		jenis pekerjaan kontrol						
		IRT	karyawan	pedagang	pensiunan	petani	tdk beke rja	tidak bekerja
jenis pekerjaan intervensi	IRT	0	1	0	0	0	2	0
	kary.swasta	1	0	0	0	0	0	0
	Karyawan swasta	1	0	0	0	0	0	0
	pedagang	0	1	0	0	0	0	1
	pensiunan	0	0	0	0	1	0	0
	petani	1	0	1	0	0	0	0
	PNS	1	0	0	1	0	0	0

	tdk bekerja	2	0	1	1	0	0	0
Total		6	2	2	2	1	2	1

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	55.200 ^a	49	.252
Likelihood Ratio	41.505	49	.768
N of Valid Cases	18		

a. 64 cells (100,0%) have expected count less than 5. The minimum expected count is ,06.

T-Test

Group Statistics

	Kelompok	N	Mean	Std. Deviation	Std. Error Mean
PreTDS	Intervensi	18	132.78	13.198	3.111
	Kontrol	18	131.11	15.676	3.695
PreHR	Intervensi	18	73.83	5.586	1.317
	Kontrol	18	79.89	9.317	2.196
PreRR	Intervensi	18	23.61	1.720	.405
	Kontrol	18	24.00	1.495	.352

Independent Samples Test

		Levene's Test for Equality of Variances		t-test for Equality of Means						
		F	Sig.	t	df	Sig. (2-tailed)	Mean Difference	Std. Error Difference	95% Confidence Interval of the Difference	
									Lower	Upper
PreTDS	Equal variances assumed	.356	.555	.345	34	.732	1.667	4.830	-8.149	11.483
	Equal variances not assumed			.345	33.040	.732	1.667	4.830	-8.160	11.493
PreHR	Equal variances assumed	8.124	.007	-2.365	34	.024	-6.056	2.561	-11.259	-.852
	Equal variances not assumed			-2.365	27.823	.025	-6.056	2.561	-11.302	-.809
PreRR	Equal variances assumed	1.082	.306	-.724	34	.474	-.389	.537	-1.480	.703
	Equal variances not assumed			-.724	33.355	.474	-.389	.537	-1.481	.703

Lembar 1. Lembar Penjelasan Penelitian

Lembar Informed Consent

Yth. Responden

Perkenalkan nama saya Merry Gala Mahasiswa Magister Ilmu Keperawatan Fakultas Keperawatan Universitas Hasanuddin bermaksud ingin melakukan penelitian tentang Efektivitas Pemberian Intervensi Mobilisasi Dini Terhadap Hemodinamik dan *Activity Of Daily Living* Pada Pasien Dengan *Heart Failure* (HF) di Ruang Perawatan RSUD Labuang Baji Makassar adapun tujuan dari penelitian ini adalah untuk mengetahui efektivitas mobilisasi dini terhadap hemodinamik dan *Activity of Daily Living* pada pasien dengan *Heart Failure* (HF).

Peneliti sangat berharap partisipasi dari Bapak/Ibu untuk menjadi responden pada penelitian saya ini

Peneliti menjamin kerahasiaan identitas dan informasi yang anda berikan selama proses penelitian ini. Hasil Penelitian ini hanya digunakan untuk kepentingan Pendidikan dan peningkatan kualitas pelayanan keperawatan di rumah sakit

Atas Kesediaan Bapak/Ibu/Ners menjadi responden, peneliti mengucapkan banyak terima kasih.

Mahasiswa Meneliti

Merry Gala

Lembar 2 : Persetujuan Responden

Lembar Persetujuan Menjadi Responden

Setelah saya mendapatkan informasi dan penjelasan, maka saya memahami manfaat dan tujuan ini. Saya yakin peneliti akan menghargai dan menjunjung tinggi hak-hak saya sebagai responden. Saya Juga Menyadari bahwa kejadian ini tidak akan menimbulkan dampak negative bagi saya dan RSUD Labuang Baji Makassar. Saya menyadari bahwa keikutsertaan saya dalam penelitian ini sangat besar manfaatnya bagi peningkatan Kualitas Pelayanan Keperawatan di RSUD Labuang Baji Makassar.

Oleh karena itu, dengan menandatangani lembar persetujuan ini, maka saya menyatakan bersedia menjadi responden dalam penelitian ini.

Makassar, 2022

Responden

(.....)

Barthel Index

No	Aktivitas	Nilai
	Makan	
1	0 : tidak mampu	
2	5 : dibantu (makanan dipotong-potong dulu)	
3	10 : mandiri	
	Mandi	
4	0 : dibantu	
5	5 : mandiri (menggunakan shower)	
	Personal hygiene (cuci muka, menyisir rambut, bercukur jenggot, gogok gigi)	
6	0 : dibantu	
7	5 : mandiri	
	Berpakaian	
8	0 : dibantu seluruhnya	
9	5 : dibantu sebagian	
10	10 : mandiri (termasuk menggantung baju, memakai tali sepatu, dan resleting).	
	Buang Air Besar (BAB)	
11	0 : tidak dapat mengontrol (perlu diberikan enema)	
12	5 : kadang mengalami kecelakaan	
13	10: mampu mengontrol BAB	
	Buang Air Kecil (BAK)	
14	0 : tidak dapat mengontrol BAK, dan menggunakan kateter	
15	5 : kadang mengalami kecelakaan	
16	10 : mampu mengontrol BAK	
	Toileting /ke kamar kecil	
17	0 : dibantu seluruhnya	
18	5: dibantu sebagian	
19	10 : mandiri (melepas atau memakai pakaian, menyiram WC, membersihkan organ kelamin.	
	Berpindah (dari tempat tidur ke kursi, dan sebaliknya)	
20	0 : tidak ada keseimbangan untuk duduk	
21	5 : dibantu satu atau dua orang, dan bisa duduk	
22	10 : dibantu (lisan atau fisik)	
23	15 : mandiri	
	Mobilisasi (berjalan di permukaan datar)	
24	0 : tidak dapat berjalan	
25	5 : menggunakan kursi roda	
26	10 : berjalan dengan bantuan satu orang	
27	15 : mandiri	
	Naik dan turun tangga	

28	0 : tidak mampu
29	5 : dibantu menggunakan tongkat
30	10 : mandiri.



KEMENTERIAN PENDIDIKAN, KEBUDAYAAN,
RISET, DAN TEKNOLOGI
UNIVERSITAS HASANUDDIN
FAKULTAS KEPERAWATAN

PROGRAM STUDI MAGISTER ILMU KEPERAWATAN

Jalan Perintis Kemerdekaan Km.10 Makassar 90245

Laman: keperawatan@unhas.ac.id

Nomor : 7068/UN4.18.1/PT.01.04/2022

02 Desember 2022

Lamp : -

H a l : *Permohonan izin penelitian.-*

Yth. Direktur RSUD Labuan Baji Makassar
di Tempat

Dengan hormat kami sampaikan bahwa mahasiswa Program Studi Magister (S2) Fakultas Keperawatan Universitas Hasanuddin yang tersebut dibawah ini :

N a m a : Merry Gala, S.Kep.,Ners.

Nomor Pokok : R012211019

Program Pendidikan : Magister (S2)

Program Studi : Keperawatan

bermaksud melakukan penelitian dalam rangka persiapan penulisan tesis dengan judul "Efektifitas Pemberian Intervensi Mobilisasi Dini Terhadap Hemodinamik dan Activity Daily Of Living Pada Pasien Dengan Heart Failure (HF) Diruang Perawatan RSUD Labuan Baji Makassar".

Pembimbing : 1. Dr. Yuliana Syam, S.Kep.,Ns.,M.Si. (Ketua)
2. Dr.Takdir Tahir, S.Kep.,Ns.M.Kes. (Anggota)

Waktu Penelitian : Desember 2022 sampai sampai terpenuhi

Sehubungan dengan hal tersebut kami mohon kebijaksanaan Bapak/Ibu kiranya berkenan memberi izin kepada yang bersangkutan.

Atas perkenan dan kerjasamanya disampaikan terima kasih.



Tembusan:

1. Kabag. Tata Usaha
2. Mahasiswa yang bersangkutan
3. Anisip.-





Pemerintah Provinsi Sulawesi Selatan
RUMAH SAKIT UMUM DAERAH LABUANG BAJI
Jl. Dr. RATULANGI NO. 81 Telp. 873482 - 872120 - 872836 - 874684 Fax : 0411-830454
E-mail: rumahsakitlabuangbaji@yahoo.co.id
MAKASSAR

DEKLARASI



KEMENTERIAN PENDIDIKAN, KEBUDAYAAN
RISET, DAN TEKNOLOGI
UNIVERSITAS HASANUDDIN
FAKULTAS KESEHATAN MASYARAKAT

Jln. Perintis Kemerdekaan Km.10 Makassar 90245, Telp.(0411) 585658,
E-mail : fkm.unhas@gmail.com, website: https://fkm.unhas.ac.id/

REKOMENDASI PERSETUJUAN ETIK

Nomor : 15631/UN4.14.1/TP.01.02/2022

Tanggal : 28 Desember 2022

Dengan ini Menyatakan bahwa Protokol dan Dokumen yang Berhubungan dengan Protokol berikut ini telah mendapatkan Persetujuan Etik :

No.Protokol	201222092372	No. Sponsor Protokol	
Peneliti Utama	Merry Gala	Sponsor	Pribadi
Judul Penelitian	Efektivitas Pemberian Intervensi Mobilisasi Dini Terhadap Hemodinamik dan <i>Activity Daily of Living</i> Pada Pasien dengan <i>Heart Failure</i> (HF) di Ruang Prawatan RSUD Labuang Baji Makassar		
No.Versi Protokol	I	Tanggal Versi	20 Desember 2022
No.Versi PSP	I	Tanggal Versi	20 Desember 2022
Tempat Penelitian	RSUD Labuang Baji Makassar		
Judul Review	<input type="checkbox"/> Exempted <input checked="" type="checkbox"/> Expedited <input type="checkbox"/> Fullboard	Masa Berlaku 28 Desember 2022 Sampai 28 Desember 2023	Frekuensi review lanjutan
Ketua Komisi Etik Penelitian	Nama : Prof.dr. Veni Hadju,M.Sc,Ph.D	Tanda tangan 	Tgl. 28 Desember 2022
Sekretaris komisi Etik Penelitian	Nama : Dr. Wahiduddin, SKM.,M.Kes	Tanda tangan 	Tgl. 28 Desember 2022

Kewajiban Peneliti Utama :

1. Menyerahkan Amandemen Protokol untuk persetujuan sebelum di implementasikan
2. Menyerahkan Laporan SAE ke Komisi Etik dalam 24 Jam dan dilengkapi dalam 7 hari dan Lapor SUSAR dalam 72 Jam setelah Peneliti Utama menerima laporan
3. Menyerahkan Laporan Kemajuan (progress report) setiap 6 bulan untuk penelitian resiko tinggi dan setiap setahun untuk penelitian resiko rendah
4. Menyerahkan laporan akhir setelah Penelitian berakhir
5. Melaporakan penyimpangan dari protocol yang disetujui (protocol deviation/violation)
6. Mematuhi semua peraturan yang ditentukan