

DAFTAR PUSTAKA

- Afiyanti, Y. and Rachmawati, I.N. (2014) *Metodologi penelitian kualitatif dalam riset keperawatan, PT Raja Grafindo*. Jakarta: Rajawali Pers. Available at: <https://opac.perpusnas.go.id/DetailOpac.aspx?id=873893> (Accessed: 4 December 2022).
- Altman, J. (1962) 'Are new neurons formed in the brains of adult mammals?', *Science (New York, N.Y.)*, 135(3509), pp. 1127–1128. Available at: <https://doi.org/10.1126/SCIENCE.135.3509.1127>.
- Alzheimer's Disease International (2019) *World Alzheimer Report 2019: Attitudes to dementia, Alzheimer's Disease International*. London.
- Alzheimer's Indonesia (2019) *Statistik tentang Dementia, [online]*. Available at: <https://alzi.or.id/statistik-tentang-demensia/> (Accessed: 3 February 2021).
- Anderson, O.W. (1975) *Equity in health services: Empirical analyses in social policy*. New York: Ballinger.
- Arraisyi, F. and Imran, Y. (2022) 'Pengaruh Nyeri Kronik dalam Penurunan Fungsi kognitif', *Sanus Medical Journal*, 3(1), pp. 19–24. Available at: <https://doi.org/10.22236/SANUS.V3I1.8525>.
- Arvanitakis, Z., Shah, R.C. and Bennett, D.A. (2019) 'Diagnosis and Management of Dementia: A Review', *JAMA*, 322(16), pp. 1589–1599. Available at: <https://doi.org/10.1001/jama.2019.4782>.
- Badan Pusat Statistik (2021) *Angka Harapan Hidup (AHH) Menurut Provinsi dan Jenis Kelamin*. Jakarta.

- Blausen staff (2014) 'Medical gallery of Blausen Medical 2014', *WikiJournal of Medicine*, 1(2). Available at: <https://doi.org/10.15347/WJM/2014.010>.
- Braun, V. and Clarke, V. (2006) 'Using thematic analysis in psychology', *Qualitative Research in Psychology*, 3(2), pp. 77–101. Available at: <https://doi.org/10.1191/1478088706qp063oa>.
- Chahyani, W.I. and Hastuti, M.S. (2021) 'Mixed Dementia: Tinjauan Diagnosis dan Tatalaksana', *Muhammadiyah Journal of Geriatric*, 1(2), p. 46. Available at: <https://doi.org/10.24853/mujg.1.2.46-51>.
- Conner, M. (2015a) 'Health Behaviors', *International Encyclopedia of the Social & Behavioral Sciences: Second Edition*, (December), pp. 582–587. Available at: <https://doi.org/10.1016/B978-0-08-097086-8.14154-6>.
- Conner, M. (2015b) 'Health behaviors', *International Encyclopedia of the Social & Behavioral Sciences: Second Edition*, (December), pp. 582–587. Available at: <https://doi.org/10.1016/B978-0-08-097086-8.14154-6>.
- Cox, C.B. (2007) 'Social work and demensia. In Demensia and social work practise', *Research and intervention*, pp. 3–13.
- Dinkes Maros (2020) *Cangkupan Pelayanan Kesehatan Usia Lanjut Menurut Jenis Kelamin, Kecamatan dan Puskesmas*. Maros: Maros: Dinkes Maros.
- Dinkes Sulsel (2020) *Data Laporan pada Pelayanan Kesehatan Lanjut Usia*. Makassar: Makassar: Dinkes Sulsel.
- Fauth, E.B. and Gibbons, A. (2014) 'Which behavioral and psychological symptoms of dementia are the most problematic? Variability by prevalence, intensity, distress ratings, and associations with caregiver depressive

symptoms’, *International journal of geriatric psychiatry*, 29(3), pp. 263–271. Available at: <https://doi.org/10.1002/GPS.4002>.

Febriani, W.M. (2019) ‘Gambaran Perilaku Pencarian Pengobatan Pada Mahasiswa Fakultas Kesehatan Masyarakat Universitas Airlangga’, *Jurnal Promkes*, 7(2), p. 193. Available at: <https://doi.org/10.20473/jpk.v7.i2.2019.193-203>.

Green, J. and Thorogood, N. (2009) *Qualitative methods for health research*. London: SAGE Publications.

Handayani, R.S. *et al.* (2010) ‘Ketersediaan dan Peresepan Obat Generik dan Obat Esensial di Fasilitas Pelayanan Kefarmasian di 10 Kabupaten/Kota di Indonesia’, *Buletin Penelitian Kesehatan*, 13(1), pp. 54–60. Available at: [file:///C:/Users/MUTI/AppData/Local/Mendeley Ltd./Mendeley Desktop/Downloaded/Kota et al. - 2006 - ESENSIAL DI FASILITAS PELAYANAN KEFARMASIAN DI 10.pdf](file:///C:/Users/MUTI/AppData/Local/Mendeley%20Ltd./Mendeley%20Desktop/Downloaded/Kota%20et%20al.%20-%202006%20-%20ESENSIAL%20DI%20FASILITAS%20PELAYANAN%20KEFARMASIAN%20DI%2010.pdf).

Hartmann, P. *et al.* (1994) ‘[Normal weight of the brain in adults in relation to age, sex, body height and weight]’, *Der Pathologe*, 15(3), pp. 165–170. Available at: <https://doi.org/10.1007/S002920050040>.

Husmiati, H. (2016) ‘Demensia Pada Lanjut Usia Dan Intervensi Sosial’, *Sosio Informa*, 2(3), pp. 229–238. Available at: <https://doi.org/10.33007/inf.v2i3.839>.

Irwan, A.M. *et al.* (2016) ‘Self-care practices and health-seeking behavior among older persons in a developing country: Theories-based research’, *International Journal of Nursing Sciences*, 3(1), pp. 11–23. Available at: <https://doi.org/10.1016/J.IJNSS.2016.02.010>.

- Kales, H.C., Gitlin, L.N. and Lyketsos, C.G. (2015) 'Assessment and management of behavioral and psychological symptoms of dementia', *BMJ*, 350. Available at: <https://doi.org/10.1136/BMJ.H369>.
- Karamelka, W. (2015) *Faktor yang mempengaruhi pemanfaatan pelayanan antenatal care di wilayah kerja puskesmas Kec.Wolo Kabupaten Kolaka tahun 2015. Skripsi sarjana*. Fakultas Kesehatan Masyarakat, Universitas Halu Oleo, Kendari.
- Karman, Sakka, A. and Saptaputra, S.K. (2016) 'Faktor-faktor yang berhubungan dengan pemanfaatan pelayanan kesehatan bagi masyarakat pesisir di Desa Bungin Permai Kecamatan Tinanggea Kabupaten Konawe Selatan tahun 2016', *Jurnal Ilmiah Mahasiswa Kesehatan Masyarakat*, 1(3), pp. 1–9.
- Kebijakan Kesehatan Indonesia (2020) *Lansia Indonesia Mencapai 28,8 Juta Jiwa*, [online]. Available at: <https://kebijakankesehatanindonesia.net/25-berita/berita/2557-2020-lansia-indonesia-mencapai-28-8-juta-jiwa/> [Diakses 2021 Februari 3]. (Accessed: 3 February 2021).
- Kholid, A. (2011) *Promosi kesehatan*. Jakarta: Rajawali Press.
- Kholifah, S.N. (2016) *Keperawatan Gerontik*. Pertama. Edited by M. Dwisatyadini and S. Enny. Jakarta Selatan: Jakarta: Kementerian Kesehatan Republik Indonesia.
- Kiger, M.E. and Varpio, L. (2020) 'Thematic analysis of qualitative data: AMEE Guide No. 131', *Medical Teacher*, 42(8), pp. 846–854. Available at: <https://doi.org/10.1080/0142159X.2020.1755030>.

- Klages, K. *et al.* (2011) 'Potential of Snoezelen room multisensory stimulation to improve balance in individuals with dementia: A feasibility randomized controlled trial', *Clinical Rehabilitation*, 25(7), pp. 607–616. Available at: <https://doi.org/10.1177/0269215510394221>.
- Mahyarni (2013) 'THEORY OF REASONED ACTION DAN THEORY OF PLANNED BEHAVIOR', *Jurnal El-Riyasah*, 4(1), pp. 13–23. Available at: <http://ejournal.uin-suska.ac.id/index.php/elriyasah/article/view/17/13>.
- Maloney, B. and Lahiri, D.K. (2016) 'Epigenetics of dementia: understanding the disease as a transformation rather than a state', *The Lancet Neurology*, 15(7), pp. 760–774. Available at: [https://doi.org/10.1016/S1474-4422\(16\)00065-X](https://doi.org/10.1016/S1474-4422(16)00065-X).
- Marx, C.E. *et al.* (2006) 'The neurosteroid allopregnanolone is reduced in prefrontal cortex in Alzheimer's disease', *Biological psychiatry*, 60(12), pp. 1287–1294. Available at: <https://doi.org/10.1016/J.BIOPSYCH.2006.06.017>.
- Mekarisce, A.A. (2020) 'Teknik pemeriksaan keabsahan data pada penelitian kualitatif di bidang kesehatan masyarakat', *Jurnal Ilmiah Kesehatan Masyarakat*, 12(3), pp. 145–151. Available at: <https://jikm.upnvj.ac.id/index.php/home/article/view/102/71>.
- Morris, L. *et al.* (2020) 'Communication Empowerment Framework: An integrative framework to support effective communication and interaction between carers and people living with dementia', *Dementia*, 19(6), pp. 1739–1757. Available at: <https://doi.org/10.1177/1471301218805329>.

- Nadioo, J. and Wills (1996) *Health Promotion Foundation for practice*. London: Baillere Tindall.
- Nisa, K.M. and Lisiswanti, R. (2016) 'Faktor Risiko Demensia Alzheimer', *Majority*, 5(4), pp. 86–87. Available at: <http://juke.kedokteran.unila.ac.id/index.php/majority/article/view/890>.
- Notoadmojo, S. (2014) 'Metodologi Penelitian Kesehatan Rineka Cipta, Jakarta', *Jurnal Konseling dan Pendidikan*, 2(1), p. 1.
- Notoatmodjo, S. (2014) *Ilmu Perilaku Kesehatan*. Jakarta: Rineka Cipta.
- Nugroho, W. (2014) *Keperawatan Gerontik & Geriatrik*. Jakarta: EGC.
- Nurfianti, A. and An, A. (2019) 'Effectiveness of the Mini-cog and MMSE as Vital Instrument Identify-ing Risk of Dementia as a Nursing Process', *NurseLine Journal*, 4(2).
- Oktavialia, N. (2017) *HUBUNGAN PERILAKU PENCARIAN PENGOBATAN DENGAN PEMELIHARAAN KESEHATAN ANAK JALANAN DI KABUPATEN MAGETAN*. STIKES Bhakti Husada Mulia madium.
- Oros, R.I. *et al.* (2016) 'Depression, activities of daily living and quality of life in elderly stroke patients', *Human and Veterinary Medicine*, 8(1), p. 2428. Available at: <http://www.hvm.bioflux.com.ro/>.
- Pitra, Adi, I. (2013) *GAMBARAN PENGETAHUAN, SIKAP, DAN PERILAKU LANSIA TERHADAP KESEHATAN DI DESA BONTO BANGUN KECAMATAN RILAU ALE KABUPATEN BULUKUMBA*. Universitas Hasanuddin.

- Rosenstock, I.M. (1974) 'Historical Origins of the Health Belief Model', *Health Education & Behavior*, 2(4), pp. 328–335. Available at: https://doi.org/10.1177/109019817400200403/ASSET/109019817400200403.FP.PNG_V03.
- Safitri, E.M., Luthviatin, N. and Ririanty, M. (2016) 'Determinan perilaku pasien dalam pengobatan tradisional dengan media lintah (studi pada pasien terapi lintah di Desa Rengel Kecamatan Rengel Kabupaten Tuban)', *e-Jurnal Pustaka Kesehatan*, 4(1), pp. 181–187.
- Sahyouni, R., Verma, A. and Chen, J. (2020) *Penyakit Alzheimer dan Demensia*. Pertama. Edited by F.M. Utami and T.A. Prabawati. Yogyakarta: RAPHA PUBLISHING.
- Santoso, T.B. and Rohmah, N. (2011) 'Gangguan Gerak dan Fungsi Kognitif pada Wanita Lanjut Usia', *Jurnal Kesehatan*, 4(1), p. 41. Available at: <http://publikasiilmiah.ums.ac.id/handle/11617/2934> (Accessed: 5 December 2022).
- Stanley, A.M. and Maddux, J.E. (1986) 'Cognitive Processes in Health Enhancement: Investigation of a Combined Protection Motivation and Self-Efficacy Model', *Basic and Applied Social Psychology*, 7(2), pp. 101–113. Available at: https://doi.org/10.1207/S15324834BASP0702_2.
- Suriastini, N.W. *et al.* (2020) 'Prevalence and Risk Factors of Dementia and Caregiver's Knowledge of the Early Symptoms of Alzheimer's Disease', *Aging Medicine and Healthcare*, 11(2), pp. 60–66. Available at: <https://doi.org/10.33879/AMH.2020.065-1811.032>.

- Tabassum, N. and Ahmad, F. (2011) 'Role of natural herbs in the treatment of hypertension', *Pharmacognosy Reviews*, 5(9), p. 30. Available at: <https://doi.org/10.4103/0973-7847.79097>.
- Tanjung, I.K. *et al.* (2019) 'Gambaran Gangguan Kognitif dan Fungsional (IADL) pada Lansia di Kelurahan Kramas ,Kecamatan Tembalang, Kota Semarang', *Jurnal Online Internasional & Nasional*, 7(1), pp. 1689–1699. Available at: www.journal.uta45jakarta.ac.id.
- Ukwaja, K.N. *et al.* (2013) 'Healthcare-seeking behavior, treatment delays and its determinants among pulmonary tuberculosis patients in rural Nigeria: a cross-sectional study.', *BMC health services research*, 13, p. 25. Available at: <https://doi.org/10.1186/1472-6963-13-25>.
- UPT Puskesmas Turikale (2020) *Data Laporan Morbiditas Pra Lansia*. Maros: Maros: UPT Puskesmas Turikale.
- Wang, H. *et al.* (2020) 'Dementia care during COVID-19', *Lancet (London, England)*, 395(10231), p. 1190. Available at: [https://doi.org/10.1016/S0140-6736\(20\)30755-8](https://doi.org/10.1016/S0140-6736(20)30755-8).
- WHO (2016) *Dementia*, [online]. Available at: www.who.int/news-room/fact-sheets/detail/dementia. (Accessed: 4 February 2021).
- WHO (2020) *Rate of Dementia*, Online. Available at: www.who.int/news-room/fact-sheets/detail/dementia. (Accessed: 4 February 2021).
- World Health Organization (2019) *2019 Health SDG Profile: Indonesia*. New Delhi.

Yin, R.K. (2003) *Case Study Research Design and Methods (3rd ed.)*. 3rd edn, *The Canadian Journal of Program Evaluation*. 3rd edn. London: Sage Publication. Available at: <https://doi.org/10.3138/CJPE.30.1.108>.

Zuraida, E., Irwan, A.M. and Sjattar, E.L. (2021) 'Self-management education programs for patients with hearth failure: a literature review', *Cent Eur J Nurs Midw*, 12(1), pp. 279–294. Available at: <https://doi.org/10.15452/CEJNM.2020.11.0025>.

LAMPIRAN

Lampiran 1. Matriks Pengumpulan Data

Matriks Pengumpulan Data Primer

No	Variabel	Informasi	Informan	Metode Pengumpulan Data
1	<i>Dementia</i>	<ol style="list-style-type: none"> 1. Riwayat kejadian <i>dementia</i> 2. Gejala awal yang dialami 3. Dampak <i>dementia</i> 4. Sikap terhadap gejala <i>dementia</i> 5. Pengaruh budaya 6. Peran keluarga dalam menangani <i>dementia</i> 7. Peran tokoh masyarakat dalam mendorong pengobatan <i>dementia</i> 8. Upaya dalam mengatasi <i>dementia</i> 	Informan/p endamping	Peneliti, pedoman wawancara, <i>tape recorder</i> , dan kamera serta alat tulis.
2	Pengobatan Sendiri	<ol style="list-style-type: none"> 1. Pengobatan yang pertama kali dilakukan 2. Faktor pendorong 3. Faktor penghambat 4. Upaya dalam mengatasi hambatan 	Informan/p endamping	Peneliti, pedoman wawancara, <i>tape recorder</i> , dan kamera serta alat tulis
3	Pengobatan Tradisional	<ol style="list-style-type: none"> 1. Pengobatan tradisional yang dipilih 2. Pengobatan yang didapatkan 3. Faktor pendorong 4. Faktor penghambat 5. Upaya dalam mengatasi hambatan 	Informan/p endamping	Peneliti, pedoman wawancara, <i>tape recorder</i> , dan kamera serta alat tulis.
4	Pengobatan Modern	<ol style="list-style-type: none"> 1. Fasilitas kesehatan yang dipilih 2. Pengobatan yang didapatkan 3. Faktor pendorong 4. Faktor penghambat 5. Upaya dalam mengatasi hambatan 	Informan/p endamping	Peneliti, pedoman wawancara, <i>tape recorder</i> , dan kamera serta alat tulis.
5	Perilaku Pencarian Pengobatan (pengobatan modern)	<ol style="list-style-type: none"> 1. Program intervensi dalam pengobatan/perawatan <i>dementia</i> 2. Prosedur pengobatan/perawatan 3. Sikap tenaga kesehatan terhadap <i>dementia</i> 4. Pengalaman menangani lansia dengan <i>dementia</i> 5. Peran pemerintah atau instansi terkait 6. Hambatan dalam pelaksanaan program 	Tenaga kesehatan	Peneliti, pedoman wawancara, <i>tape recorder</i> , dan kamera serta alat tulis.

		7. Upaya dalam memotivasi agar masyarakat berobat ke pelayanan kesehatan		
--	--	--------------------------------------------------------------------------	--	--

Lampiran 2. Persetujuan Informan

INFORMED CONSENT

PERSETUJUAN MENJADI INFORMAN

Assalamualaikum warahmatullahi wabarakatuh.

Selamat Pagi/Siang/Sore

Perkenalkan nama saya Filzawati Sindangan. Saya adalah mahasiswa S1 angkatan 2017 Departemen Promosi Kesehatan dan Ilmu Perilaku, Fakultas Kesehatan Masyarakat, Universitas Hasanuddin. Bermaksud mengadakan penelitian dengan judul ***“Perilaku Pencarian Pengobatan pada Lansia Penderita Dementia di Wilayah Kerja Puskesmas Turikale Kabupaten Maros”***. Penelitian ini dilakukan sebagai tahap akhir dalam penyelesaian studi strata satu di Fakultas Kesehatan Masyarakat, Universitas Hasanuddin.

Saya berharap anda bersedia untuk menjadi informan dalam penelitian ini dimana akan dilakukan wawancara mendalam terkait dengan penelitian. Semua informasi yang anda berikan terjamin kerahasiaannya dengan hanya mencantumkan inisial. Informasi yang nantinya terkumpul, selanjutnya akan dianalisis demi memberi gambaran mengenai tantangan yang dihadapi oleh mereka yang terdiagnosis *dementia* dan keluarganya, yang kemudian diharapkan akan memicu munculnya gagasan dari petugas kesehatan, pemerintah, usahawan, dan lain-lain, untuk berkontribusi dan mencari bentuk dukungan yang tepat, sesuai perannya masing-masing.

Jika Saudara/Saudari bersedia untuk berpartisipasi dalam penelitian ini, silahkan mengisi dan menandatangani data di bawah ini, kemudian saya akan memulai wawancara.

Nama :

Tanda Tangan :

Terima kasih atas kesediaan Saudara/Saudari untuk ikut serta dalam penelitian ini.