

DAFTAR PUSTAKA

- Akilie, S. M (2020). Kombinasi Suhu Rendah dan Lama Penyimpanan Terhadap Sifat Fisik Buah Pepaya California (*Carica Papaya L.*) *Agritechnology*. Vol. 3 No. 1, 38-39.
- Angga, D. W. 2007. Pengaruh Metode Aplikasi Kitosan, Tanin, Natrium Metabisulfit dan Mix Pengawet Terhadap Umur Simpan Bakso Daging Sapi Pada Suhu Ruang. *Skripsi*. Institut Pertanian Bogor.
- Arista, N. I. D. (2021). Penanganan Pasca Panen Sayuran Serta Strategi Sosialisasinya Kepada Masyarakat Ditengah Pandemi Covid-19. In *Agropross: National Conference Proceedings of Agriculture* (pp. 207-216).
- Asgar, A. (2017). Pengaruh suhu penyimpanan dan jumlah perforasi kemasan terhadap karakteristik fisik dan kimia brokoli (*Brassica oleracea var . Royal G*) fresh-cut. *J. Hort.*, 27(1): 127-136.
- Dewi, A.F. 2021. Faktor-Faktor Yang Mempengaruhi Pengambilan Keputusan Dalam Perlihan Usahatani Pisang Di Desa Pasrujambe Kabupaten Lumajang. *Skripsi*. Universitas Jember.
- Dissanayake, P. K. (2019). Postharvest Heat Treatments to Extend the Shelf Life of Banana (*Musa spp.*) Fruits. *Advances and Trends in Agricultural Sciences*. Vol.1, 31.
- Edowai, D. N., Kairupan, S., & Rawang, H. (2016) Mutu Cabai Rawit (*Capsicum Frutescens L*) pada Tingkat Kematangan dan Suhu yang Berbeda Selama Penyimpanan. *Jurnal Teknologi Industri Pertanian*. Universitas Papua: Papua Barat.
- Fransiska., Supratomo., & Faridah, S. N. (2017) Sebaran Suhu Buah Terung Belanda (*Chyphomandra betacea*) pada Berbagai Tingkat Kematangan Selama Proses Pendinginan (*Hydrocooling*). *Skripsi*. Universitas Hasanuddin: Makassar.
- Fakhriani, Kharisma D. (2015). Kajian Etnobotani Tanaman Pisang (*Musa sp*) di Desa Bulucenrana Kecamatan Pitu Riawa Kabupate Sidrap. *Doctoral dissertation*. Universitas Islam Negeri Alauddin Makassar.
- Kaka, A. K, Ibupoto, K. A, Chattha, S. H, Soomro, S. A, Mangio, H. R, Junejo, S.A, Soomro, A. H, Khaskheli, S. G & Kaka, S. K. (2018). Effect of hot water treatments and storage period on the quality attributes of banana (*Musa sp.*) fruit. *Pure and Applied Biology*. 8(1):363-371
- Nurhayati & Asroruddin (2019). Pengukusan Untuk Menurunkan Gejala *Chilling Injury* Dan Mempertahankan Mutu Buah Pisang Nipah. *Jurnal Penelitian Pasca Panen*. 116-122.

- Nurdjannah R, Purwanto YA, Sutrisno. (2014). Pengaruh jenis kemasan dan penyimpanan dingin terhadap mutu fisik cabai merah. *J. Pascapanen* 11 (1) : 19-29.
- Srilaong, V & Photchanachai, S. (2011). Effects of hot water treatments on the physiology and quality of 'Kluai Khai' banana. *International Food Research Journal*. 18 (3):1013-1026.
- Wirasaputra, A., Mursalim, M., & Waris, A. (2017). Pengaruh penggunaan zat etefon terhadap sifat fisik pisang kepok (*Musa Paradisiaca* L). *Jurnal AgriTechno*, 89-98.
- Yap M, Fernando., W. MAD. B, Brennan C.S, Jayasena V, Coorey R. The effects of banana ripeness on quality indices for puree production. *LWT - Food Sci Technol*. 80:10-18.44.
- Zainal, P.W, Purwanto, A.Y, & Ahmad, U. (2017). Identifikasi Gejala Chilling Injury Berdasarkan Perubahan pH Dan Ion Leakage Pada Buah Mangga Gedong Gincu. *Jurnal Teknologi Pertanian Andalas*. Vol. 21 No. 1, 2.

LAMPIRAN

Lampiran 1. Hasil Analisis Statistik (ANOVA) Pengukuran Susut Bobot Pisang Kepok

Hari Ke-1

Tests of Between-Subjects Effects

Dependent Variable: SUSUTBOBOT(%)

Source	Type III Sum of Squares	df	Mean Square	F	Sig.
Corrected Model	25.144 ^a	11	2.286	2.167	.055
Intercept	340.341	1	340.341	322.655	.000
PERLAKUAN	7.614	3	2.538	2.406	.092
SUHU	.168	2	.084	.080	.924
PERLAKUAN * SUHU	17.362	6	2.894	2.743	.036
Error	25.316	24	1.055		
Total	390.801	36			
Corrected Total	50.460	35			

a. R Squared = .498 (Adjusted R Squared = .268)

SUSUTBOBOT(%)

Duncan^a

PERLAKUAN	N	Subset for alpha = 0.05		
		1	2	3
H1S2	3	1.8167		
H2S1	3	2.1900	2.1900	
H3S3	3	2.2333	2.2333	
H1S1	3	2.4433	2.4433	2.4433
H0S2	3	2.6267	2.6267	2.6267
H0S3	3	2.8033	2.8033	2.8033
H1S3	3	2.8633	2.8633	2.8633
H0S1	3	3.4767	3.4767	3.4767
H3S2	3		3.8700	3.8700
H3S1	3		4.0333	4.0333
H2S3	3		4.1700	4.1700
H2S2	3			4.3700
Sig.		.098	.053	.058

Means for groups in homogeneous subsets are displayed.

a. Uses Harmonic Mean Sample Size = 3.000.

Hari Ke-5

Tests of Between-Subjects Effects

Dependent Variable: SUSUTBOBOT(%)

Source	Type III Sum of Squares	df	Mean Square	F	Sig.
Corrected Model	568.455 ^a	11	51.678	11.203	.000
Intercept	5207.306	1	5207.306	1128.911	.000
PERLAKUAN	24.733	3	8.244	1.787	.176
SUHU	36.760	2	18.380	3.985	.032
PERLAKUAN * SUHU	506.962	6	84.494	18.318	.000
Error	110.704	24	4.613		
Total	5886.465	36			
Corrected Total	679.159	35			

a. R Squared = .837 (Adjusted R Squared = .762)

SUSUTBOBOT(%)

Duncan^a

PERLAKUAN	N	Subset for alpha = 0.05		
		1	2	3
H3S3	3	7.0633		
H1S2	3	8.6200	8.6200	
H1S1	3	8.7733	8.7733	
H0S3	3	8.9033	8.9033	
H3S2	3	9.2567	9.2567	
H2S1	3	9.5367	9.5367	
H0S2	3	10.1133	10.1133	
H2S3	3		12.6467	
H1S3	3			16.2967
H2S2	3			17.6133
H3S1	3			17.6267
H0S1	3			17.8733
Sig.		.141	.055	.420

Means for groups in homogeneous subsets are displayed.

a. Uses Harmonic Mean Sample Size = 3.000.

Hari Ke-10

Tests of Between-Subjects Effects

Dependent Variable: SUSUTBOBOT(%)

Source	Type III Sum of Squares	df	Mean Square	F	Sig.
Corrected Model	169.061 ^a	7	24.152	1.022	.453
Intercept	7617.636	1	7617.636	322.198	.000
PERLAKUAN	73.361	3	24.454	1.034	.404
SUHU	62.937	1	62.937	2.662	.122
PERLAKUAN * SUHU	32.763	3	10.921	.462	.713
Error	378.284	16	23.643		
Total	8164.981	24			
Corrected Total	547.345	23			

a. R Squared = .309 (Adjusted R Squared = .007)

SUSUTBOBOT(%)

Duncan^a

PERLAKUAN	N	Subset for alpha = 0.05 1
H0S3	3	14.990
H0S2	3	15.145
H1S3	3	15.316
H3S3	3	16.822
H2S3	3	17.657
H2S2	3	19.539
H1S2	3	20.217
H3S2	3	22.840
Sig.		.101

Means for groups in homogeneous subsets are displayed.

a. Uses Harmonic Mean Sample Size = 3.000.

Hari Ke-15

Tests of Between-Subjects Effects

Dependent Variable: SUSUTBOBOT(%)

Source	Type III Sum of Squares	df	Mean Square	F	Sig.
Corrected Model	358.557 ^a	7	51.222	1.790	.158
Intercept	20246.202	1	20246.202	707.423	.000
PERLAKUAN	24.184	3	8.061	.282	.838
SUHU	322.579	1	322.579	11.271	.004
PERLAKUAN * SUHU	11.795	3	3.932	.137	.936
Error	457.914	16	28.620		
Total	21062.673	24			
Corrected Total	816.471	23			

a. R Squared = .439 (Adjusted R Squared = .194)

SUSUTBOBOT(%)

Duncan^a

PERLAKUAN	N	Subset for alpha = 0.05	
		1	2
H1S3	3	24.227	
H3S3	3	24.266	
H0S3	3	25.821	25.821
H2S3	3	27.200	27.200
H1S2	3	31.870	31.870
H3S2	3	31.878	31.878
H2S2	3	32.299	32.299
H0S2	3		34.796
Sig.		.121	.084

Means for groups in homogeneous subsets are displayed.

a. Uses Harmonic Mean Sample Size = 3.000.

Lampiran 2. Hasil Analisis Statistik (ANOVA) Pengukuran Total Padatan Terlarut (TPT) Pisang Kepok

Hari Ke-1

Tests of Between-Subjects Effects

Dependent Variable: TPT

Source	Type III Sum of Squares	df	Mean Square	F	Sig.
Corrected Model	227.449 ^a	11	20.677	2.495	.030
Intercept	6421.351	1	6421.351	774.902	.000
SUHU	99.694	2	49.847	6.015	.008
PERLAKUAN	79.033	3	26.344	3.179	.042
SUHU * PERLAKUAN	48.722	6	8.120	.980	.460
Error	198.880	24	8.287		
Total	6847.680	36			
Corrected Total	426.329	35			

a. R Squared = .534 (Adjusted R Squared = .320)

TPT

Duncan^a

PERLAKUAN	N	Subset for alpha = 0.05		
		1	2	3
H3S1	3	8.4000		
H3S3	3	10.3333	10.3333	
H0S1	3	10.8667	10.8667	
H1S3	3	11.4667	11.4667	11.4667
H0S3	3	12.2000	12.2000	12.2000
H2S3	3	13.5667	13.5667	13.5667
H3S2	3		14.9667	14.9667
H1S1	3		15.1333	15.1333
H0S2	3		15.5333	15.5333
H2S1	3		15.5667	15.5667
H1S2	3		15.7000	15.7000
H2S2	3			16.5333
Sig.		.062	.061	.075

Means for groups in homogeneous subsets are displayed.

a. Uses Harmonic Mean Sample Size = 3.000.

Hari Ke-5

Tests of Between-Subjects Effects

Dependent Variable: TPT

Source	Type III Sum of Squares	df	Mean Square	F	Sig.
Corrected Model	93.476 ^a	11	8.498	2.538	.027
Intercept	13274.880	1	13274.880	3964.952	.000
SUHU	86.534	2	43.267	12.923	.000
PERLAKUAN	3.223	3	1.074	.321	.810
SUHU * PERLAKUAN	3.719	6	.620	.185	.978
Error	80.353	24	3.348		
Total	13448.710	36			
Corrected Total	173.830	35			

a. R Squared = .538 (Adjusted R Squared = .326)

TPT

Duncan^a

PERLAKUAN	N	Subset for alpha = 0.05		
		1	2	3
H3S3	3	16.4000		
H2S3	3	17.1333	17.1333	
H1S3	3	17.1667	17.1667	
H0S3	3	17.3667	17.3667	
H0S1	3	19.5667	19.5667	19.5667
H3S1	3	19.6667	19.6667	19.6667
H3S2	3		20.0333	20.0333
H2S2	3		20.1000	20.1000
H1S2	3		20.6333	20.6333
H1S1	3		20.6667	20.6667
H2S1	3		20.7000	20.7000
H0S2	3			21.0000
Sig.		.064	.051	.413

Means for groups in homogeneous subsets are displayed.

a. Uses Harmonic Mean Sample Size = 3.000.

Hari Ke-10

Tests of Between-Subjects Effects

Dependent Variable: TPT

Source	Type III Sum of Squares	df	Mean Square	F	Sig.
Corrected Model	36.110 ^a	7	5.159	1.038	.444
Intercept	10850.254	1	10850.254	2182.967	.000
PERLAKUAN	2.928	3	.976	.196	.897
SUHU	31.510	1	31.510	6.340	.023
PERLAKUAN * SUHU	1.671	3	.557	.112	.952
Error	79.527	16	4.970		
Total	10965.890	24			
Corrected Total	115.636	23			

a. R Squared = .312 (Adjusted R Squared = .011)

TPT

Duncan^a

PERLAKUAN	N	Subset for alpha
		= 0.05
		1
H3S3	3	19.933
H1S3	3	20.133
H2S3	3	20.167
H0S3	3	20.233
H3S2	3	21.833
H2S2	3	22.167
H1S2	3	22.200
H0S2	3	23.433
Sig.		.109

Means for groups in homogeneous subsets are displayed.

a. Uses Harmonic Mean Sample Size = 3.000.

Hari Ke-15

Tests of Between-Subjects Effects

Dependent Variable: TPT

Source	Type III Sum of Squares	df	Mean Square	F	Sig.
Corrected Model	16.123 ^a	7	2.303	2.149	.097
Intercept	14765.920	1	14765.920	13778.464	.000
PERLAKUAN	3.215	3	1.072	1.000	.418
SUHU	11.344	1	11.344	10.585	.005
PERLAKUAN * SUHU	1.565	3	.522	.487	.696
Error	17.147	16	1.072		
Total	14799.190	24			
Corrected Total	33.270	23			

a. R Squared = .485 (Adjusted R Squared = .259)

TPT

Duncan^a

PERLAKUAN	N	Subset for alpha = 0.05	
		1	2
H3S3	3	23.933	
H1S3	3	24.067	
H2S3	3	24.167	
H0S3	3	24.300	
H3S2	3	24.900	24.900
H2S2	3	25.100	25.100
H1S2	3	25.467	25.467
H0S2	3		26.500
Sig.		.127	.099

Means for groups in homogeneous subsets are displayed.

a. Uses Harmonic Mean Sample Size = 3.000.

Lampiran 3. Hasil Analisis Statistik (ANOVA) Pengukuran Kekerasan Pisang Kepok

Hari Ke-1

Tests of Between-Subjects Effects

Dependent Variable: KEKERASAN_NEWTON

Source	Type III Sum of Squares	df	Mean Square	F	Sig.
Corrected Model	602.443 ^a	11	54.768	3.212	.008
Intercept	111631.720	1	111631.720	6546.910	.000
PERLAKUAN	14.330	3	4.777	.280	.839
SUHU	422.010	2	211.005	12.375	.000
PERLAKUAN * SUHU	166.103	6	27.684	1.624	.184
Error	409.225	24	17.051		
Total	112643.388	36			
Corrected Total	1011.668	35			

a. R Squared = .595 (Adjusted R Squared = .410)

KEKERASAN_NEWTON

Duncan^a

PERLAKUAN	N	Subset for alpha = 0.05			
		1	2	3	4
H3S2	3	50.400			
H0S2	3	50.673			
H1S2	3	50.900			
H2S2	3	51.567	51.567		
H0S1	3	52.587	52.587	52.587	
H1S3	3	56.000	56.000	56.000	56.000
H2S1	3	56.600	56.600	56.600	56.600
H3S3	3	57.933	57.933	57.933	57.933
H2S3	3		59.333	59.333	59.333
H1S1	3			59.533	59.533
H0S3	3				61.267
H3S1	3				61.433
Sig.		.063	.051	.080	.172

Means for groups in homogeneous subsets are displayed.

a. Uses Harmonic Mean Sample Size = 3.000.

Hari Ke-5

Tests of Between-Subjects Effects

Dependent Variable: KEKERASAN_NEWTON

Source	Type III Sum of Squares	df	Mean Square	F	Sig.
Corrected Model	1045.946 ^a	11	95.086	6.151	.000
Intercept	36239.468	1	36239.468	2344.164	.000
PERLAKUAN	6.134	3	2.045	.132	.940
SUHU	127.634	2	63.817	4.128	.029
PERLAKUAN * SUHU	912.177	6	152.030	9.834	.000
Error	371.027	24	15.459		
Total	37656.440	36			
Corrected Total	1416.972	35			

a. R Squared = .738 (Adjusted R Squared = .618)

KEKERASAN_NEWTON

Duncan^a

PERLAKUAN	N	Subset for alpha = 0.05	
		1	2
H3S1	3	22.867	
H0S1	3	24.400	
H2S2	3	24.500	
H1S3	3	25.533	
H3S2	3		32.800
H1S1	3		34.000
H0S2	3		34.833
H2S3	3		35.467
H2S1	3		35.633
H1S2	3		36.633
H0S3	3		36.667
H3S3	3		37.400
Sig.		.456	.226

Means for groups in homogeneous subsets are displayed.

a. Uses Harmonic Mean Sample Size = 3.000.

Hari Ke-10

Tests of Between-Subjects Effects

Dependent Variable: KEKERASAN_NEWTON

Source	Type III Sum of Squares	df	Mean Square	F	Sig.
Corrected Model	142.487 ^a	7	20.355	11.593	.000
Intercept	8709.660	1	8709.660	4960.414	.000
PERLAKUAN	8.973	3	2.991	1.704	.206
SUHU	132.540	1	132.540	75.486	.000
PERLAKUAN * SUHU	.973	3	.324	.185	.905
Error	28.093	16	1.756		
Total	8880.240	24			
Corrected Total	170.580	23			

a. R Squared = .835 (Adjusted R Squared = .763)

KEKERASAN_NEWTON

Duncan^a

PERLAKUAN	N	Subset for alpha = 0.05	
		1	2
H0S2	3	15.667	
H1S2	3	16.233	
H2S2	3	17.167	
H3S2	3	17.733	
H0S3	3		20.833
H1S3	3		21.267
H2S3	3		21.467
H3S3	3		22.033
Sig.		.097	.323

Means for groups in homogeneous subsets are displayed.

a. Uses Harmonic Mean Sample Size = 3.000.

Hari Ke-15

Tests of Between-Subjects Effects

Dependent Variable: KEKERASAN_NEWTON

Source	Type III Sum of Squares	df	Mean Square	F	Sig.
Corrected Model	12.467 ^a	7	1.781	4.044	.010
Intercept	1802.667	1	1802.667	4093.094	.000
PERLAKUAN	6.983	3	2.328	5.285	.010
SUHU	5.415	1	5.415	12.295	.003
PERLAKUAN * SUHU	.068	3	.023	.052	.984
Error	7.047	16	.440		
Total	1822.180	24			
Corrected Total	19.513	23			

a. R Squared = .639 (Adjusted R Squared = .481)

KEKERASAN_NEWTON

Duncan^a

PERLAKUAN	N	Subset for alpha = 0.05		
		1	2	3
H0S2	3	7.667		
H1S2	3	8.000	8.000	
H2S2	3	8.067	8.067	
H0S3	3	8.433	8.433	
H3S2	3		9.033	9.033
H1S3	3		9.033	9.033
H2S3	3		9.067	9.067
H3S3	3			10.033
Sig.		.211	.097	.108

Means for groups in homogeneous subsets are displayed.

a. Uses Harmonic Mean Sample Size = 3.000.

Lampiran 4. Hasil Analisis Statistik (ANOVA) Pengukuran Warna Nilai *L Pisang Kepok

Hari Ke-1

Tests of Between-Subjects Effects

Dependent Variable: NILAI_L

Source	Type III Sum of Squares	df	Mean Square	F	Sig.
Corrected Model	908.550 ^a	11	82.595	2.436	.033
Intercept	107696.643	1	107696.643	3176.243	.000
PERLAKUAN	582.724	3	194.241	5.729	.004
SUHU	205.132	2	102.566	3.025	.067
PERLAKUAN * SUHU	120.693	6	20.116	.593	.733
Error	813.766	24	33.907		
Total	109418.959	36			
Corrected Total	1722.316	35			

a. R Squared = .528 (Adjusted R Squared = .311)

NILAI_L

Duncan^a

PERLAKUAN	N	Subset for alpha = 0.05			
		1	2	3	4
H2S3	3	47.5000			
H2S2	3	49.5900	49.5900		
H3S3	3	49.9300	49.9300	49.9300	
H0S3	3	50.3867	50.3867	50.3867	
H3S2	3	51.1233	51.1233	51.1233	
H3S1	3	54.3600	54.3600	54.3600	54.3600
H0S1	3	54.4300	54.4300	54.4300	54.4300
H0S2	3	55.9800	55.9800	55.9800	55.9800
H2S1	3	58.3967	58.3967	58.3967	58.3967
H1S2	3		59.1633	59.1633	59.1633
H1S3	3			61.0100	61.0100
H1S1	3				64.4733
Sig.		.059	.095	.055	.074

Means for groups in homogeneous subsets are displayed.

a. Uses Harmonic Mean Sample Size = 3.000.

Hari Ke-5

Tests of Between-Subjects Effects

Dependent Variable: NILAI_L

Source	Type III Sum of Squares	df	Mean Square	F	Sig.
Corrected Model	683.361 ^a	11	62.124	2.418	.034
Intercept	143739.557	1	143739.557	5595.032	.000
PERLAKUAN	354.140	3	118.047	4.595	.011
SUHU	197.909	2	98.954	3.852	.035
PERLAKUAN * SUHU	131.312	6	21.885	.852	.543
Error	616.574	24	25.691		
Total	145039.492	36			
Corrected Total	1299.935	35			

a. R Squared = .526 (Adjusted R Squared = .308)

NILAI_L

Duncan^a

PERLAKUAN	N	Subset for alpha = 0.05	
		1	2
H3S3	3	54.7800	
H2S2	3	56.9467	
H2S3	3	60.6067	60.6067
H0S3	3	60.8500	60.8500
H2S1	3	62.4000	62.4000
H3S2	3	62.7433	62.7433
H3S1	3	62.8967	62.8967
H1S3	3	64.1167	64.1167
H1S2	3		66.9167
H0S2	3		68.2700
H0S1	3		68.7700
H1S1	3		68.9633
Sig.		.061	.096

Means for groups in homogeneous subsets are displayed.

a. Uses Harmonic Mean Sample Size = 3.000.

Hari Ke-10

Tests of Between-Subjects Effects

Dependent Variable: NILAI_L

Source	Type III Sum of Squares	df	Mean Square	F	Sig.
Corrected Model	3152.448 ^a	7	450.350	22.720	.000
Intercept	71132.393	1	71132.393	3588.580	.000
PERLAKUAN	421.333	3	140.444	7.085	.003
SUHU	2294.584	1	2294.584	115.760	.000
PERLAKUAN * SUHU	436.531	3	145.510	7.341	.003
Error	317.150	16	19.822		
Total	74601.991	24			
Corrected Total	3469.598	23			

a. R Squared = .909 (Adjusted R Squared = .869)

NILAI_L

Duncan^a

PERLAKUAN	N	Subset for alpha = 0.05					
		1	2	3	4	5	6
H0S3	3	33.130					
H2S3	3		43.483				
H3S3	3		47.740	47.740			
H1S3	3			54.300	54.300		
H3S2	3				58.317	58.317	
H2S2	3					65.507	65.507
H0S2	3					65.510	65.510
H1S2	3						67.543
Sig.		1.000	.259	.090	.286	.078	.603

Means for groups in homogeneous subsets are displayed.

a. Uses Harmonic Mean Sample Size = 3.000.

Hari Ke-15

Tests of Between-Subjects Effects

Dependent Variable: NILAI_L

Source	Type III Sum of Squares	df	Mean Square	F	Sig.
Corrected Model	973.137 ^a	7	139.020	2.600	.054
Intercept	51422.635	1	51422.635	961.810	.000
PERLAKUAN	18.032	3	6.011	.112	.952
SUHU	855.859	1	855.859	16.008	.001
PERLAKUAN * SUHU	99.245	3	33.082	.619	.613
Error	855.431	16	53.464		
Total	53251.203	24			
Corrected Total	1828.568	23			

a. R Squared = .532 (Adjusted R Squared = .328)

NILAI_L

Duncan^a

PERLAKUAN	N	Subset for alpha = 0.05	
		1	2
H2S3	3	35.860	
H1S3	3	40.613	40.613
H0S3	3	42.223	42.223
H3S3	3	42.570	42.570
H1S2	3		50.543
H3S2	3		51.193
H0S2	3		52.540
H2S2	3		54.763
Sig.		.316	.052

Means for groups in homogeneous subsets are displayed.

a. Uses Harmonic Mean Sample Size = 3.000.

Lampiran 5. Hasil Analisis Statistik (ANOVA) Pengukuran Warna Nilai *a Pisang Kepok

Hari Ke-1

Tests of Between-Subjects Effects

Dependent Variable: Nilai_a

Source	Type III Sum of Squares	df	Mean Square	F	Sig.
Corrected Model	1286.858 ^a	11	116.987	13.312	.000
Intercept	3530.736	1	3530.736	401.759	.000
PERLAKUAN	378.189	3	126.063	14.345	.000
SUHU	323.568	2	161.784	18.409	.000
PERLAKUAN * SUHU	585.101	6	97.517	11.096	.000
Error	210.917	24	8.788		
Total	5028.511	36			
Corrected Total	1497.775	35			

a. R Squared = .859 (Adjusted R Squared = .795)

NILAI_a

Duncan^a

PERLAKUAN	N	Subset for alpha = 0.05			
		1	2	3	4
H0S3	3	-19.0033			
H0S1	3	-18.5433			
H3S3	3	-17.5867			
H3S1	3	-15.6533			
H1S3	3		-10.2000		
H1S2	3		-9.1567	-9.1567	
H2S2	3		-7.0400	-7.0400	-7.0400
H1S1	3		-6.6600	-6.6600	-6.6600
H2S1	3		-5.9800	-5.9800	-5.9800
H3S2	3			-4.1300	-4.1300
H2S3	3				-2.5000
H0S2	3				-2.3867
Sig.		.218	.130	.073	.101

Means for groups in homogeneous subsets are displayed.

a. Uses Harmonic Mean Sample Size = 3.000.

Hari Ke-5

Tests of Between-Subjects Effects

Dependent Variable: Nilai_a

Source	Type III Sum of Squares	df	Mean Square	F	Sig.
Corrected Model	555.388 ^a	11	50.490	3.540	.005
Intercept	38.896	1	38.896	2.727	.112
PERLAKUAN	148.537	3	49.512	3.471	.032
SUHU	346.475	2	173.238	12.146	.000
PERLAKUAN * SUHU	60.376	6	10.063	.706	.648
Error	342.303	24	14.263		
Total	936.587	36			
Corrected Total	897.691	35			

a. R Squared = .619 (Adjusted R Squared = .444)

NILAI_a

Duncan^a

PERLAKUAN	N	Subset for alpha = 0.05			
		1	2	3	4
H3S3	3	-5.7333			
H3S2	3	-4.4633			
H1S3	3	-3.5267	-3.5267		
H0S3	3	-2.5567	-2.5567	-2.5567	
H2S3	3	.3000	.3000	.3000	.3000
H1S2	3		2.7367	2.7367	2.7367
H0S2	3		3.0033	3.0033	3.0033
H0S1	3		3.5100	3.5100	3.5100
H2S2	3			3.8833	3.8833
H3S1	3			4.0033	4.0033
H1S1	3			4.5933	4.5933
H2S1	3				6.7233
Sig.		.091	.053	.054	.082

Means for groups in homogeneous subsets are displayed.

a. Uses Harmonic Mean Sample Size = 3.000.

Hari Ke-10

Tests of Between-Subjects Effects

Dependent Variable: Nilai_a

Source	Type III Sum of Squares	df	Mean Square	F	Sig.
Corrected Model	544.067 ^a	7	77.724	15.040	.000
Intercept	169.868	1	169.868	32.871	.000
PERLAKUAN	114.750	3	38.250	7.402	.003
SUHU	270.346	1	270.346	52.315	.000
PERLAKUAN * SUHU	158.971	3	52.990	10.254	.001
Error	82.683	16	5.168		
Total	796.618	24			
Corrected Total	626.750	23			

a. R Squared = .868 (Adjusted R Squared = .810)

Nilai_a

Duncan^a

PERLAKUAN	N	Subset for alpha = 0.05			
		1	2	3	4
H3S3	3	-7.1633			
H0S3	3		-2.8800		
H2S3	3			2.4600	
H1S2	3			4.8000	4.8000
H1S3	3			4.8000	4.8000
H3S2	3			5.5600	5.5600
H2S2	3			6.0200	6.0200
H0S2	3				7.6867
Sig.		1.000	1.000	.101	.178

Means for groups in homogeneous subsets are displayed.

a. Uses Harmonic Mean Sample Size = 3.000.

Hari Ke-15

Tests of Between-Subjects Effects

Dependent Variable: Nilai_a

Source	Type III Sum of Squares	df	Mean Square	F	Sig.
Corrected Model	315.396 ^a	7	45.057	7.177	.001
Intercept	1014.650	1	1014.650	161.633	.000
PERLAKUAN	39.647	3	13.216	2.105	.140
SUHU	221.616	1	221.616	35.303	.000
PERLAKUAN * SUHU	54.132	3	18.044	2.874	.069
Error	100.440	16	6.277		
Total	1430.485	24			
Corrected Total	415.835	23			

a. R Squared = .758 (Adjusted R Squared = .653)

Nilai_a

Duncan^a

PERLAKUAN	N	Subset for alpha = 0.05			
		1	2	3	4
H3S3	3	1.1633			
H2S3	3	1.9700			
H1S3	3	4.9233	4.9233		
H0S3	3	5.7967	5.7967		
H1S2	3		6.8967	6.8967	
H2S2	3		8.2900	8.2900	8.2900
H0S2	3			11.3833	11.3833
H3S2	3				11.5933
Sig.		.052	.149	.053	.145

Means for groups in homogeneous subsets are displayed.

a. Uses Harmonic Mean Sample Size = 3.000.

Lampiran 6. Hasil Analisis Statistik (ANOVA) Pengukuran Warna Nilai *b Pisang Kepok

Hari Ke-1

Tests of Between-Subjects Effects

Dependent Variable: Nilai_b

Source	Type III Sum of Squares	df	Mean Square	F	Sig.
Corrected Model	908.455 ^a	11	82.587	1.593	.164
Intercept	32712.148	1	32712.148	630.840	.000
PERLAKUAN	849.968	3	283.323	5.464	.005
SUHU	40.768	2	20.384	.393	.679
PERLAKUAN * SUHU	17.719	6	2.953	.057	.999
Error	1244.519	24	51.855		
Total	34865.122	36			
Corrected Total	2152.974	35			

a. R Squared = .422 (Adjusted R Squared = .157)

NILAI_b

Duncan^a

PERLAKUAN	N	Subset for alpha = 0.05		
		1	2	3
H3S2	3	23.0867		
H3S1	3	23.4967	23.4967	
H0S2	3	25.7400	25.7400	25.7400
H3S3	3	26.1067	26.1067	26.1067
H0S1	3	27.6133	27.6133	27.6133
H0S3	3	29.0367	29.0367	29.0367
H2S2	3	30.0533	30.0533	30.0533
H2S3	3	31.5100	31.5100	31.5100
H2S1	3	33.4533	33.4533	33.4533
H1S2	3	35.9033	35.9033	35.9033
H1S1	3		37.4933	37.4933
H1S3	3			38.2367
Sig.		.073	.051	.080

Means for groups in homogeneous subsets are displayed.

a. Uses Harmonic Mean Sample Size = 3.000.

Hari Ke-5

Tests of Between-Subjects Effects

Dependent Variable: Nilai_b

Source	Type III Sum of Squares	df	Mean Square	F	Sig.
Corrected Model	1868.071 ^a	11	169.825	7.990	.000
Intercept	45768.184	1	45768.184	2153.425	.000
PERLAKUAN	1170.953	3	390.318	18.365	.000
SUHU	343.054	2	171.527	8.070	.002
PERLAKUAN * SUHU	354.064	6	59.011	2.776	.034
Error	510.088	24	21.254		
Total	48146.344	36			
Corrected Total	2378.159	35			

a. R Squared = .786 (Adjusted R Squared = .687)

NILAI_b

Duncan^a

PERLAKUAN	N	Subset for alpha = 0.05					
		1	2	3	4	5	6
H3S3	3	21.4167					
H0S3	3	27.0167	27.0167				
H2S2	3		30.0833	30.0833			
H3S2	3		32.2967	32.2967	32.2967		
H3S1	3		32.3700	32.3700	32.3700		
H0S2	3			36.3633	36.3633	36.3633	
H2S3	3			36.5200	36.5200	36.5200	
H0S1	3			38.3700	38.3700	38.3700	
H2S1	3				39.8700	39.8700	
H1S3	3				40.7733	40.7733	40.7733
H1S1	3					44.2800	44.2800
H1S2	3						48.5100
Sig.		.150	.205	.062	.059	.074	.062

Means for groups in homogeneous subsets are displayed.

a. Uses Harmonic Mean Sample Size = 3.000.

Hari Ke-10

Tests of Between-Subjects Effects

Dependent Variable: Nilai_b

Source	Type III Sum of Squares	df	Mean Square	F	Sig.
Corrected Model	3281.827 ^a	7	468.832	7.349	.000
Intercept	26984.944	1	26984.944	422.989	.000
PERLAKUAN	196.049	3	65.350	1.024	.408
SUHU	2446.220	1	2446.220	38.344	.000
PERLAKUAN * SUHU	639.557	3	213.186	3.342	.046
Error	1020.735	16	63.796		
Total	31287.505	24			
Corrected Total	4302.561	23			

a. R Squared = .763 (Adjusted R Squared = .659)

Nilai_b

Duncan^a

PERLAKUAN	N	Subset for alpha = 0.05		
		1	2	3
H0S3	3	12.1567		
H2S3	3	24.3800	24.3800	
H3S3	3		27.8133	
H1S3	3		29.3933	
H3S2	3		35.3500	35.3500
H1S2	3			45.4567
H2S2	3			45.6033
H0S2	3			48.1000
Sig.		.079	.140	.090

Means for groups in homogeneous subsets are displayed.

a. Uses Harmonic Mean Sample Size = 3.000.

Hari Ke-15

Tests of Between-Subjects Effects

Dependent Variable: Nilai_b

Source	Type III Sum of Squares	df	Mean Square	F	Sig.
Corrected Model	1558.920 ^a	7	222.703	4.027	.010
Intercept	3595.133	1	3595.133	65.007	.000
PERLAKUAN	37.553	3	12.518	.226	.877
SUHU	1460.160	1	1460.160	26.402	.000
PERLAKUAN * SUHU	61.207	3	20.402	.369	.776
Error	884.865	16	55.304		
Total	6038.918	24			
Corrected Total	2443.785	23			

a. R Squared = .638 (Adjusted R Squared = .479)

Nilai_b

Duncan^a

PERLAKUAN	N	Subset for alpha = 0.05		
		1	2	3
H0S3	3	2.8767		
H3S3	3	3.1033		
H2S3	3	3.6633		
H1S3	3	8.1133	8.1133	
H0S2	3		18.7700	18.7700
H1S2	3		18.8267	18.8267
H3S2	3		19.2267	19.2267
H2S2	3			23.3333
Sig.		.439	.110	.500

Means for groups in homogeneous subsets are displayed.

a. Uses Harmonic Mean Sample Size = 3.000.

Lampiran 7. Dokumentasi Penelitian



Gambar 12. Proses *Heat Shock Treatment* buah pisang.



Gambar 13. Pengukuran tingkat kekerasan buah pisang.



Gambar 14. Pengukuran susut bobot buah pisang.



Gambar 15. Pengukuran warna buah pisang.



Gambar 16. Pengukuran total padatan terlarut.